

# MAGNETIC SUSCEPTIBILITY LOG

HOLE: MOR-10-02

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00	VCL		N/A	
2.00	VCL		N/A	
3.00	VCL		N/A	
4.00	VCL		2.78	
5.00	VCL		5.33	
6.00	VCL		3.24	
7.00	VCL		0.16	
8.00	VCL		0.10	
9.00	VCL		0.38	
10.00	VCL		0.16	
11.00	VCL		0.14	
12.00	VCL		0.12	
13.00	VCL		0.22	
14.00	VCL		0.22	
15.00	VCL		0.10	
16.00	VCL		0.18	
17.00	VCL		0.20	
18.00	VCL		0.20	
19.00	VCL		0.16	
20.00	OGN		0.20	
21.00	OGN		0.20	
22.00	OGN		0.30	
23.00	OGN		0.18	
24.00	VCL		0.32	
25.00	VCL		0.18	
26.00	VCL		0.18	
27.00	VCL		0.28	
28.00	VCL		0.14	
29.00	VCL		0.12	
30.00	VCL		0.10	
31.00	VCL		0.18	
32.00	VCL		0.49	
33.00	VCL		8.30	
34.00	VCL		0.28	
35.00	VCL		0.67	
36.00	VCL		1.10	
37.00	VCL		0.04	
38.00	VCL		0.86	
39.00	VCL		0.53	
40.00	VCL		0.12	
41.00	VCL		0.75	
42.00	VCL		0.22	
43.00	VCL		0.16	
44.00	VCL		0.34	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
45.00	VCL		2.72	
46.00	VCL		7.33	
47.00	VCL		1.02	
48.00	VCL		0.69	
49.00	VCL		0.16	
50.00	VCL		1.08	
51.00	VCL		0.18	
52.00	VCL		0.30	
53.00	MRB		0.10	
54.00	MRB		0.08	
55.00	MRB		0.20	
56.00	MRB		0.30	
57.00	MRB		0.18	
58.00	VCL		0.10	
59.00	MRB		0.10	
60.00	MRB		0.10	
61.00	MRB		0.04	
62.00	MRB		0.00	
63.00	MRB		0.06	
64.00	MRB		0.06	
65.00	MRB		0.22	
66.00	MRB		0.24	
67.00	MRB		0.02	
68.00	MRB		0.12	
69.00	MRB		0.10	
70.00	MRB		0.08	
71.00	MRB		0.04	
72.00	MRB		0.10	
73.00	MRB		0.06	
74.00	MRB		0.02	
75.00	VCL		0.02	
76.00	MRB		0.16	
77.00	MRB		2.15	
78.00	MRB		3.95	
79.00	MRB		0.02	
80.00	MRB		0.04	
81.00	MRB		0.20	
82.00	MRB		0.20	
83.00	MRB		0.04	
84.00	MRB		0.10	
85.00	VCL		0.49	
86.00	MRB		0.04	
87.00	MRB		0.01	
88.00	MRB		0.00	
89.00	MRB		0.02	
90.00	MRB		0.06	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
91.00	VCL		0.77	
92.00	MRB		0.04	
93.00	VCL		0.36	
94.00	MRB		26.70	
95.00	MRB		0.41	
96.00	MRB		0.18	
97.00	VCL		0.26	
98.00	MRB		1.57	
99.00	MRB		0.65	
100.00	MRB		0.55	
101.00	VCL		11.60	
102.00	MRB		0.45	
103.00	MRB		0.06	
104.00	VCL		0.24	
105.00	VCL		0.73	
106.00	VCL		0.49	
107.00	VCL		0.49	
108.00	VCL		0.92	
109.00	VCL		0.69	
110.00	VCL		0.28	
111.00	VCL		0.43	
112.00	VCL		0.28	
113.00	VCL		0.67	
114.00	MRB		0.55	
115.00	VCL		0.59	
116.00	MRB		0.12	
117.00	MRB		0.10	
118.00	VCL		2.41	
119.00	MRB		0.26	
120.00	VCL		0.41	
121.00	MRB		0.02	
122.00	MRB		0.22	
123.00	VCL		4.16	
124.00	MRB		1.04	
125.00	MRB		0.04	
126.00	MRB		0.28	
127.00	MRB		0.10	
128.00	MRB		0.20	
129.00	MRB		0.10	
130.00	MRB		0.63	
131.00	MRB		0.04	
132.00	MRB		0.08	
133.00	MRB		0.08	
134.00	VCL		12.30	
135.00	MRB		0.04	
136.00	MRB		0.14	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
137.00	MRB		0.16	
138.00	MRB		0.98	
139.00	MRB		0.10	
140.00	VCL		8.17	
141.00	MRB		0.04	
142.00	MRB		0.02	
143.00	MRB		0.02	
144.00	MRB		0.14	
145.00	MRB		0.14	
146.00	MRB		0.02	
147.00	MRB		0.47	
148.00	MRB		0.45	
149.00	MRB		0.28	
150.00	MRB		0.28	
151.00	MRB		0.04	
152.00	VCL		64.10	
153.00	MRB		0.02	
154.00	MRB		0.00	
155.00	VCL		0.67	
156.00	VCL		19.10	
157.00	MRB		2.82	
158.00	MRB		0.14	
159.00	MRB		0.04	
160.00	MRB		0.04	
161.00	MRB		0.51	
162.00	MRB		0.08	
163.00	VCL		0.24	
164.00	VCL		0.36	
165.00	MRB		0.57	
166.00	MRB		0.36	
167.00	MRB		0.02	
168.00	MRB		0.06	
169.00	MRB		0.08	
170.00	MRB		0.12	
171.00	QTE		0.08	
172.00	QTE		0.20	
173.00	QTE		0.30	
174.00	QTE		0.30	
175.00	QTE		0.31	
176.00	QTE		0.46	
177.00	MRB		0.08	
178.00	QTE		0.02	
179.00	VCL		0.02	
180.00	QTE		0.02	
181.00	QTE		1.56	
182.00	QTE		2.89	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
183.00	QTE		0.10	
184.00	QTE		0.80	
185.00	VCL		0.80	
186.00	VCL		0.80	
187.00	VCL		20.40	
188.00	VCL		0.10	
189.00	VCL		0.21	
190.00	VCL		0.21	
191.00	VCL		0.02	
192.00	VCL		0.04	
193.00	VCL		0.05	
194.00	VCL		0.06	
195.00	VCL		0.06	
196.00	VCL		0.28	
197.00	VCL		0.30	
198.00	VCL		0.28	
199.00	VCL		0.76	
200.00	VCL		0.50	
201.00	VCL		0.50	
202.00	VCL		0.50	
203.00	VCL		0.49	
204.00	VCL		0.08	
205.00	VCL		0.08	
206.00	VCL		0.04	
207.00	VCL		0.02	
208.00	VCL		0.02	
209.00	VCL		0.02	
210.00	VCL		0.02	
211.00	VCL		0.04	
212.00	VCL		0.04	
213.00	VCL		0.20	
214.00	VCL		0.20	
215.00	VCL		0.20	
216.00	VCL		0.10	
217.00	VCL		0.08	
218.00	VCL		0.20	
219.00	VCL		0.42	
220.00	QTE		0.17	
221.00	QTE		0.16	
222.00	VCL		0.17	
223.00	VCL		0.17	
224.00	VCL		0.20	
225.00	VCL		0.82	
226.00	VCL		0.86	
227.00	QTE		0.04	
228.00	QTE		0.06	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
229.00	QTE		0.47	
230.00	VCL		1.39	
231.00	QTE		0.32	
232.00	VCL		6.27	
233.00	VCL		0.75	
234.00	VCL		0.79	
235.00	VCL		0.36	
236.00	VCL		0.75	
237.00	VCL		0.79	
238.00	VCL		0.77	
239.00	VCL		0.80	
240.00	VCL		0.20	
241.00	VCL		0.56	
242.00	VCL		0.70	
243.00	VCL		0.90	
244.00	VCL		0.75	
245.00	MRB		1.47	
246.00	MRB		0.24	
247.00	MRB		0.24	
248.00	MRB		3.73	
249.00	VCL		0.02	
250.00	VCL		0.18	
251.00	VCL		1.90	
252.00	VCL		0.32	
253.00	VCL		0.59	
254.00	MRB		0.04	
255.00	MRB		0.06	
256.00	MRB		0.04	
257.00	MRB		0.02	
258.00	MRB		0.02	
259.00	MRB		0.02	
260.00	MRB		0.02	
261.00	VCL		0.05	
262.00	VCL		0.13	
263.00	VCL		0.26	
264.00	VCL		0.25	
265.00	VCL		0.25	
266.00	VCL		0.26	
267.00	VCL		0.10	
268.00	VCL		0.08	
269.00	VCL		0.08	
270.00	VCL		0.08	
271.00	VCL		0.32	
272.00	VCL		0.08	
273.00	VCL		0.02	
274.00	VCL		1.68	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
275.00	VCL		29.20	
EOH				