SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LM87-03-394-395M	1	261	37	323	.1	18	43	517	11.64	11	5	ND	2	9	1	2	2	195	.34	.054	2	16	2.21	15	.06	6	2.67	.03	.02	1	4
LM87-03-396-397M	1	160	33	131	.1	24	46	482	10.91	21	5	ND	1	10	1	2	2	201	.43	.074	2	39	2.40	18	.10	2	2.83	.03	.01	1	3
LM87-03-398-399M	1	118	40	151	.1	17	37	435	10.44	45	5	ND	1	13	1	2	2	224	.57	.102	2	29	2.06	12	.12	5	2.43	.04	.02	1	2
LM87-03-400-401M	1	851	36	169	.8	18	50	336	12.55	20	5	ND	1	7	1	2	3	165	.27	.056	2	15	1.36	14	.08	3	1.81	.04	.01	1	7
LM87-03-402-403M	3	356	25	98	.5	16	35	141	6.73	19	5	ND	1	8	1	2	3	81	.39	.063	2	11	.40	20	.12	2	.64	.06	.01	1	2
LM87-03-404-405M	2	462	34	90	.3	15	73	258	12.54	13	5	ND	1	9	1	3	8	166	.47	.073	2	7	1.20	13	.07	2	1.51	.04	.01	1	5
LM87-03-406-407M	1	386	38	51	.3	30	39	231	7.05	14	5	ND	1	26	1	2	2	85	1.44	.050	2	47	.95	18	.09	2	1.03	.04	.01	1	2
LM87-03-408-409M	1	300	30	94	.1	18	39	391	10.28	10	5	ND	1	10	1	2	2	185	.62	.055	2	18	1.79	11	.10	7	2.35	.04	.01	1	3
LM87-03-410-411M	1	557	31	81	.5	19	47	361	11.37	17	5	ND	1	8	1	2	2	160	.42	.048	2	15	1.59	6	.11	10	2.11	.04	.01	1	6
LM87-03-412-413M	1	591	32	96	.2	17	31	427	11.76	8	5	ND	1	7	1	2	2	177	.28	.054	2	16	1.89	7	.09	7	2.49	.03	.01	1	2
LM87-03-414-415M	1	284	37	95	.1	17	42	449	11.26	9	5	ND	1	8	1	2	2	176	.34	.062	2	18	1.87	8	.08	7	2.30	.03	.01	1	4
LM87-03-416-417M	1	387	29	170	.3	22	51	468	14.68	10	5	ND	2	6	1	2	2	181	.33	.056	2	15	2.45	11	.07	2	2.95	.03	.01	1	1
LM87-03-418-418.5M	1	46	24	173	.1	15	36	393	11.04	5	5	ND	1	8	1	2	2	217	.47	.115	2	32	2.72	11	.10	6	3.16	.03	.01	1	5
LM87-04-2.1-3.1M	1	62	18	49	.1	16	17	352	4.11	3	5	ND	1	49	1	2	2	100	2.12	.072	2	27	1.00	34	.24	6	1.38	.10	.13	1	1
LM87-04-4-5M	1	70	18	51	.1	10	21	354	4.38	2	5	ND	1	35	1	2	2	108	1.61	.070	2	5	1.11	33	.23	2	1.28	.08	.08	1	2
LM87-04-6-7M	1	79	14	45	.1	9	18	347	4.98	2	5	ND	1	19	1	2	2	109	1.39	.068	2	3	1.07	11	.18	3	1.30	.09	.04	1	1
LM87-04-8-9M	1	80	15	46	.1	10	21	333	4.45	2	5	ND	1	21	1	2	2	114	1.65	.067	2	3	1.13	25	.21	2	1.35	.08	.07	1	1
LM87-04-10-11M	1	55	10	43	.1	7	16	391	4.02	2	5	ND	1	17	1	2	3	97	1.69	.070	2	2	1.03	33	.17	2	1.30	.11	.09	1	3
LM87-04-12-13M	1	45	12	58	.1	8	18	360	5.72	4	5	ND	2	22	1	2	5	130	1.81	.106	4	10	.88	65	.21	2	1.18	.10	.16	1	5
LM87-04-14-15M	1	48	11	37	.1	7	16	280	3.62	2	5	ND	1	15	1	2	2	100	1.31	.084	2	2	.65	32	.19	2	.84	.12	.08	1	1
LM87-04-16-17M	1	64	8	43	.1	8	17	379	4.18	3	5	ND	1	20	1	2	2	109	1.88	.092	3	4	.77	41	.16	2	1.03	.12	.09	1	1
LM87-04-18-19M	1	65	10	48	.1	9	17	410	4.42	2	5	ND	1	29	1	2	2	113	2.46	.099	4	4	.75	29	.19	2	.98	.11	.06	1	2
LM87-04-20-21M	1	108	18	47	.1	17	23	448	3.95	2	5	ND	2	38	1	2	2	79	2.12	.056	2	6	1.43	36	.19	2	1.65	.08	.07	1	1
LM87-04-22-23M	1	55	11	48	.1	17	18	441	3.57	2	5	ND	1	112	1	2	2	74	2.25	.067	3	22	1.55	23	.22	2	1.83	.10	.05	1	1
LM87-04-24-25M	1	56	15	48	.1	15	22	362	5.01	3	5	ND	1	33	1	2	2	94	1.33	.069	2	6	1.75	47	.21	2	1.93	.08	.09	1	1
LM87-04-26-27M	1	56	10	36	.1	15	20	369	3.54	2	5	ND	1	31	1	2	2	88	2.22	.062	2	6	1.24	25	.19	2	1.35	.07	.05	1	2
LM87-04-28-29M	1	65	20	52	.1	14	19	369	5.31	2	5	ND	1	55	1	2	2	96	1.42	.088	3	6	1.55	43	.19	2	1.75	.07	.07	1	1
LM87-04-30-31M	1	98	17	69	.1	15	25	459	5.71	4	5	ND	2	46	1	2	2	107	2.32	.084	3	6	1.91	54	.23	5	2.07	.07	.06	1	1
LM87-04-32-33M	1	53	20	101	.1	12	31	930	6.53	2	5	ND	1	74	1	2	2	114	6.32	.133	7	4	1.59	55	.20	2	1.93	.05	.06	1	1
LM87-04-34-35M	1	74	13	42	.1	17	20	396	3.20	3	5	ND	1	39	1	2	2	78	2.35	.064	2	5	1.09	138	.22	10	1.31	.09	.13	1	1
LM87-04-36-37M	1	54	18	71	.1	18	24	501	5.90	2	5	ND	2	35	1	2	2	93	1.04	.057	2	5	2.74	53	.14	2	2.98	.05	.04	1	1
LM87-04-38-39M	1	64	14	33	.1	12	18	403	3.97	4	5	ND	2	53	1	2	2	122	2.57	.072	5	8	.96	12	.27	2	1.04	.06	.01	1	2
LM87-04-40-41M	1	69	22	47	.1	13	20	476	4.85	5	5	ND	1	65	1	2	2	139	2.99	.056	4	8	1.48	25	.30	2	1.45	.05	.01	1	1
LM87-04-42-43M	1	84	22	70	.1	24	31	727	7.62	2	5	ND	2	66	1	2	2	182	3.29	.055	4	10	3.81	31	.14	2	3.64	.03	.06	1	1
LM87-04-44-45M	1	84	12	59	.1	20	31	630	7.14	2	5	ND	2	47	1	2	2	167	2.63	.056	3	8	2.83	32	.16	2	2.69	.04	.01	1	1
LM87-04-46-47M	1	70	25	69	.1	19	30	901	6.74	3	5	ND	2	96	1	2	2	193	5.30	.061	6	10	2.98	24	.09	3	2.99	.03	.01	1	2
STD C/AU-R	19	60	42	130	7.4	69	29	940	3.94	41	19	8	39	52	18	17	22	57	.44	.088	39	61	.86	180	.09	37	1.86	.06	.14	13	485

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LH87-04-48-49M	1	39	22	612	.1	10	26	892	6.95	3	5	ND	4	95	1	2	2	229	6.83	.085	7	4	1.68	74	.08	2	3.02	.03	.01	1	1
LH87-04-50.2-51.2M	1	63	23	105	.1	16	27	908	6.57	2	5	ND	4	93	1	2	2	108	5.59	.084	5	7	2.50	70	.04	3	3.25	.01	.14	1	1
LH87-04-52-53M	1	57	26	87	.1	19	27	1223	7.32	4	5	ND	3	79	1	2	2	82	6.79	.059	3	11	3.12	58	.03	5	2.31	.01	.14	1	1
LH87-04-54-55M	1	37	21	99	.1	22	24	771	6.85	7	5	ND	3	41	1	2	2	87	3.20	.063	2	20	2.20	37	.01	7	2.60	.02	.14	1	3
LH87-04-56-57M	1	52	27	188	.1	23	29	1226	8.14	10	5	ND	3	43	1	2	2	132	3.35	.072	2	25	2.87	47	.03	3	3.88	.03	.09	1	4
LH87-04-58-59M	1	78	18	330	.1	14	21	1668	6.67	5	5	ND	3	44	1	2	2	121	3.74	.059	2	22	3.96	37	.01	2	4.09	.03	.06	1	3
LH87-04-60-61M	1	34	13	381	.1	15	20	1879	6.52	4	5	ND	3	35	1	2	2	117	3.20	.052	2	25	4.49	103	.01	2	4.37	.01	.04	1	5
LH87-04-62-63M	1	11	18	323	.1	16	24	2371	6.92	4	5	ND	3	48	1	2	2	101	4.70	.052	2	23	4.55	69	.03	6	3.55	.02	.07	1	17
LH87-04-64-65M	1	543	19	325	.2	12	20	1713	6.51	3	5	ND	3	38	1	2	2	121	2.72	.055	2	18	4.10	68	.04	2	4.31	.01	.05	1	9
LH87-04-66-67M	2	486	21	386	.3	15	47	1764	11.12	2	5	ND	3	26	1	2	2	184	1.65	.072	2	16	4.28	36	.05	2	5.50	.01	.02	1	4
LH87-04-68-69M	3	137	29	356	.2	35	48	2205	13.85	2	5	ND	3	35	1	2	2	153	2.68	.055	2	37	3.81	23	.03	11	4.45	.01	.06	1	1
LH87-04-70-71M	1	67	22	467	.1	22	22	3026	9.86	8	5	ND	2	32	1	2	2	125	2.76	.062	2	30	3.30	44	.05	3	3.48	.01	.07	1	3
LH87-04-72-73M	1	116	29	668	.2	26	23	3420	11.91	4	9	ND	3	34	3	2	2	143	3.59	.036	2	34	4.40	41	.04	7	3.91	.01	.04	1	4
LH87-04-74-75M	1	81	24	494	.3	24	27	2472	12.82	3	8	ND	4	26	1	2	2	154	1.63	.040	2	36	3.33	34	.04	6	4.38	.01	.05	2	2
LH87-04-76-77M	1	73	30	315	.2	25	35	3085	11.30	12	7	ND	2	52	1	2	2	105	4.79	.040	2	28	3.11	34	.01	7	3.11	.01	.06	1	2
LH87-04-78-79M	4	164	28	556	.5	33	41	1415	12.48	16	5	ND	3	26	2	2	2	84	1.87	.045	2	25	2.18	19	.02	4	2.53	.01	.09	1	8
LH87-04-79.8-80.8M	2	287	23	374	.5	37	48	2155	12.76	4	6	ND	3	31	1	2	6	171	2.22	.126	2	44	4.60	36	.03	5	5.87	.01	.05	2	1
LH87-04-82-83M	1	41	19	358	.1	26	26	2817	8.24	2	5	ND	2	25	1	2	2	165	2.73	.074	2	41	5.10	21	.03	2	5.34	.01	.03	1	2
LH87-04-84-85M	1	267	15	469	.2	20	23	2330	8.29	2	5	ND	3	30	1	2	2	193	2.44	.080	4	36	5.09	25	.03	2	6.00	.01	.04	1	1
LH87-04-86-87M	2	29	24	490	.1	21	28	2299	8.25	8	5	ND	3	23	1	2	2	233	1.94	.121	4	17	6.16	24	.03	2	7.23	.01	.04	1	2
LH87-04-88-89M	1	47	18	317	.1	20	30	2470	7.37	6	5	ND	3	35	1	2	2	235	3.50	.083	2	17	6.17	27	.01	6	6.60	.01	.06	1	1
LH87-04-90-91M	2	40	23	267	.1	30	74	1853	12.19	8	5	ND	3	12	1	3	2	183	1.08	.089	2	52	7.15	11	.01	16	6.91	.01	.04	1	1
LH87-04-92-93M	4	512	17	239	.2	27	28	1956	9.19	10	5	ND	2	16	1	4	2	220	1.31	.066	3	49	7.87	5	.03	7	7.68	.01	.01	1	6
LH87-04-94-95M	4	92	11	237	.1	26	28	1746	8.48	19	5	ND	1	7	1	3	2	212	.65	.086	4	53	8.27	7	.01	5	7.78	.01	.02	1	2
LH87-04-96-97M	6	24	10	249	.1	30	31	1554	10.50	23	5	ND	2	4	1	5	2	260	.28	.042	3	55	8.68	2	.03	7	8.46	.01	.01	1	1
LH87-04-98-99M	4	25	14	266	.1	26	24	1677	7.97	14	5	ND	2	6	1	5	2	223	.45	.086	5	51	8.66	1	.01	2	7.60	.01	.01	1	1
LH87-04-100-101M	4	179	9	259	.1	27	25	1839	8.95	23	5	ND	1	8	1	4	2	232	.57	.066	3	54	9.27	3	.02	2	8.12	.01	.01	1	1
LH87-04-102-103M	4	88	7	246	.1	29	28	1896	7.60	14	7	ND	1	15	1	5	2	222	1.23	.084	4	51	9.09	10	.01	2	7.92	.01	.01	1	3
LH87-04-104-105M	3	66	14	256	.1	29	33	1682	8.21	9	5	ND	2	8	1	4	2	220	.52	.042	2	49	9.57	3	.02	4	7.24	.01	.01	1	2
LH87-04-106-107M	4	19	12	280	.1	29	30	1582	7.90	14	5	ND	2	6	1	6	2	216	.39	.083	2	49	9.11	4	.01	2	7.59	.01	.01	1	3
LH87-04-108-109M	2	1317	4	223	.2	30	26	1526	7.41	6	5	ND	1	4	1	6	2	160	.26	.073	2	50	6.99	24	.01	2	6.51	.01	.04	1	2
LH87-04-110-111M	6	469	17	221	.3	30	32	1303	13.21	34	5	ND	2	4	1	7	2	267	.30	.092	2	56	7.37	16	.03	4	8.11	.01	.03	1	1
LH87-04-112-113M	2	77	17	146	.2	23	34	1069	13.66	8	5	ND	2	4	1	2	4	235	.31	.057	2	48	5.16	9	.04	2	6.74	.01	.02	2	1
LH87-04-114-115M	3	55	20	168	.1	24	34	1165	13.68	18	5	ND	1	4	1	5	3	244	.37	.056	2	45	5.47	8	.04	3	7.19	.01	.03	2	3
LH87-04-116-117M	2	20	18	154	.2	22	32	961	12.13	11	5	ND	2	5	1	2	2	225	.37	.074	2	56	6.86	20	.05	6	6.84	.01	.05	1	3
LH87-04-118-119M	1	151	17	130	.1	21	26	1070	9.66	5	5	ND	1	10	1	2	3	205	.92	.062	2	49	5.74	12	.08	3	6.27	.01	.03	1	1
STD C/AU-R	18	59	41	133	7.3	71	29	928	3.91	44	24	8	38	50	18	16	22	57	.47	.086	37	61	.84	178	.08	34	1.84	.06	.14	11	480

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LN87-04-120-121M	1	15	9	155	.1	23	29	1021	10.84	2	5	ND	3	5	1	2	2	251	.33	.077	2	57	6.73	7	.06	4	7.22	.01	.04	1	1
LN87-04-122-123M	1	411	15	129	.2	22	27	895	10.02	2	5	ND	2	7	1	2	2	252	.53	.084	2	56	6.34	13	.07	2	7.12	.01	.04	1	1
LN87-04-124-125M	1	460	13	122	.1	36	37	1020	11.90	2	5	ND	1	4	1	3	2	308	.36	.059	2	57	6.06	5	.06	5	7.31	.01	.03	1	1
LN87-04-126-127M	3	20	7	158	.1	47	45	958	10.90	5	5	ND	2	7	1	2	2	335	.59	.052	2	61	7.75	4	.04	4	7.92	.01	.03	1	2
LN87-04-128-129M	2	24	9	164	.1	34	43	894	10.46	2	5	ND	1	6	1	2	2	263	.55	.065	2	33	7.43	25	.06	2	7.32	.01	.09	1	1
LN87-04-130-131M	1	930	22	144	.8	31	37	808	11.31	12	5	ND	2	7	1	2	2	271	.54	.087	2	55	5.26	97	.14	2	6.66	.01	.36	1	58
LN87-04-132-133M	1	51	19	438	.3	21	39	1483	8.99	2	5	ND	2	29	1	2	2	239	2.55	.033	2	17	6.62	41	.11	2	6.43	.01	.54	1	5
LN87-04-133.8-134.8M	1	24	26	215	.1	11	16	405	9.84	2	5	ND	2	52	1	2	2	171	2.18	.085	2	18	2.12	771	.28	6	5.11	.08	1.11	1	1
LN87-04-135-136M	1	8	23	117	.1	10	14	303	10.98	2	5	ND	2	77	1	4	2	134	2.40	.259	4	15	1.16	408	.12	7	2.00	.04	.45	1	1
LN87-04-137-138M	1	11	22	134	.1	9	30	851	7.35	2	5	ND	3	88	1	2	2	215	4.43	.098	4	6	2.36	404	.19	7	3.18	.06	.94	1	1
LN87-04-139-140M	1	10	22	129	.1	8	28	958	8.03	9	5	ND	1	89	1	2	2	202	5.71	.084	3	5	2.57	306	.17	2	3.22	.05	.84	1	1
LN87-04-141-142M	1	44	18	132	.1	8	22	823	6.44	7	5	ND	1	130	1	2	2	189	6.70	.092	3	7	2.31	533	.22	2	3.61	.06	1.30	1	2
LN87-04-143-144M	1	71	11	92	.1	55	35	669	7.80	19	5	ND	1	122	1	2	2	216	4.27	.040	2	177	4.72	286	.11	2	5.37	.02	.57	1	1
LN87-04-147-148M	1	82	13	96	.1	64	38	594	7.65	2	5	ND	2	60	1	2	2	238	2.92	.048	3	195	5.32	9	.04	2	5.56	.01	.02	1	1
LN87-04-148.7-149.7M	1	84	2	106	.1	66	35	617	7.72	6	5	ND	1	55	1	2	2	229	3.01	.049	2	201	4.91	20	.04	4	5.01	.01	.04	1	2
LN87-04-151-152M	2	26	11	69	.2	19	4	968	1.70	2	5	ND	1	196	1	2	9	37	24.39	.044	5	23	.89	202	.10	2	.66	.02	.41	1	2
LN87-04-153-154M	2	34	14	101	.2	32	6	617	2.10	2	5	ND	1	146	2	2	9	23	19.11	.038	3	17	.65	108	.08	8	.53	.02	.29	1	2
LN87-04-155-156M	2	30	6	77	.3	25	5	611	1.48	2	5	ND	1	175	1	2	9	8	18.90	.039	3	8	.36	86	.05	2	.28	.01	.17	1	1
LN87-04-157-158M	3	41	15	128	.4	35	6	556	2.27	2	5	ND	1	181	2	2	11	27	16.10	.055	4	20	.73	122	.10	13	.64	.01	.43	1	1
LN87-04-159-160M	3	30	8	70	.1	24	5	445	1.30	2	5	ND	1	340	1	2	7	5	20.49	.043	3	4	.20	86	.06	2	.19	.01	.12	1	1
LN87-04-161-162M	2	26	13	121	.2	18	4	577	1.69	2	5	ND	1	177	2	2	2	17	16.19	.039	5	11	.70	147	.09	9	.72	.01	.39	1	1
LN87-04-163-164M	1	29	52	173	.5	21	4	710	1.71	35	5	ND	1	266	2	2	6	17	20.09	.047	4	16	.61	67	.06	8	.53	.01	.38	1	1
LN87-04-165-166M	1	35	11	83	.3	25	4	790	2.02	2	5	ND	1	182	1	2	5	29	20.07	.034	4	21	1.00	186	.09	2	.90	.01	.62	1	1
LN87-04-167-168M	1	74	13	80	.1	78	35	745	7.06	10	5	ND	1	48	1	2	2	173	5.09	.039	2	207	4.43	448	.20	8	4.87	.02	.46	1	1
LN87-04-168.8-169.8M	1	52	15	83	.1	67	28	760	5.29	2	5	ND	1	93	1	2	2	148	10.18	.040	2	177	3.33	29	.12	6	3.21	.01	.04	1	2
LN87-04-171-172M	1	77	10	85	.2	71	36	1011	6.85	13	5	ND	1	63	1	2	2	178	7.69	.033	2	275	3.87	466	.21	2	4.58	.02	.48	1	1
LN87-04-173-174M	1	88	11	82	.2	71	25	872	4.84	2	5	ND	1	89	1	2	2	129	11.16	.041	2	173	2.62	44	.10	2	2.59	.02	.06	1	1
LN87-04-174.9-175.9M	1	103	11	69	.1	69	35	479	6.26	6	5	ND	1	23	1	2	2	120	1.10	.047	2	137	3.19	622	.29	3	3.55	.04	.71	1	1
LN87-04-177-178M	1	29	13	87	.2	22	4	839	1.93	2	5	ND	1	116	1	2	2	31	14.35	.036	4	26	.89	30	.08	2	.80	.02	.52	1	1
LN87-04-179-180M	1	31	8	72	.3	24	4	1157	2.04	2	5	ND	1	167	2	2	2	61	21.05	.041	4	34	.74	69	.07	2	.61	.01	.39	1	1
LN87-04-181.2-182.2M	1	71	2	60	.1	46	22	706	4.94	2	5	ND	1	78	1	2	2	86	7.75	.040	2	117	3.21	100	.13	6	3.27	.01	.11	1	2
LN87-04-183-184M	1	79	11	63	.1	51	28	598	4.90	2	5	ND	2	38	1	2	2	101	2.42	.054	3	73	2.23	372	.29	4	2.78	.03	.49	1	1
STD C/AU-R	18	61	41	132	7.3	69	29	942	3.95	37	22	7	40	52	18	14	21	58	.46	.088	38	61	.87	182	.08	34	1.86	.06	.14	12	490

ACME ANALYTICAL LABORATORIES 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6 PHONE 253-3158 DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: CORE AU* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: AUG 14 1987 DATE REPORT MAILED: Aug 25/87 ASSAYER: D. Toye ..DEAN TOYE, CERTIFIED B.C. ASSAYER

STRYKER FREEPORT File # 87-3306 Page 1

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LH87-03 69-70M	13	4532	49	310	4.0	29	47	569	14.42	148	5	ND	7	11	1	2	10	23	1.05	.085	2	5	.57	16	.01	9	.69	.02	.18	1	22
LH87-03 81-82M	2	1109	11	202	.5	31	30	1583	13.52	28	5	ND	3	14	1	40	2	270	1.42	.022	6	56	8.99	3	.05	8	7.67	.01	.01	1	1
LH87-03 83-84M	1	116	10	184	.1	36	42	1377	14.76	45	5	ND	2	4	1	67	2	274	.37	.025	2	57	7.39	11	.05	2	7.29	.01	.03	1	1
LH87-03 87-88M	1	1153	21	240	1.6	31	42	693	10.11	239	5	ND	1	21	1	2	2	74	1.79	.064	2	36	1.88	52	.04	2	2.20	.03	.15	1	7
LH87-03 97-98M	32	6884	17	94	.5	20	46	600	8.44	19	5	ND	1	6	1	2	2	78	.62	.063	2	20	1.68	39	.07	2	2.09	.01	.12	4	5
LH87-03 99-100M	28	33825	19	177	2.6	32	56	407	13.58	13	5	ND	2	3	1	2	2	82	.28	.073	2	16	1.44	32	.07	7	1.91	.01	.19	2	10
LH87-03 201-202M	1	38	2	40	.1	26	16	704	4.18	3	5	ND	1	156	1	2	2	113	11.57	.029	2	90	2.12	18	.12	5	2.19	.01	.05	1	1
LH87-03 289-289.5M	1	277	2	75	.2	103	32	1025	7.66	9	5	ND	1	114	1	2	2	161	8.60	.030	4	216	5.32	125	.13	4	4.66	.02	.19	1	1
LH87-03 323-324M	1	502	12	173	.7	15	33	937	8.62	3	5	ND	1	16	1	2	2	153	2.22	.087	2	11	1.82	42	.20	3	2.07	.06	.28	1	2
LH87-03 351-352M	1	252	19	2368	.2	17	37	899	11.46	2	5	ND	2	9	14	2	2	215	.74	.088	2	14	3.19	11	.13	4	3.20	.04	.02	1	3
LH87-03 355-356M	1	235	12	192	.4	43	32	1120	15.69	13	5	ND	1	14	1	2	5	222	1.01	.069	2	104	4.20	7	.10	6	4.15	.04	.02	1	2
LH87-03 377-378M	1	1031	27	136	1.1	16	41	563	15.53	21	5	ND	2	7	1	2	7	194	.30	.069	3	10	2.22	43	.07	7	2.59	.04	.03	1	5
LH87-03 379.2-380.1M	1	734	46	70	1.0	15	52	240	19.21	40	5	ND	2	5	1	2	15	122	.24	.056	2	8	.93	25	.08	8	1.07	.06	.02	1	1
LH87-03 381-381.7M	1	437	47	85	.9	18	55	405	18.36	38	5	ND	1	8	1	2	11	217	.47	.099	2	10	1.99	22	.21	3	2.18	.06	.02	1	6
LH87-04 107-108M	2	869	2	270	.1	38	35	1716	9.67	15	5	ND	1	4	1	2	2	215	.29	.101	2	54	9.24	15	.01	5	7.07	.01	.03	1	1
LH87-04 109-110M	1	1926	9	208	.2	30	37	1624	12.45	18	5	ND	1	6	1	2	2	236	.42	.109	2	56	7.88	37	.03	5	6.56	.01	.07	1	1
LH87-04 187-188M	1	96	6	75	.1	31	25	670	6.39	2	5	ND	1	27	1	2	2	108	2.20	.067	3	49	2.85	84	.32	8	3.19	.03	.14	1	1
LH87-04 191-192M	1	99	4	59	.1	35	22	764	5.33	2	5	ND	1	43	1	2	2	88	4.38	.045	2	55	2.33	52	.35	2	2.70	.03	.10	1	1
LH87-04 195-196M	1	81	4	57	.1	46	23	480	5.48	2	5	ND	1	40	1	2	2	81	1.98	.046	2	66	2.45	204	.34	5	2.96	.04	.37	1	1
LH87-04 199.5-200.5M	1	85	5	57	.1	66	25	756	4.97	2	5	ND	1	77	1	2	2	90	7.61	.036	2	168	2.44	48	.34	8	2.55	.03	.09	1	1
LH87-04 202-203M	1	81	7	70	.2	74	26	711	6.02	2	5	ND	1	84	1	2	2	140	7.74	.048	3	204	3.37	62	.29	6	2.96	.02	.16	1	1
LH87-04 204-205M	1	80	13	63	.1	86	32	754	6.29	2	5	ND	1	26	1	2	2	119	2.20	.041	2	254	3.46	96	.37	5	3.32	.03	.17	1	1
LH87-04 206-207M	1	27	4	48	.1	24	4	763	1.93	2	5	ND	1	249	1	2	2	51	20.94	.044	3	33	.88	181	.11	6	.82	.01	.20	1	2
LH87-04 208-209M	1	42	9	82	.5	34	5	1123	2.20	2	5	ND	1	178	1	2	2	71	20.35	.043	5	38	1.04	157	.15	11	.92	.03	.66	1	1
LH87-04 210-211M	1	24	7	48	.1	17	3	689	2.55	2	5	ND	1	140	1	2	2	24	15.04	.028	3	16	1.67	445	.13	2	1.60	.02	1.12	1	2
LH87-04 212-213M	1	87	7	67	.2	71	30	723	6.42	2	5	ND	1	26	1	2	2	142	2.42	.042	2	236	4.09	130	.32	2	3.56	.02	.30	1	1
LH87-04 216-217M	1	88	2	66	.2	82	29	559	5.71	6	5	ND	2	13	1	2	2	108	1.19	.042	2	218	3.87	80	.31	3	3.38	.03	.16	1	1
LH87-04 218-219M	2	102	6	37	.1	19	3	589	1.18	2	5	ND	1	107	1	2	2	12	13.00	.035	3	11	.54	83	.12	2	.52	.03	.15	1	1
LH87-04 220-221M	1	155	5	57	.1	57	30	692	5.87	2	5	ND	1	40	1	2	2	124	3.32	.046	2	117	2.72	492	.35	6	3.01	.04	.62	1	2
LH87-04 224-225M	1	136	10	53	.1	42	24	501	5.40	8	5	ND	1	30	1	2	2	96	2.82	.042	2	91	2.52	56	.26	5	2.74	.03	.09	1	1
LH87-04 228-229M	1	95	12	57	.1	41	24	502	5.67	2	5	ND	1	40	1	2	2	99	3.18	.047	2	96	2.63	56	.26	2	2.82	.03	.10	1	1
LH87-04 232-233M	1	149	7	48	.1	39	22	506	4.94	2	5	ND	1	41	1	2	2	83	3.05	.051	2	76	1.98	138	.32	5	2.45	.05	.27	1	1
LH87-04 236-237M	1	96	7	50	.1	54	24	721	4.96	2	5	ND	1	61	1	2	2	66	4.93	.040	2	83	2.17	146	.28	2	2.66	.03	.23	1	1
LH87-04 240-241M	1	70	5	49	.1	136	32	596	5.01	32	5	ND	1	23	1	2	2	52	2.62	.037	2	276	3.13	31	.21	6	3.05	.01	.05	1	1
LH87-04 243.7-244.7M	6	110	10	52	.7	101	36	808	9.61	2	5	ND	1	40	1	2	2	118	6.26	.035	2	190	2.85	115	.26	3	2.73	.03	.16	1	2
LH87-04 246-247M	1	38	9	97	.4	35	6	787	2.14	2	5	ND	1	104	1	2	2	53	17.82	.058	4	43	.87	149	.11	2	.65	.03	.38	1	1
STD C/AU-R	19	64	39	132	7.6	72	28	1021	4.21	35	23	8	40	52	19	16	20	58	.45	.091	39	65	.93	180	.10	37	1.85	.06	.14	11	505

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LM87-04 248-249M	3	47	6	115	.3	36	5	552	2.35	2	5	ND	1	121	1	2	2	28	15.59	.034	3	40	.65	102	.10	2	.47	.02	.25	1	4
LM87-04 250-251M	2	41	8	123	.5	36	5	567	2.03	4	5	ND	1	125	1	2	4	21	16.21	.032	4	30	.69	106	.13	4	.54	.02	.40	1	1
LM87-04 252-253M	1	25	11	64	.3	17	2	1059	1.37	2	5	ND	1	217	1	2	3	14	25.08	.041	3	11	.65	92	.07	2	.46	.01	.37	1	1
LM87-04 254-255M	3	34	7	91	.4	34	5	459	2.46	3	7	ND	1	62	1	3	4	45	9.32	.060	4	52	.89	143	.11	2	.77	.02	.58	2	1
LM87-04 256-257M	2	74	4	76	.2	105	33	869	7.09	22	5	ND	3	23	1	2	3	175	2.65	.037	2	228	5.22	49	.36	2	4.40	.02	1.11	2	4
LM87-04 258-259M	1	88	3	59	.3	114	35	851	6.25	21	5	ND	1	41	1	2	2	163	5.21	.031	2	224	3.97	91	.29	2	3.49	.03	.98	1	2
LM87-04 260-261M	2	33	6	104	.3	30	4	635	1.95	6	6	ND	1	164	1	2	3	15	19.39	.039	3	17	.54	101	.10	2	.43	.01	.30	1	1
LM87-04 262-263M	4	33	5	114	.3	29	4	417	1.83	8	5	ND	1	165	2	2	2	22	18.27	.048	3	12	.41	76	.09	11	.35	.01	.22	1	1
LM87-04 264-265M	5	34	10	146	.5	34	3	387	1.75	2	6	ND	1	168	4	2	2	32	18.97	.042	3	12	.39	71	.10	3	.34	.01	.23	1	1
LM87-04 266-267M	2	28	8	70	.2	24	4	525	1.54	3	5	ND	1	297	1	2	2	9	23.95	.058	4	10	.42	54	.08	9	.29	.01	.20	1	1
LM87-04 267.9-268.9M	5	49	16	88	.4	27	4	485	2.05	2	5	ND	1	177	1	3	3	8	19.98	.041	3	10	.43	45	.08	10	.31	.01	.18	1	2
LM87-04 268.9-269.1M	1	23	19	31	.3	13	4	609	1.36	3	5	ND	1	267	1	2	2	34	14.49	.026	2	23	.71	74	.06	2	.63	.01	.17	1	1
LM87-04 269.1-270.1M	3	78	17	93	.3	43	20	686	5.29	2	5	ND	1	85	1	2	2	150	5.59	.062	4	145	3.42	215	.23	2	2.94	.03	.58	1	2
LM87-04 271-272M	1	45	14	65	.2	81	28	1061	6.04	22	5	ND	1	101	1	2	2	187	6.40	.051	2	286	5.31	358	.29	2	4.47	.01	1.21	3	1
LM87-04 273.2-274.2M	3	35	12	82	.4	34	6	471	1.86	30	5	ND	1	163	1	5	6	18	15.44	.036	6	13	.69	44	.02	5	.33	.01	.16	1	1
LM87-04 275-276M	1	35	8	105	.2	29	4	564	1.75	2	5	ND	1	128	1	2	2	18	18.25	.040	5	19	.64	58	.13	2	.55	.01	.32	1	1
LM87-04 277.2-278.2M	12	83	35	147	.2	42	16	877	4.68	2	5	ND	1	160	2	2	2	137	11.62	.072	6	106	2.55	225	.19	2	2.35	.02	.73	1	1
LM87-04 279-280M	1	44	27	91	.1	49	15	1051	4.20	12	5	ND	1	201	1	2	2	124	12.59	.045	3	177	3.00	112	.16	2	2.65	.01	.31	1	1
LM87-04 281-282M	1	40	22	128	.4	24	19	965	6.85	2	5	ND	1	89	1	2	2	99	11.90	.130	4	31	2.82	190	.37	9	2.87	.02	.59	1	6
LM87-04 283-284M	1	36	13	102	.1	13	12	688	5.18	2	5	ND	1	68	1	2	4	82	8.38	.111	2	15	2.18	199	.40	2	2.40	.04	1.15	1	1
LM87-04 285-286M	1	51	12	46	.1	79	25	823	4.53	8	5	ND	1	54	1	2	2	91	6.32	.068	3	169	2.69	370	.27	2	2.59	.03	.81	1	1
LM87-04 287-288M	1	55	14	48	.1	75	25	688	4.58	3	5	ND	1	56	1	2	3	75	5.58	.091	4	131	2.41	144	.31	2	2.27	.03	.38	1	2
LM87-04 291-292M	1	57	13	52	.1	89	26	487	4.81	2	5	ND	2	29	1	3	2	67	1.54	.083	4	127	2.87	243	.33	2	2.83	.04	.76	1	3
LM87-04 295-296M	1	80	11	49	.1	90	27	651	4.79	2	5	ND	1	54	1	2	2	65	4.91	.071	3	137	2.55	241	.30	2	2.62	.05	.64	1	2
LM87-04 299-300M	1	85	10	51	.1	20	19	1087	4.29	2	5	ND	1	151	1	2	2	99	14.20	.091	3	32	1.81	279	.28	2	2.01	.02	.56	1	3
LM87-04 300.7-301.7M	1	101	14	146	.2	22	29	755	7.95	2	5	ND	2	92	1	2	2	240	2.89	.087	4	30	3.77	301	.29	2	3.85	.03	.68	2	1
LM87-04 302-303M	1	26	11	76	.2	26	4	1020	2.06	2	5	ND	1	188	1	2	2	64	20.52	.056	5	54	.74	132	.15	2	.64	.02	.30	1	2
LM87-04 304-304.5M	2	51	21	101	.5	32	13	723	6.76	2	5	ND	1	129	1	3	3	114	10.62	.047	4	60	2.33	8	.28	3	1.92	.03	.01	1	3
LM87-04 306-307M	1	42	10	104	.1	35	29	689	9.14	2	5	ND	2	42	1	2	2	201	3.13	.078	2	82	4.59	8	.22	2	4.40	.02	.02	2	1
LM87-04 310-311M	1	37	14	83	.1	36	27	739	6.25	8	5	ND	1	48	1	2	2	137	3.77	.073	2	72	2.54	26	.21	2	2.85	.04	.06	1	1
LM87-04 313.5-314.5M	1	46	17	75	.1	37	28	665	5.22	12	5	ND	1	69	1	2	2	113	5.10	.082	2	52	1.88	22	.21	2	2.28	.04	.04	1	2
LM87-04 315-316M	1	41	11	80	.1	41	28	545	5.65	14	5	ND	1	53	1	3	2	115	3.80	.081	2	53	2.09	14	.22	2	2.52	.04	.03	1	1
LM87-04 317-318M	1	71	16	69	.1	45	30	561	5.71	5	5	ND	2	57	1	2	2	115	3.45	.078	3	33	1.76	20	.27	2	2.24	.05	.03	1	2
LM87-04 319-320M	1	38	7	86	.1	30	25	611	7.13	5	5	ND	1	55	1	2	3	118	4.13	.058	2	49	2.72	40	.19	4	3.16	.04	.04	1	1
LM87-04 321-322M	1	49	10	83	.1	27	29	735	6.32	8	5	ND	1	74	1	2	2	136	4.32	.085	2	44	2.37	77	.26	13	2.87	.08	.05	1	1
LM87-05 3-4M	1	83	19	67	.1	14	29	582	7.58	4	5	ND	2	44	1	5	2	198	2.80	.080	3	3	1.94	8	.29	2	1.74	.07	.01	1	2
STD C/AU-R	20	62	58	133	7.5	71	28	1065	4.07	39	19	8	40	53	19	18	22	59	.51	.093	39	64	.90	182	.10	31	1.80	.06	.14	11	505

ACME ANALYTICAL LABORATORIES 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6 PHONE 253-3158 DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: AUG 19 1987 DATE REPORT MAILED: Aug 31/87 ASSAYER: D. Toye. DEAN TOYE, CERTIFIED B.C. ASSAYER

STRYKER FREEPORT File # 87-3442 Page 1

SAMPLE#	MO PPM	CU PPM	PB PPM	ZN PPM	AG PPM	NI PPM	CO PPM	MN PPM	FE %	AS PPM	U PPM	AU PPM	TH PPM	SR PPM	CD PPM	SB PPM	BI PPM	V PPM	CA %	P %	LA PPM	CR PPM	MG %	BA PPM	TI %	B PPM	AL %	NA %	K %	W PPM	AU* PPB
LH-87-04-145-146M	3	96	18	93	.2	79	38	927	8.71	25	5	ND	2	186	2	2	2	223	7.62	.041	3	211	7.48	26	.05	2	6.95	.01	.02	1	10
LH-87-05-34.5-35.5M	3	34	26	125	.1	5	11	462	4.65	1253	5	ND	2	69	2	2	2	14	6.83	.077	6	1	.65	85	.07	3	1.58	.10	.29	1	98
LH-87-05-35.5-36.5M	3	101	24	186	.7	21	33	1003	8.79	53	5	ND	1	92	2	2	2	78	9.16	.068	4	4	2.23	89	.04	10	2.01	.07	.36	1	10
LH-87-05-36.5-37.5M	5	153	32	226	.6	29	32	993	8.82	34	5	ND	1	62	3	2	2	84	7.09	.063	5	22	2.50	56	.08	2	2.22	.03	.25	1	11
LH-87-05-38.5-39.5M	1	98	26	147	.7	20	37	962	8.13	46	5	ND	1	66	2	2	2	175	8.04	.065	2	3	2.80	131	.11	3	3.93	.18	.93	1	12
LH-87-05-39.5-40.5M	1	91	19	161	.3	30	36	1100	8.87	16	5	ND	1	61	2	2	2	199	9.11	.065	2	7	4.12	85	.11	2	5.52	.09	.23	1	3
LH-87-05-40.5-41.5M	1	79	16	172	.1	18	31	1071	8.68	289	5	ND	1	65	2	2	2	236	8.04	.074	3	7	4.16	245	.18	2	5.80	.03	.49	1	21
LH-87-05-41.5-42.5M	1	90	22	1254	.1	24	39	986	7.95	2645	5	ND	1	69	24	2	2	212	7.03	.059	2	5	4.33	241	.11	5	5.04	.03	.71	5	180
LH-87-05-42.5-43.5M	1	68	14	188	.1	22	31	1202	8.46	46	5	ND	1	70	2	2	2	218	7.50	.064	2	4	5.39	173	.11	2	5.96	.02	.54	1	1
LH-87-05-43.5-44.5M	2	118	21	138	.1	26	50	1567	9.95	24	5	ND	1	95	2	2	2	213	9.42	.041	4	5	6.46	64	.06	2	6.43	.01	.16	1	5
LH-87-05-44.5-45.5M	1	124	12	114	.2	22	32	1568	8.77	2	5	ND	1	101	2	2	2	216	10.50	.123	8	11	6.08	138	.08	4	5.79	.01	.36	1	10
LH-87-05-45.5-46.5M	3	105	19	150	.1	29	43	1244	10.05	7	5	ND	1	79	2	2	2	220	7.22	.050	4	9	6.61	52	.06	2	6.90	.01	.14	1	1
LH-87-05-47.5-48.5M	1	75	14	124	.1	27	32	1700	8.74	5	5	ND	1	137	2	2	2	169	12.17	.070	9	68	4.98	42	.03	2	5.86	.01	.07	1	1
LH-87-05-49.5-50.5M	1	65	14	108	.1	13	33	1608	8.54	2	5	ND	1	104	2	2	2	180	10.96	.053	3	3	4.22	55	.08	4	4.91	.03	.11	1	1
LH-87-05-51.5-52.5M	1	64	28	127	.1	22	34	1532	8.77	24	5	ND	1	94	2	2	2	130	8.42	.064	3	13	3.76	54	.04	2	3.40	.04	.16	2	7
LH-87-05-52.5-53.5M	1	68	21	144	.1	18	26	1594	7.94	9	5	ND	1	88	2	2	2	143	8.35	.059	3	17	4.11	64	.05	8	4.22	.04	.17	1	8
LH-87-05-53.5-54.5M	1	49	25	138	.1	22	28	1424	8.14	23	5	ND	1	88	1	2	2	146	7.44	.058	2	17	3.94	53	.05	3	3.75	.08	.12	1	1
LH-87-05-55-56M	1	38	10	212	.1	22	23	1218	7.49	4	5	ND	1	59	2	2	2	164	4.41	.058	4	23	4.68	63	.04	3	5.57	.04	.10	1	1
LH-87-05-57-58M	1	31	21	202	.2	20	26	1785	7.83	2	5	ND	1	89	2	2	2	162	8.93	.056	4	22	4.81	87	.06	2	5.20	.05	.17	1	2
LH-87-05-59-60M	1	21	19	155	.1	18	20	1479	6.30	2	5	ND	1	77	1	2	2	128	7.76	.053	3	17	3.46	58	.06	4	4.08	.06	.11	1	2
LH-87-05-61-62M	2	124	22	274	.1	20	37	1662	11.12	2	5	ND	1	67	2	2	6	184	6.00	.040	2	17	4.76	61	.08	3	5.39	.07	.13	1	1
LH-87-05-62-63M	1	72	23	241	.1	21	29	1432	7.09	7	5	ND	1	55	1	2	2	150	5.15	.060	3	20	4.01	69	.08	2	4.98	.06	.13	2	5
LH-87-05-64-65M	1	21	19	146	.1	18	25	1506	6.85	2	5	ND	1	78	1	2	2	162	7.48	.061	3	26	4.05	98	.07	2	4.66	.08	.21	1	1
LH-87-05-66-67M	1	61	18	187	.1	19	28	1585	8.13	2	5	ND	1	61	1	2	2	155	6.30	.052	5	29	4.63	68	.04	13	5.68	.03	.06	1	1
LH-87-05-68-69M	2	17	18	228	.1	23	25	1801	8.12	4	5	ND	1	68	1	2	2	164	5.54	.053	4	27	6.53	48	.05	2	6.59	.05	.07	1	5
LH-87-05-70-71M	13	54	34	393	.1	38	48	1710	12.61	47	5	ND	2	45	2	2	2	353	1.83	.086	2	44	10.41	95	.07	2	10.23	.05	.11	1	1
LH-87-05-71-72M	8	53	20	367	.1	31	63	2122	13.05	23	5	ND	3	68	3	2	2	279	4.34	.088	4	17	8.78	49	.07	2	8.25	.02	.05	1	1
LH-87-05-72-73M	3	126	18	696	.1	21	53	1930	9.25	5	5	ND	1	69	4	2	2	226	3.66	.088	4	8	6.12	117	.08	10	6.13	.04	.08	2	2
LH-87-05-74-75M	5	43	14	275	.1	30	35	1697	8.63	8	5	ND	2	44	1	2	2	213	1.96	.057	3	34	7.29	115	.08	2	7.64	.08	.09	1	1
LH-87-05-76-77M	4	579	26	241	.4	23	40	2026	8.51	13	5	ND	1	72	2	2	2	206	5.22	.064	5	20	7.17	14	.02	2	6.97	.01	.02	1	5
LH-87-05-78-79M	8	95	15	330	.1	32	36	1466	10.02	26	5	ND	3	16	2	2	3	227	.91	.059	4	34	8.35	25	.06	15	8.09	.02	.04	1	1
LH-87-05-80-81M	5	143	17	283	.1	31	48	1221	13.30	21	5	ND	3	9	2	3	2	266	.61	.070	6	7	6.52	15	.07	2	7.07	.01	.02	1	8
LH-87-05-82-83M	4	434	12	298	.3	24	35	1946	9.02	9	5	ND	2	46	2	2	2	229	2.23	.079	3	27	7.19	109	.08	4	6.93	.04	.09	1	1
LH-87-05-84-85M	13	2619	20	418	1.0	30	58	1650	14.62	54	5	ND	3	12	3	6	2	269	.61	.070	3	41	10.06	24	.05	2	9.80	.02	.03	1	14
LH-87-05-86-87M	10	62	19	296	.1	31	38	1467	12.88	34	5	ND	4	7	3	2	2	238	.43	.055	2	41	8.39	11	.06	2	8.83	.01	.01	1	2
LH-87-05-87-88M	10	583	17	286	.3	36	56	1429	15.27	29	5	ND	4	6	2	2	6	278	.34	.073	3	45	8.54	8	.05	2	9.01	.01	.01	1	1
STD C/AU-R	20	62	41	133	6.9	71	29	1053	4.35	39	17	8	40	51	18	16	22	60	.55	.082	38	60	.96	182	.08	36	1.88	.06	.13	14	485