

MAGNETIC SUSCEPTIBILITY LOG

HOLE: NIKKI-10-01

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00			N/A	
2.00			N/A	
3.00			N/A	
4.00			N/A	
5.00			N/A	
6.00			N/A	
7.00			N/A	
8.00			N/A	
9.00			N/A	
10.00			N/A	
11.00			30.00	
12.00			18.10	
13.00			0.18	
14.00			N/A	
15.00			N/A	
16.00			25.10	
17.00			N/A	
18.00			N/A	
19.00			0.06	
20.00			7.82	
21.00			N/A	
22.00			0.30	
23.00			13.30	
24.00			17.80	
25.00			9.32	
26.00			30.70	
27.00			0.15	
28.00			1.15	
29.00			8.26	
30.00			19.20	
31.00			0.30	
32.00			0.35	
33.00			0.15	
34.00			1.41	
35.00			38.20	
36.00			31.00	
37.00			0.50	
38.00			0.28	
39.00			0.21	
40.00			0.22	
41.00			0.30	
42.00			0.26	
43.00			0.21	
44.00			0.11	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
45.00			0.35	
46.00			0.68	
47.00			15.20	
48.00			0.16	
49.00			0.48	
50.00			0.25	
51.00			0.85	
52.00			0.45	
53.00			26.00	
54.00			0.16	
55.00			0.47	
56.00			0.21	
57.00			14.10	
58.00			0.55	
59.00			12.30	
60.00			9.16	
61.00			12.30	
62.00			0.82	
63.00			23.80	
64.00			0.18	
65.00			0.12	
66.00			0.30	
67.00			23.50	
68.00			0.32	
69.00			16.40	
70.00			12.40	
71.00			11.30	
72.00			14.80	
73.00			7.29	
74.00			0.32	
75.00			8.75	
76.00			1.47	
77.00			4.69	
78.00			11.30	
79.00			0.16	
80.00			11.90	
81.00			0.18	
82.00			0.41	
83.00			14.30	
84.00			0.32	
85.00			10.40	
86.00			12.30	
87.00			8.26	
88.00			13.70	
89.00			3.15	
90.00			0.18	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
91.00			8.01	
92.00			6.56	
93.00			11.90	
94.00			23.80	
95.00			12.30	
96.00			17.60	
97.00			3.44	
98.00			10.60	
99.00			9.71	
100.00			16.20	
101.00			9.14	
102.00			18.30	
103.00			16.70	
104.00			9.06	
105.00			8.05	
106.00			0.69	
107.00			0.08	
108.00			10.30	
109.00			0.18	
110.00			18.60	
111.00			9.14	
112.00			0.08	
113.00			9.94	
114.00			13.10	
115.00			9.47	
116.00			9.90	
117.00			16.90	
118.00			25.60	
119.00			0.16	
120.00			0.04	
121.00			0.08	
122.00			0.16	
123.00			0.47	
124.00			0.20	
125.00			0.10	
126.00			0.22	
127.00			0.20	
128.00			0.32	
129.00			0.24	
130.00			0.47	
131.00			0.51	
132.00			0.16	
133.00			0.51	
134.00			0.24	
135.00			0.28	
136.00			0.28	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
137.00			N/A	
138.00			0.45	
139.00			0.47	
140.00			N/A	
141.00			10.10	
142.00			12.10	
143.00			0.51	
144.00			0.28	
145.00			20.20	
146.00			0.90	
147.00			0.61	
148.00			28.20	
149.00			1.14	
150.00			0.16	
151.00			0.45	
152.00			0.49	
153.00			18.30	
154.00			53.20	
155.00			14.20	
156.00			0.24	
157.00			21.20	
158.00			18.70	
159.00			8.09	
160.00			0.34	
161.00			72.10	
162.00			55.40	
163.00			11.70	
164.00			86.90	
165.00			58.80	
166.00			49.40	
167.00			22.30	
168.00			59.10	
169.00			56.50	
170.00			37.50	
171.00			61.60	
172.00			108.00	
173.00			77.90	
174.00			53.90	
175.00			95.90	
176.00			38.30	
177.00			0.18	
178.00			39.00	
179.00			59.60	
180.00			101.00	
181.00			79.80	
182.00			13.50	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
183.00			92.40	
184.00			3.95	
185.00			0.14	
186.00			26.70	
187.00			44.50	
188.00			32.00	
189.00			15.50	
190.00			39.40	
191.00			42.10	
192.00			33.90	
193.00			39.20	
194.00			30.00	
195.00			43.40	
196.00			28.80	
197.00			27.40	
198.00			34.40	
199.00			26.40	
200.00			0.24	
201.00			0.20	
202.00			16.50	
203.00			66.80	
204.00			32.30	
205.00			21.60	
206.00			19.10	
207.00			13.10	
208.00			25.20	
209.00			34.00	
210.00			21.30	
211.00			10.80	
212.00			33.50	
213.00			21.70	
214.00			19.90	
215.00			22.40	
216.00			8.83	
217.00			15.40	
218.00			0.18	
219.00			0.26	
220.00			1.27	
221.00			0.10	
222.00			0.55	
223.00			8.44	
224.00			14.20	
225.00			29.90	
226.00			3.23	
227.00			0.36	
228.00			23.50	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
229.00			17.10	
230.00			1.29	
231.00			4.01	
232.00			2.37	
233.00			5.18	
234.00			22.90	
235.00			0.36	
236.00			7.03	
237.00			0.51	
238.00			22.80	
239.00			18.00	
240.00			3.09	
241.00			9.45	
242.00			0.32	
243.00			3.13	
244.00			0.14	
245.00			0.26	
246.00			6.33	
247.00			0.14	
248.00			0.12	
249.00			0.36	
250.00			0.22	
251.00			0.32	
252.00			0.18	
253.00			6.72	
254.00			0.16	
255.00			0.16	
256.00			0.10	
257.00			0.51	
258.00			N/A	
259.00			2.93	
260.00			3.34	
261.00			1.18	
262.00			6.31	
263.00			7.79	
264.00			10.10	
265.00			0.10	
266.00			13.20	
267.00			3.40	
268.00			0.21	
269.00			0.14	
270.00			2.62	
271.00			4.67	
272.00			1.29	
273.00			0.08	
274.00			0.06	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
275.00			0.10	
276.00			0.06	
277.00			0.32	
278.00			0.38	
279.00			N/A	
280.00			3.01	
281.00			0.20	
282.00			0.34	
283.00			0.36	
284.00			0.51	
285.00			0.36	
286.00			0.26	
287.00			0.32	
288.00			0.26	
E.O.H.				