

MINING DIVISION - WHITEHORSE
YUKON TERRITORY

[illegible][illegible]

~~WHITEHORSE COPPER MINES~~

PLOTTED 40' SECTIONS

PLOTTED 40' ASSAY PLANS

PLOTTED 40' GEO. PLANS

ASSAYS CHECKED

INTEN. GRADE CHECKED

P.O. BOX 4280
YUKON TERRITORY

Hole No. N515W1 Page No. 2

[illegible]

P.O. BOX 4280
YUKON TERRITORY

Hole No NS13 W / Page No 3[illegible]

WHITEHORSE COPPER MINES LTD.

P.O. BOX 4280
YUKON TERRITORYHole No. N515W/L Page No. 7

FOOTAGE			ROCK CLASSIFICATION Epid, Diop, Garn, Serp, Qtz/Sil, Actino, Tremo, Chlo, Crystalline, Shearing, Veins, Fracturing, Foliation, Grain Size, Texture	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	Sample No.	Width	Recov.	% Cu	% Fe	Moly	Au/Ag	Insol
965.5	972.5	3	d/c H. br. grn SK										
972.5	974	9	b gy grn Fg dyke										
974	978.5	3	d/c grn loc well laminated SK, grt 45° patches epidote, vugs filled with ca										
978.5	980	2	d/c/s grn SK dissem CP	CP	1.5								
980	981	5	35 remnant LS										
981	989.8	2	dgc grn brn SK loc well banded 50° CP & PY along bnds, dissem & blds patches ca, tr br, tr moss	CP, br PY MOSS	2 3 Tr								
989.8	1021.6	5	3 d/c, unappretiated LS with patches SK, CP as patches & blds occ spec moss, moss on fract @ 1008.2 py as dissem patchy & euhedral grains to 1cm CP 5cm x 2cm @ 999', from 1002' mainly rextallied LS with patches q, c, with occ spec sculpides										
1021.6	1043.2	3	d/g, & ca, occ spec sculp 6" @ 1033' with flakes moss to 3mm @ 1022' tr py with sculp in 30's	MOSS	Tr								

P.O. BOX 4280
YUKON TERRITORY

Hole No VS13wt Page No [illegible]