

MAGNETIC SUSCEPTIBILITY LOG

HOLE: OFF-10-01

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|-----------|
| 1.00 | | | N/A | |
| 2.00 | | | N/A | |
| 3.00 | | | N/A | |
| 4.00 | | | 0.23 | |
| 5.00 | | | 0.05 | |
| 6.00 | | | 0.07 | |
| 7.00 | | | 0.09 | |
| 8.00 | | | 0.14 | |
| 9.00 | | | 0.53 | |
| 10.00 | | | 0.05 | |
| 11.00 | | | 0.07 | |
| 12.00 | | | 0.07 | |
| 13.00 | | | 0.31 | |
| 14.00 | | | 0.05 | |
| 15.00 | | | 0.07 | |
| 16.00 | | | 0.07 | |
| 17.00 | | | 0.01 | |
| 18.00 | | | 0.03 | |
| 19.00 | | | 0.03 | |
| 20.00 | | | 0.03 | |
| 21.00 | | | 0.05 | |
| 22.00 | | | 0.10 | |
| 23.00 | | | 0.03 | |
| 24.00 | | | 0.01 | |
| 25.00 | | | 0.12 | |
| 26.00 | | | 0.05 | |
| 27.00 | | | 0.12 | |
| 28.00 | | | 0.01 | |
| 29.00 | | | 0.01 | |
| 30.00 | | | 0.03 | |
| 31.00 | | | 0.40 | END OF HQ |
| 32.00 | | | 0.05 | |
| 33.00 | | | 0.04 | |
| 34.00 | | | 0.04 | |
| 35.00 | | | 0.02 | |
| 36.00 | | | 0.65 | |
| 37.00 | | | 0.26 | |
| 38.00 | | | 0.18 | |
| 39.00 | | | 0.06 | |
| 40.00 | | | 0.08 | |
| 41.00 | | | 0.12 | |
| 42.00 | | | 0.08 | |
| 43.00 | | | 0.12 | |

MAGNETIC SUSCEPTIBILITY LOG

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|----------|
| 44.00 | | | 0.06 | |
| 45.00 | | | 0.04 | |
| 46.00 | | | 0.06 | |
| 47.00 | | | 0.20 | |
| 48.00 | | | 0.22 | |
| 49.00 | | | 0.96 | |
| 50.00 | | | 0.02 | |
| 51.00 | | | 0.12 | |
| 52.00 | | | 0.14 | |
| 53.00 | | | 2.64 | |
| 54.00 | | | 0.90 | |
| 55.00 | | | 0.14 | |
| 56.00 | | | 0.18 | |
| 57.00 | | | 0.04 | |
| 58.00 | | | 0.12 | |
| 59.00 | | | 0.06 | |
| 60.00 | | | 0.45 | |
| 61.00 | | | 0.18 | |
| 62.00 | | | 0.96 | |
| 63.00 | | | 1.37 | |
| 64.00 | | | 0.67 | |
| 65.00 | | | 0.08 | |
| 66.00 | | | 0.02 | |
| 67.00 | | | 0.02 | |
| 68.00 | | | 0.04 | |
| 69.00 | | | 0.06 | |
| 70.00 | | | 0.02 | |
| 71.00 | | | 0.24 | |
| 72.00 | | | 0.22 | |
| 73.00 | | | 0.02 | |
| 74.00 | | | 0.02 | |
| 75.00 | | | 0.02 | |
| 76.00 | | | 0.30 | |
| 77.00 | | | 0.04 | |
| 78.00 | | | 0.30 | |
| 79.00 | | | 0.14 | |
| 80.00 | | | 0.22 | |
| 81.00 | | | 0.10 | |
| 82.00 | | | 0.34 | |
| 83.00 | | | 1.61 | |
| 84.00 | | | 1.49 | |
| 85.00 | | | 0.20 | |
| 86.00 | | | 0.12 | |
| 87.00 | | | 0.24 | |
| 88.00 | | | 0.38 | |

MAGNETIC SUSCEPTIBILITY LOG

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|----------|
| 89.00 | | | 0.30 | |
| 90.00 | | | 0.10 | |
| 91.00 | | | 0.10 | |
| 92.00 | | | 0.12 | |
| 93.00 | | | 0.30 | |
| 94.00 | | | 0.08 | |
| 95.00 | | | 0.06 | |
| 96.00 | | | 0.06 | |
| 97.00 | | | 0.10 | |
| 98.00 | | | 0.16 | |
| 99.00 | | | 0.14 | |
| 100.00 | | | 0.08 | |
| 101.00 | | | 0.49 | |
| 102.00 | | | 0.38 | |
| 103.00 | | | 2.64 | |
| 104.00 | | | 0.55 | |
| 105.00 | | | 0.22 | |
| 106.00 | | | 0.08 | |
| 107.00 | | | 0.26 | |
| 108.00 | | | 0.10 | |
| 109.00 | | | 0.22 | |
| 110.00 | | | 0.61 | |
| 111.00 | | | 0.08 | |
| 112.00 | | | 0.08 | |
| 113.00 | | | 0.06 | |
| 114.00 | | | 0.47 | |
| 115.00 | | | 0.08 | |
| 116.00 | | | 0.38 | |
| 117.00 | | | 0.30 | |
| 118.00 | | | 1.35 | |
| 119.00 | | | 0.16 | |
| 120.00 | | | 0.14 | |
| 121.00 | | | 0.18 | |
| 122.00 | | | 0.10 | |
| 123.00 | | | 0.16 | |
| 124.00 | | | 0.73 | |
| 125.00 | | | 0.22 | |
| 126.00 | | | 0.12 | |
| 127.00 | | | 1.04 | |
| 128.00 | | | 0.71 | |
| 129.00 | | | 0.12 | |
| 130.00 | | | 0.18 | |
| 131.00 | | | 0.43 | |
| 132.00 | | | 0.26 | |
| 133.00 | | | 0.10 | |

MAGNETIC SUSCEPTIBILITY LOG

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|----------|
| 134.00 | | | 1.35 | |
| 135.00 | | | 0.34 | |
| 136.00 | | | 2.31 | |
| 137.00 | | | 0.08 | |
| 138.00 | | | 0.51 | |
| 139.00 | | | 0.16 | |
| 140.00 | | | 4.07 | |
| 141.00 | | | 0.26 | |
| 142.00 | | | 0.47 | |
| 143.00 | | | 0.32 | |
| 144.00 | | | 0.26 | |
| 145.00 | | | 0.02 | |
| 146.00 | | | 0.06 | |
| 147.00 | | | 0.02 | |
| 148.00 | | | 0.28 | |
| 149.00 | | | 0.14 | |
| 150.00 | | | 0.04 | |
| 151.00 | | | 0.28 | |
| 152.00 | | | 3.05 | |
| 153.00 | | | 1.00 | |
| 154.00 | | | 0.14 | |
| 155.00 | | | 0.26 | |
| 156.00 | | | 2.31 | |
| 157.00 | | | 0.14 | |
| 158.00 | | | 1.68 | |
| 159.00 | | | 2.52 | |
| 160.00 | | | 0.51 | |
| 161.00 | | | 0.22 | |
| 162.00 | | | 0.14 | |
| 163.00 | | | 0.43 | |
| 164.00 | | | 0.08 | |
| 165.00 | | | 0.36 | |
| 166.00 | | | 1.59 | |
| 167.00 | | | 2.43 | |
| 168.00 | | | 1.04 | |
| 169.00 | | | 0.16 | |
| 170.00 | | | 0.04 | |
| 171.00 | | | 0.59 | |
| 172.00 | | | 1.02 | |
| 173.00 | | | 0.79 | |
| 174.00 | | | 0.16 | |
| 175.00 | | | 0.47 | |
| 176.00 | | | 0.28 | |
| 177.00 | | | 0.16 | |
| 178.00 | | | 0.84 | |

MAGNETIC SUSCEPTIBILITY LOG

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|----------|
| 179.00 | | | 0.77 | |
| 180.00 | | | 0.16 | |
| 181.00 | | | 0.64 | |
| 182.00 | | | 0.45 | |
| 183.00 | | | 0.14 | |
| 184.00 | | | 0.47 | |
| 185.00 | | | 0.06 | |
| 186.00 | | | 0.02 | |
| 187.00 | | | 0.02 | |
| 188.00 | | | 0.16 | |
| 189.00 | | | 0.26 | |
| 190.00 | | | 0.12 | |
| 191.00 | | | 0.06 | |
| 192.00 | | | 0.02 | |
| 193.00 | | | 0.08 | |
| 194.00 | | | 0.08 | |
| 195.00 | | | 0.16 | |
| 196.00 | | | 0.06 | |
| 197.00 | | | 0.02 | |
| 198.00 | | | 0.08 | |
| 199.00 | | | 0.16 | |
| 200.00 | | | 0.24 | |
| 201.00 | | | 0.26 | |
| 202.00 | | | 0.02 | |
| 203.00 | | | 0.02 | |
| 204.00 | | | 0.10 | |
| 205.00 | | | 0.34 | |
| 206.00 | | | 0.12 | |
| 207.00 | | | 1.27 | |
| 208.00 | | | 1.33 | |
| 209.00 | | | 0.04 | |
| 210.00 | | | 0.57 | |
| 211.00 | | | 0.04 | |
| 212.00 | | | 0.08 | |
| 213.00 | | | 0.14 | |
| 214.00 | | | 0.75 | |
| 215.00 | | | 0.16 | |
| 216.00 | | | 0.12 | |
| 217.00 | | | 0.06 | |
| 218.00 | | | 1.27 | |
| 219.00 | | | 0.28 | |
| 220.00 | | | 0.02 | |
| 221.00 | | | 0.02 | |
| 222.00 | | | 0.65 | |
| 223.00 | | | 0.10 | |

MAGNETIC SUSCEPTIBILITY LOG

| Depth (m) | Unit | Modifier | Magnetic Susceptibility | Comments |
|-----------|------|----------|-------------------------|----------|
| 224.00 | | | 0.18 | |
| 225.00 | | | 0.04 | |
| 226.00 | | | 0.02 | |
| 227.00 | | | 0.02 | |
| 228.00 | | | 0.04 | |
| 229.00 | | | 0.24 | |
| 230.00 | | | 0.04 | |
| 231.00 | | | 0.06 | |
| 232.00 | | | 0.34 | |
| 233.00 | | | 0.02 | |
| 234.00 | | | 0.59 | |
| 235.00 | | | 0.63 | |
| 236.00 | | | 0.06 | |
| 237.00 | | | 0.06 | |
| 238.00 | | | 0.36 | |
| 239.00 | | | 0.00 | |
| 240.00 | | | 0.02 | |
| 241.00 | | | 0.02 | |
| 242.00 | | | 0.02 | |
| 243.00 | | | 0.04 | |
| 244.00 | | | 0.04 | |

EOH