

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Chip	Batch	Recovery (m)	Recovery (%)	Rock Type	Unit Type	Au	Ag	Al	As	Ba	Be	Bi
OS -12-130	4.63	7.01	2.38	M668570	N	12-129	2.07	87	SLT	C-SLC	1.05	0.09	4.67	496	180	0.97	0.17
OS -12-130	7.01	10.06	3.05	M668572	N	12-129	2.6	85	SLT	C-SLC	0.04	0.08	5.06	104	170	1.35	0.20
OS -12-130	10.06	13.11	3.05	M668573	N	12-129	2.45	80	SLT	C-SLC	0.01	0.09	6.64	211	240	1.90	0.28
OS -12-130	13.11	16.15	3.04	M668574	N	12-129	2.07	68	SLT	C-SLC	0.03	0.08	6.89	295	220	1.75	0.29
OS -12-130	16.15	19.20	3.05	M668575	N	12-129	2.34	77	SLT	C-SLC	0.07	0.08	6.16	431	190	1.71	0.26
OS -12-130	19.20	20.69	1.49	M668576	N	12-137	1.49	100	SLT	C-SLC	0.01	0.03	5.55	104	170	1.53	0.24
OS -12-130	20.69	22.25	1.56	M668577	N	12-137	1.27	81	SLT	C-SLC	0.01	0.01	6.01	85	190	1.67	0.23
OS -12-130	22.25	25.30	3.05	M668578	N	12-137	2.81	92	SLT	C-SLC	0.01	0.01	5.02	95	200	1.32	0.19
OS -12-130	25.30	26.92	1.62	M668579	N	12-137	1.53	94	SLT	C-SLC	0.01	0.02	5.53	101	150	1.20	0.18
OS -12-130	26.92	29.87	2.95	M668581	N	12-137	2.95	100	SST	C-SLC	0.01	0.01	4.24	104	130	1.00	0.13
OS -12-130	29.87	32.60	2.73	M668582	N	12-137	2.73	100	SST	C-SLC	0.01	0.01	5.45	126	220	1.35	0.19
OS -12-130	32.60	34.44	1.84	M668583	N	12-137	1.53	83	SLT	C-SLC	0.01	0.04	6.03	158	160	1.69	0.23
OS -12-130	34.44	35.97	1.53	M668584	N	12-137	1.52	99	SLT	C-SLC	0.19	0.05	6.90	209	180	2.08	0.26
OS -12-130	35.97	39.01	3.04	M668586	N	12-137	2.96	97	CGL	C-SLC	0.02	0.03	6.13	168	170	1.66	0.23
OS -12-130	39.01	42.06	3.05	M668587	N	12-137	2.94	96	CGL	C-SLC	0.29	0.03	6.23	549	180	1.69	0.24
OS -12-130	42.06	45.11	3.05	M668588	N	12-137	2.95	97	CGL	C-SLC	0.07	0.01	5.56	360	130	1.32	0.20
OS -12-130	45.11	48.16	3.05	M668590	N	12-137	2.96	97	CGL	C-SLC	0.16	0.01	5.49	315	120	1.45	0.21
OS -12-130	48.16	51.21	3.05	M668591	N	12-137	3.05	100	CGL	C-SLC	0.39	0.01	7.48	401	190	2.09	0.30
OS -12-130	51.21	52.44	1.23	M668592	N	12-137	1.18	96	CGL	C-SLC	0.01	0.01	5.63	233	140	1.61	0.22
OS -12-130	52.44	54.25	1.81	M668593	N	12-137	1.8	99	SLT	C-SLC	0.01	0.01	5.81	235	140	1.49	0.20
OS -12-130	54.25	57.30	3.05	M668594	N	12-137	2.99	98	SLT	C-SLC	0.01	0.01	6.55	344	170	1.86	0.23
OS -12-130	57.30	60.35	3.05	M668595	N	12-137	3.05	100	SLT	C-SLC	0.39	0.01	6.23	737	170	1.45	0.23
OS -12-130	60.35	61.38	1.03	M668597	N	12-137	1.03	100	SLT	C-SLC	1.32	0.01	6.58	2790	180	1.77	0.28
OS -12-130	61.38	63.40	2.02	K307772	N	12-134	1.9	94	CGL	C-SLC	2.97	0.10	6.95	4500	180	1.88	0.31
OS -12-130	63.40	65.00	1.60	K307773	N	12-134	1.57	98	CGL	C-SLC	2.61	0.09	5.58	6120	160	1.56	0.19
OS -12-130	65.00	67.97	2.97	K307774	N	12-134	1.6	54	CGL	C-SLC	3.64	0.08	6.75	13450	200	1.63	0.25
OS -12-130	67.97	71.02	3.05	K307775	N	12-134	2.95	97	CGL	C-SLC	0.68	0.09	5.23	1700	150	1.12	0.21
OS -12-130	71.02	74.07	3.05	K307777	N	12-134	2.92	96	CGL	C-SLC	0.50	0.09	6.37	1515	180	1.38	0.24
OS -12-130	74.07	77.11	3.04	K307778	N	12-134	3.02	99	CGL	C-SLC	2.09	0.10	6.08	6380	490	1.55	0.21
OS -12-130	77.11	80.16	3.05	K307779	N	12-134	2.85	93	CGL	C-SLC	2.88	0.10	5.75	2820	170	1.56	0.23
OS -12-130	80.16	83.21	3.05	K307780	N	12-134	2.92	96	CGL	C-SLC	2.92	0.09	5.80	2500	170	1.72	0.23
OS -12-130	83.21	86.26	3.05	K307781	N	12-134	2.91	95	CGL	C-SLC	1.13	0.10	5.80	1115	170	1.89	0.24
OS -12-130	86.26	87.64	1.38	K307783	N	12-134	1.38	100	CGL	C-SLC	1.19	0.10	5.95	9020	180	1.40	0.22
OS -12-130	87.64	89.31	1.67	K307784	N	12-134	1.45	87	SLT	C-SLC	2.98	0.08	5.09	2540	140	0.99	0.19
OS -12-130	89.31	92.35	3.04	K307785	N	12-134	2.95	97	SLT	C-SLC	1.42	0.09	6.26	9170	190	1.22	0.24

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Chip	Batch	Recovery (m)	Recovery (%)	Rock Type	Unit Type	Au	Ag	Al	As	Ba	Be	Bi
OS -12-130	92.35	95.00	2.65	K307739	N	12-133	2.65	100	SLT	C-SLC	1.66	0.04	5.85	8950	160	1.53	0.20
OS -12-130	95.00	96.93	1.93	K307741	N	12-133	1.92	99	SLT	C-SLC	5.21	0.04	5.80	21300	220	1.10	0.24
OS -12-130	96.93	99.97	3.04	K307742	N	12-133	2.92	96	SLT	C-SLC	9.49	0.07	5.61	4540	200	1.03	0.29
OS -12-130	99.97	103.02	3.05	K307743	N	12-133	2.99	98	SLT	C-SLC	13.65	0.25	5.67	1580	190	1.07	0.29
OS -12-130	103.02	104.05	1.03	K307744	N	12-133	1.03	100	SLT	C-SLC	13.10	0.40	5.67	1425	220	0.98	0.26
OS -12-130	104.05	106.59	2.54	K307746	N	12-133	2.54	100	SLT	C-SLC	10.70	0.46	4.56	1510	200	0.74	0.24
OS -12-130	106.59	109.64	3.05	K307747	N	12-133	2.95	97	SLT	C-SLC	13.30	0.17	4.19	870	250	0.70	0.23
OS -12-130	109.64	112.17	2.53	K307748	N	12-133	2.53	100	LST	C-LST1	1.02	0.03	1.16	120	120	0.29	0.05
OS -12-130	112.17	115.21	3.04	K307749	N	12-133	3.04	100	LST	C-LST1	1.29	0.06	1.06	282	90	0.22	0.05
OS -12-130	115.21	118.26	3.05	K307750	N	12-142	2.87	94	LST	C-LST1	0.01	0.01	0.62	48	110	0.25	0.03
OS -12-130	118.26	121.31	3.05	M668598	N	12-137	2.87	94	LST	C-LST1	0.01	0.01	0.98	39	150	0.30	0.05
OS -12-130	121.31	124.36	3.05	M668599	N	12-137	3.01	99	LST	C-LST1	0.01	0.01	1.12	20	150	0.30	0.05
OS -12-130	124.36	127.41	3.05	M668600	N	12-137	2.51	82	LST	C-LST1	0.01	0.02	1.96	10	250	0.50	0.09
OS -12-130	127.41	130.45	3.04	M669001	N	12-137	2.51	83	LST	C-LST1	0.01	0.01	1.28	3	170	0.43	0.06
OS -12-130	130.45	133.50	3.05	M669002	N	12-137	3.01	99	LST	C-LST1	0.01	0.01	0.39	3	140	0.22	0.02
OS -12-130	133.50	136.55	3.05	M669003	N	12-137	1.88	62	LST	C-LST1	0.01	0.01	0.30	3	110	0.17	0.02
OS -12-130	136.55	139.60	3.05	M669004	N	12-137	3.05	100	LST	C-LST1	0.01	0.01	0.89	10	160	0.35	0.04
OS -12-130	139.60	142.65	3.05	M669006	N	12-137	2.78	91	LST	C-LST1	0.01	0.01	0.79	24	150	0.27	0.04
OS -12-130	142.65	145.69	3.04	M669007	N	12-137	2.89	95	LST	C-LST1	0.01	0.01	0.52	3	110	0.26	0.03
OS -12-130	145.69	148.74	3.05	M669008	N	12-137	3.05	100	LST	C-LST1	0.01	0.02	1.56	3	180	0.47	0.08
OS -12-130	148.74	151.79	3.05	M669009	N	12-137	2.95	97	LST	C-LST1	0.01	0.02	2.79	26	230	0.72	0.13
OS -12-130	151.79	154.84	3.05	M669010	N	12-137	2.91	95	LST	C-LST1	0.01	0.03	3.28	37	230	0.76	0.15
OS -12-130	154.84	157.89	3.05	M669012	N	12-141	2.87	94	LST	C-LST1	0.01	0.02	1.27	26	170	0.43	0.05
OS -12-130	157.89	160.93	3.04	M669014	N	12-141	2.97	98	LST	C-LST1	0.01	0.03	1.76	26	280	0.45	0.10
OS -12-130	160.93	163.98	3.05	M669015	N	12-141	2.93	96	LST	C-LST1	0.01	0.03	1.76	33	230	0.46	0.07
OS -12-130	163.98	167.03	3.05	M669016	N	12-141	2.96	97	LST	C-LST1	0.01	0.03	1.32	28	180	0.44	0.04
OS -12-130	167.03	170.08	3.05	M669017	N	12-141	3.05	100	LST	C-LST1	0.01	0.05	2.52	37	230	0.69	0.08
OS -12-130	170.08	173.13	3.05	M669018	N	12-141	3.02	99	LST	C-LST1	0.01	0.02	1.26	14	180	0.38	0.05
OS -12-130	173.13	176.17	3.04	M669020	N	12-141	3.04	100	LST	C-LST1	0.01	0.02	1.11	34	190	0.42	0.04
OS -12-130	176.17	179.22	3.05	M669021	N	12-141	2.81	92	LST	C-LST1	0.01	0.02	1.78	34	300	0.55	0.07
OS -12-130	179.22	182.27	3.05	M669022	N	12-141	2.91	95	LST	C-LST1	0.01	0.03	1.66	20	180	0.51	0.06
OS -12-130	182.27	185.32	3.05	M669024	N	12-141	2.52	83	LST	C-LST1	0.01	0.05	2.89	37	180	0.69	0.10
OS -12-130	185.32	188.37	3.05	M669025	N	12-141	2.7	89	LST	C-LST1	0.01	0.05	2.20	43	280	0.57	0.07
OS -12-130	188.37	191.41	3.04	M669026	N	12-141	2.98	98	LST	C-LST1	0.01	0.02	0.72	44	170	0.27	0.02
OS -12-130	191.41	194.46	3.05	M669027	N	12-141	2.98	98	LST	C-LST1	0.01	0.02	1.03	29	110	0.45	0.04

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Chip	Batch	Recovery (m)	Recovery (%)	Rock Type	Unit Type	Au	Ag	Al	As	Ba	Be	Bi
OS -12-130	194.46	197.51	3.05	M669029	N	12-141	2.85	93	LST	C-LST1	0.01	0.06	1.89	98	1080	0.45	0.07
OS -12-130	197.51	200.22	2.71	M669030	N	12-141	2.61	96	LST	C-LST1	0.01	0.04	1.32	95	180	0.31	0.04
OS -12-130	200.22	202.08	1.86	K309224	N	12-142	1.76	95	LST	C-LST1	0.01	0.04	2.20	503	160	0.55	0.10
OS -12-130	202.08	205.13	3.05	K309225	N	12-142	1.85	61	LST	C-LST1	0.01	0.03	1.22	4300	200	0.35	0.05
OS -12-130	205.13	208.18	3.05	K309226	N	12-142	2.92	96	LST	C-LST1	0.16	0.29	1.44	37700	140	0.36	0.07
OS -12-130	208.18	211.23	3.05	K309227	N	12-142	2.93	96	LST	C-LST1	0.20	0.29	0.94	95700	120	0.20	0.04
OS -12-130	211.23	214.27	3.04	K309228	N	12-142	2.94	97	LST	C-LST1	0.84	0.48	1.23	548	190	0.22	0.06
OS -12-130	214.27	216.30	2.03	K309229	N	12-142	2.03	100	LST	C-LST1	0.42	0.30	1.20	477	160	0.23	0.05
OS -12-130	216.30	218.85	2.55	K309231	N	12-142	2.41	95	LST	C-LST1	8.37	3.11	3.57	11950	340	0.51	0.15
OS -12-130	218.85	221.89	3.04	K309232	N	12-142	2.94	97	LST	C-LST1	9.47	3.54	2.34	1075	260	0.34	0.10
OS -12-130	221.89	224.10	2.21	K309233	N	12-142	2.18	99	LST	C-LST1	13.35	5.45	4.33	1480	450	0.68	0.21
OS -12-130	224.10	226.47	2.37	K309235	N	12-142	2.37	100	LST	C-LST1	0.40	0.42	0.90	254	170	0.21	0.04
OS -12-130	226.47	229.51	3.04	K309236	N	12-142	2.92	96	LST	C-LST1	0.07	0.08	0.60	100	100	0.16	0.03
OS -12-130	229.51	232.56	3.05	K309237	N	12-142	2.88	94	LST	C-LST1	0.14	0.14	1.25	160	150	0.25	0.05
OS -12-130	232.56	235.61	3.05	K309239	N	12-142	2.87	94	LST	C-LST1	0.07	0.07	0.60	87	120	0.15	0.03
OS -12-130	235.61	238.66	3.05	K309240	N	12-142	2.93	96	LST	C-LST1	0.01	0.02	0.82	82	140	0.21	0.04
OS -12-130	238.66	241.71	3.05	K309241	N	12-142	3.01	99	LST	C-LST1	0.01	0.02	0.80	131	130	0.19	0.04
OS -12-130	241.71	243.43	1.72	K309242	N	12-142	1.7	99	LST	C-LST1	0.03	0.02	0.83	85	120	0.26	0.04
OS -12-130	243.43	246.28	2.85	K309243	N	12-142	2.85	100	LST	C-LST1	9.35	7.32	1.84	143500	90	0.25	0.11
OS -12-130	246.28	249.33	3.05	K309245	N	12-142	2.92	96	LST	C-LST1	12.30	6.25	3.83	71200	120	0.61	0.16
OS -12-130	249.33	252.37	3.04	K309247	N	12-142	2.98	98	LST	C-LST1	2.11	0.98	3.72	2050	150	0.73	0.15
OS -12-130	252.37	255.42	3.05	K309248	N	12-142	3.05	100	LST	C-LST1	1.07	0.36	3.62	11700	160	0.72	0.15
OS -12-130	255.42	258.47	3.05	K309249	N	12-142	2.95	97	LST	C-LST1	0.35	0.14	2.97	788	190	0.67	0.10
OS -12-130	258.47	261.52	3.05	K309250	N	12-142	2.99	98	LST	C-LST1	2.71	1.21	3.18	2790	170	0.61	0.12
OS -12-130	261.52	264.57	3.05	K309251	N	12-142	2.94	96	LST	C-LST1	0.13	0.06	3.66	264	190	0.70	0.15
OS -12-130	264.57	267.61	3.04	K309252	N	12-142	2.92	96	LST	C-LST1	0.13	0.04	2.60	183	140	0.49	0.11

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Chip	Batch	Recovery (m)	Recovery (%)	Rock Type	Unit Type	Au	Ag	Al	As	Ba	Be	Bi
OS -12-130	267.61	270.66	3.05	K309254	N	12-142	3.05	100	LST	C-LST1	1.23	0.68	3.21	48500	170	0.64	0.14
OS -12-130	270.66	273.71	3.05	K309255	N	12-142	2.92	96	LST	C-LST1	1.98	0.88	2.28	1320	130	0.43	0.09
OS -12-130	273.71	276.76	3.05	K309256	N	12-142	2.93	96	LST	C-LST1	1.77	1.14	2.29	23700	130	0.38	0.10
OS -12-130	276.76	279.81	3.05	K309257	N	12-142	2.96	97	LST	C-LST1	0.69	0.26	3.34	602	190	0.56	0.14
OS -12-130	279.81	282.85	3.04	K309258	N	12-142	2.81	92	LST	C-LST1	0.09	0.10	2.03	1370	120	0.35	0.07
OS -12-130	282.85	285.90	3.05	K309259	N	12-148	2.73	90	LST	C-LST1	0.11	0.12	1.05	7330	120	0.25	0.06
OS -12-130	285.90	288.95	3.05	K309260	N	12-148	2.76	90	LST	C-LST1	0.33	0.22	0.53	63000	90	0.15	0.04
OS -12-130	288.95	292.00	3.05	K309261	N	12-148	2.77	91	LST	C-LST1	0.23	0.24	0.84	64500	120	0.22	0.07
OS -12-130	292.00	295.05	3.05	K309262	N	12-148	2.91	95	LST	C-LST1	0.47	0.49	0.82	76800	90	0.21	0.06
OS -12-130	295.05	298.09	3.04	K309264	N	12-148	3.04	100	LST	C-LST1	0.36	0.46	1.08	12450	140	0.26	0.07
OS -12-130	298.09	301.14	3.05	K309265	N	12-148	2.87	94	LST	C-LST1	0.01	0.02	0.47	114	120	0.19	0.04
OS -12-130	301.14	304.19	3.05	K309266	N	12-148	2.82	92	LST	C-LST1	0.01	0.03	0.61	62	140	0.17	0.04
OS -12-130	304.19	307.24	3.05	K309268	N	12-148	3.05	100	LST	C-LST1	0.03	0.02	0.81	60	100	0.17	0.05
OS -12-130	307.24	310.29	3.05	M669031	N	12-141	2.97	97	LST	C-LST1	0.01	0.02	0.17	17	90	0.08	0.01
OS -12-130	310.29	313.33	3.04	M669032	N	12-141	2.93	96	LST	C-LST1	0.01	0.02	0.44	22	200	0.14	0.01
OS -12-130	313.33	316.38	3.05	M669033	N	12-141	2.98	98	LST	C-LST1	0.01	0.03	0.70	25	230	0.15	0.02
OS -12-130	316.38	319.43	3.05	M669035	N	12-141	2.79	91	LST	C-LST1	0.02	0.04	0.41	37	110	0.14	0.01
OS -12-130	319.43	322.48	3.05	M669036	N	12-141	3.05	100	LST	C-LST1	0.01	0.02	0.59	20	110	0.21	0.02
OS -12-130	322.48	325.53	3.05	M669037	N	12-141	2.92	96	LST	C-LST1	0.01	0.01	0.92	30	170	0.19	0.02
OS -12-130	325.53	328.57	3.04	M669038	N	12-141	2.98	98	LST	C-LST1	0.01	0.01	0.35	11	130	0.14	0.01
OS -12-130	328.57	331.62	3.05	M669039	N	12-141	3.03	99	LST	C-LST1	0.01	0.01	0.31	13	90	0.13	0.01
OS -12-130	331.62	334.67	3.05	M669040	N	12-141	3.05	100	LST	C-LST1	0.01	0.01	0.36	22	140	0.16	0.01
OS -12-130	334.67	337.72	3.05	M669042	N	12-141	2.99	98	LST	C-LST1	0.01	0.02	0.33	15	110	0.06	0.01
OS -12-130	337.72	340.77	3.05	M669043	N	12-141	2.97	97	LST	C-LST1	0.01	0.01	0.60	27	140	0.13	0.01
OS -12-130	340.77	343.81	3.04	M669044	N	12-141	3	99	LST	C-LST1	0.02	0.02	0.73	32	130	0.24	0.02
OS -12-130	343.81	346.86	3.05	M669045	N	12-141	3.03	99	LST	C-LST1	0.02	0.01	0.48	30	120	0.17	0.02
OS -12-130	346.86	349.91	3.05	K307788	N	12-152	2.94	96	LST	C-LST1	1.41	0.70	0.62	25600	110	0.16	0.03
OS -12-130	349.91	352.96	3.05	K307790	N	12-152	2.98	98	LST	C-LST1	0.15	0.16	0.66	70200	110	0.16	0.03
OS -12-130	352.96	356.01	3.05	K307791	N	12-152	2.96	97	LST	C-LST1	0.08	0.05	0.35	62200	100	0.13	0.02
OS -12-130	356.01	359.05	3.04	K307792	N	12-152	3.04	100	LST	C-LST1	0.04	0.02	0.64	177	110	0.34	0.03
OS -12-130	359.05	362.10	3.05	K307793	N	12-152	3.05	100	LST	C-LST1	0.01	0.01	0.40	93	130	0.13	0.02
OS -12-130	362.10	365.15	3.05	K307794	N	12-152	2.9	95	LST	C-LST1	0.01	0.01	0.35	30	130	0.10	0.02
OS -12-130	365.15	368.20	3.05	K307796	N	12-152	3.05	100	LST	C-LST1	0.01	0.01	0.35	20	140	0.09	0.02
OS -12-130	368.20	371.25	3.05	M669046	N	12-141	3.05	100	LST	C-LST1	0.01	0.01	0.63	23	130	0.20	0.01
OS -12-130	371.25	374.29	3.04	M669047	N	12-141	3.02	99	LST	C-LST1	0.01	0.01	0.42	13	160	0.17	0.01

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li
OS -12-130	4.63	7.01	2.38	M668570	6.29	0.12	43.2	14.5	58	13.20	40.3	4.19	10.90	0.10	2.3	4.88	0.045	1.99	20.9	21.4
OS -12-130	7.01	10.06	3.05	M668572	2.74	0.14	48.3	15.3	62	17.25	43.9	5.11	12.30	0.11	2.4	2.80	0.057	2.23	23.1	27.7
OS -12-130	10.06	13.11	3.05	M668573	2.63	0.18	62.6	18.9	75	24.30	57.8	5.73	16.40	0.13	3.2	2.75	0.063	3.10	30.4	24.2
OS -12-130	13.11	16.15	3.04	M668574	2.32	0.08	63.5	17.5	71	22.80	53.5	5.53	17.20	0.14	3.1	2.17	0.060	3.18	31.6	18.7
OS -12-130	16.15	19.20	3.05	M668575	2.60	0.08	58.9	17.8	67	20.70	51.7	5.49	16.15	0.14	2.8	0.87	0.064	2.90	30.4	31.3
OS -12-130	19.20	20.69	1.49	M668576	2.62	0.08	58.1	15.9	55	20.20	45.4	5.07	15.75	0.20	2.6	1.36	0.061	2.53	28.3	23.3
OS -12-130	20.69	22.25	1.56	M668577	1.99	0.13	63.3	16.5	67	23.40	51.7	5.15	17.40	0.23	2.9	1.15	0.070	2.64	30.5	42.3
OS -12-130	22.25	25.30	3.05	M668578	1.92	0.11	55.2	13.6	63	18.70	43.6	3.87	14.60	0.20	2.5	0.43	0.056	2.22	26.7	36.5
OS -12-130	25.30	26.92	1.62	M668579	2.34	0.10	53.2	14.5	78	21.00	50.8	4.47	15.75	0.22	2.6	0.19	0.060	2.40	25.4	58.4
OS -12-130	26.92	29.87	2.95	M668581	3.79	0.10	41.0	15.5	60	17.60	39.0	4.24	11.80	0.18	2.1	0.20	0.045	1.81	19.5	56.3
OS -12-130	29.87	32.60	2.73	M668582	2.28	0.12	55.3	16.2	69	20.20	48.2	6.25	15.65	0.23	2.8	0.65	0.060	2.28	26.8	47.4
OS -12-130	32.60	34.44	1.84	M668583	2.14	0.12	64.3	24.5	75	26.00	53.9	4.93	17.70	0.24	3.2	0.94	0.066	2.70	31.2	30.1
OS -12-130	34.44	35.97	1.53	M668584	2.19	0.18	72.2	21.4	75	31.60	58.7	5.95	20.20	0.28	3.4	3.02	0.078	3.13	34.7	20.3
OS -12-130	35.97	39.01	3.04	M668586	2.37	0.06	65.2	20.9	65	26.60	55.1	4.35	18.30	0.22	3.1	1.53	0.068	2.81	31.8	20.4
OS -12-130	39.01	42.06	3.05	M668587	2.05	0.24	66.2	22.0	67	23.20	47.9	4.59	18.45	0.24	3.1	2.14	0.062	2.86	32.8	20.3
OS -12-130	42.06	45.11	3.05	M668588	2.56	0.02	57.8	17.8	61	20.60	48.3	4.82	16.35	0.22	3.0	1.13	0.061	2.50	28.5	14.7
OS -12-130	45.11	48.16	3.05	M668590	2.13	0.04	58.5	17.5	59	23.10	45.6	4.57	16.10	0.23	2.8	1.60	0.061	2.51	28.8	13.9
OS -12-130	48.16	51.21	3.05	M668591	1.45	0.05	80.5	19.9	71	26.00	56.6	4.97	22.60	0.27	3.7	3.93	0.084	3.42	39.9	16.4
OS -12-130	51.21	52.44	1.23	M668592	1.77	0.02	59.8	17.8	62	21.30	47.4	4.05	16.20	0.23	2.8	2.04	0.061	2.55	29.5	15.2
OS -12-130	52.44	54.25	1.81	M668593	4.47	0.02	59.7	16.1	55	21.60	46.4	4.58	15.85	0.22	3.0	2.18	0.062	2.67	28.7	20.4
OS -12-130	54.25	57.30	3.05	M668594	5.00	0.03	68.1	16.1	58	23.30	52.8	4.45	18.50	0.25	3.2	2.30	0.067	3.00	33.3	17.7
OS -12-130	57.30	60.35	3.05	M668595	4.78	0.19	62.9	16.8	58	19.60	48.9	4.62	17.45	0.24	3.2	4.42	0.054	2.87	30.6	14.5
OS -12-130	60.35	61.38	1.03	M668597	2.10	0.53	70.3	19.2	65	20.40	53.5	4.91	20.40	0.26	3.2	7.10	0.056	3.05	34.7	14.9
OS -12-130	61.38	63.40	2.02	K307772	0.82	0.28	74.2	22.6	73	25.40	57.8	4.99	19.45	0.20	2.8	12.20	0.053	3.09	36.2	20.5
OS -12-130	63.40	65.00	1.60	K307773	0.23	0.19	56.4	16.6	69	20.40	41.2	4.04	15.55	0.16	2.2	11.80	0.045	2.64	27.8	14.9
OS -12-130	65.00	67.97	2.97	K307774	0.78	0.18	70.7	18.5	71	20.10	50.9	4.39	18.65	0.19	2.8	9.30	0.064	3.14	34.4	16.2
OS -12-130	67.97	71.02	3.05	K307775	1.34	0.10	55.6	14.5	54	15.10	39.6	4.16	13.35	0.15	2.5	6.60	0.046	2.44	27.2	12.0
OS -12-130	71.02	74.07	3.05	K307777	1.73	0.07	63.6	19.7	68	18.35	51.1	4.97	17.00	0.17	2.9	6.50	0.057	2.92	30.7	12.7
OS -12-130	74.07	77.11	3.04	K307778	1.36	0.25	60.3	17.6	66	23.20	46.3	4.40	16.35	0.18	2.6	12.90	0.059	2.79	29.4	14.9
OS -12-130	77.11	80.16	3.05	K307779	0.71	0.15	65.2	16.9	64	20.70	44.8	4.80	15.75	0.19	2.7	12.40	0.050	2.68	31.7	12.2
OS -12-130	80.16	83.21	3.05	K307780	0.19	0.13	67.4	15.9	68	24.70	42.8	4.19	16.25	0.17	2.7	13.60	0.049	2.74	32.4	15.0
OS -12-130	83.21	86.26	3.05	K307781	0.97	0.20	69.1	16.4	61	28.60	40.2	4.07	15.60	0.19	2.9	12.20	0.047	2.74	33.4	14.5
OS -12-130	86.26	87.64	1.38	K307783	0.23	0.17	65.6	16.5	68	21.10	44.5	4.55	16.45	0.18	2.8	12.40	0.054	2.77	31.6	13.2
OS -12-130	87.64	89.31	1.67	K307784	0.42	0.12	56.6	15.2	67	17.50	47.9	5.02	13.50	0.17	2.8	21.70	0.036	2.30	27.5	12.7
OS -12-130	89.31	92.35	3.04	K307785	0.25	0.24	66.3	18.9	78	19.95	54.6	5.28	17.20	0.18	3.0	15.30	0.055	2.89	31.8	14.6

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li
OS -12-130	92.35	95.00	2.65	K307739	0.47	0.44	60.1	18.5	75	24.00	48.4	4.05	17.45	0.22	2.5	10.30	0.050	2.75	30.5	14.6
OS -12-130	95.00	96.93	1.93	K307741	6.34	0.38	63.6	19.9	55	17.05	45.0	4.57	16.95	0.22	2.2	31.20	0.061	2.79	32.9	15.6
OS -12-130	96.93	99.97	3.04	K307742	5.07	0.41	66.6	19.0	49	13.05	44.8	3.55	16.35	0.20	2.6	20.40	0.041	2.72	36.3	15.4
OS -12-130	99.97	103.02	3.05	K307743	2.53	0.48	69.6	19.2	49	15.00	47.1	3.81	16.75	0.22	2.5	25.70	0.035	2.69	39.1	18.4
OS -12-130	103.02	104.05	1.03	K307744	3.48	0.53	73.8	20.7	49	17.15	45.9	3.52	16.60	0.24	2.5	26.70	0.037	2.68	41.2	16.4
OS -12-130	104.05	106.59	2.54	K307746	1.13	0.60	61.9	18.4	46	13.00	45.0	3.26	13.10	0.22	2.2	27.40	0.026	2.11	35.8	20.7
OS -12-130	106.59	109.64	3.05	K307747	2.14	0.43	50.5	14.1	43	11.90	39.3	3.03	12.30	0.19	2.0	23.40	0.022	1.94	29.7	21.1
OS -12-130	109.64	112.17	2.53	K307748	29.20	0.15	16.1	3.6	11	3.65	8.7	0.72	3.12	0.11	0.5	3.46	0.010	0.53	8.8	4.4
OS -12-130	112.17	115.21	3.04	K307749	31.20	0.11	17.1	3.2	10	2.61	8.2	0.93	2.82	0.13	0.5	5.77	0.010	0.48	9.0	3.5
OS -12-130	115.21	118.26	3.05	K307750	33.20	0.04	11.0	2.3	6	2.01	7.1	0.50	1.73	0.06	0.3	1.03	0.008	0.26	5.4	3.4
OS -12-130	118.26	121.31	3.05	M668598	34.90	0.08	17.2	3.3	9	3.40	9.4	0.63	2.48	0.12	0.5	0.28	0.011	0.44	8.7	4.2
OS -12-130	121.31	124.36	3.05	M668599	34.20	0.17	17.4	3.5	10	5.33	9.6	0.72	2.82	0.12	0.5	0.16	0.012	0.50	8.9	4.9
OS -12-130	124.36	127.41	3.05	M668600	31.20	0.13	27.4	5.7	18	13.60	17.6	1.15	4.88	0.13	0.9	0.16	0.019	0.89	13.8	9.1
OS -12-130	127.41	130.45	3.04	M669001	33.40	0.12	19.7	4.0	12	9.12	12.3	0.78	3.24	0.13	0.6	0.12	0.013	0.58	9.9	6.8
OS -12-130	130.45	133.50	3.05	M669002	36.00	0.07	8.5	1.6	5	1.42	4.2	0.41	1.12	0.11	0.2	0.03	0.007	0.17	4.1	2.5
OS -12-130	133.50	136.55	3.05	M669003	37.00	0.05	5.6	1.3	4	0.53	6.7	0.36	0.87	0.10	0.2	0.02	0.005	0.12	2.8	1.7
OS -12-130	136.55	139.60	3.05	M669004	32.00	0.10	16.3	3.1	9	4.14	9.3	0.61	2.43	0.14	0.4	0.10	0.010	0.41	7.8	4.2
OS -12-130	139.60	142.65	3.05	M669006	33.70	0.09	13.6	2.7	8	2.84	8.5	0.52	2.11	0.20	0.4	0.09	0.010	0.36	6.6	3.7
OS -12-130	142.65	145.69	3.04	M669007	33.60	0.04	9.3	2.0	5	2.60	5.6	0.38	1.48	0.16	0.2	0.06	0.006	0.23	4.5	2.6
OS -12-130	145.69	148.74	3.05	M669008	29.50	0.14	23.9	5.2	15	8.40	16.5	1.01	4.06	0.18	0.7	0.18	0.016	0.70	12.4	6.7
OS -12-130	148.74	151.79	3.05	M669009	24.00	0.21	37.0	8.5	26	15.45	25.8	1.77	6.87	0.16	1.3	0.35	0.030	1.22	18.7	9.9
OS -12-130	151.79	154.84	3.05	M669010	22.10	0.24	43.5	9.8	31	15.25	29.5	1.99	8.33	0.18	1.5	0.38	0.032	1.49	22.9	10.8
OS -12-130	154.84	157.89	3.05	M669012	32.20	0.15	20.0	4.0	14	4.78	11.8	0.86	3.06	0.15	0.6	0.24	0.009	0.57	10.0	5.8
OS -12-130	157.89	160.93	3.04	M669014	28.90	0.15	25.5	5.4	19	7.34	16.2	1.17	4.08	0.07	0.9	0.22	0.016	0.79	14.2	8.0
OS -12-130	160.93	163.98	3.05	M669015	29.00	0.13	23.9	5.5	20	6.00	16.4	1.19	3.99	0.07	0.9	0.40	0.016	0.79	12.3	7.5
OS -12-130	163.98	167.03	3.05	M669016	32.90	0.14	19.2	4.5	14	4.68	12.7	1.02	3.41	0.15	0.7	0.24	0.009	0.59	9.2	5.9
OS -12-130	167.03	170.08	3.05	M669017	26.30	0.17	28.4	8.4	29	8.18	25.6	1.76	6.06	0.17	1.3	0.47	0.019	1.10	14.6	9.8
OS -12-130	170.08	173.13	3.05	M669018	32.30	0.11	16.7	4.1	13	3.33	13.7	0.95	3.01	0.13	0.6	0.20	0.009	0.57	9.1	4.5
OS -12-130	173.13	176.17	3.04	M669020	33.30	0.11	16.2	3.9	12	2.57	10.8	0.93	2.83	0.18	0.6	0.57	0.010	0.50	8.6	4.2
OS -12-130	176.17	179.22	3.05	M669021	32.00	0.15	22.7	5.6	18	4.48	17.1	1.24	4.53	0.16	0.9	0.71	0.013	0.80	12.2	6.5
OS -12-130	179.22	182.27	3.05	M669022	29.80	0.08	22.7	5.8	18	5.19	15.9	1.22	4.15	0.14	0.8	0.20	0.014	0.75	12.6	5.8
OS -12-130	182.27	185.32	3.05	M669024	26.70	0.19	31.6	9.6	31	10.45	27.6	1.82	7.01	0.16	1.3	0.32	0.021	1.30	17.5	9.5
OS -12-130	185.32	188.37	3.05	M669025	28.10	0.15	27.4	7.8	24	7.18	21.0	1.55	5.38	0.15	1.1	0.30	0.018	1.00	14.9	7.9
OS -12-130	188.37	191.41	3.04	M669026	33.10	0.10	12.1	2.4	7	1.67	7.0	0.60	1.91	0.15	0.5	0.62	0.003	0.31	6.9	2.7
OS -12-130	191.41	194.46	3.05	M669027	32.60	0.09	15.9	3.5	11	3.63	10.0	0.79	2.69	0.13	0.6	0.36	0.006	0.49	8.9	4.3

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li
OS -12-130	194.46	197.51	3.05	M669029	28.70	0.18	27.2	6.1	19	4.88	16.5	1.22	4.44	0.14	1.1	1.10	0.014	0.86	15.3	7.1
OS -12-130	197.51	200.22	2.71	M669030	31.60	0.15	18.8	3.8	13	3.45	10.6	0.79	3.20	0.15	0.6	1.96	0.009	0.60	10.3	5.2
OS -12-130	200.22	202.08	1.86	K309224	28.30	0.24	39.1	7.1	20	8.03	23.3	1.24	5.97	0.11	1.0	3.38	0.028	0.94	18.3	12.2
OS -12-130	202.08	205.13	3.05	K309225	31.70	0.15	23.2	3.9	11	4.38	12.5	0.70	3.37	0.09	0.5	1.87	0.018	0.53	11.2	7.2
OS -12-130	205.13	208.18	3.05	K309226	29.50	0.22	28.2	4.8	14	4.22	16.1	0.89	4.00	0.10	0.6	6.04	0.050	0.62	13.8	7.0
OS -12-130	208.18	211.23	3.05	K309227	27.20	0.13	17.6	3.2	10	2.18	11.1	0.65	2.67	0.10	0.5	5.18	0.096	0.40	8.5	3.5
OS -12-130	211.23	214.27	3.04	K309228	30.60	0.22	20.0	4.1	12	2.63	12.9	0.87	3.27	0.07	0.6	6.15	0.014	0.52	9.6	5.3
OS -12-130	214.27	216.30	2.03	K309229	30.90	0.31	21.5	3.7	11	2.61	12.0	0.75	3.22	0.08	0.6	5.87	0.012	0.52	10.8	4.7
OS -12-130	216.30	218.85	2.55	K309231	7.50	0.96	57.2	11.8	38	7.90	40.1	2.26	10.20	0.14	1.8	20.50	0.038	1.49	28.4	28.2
OS -12-130	218.85	221.89	3.04	K309232	2.15	0.95	37.8	8.2	29	4.82	27.6	1.86	6.92	0.10	1.2	17.30	0.021	0.93	18.8	34.1
OS -12-130	221.89	224.10	2.21	K309233	1.90	1.02	60.0	16.2	50	9.83	53.3	3.18	12.85	0.16	2.3	30.30	0.037	1.84	29.9	29.4
OS -12-130	224.10	226.47	2.37	K309235	32.50	0.15	13.3	3.1	9	2.28	11.1	0.68	2.43	0.08	0.4	4.35	0.012	0.38	6.8	4.0
OS -12-130	226.47	229.51	3.04	K309236	34.30	0.09	9.3	2.1	6	1.44	7.1	0.33	1.67	0.07	0.3	1.39	0.009	0.25	4.8	2.9
OS -12-130	229.51	232.56	3.05	K309237	31.30	0.17	17.1	4.3	12	3.54	12.1	0.71	3.33	0.09	0.6	2.92	0.013	0.53	8.7	6.0
OS -12-130	232.56	235.61	3.05	K309239	33.80	0.12	9.6	2.1	6	1.58	6.2	0.37	1.62	0.08	0.3	1.10	0.007	0.26	4.8	2.3
OS -12-130	235.61	238.66	3.05	K309240	33.40	0.13	12.7	2.8	8	2.21	8.9	0.48	2.17	0.08	0.4	0.64	0.011	0.36	6.3	2.9
OS -12-130	238.66	241.71	3.05	K309241	33.20	0.12	13.9	2.6	8	2.14	8.1	0.49	2.07	0.09	0.4	0.51	0.010	0.34	6.8	2.3
OS -12-130	241.71	243.43	1.72	K309242	33.40	0.11	13.3	2.5	7	2.40	7.3	0.46	2.03	0.09	0.3	1.10	0.010	0.36	6.4	2.7
OS -12-130	243.43	246.28	2.85	K309243	1.47	2.73	39.0	6.7	30	3.71	24.5	1.70	5.45	0.16	1.0	17.80	0.102	0.73	17.8	26.4
OS -12-130	246.28	249.33	3.05	K309245	9.00	0.83	52.8	13.2	45	8.47	42.5	2.59	10.70	0.17	1.8	8.30	0.079	1.56	26.0	19.4
OS -12-130	249.33	252.37	3.04	K309247	20.80	0.32	47.7	11.3	36	10.05	35.5	2.31	9.51	0.12	1.7	7.57	0.034	1.59	24.3	11.3
OS -12-130	252.37	255.42	3.05	K309248	20.70	0.30	42.1	11.8	39	9.17	35.8	2.22	9.14	0.13	1.7	5.74	0.045	1.55	21.1	11.2
OS -12-130	255.42	258.47	3.05	K309249	23.90	0.21	34.8	8.5	28	7.85	26.7	1.89	7.35	0.10	1.3	3.93	0.028	1.27	17.6	9.4
OS -12-130	258.47	261.52	3.05	K309250	22.00	0.35	37.4	9.9	33	7.79	30.9	2.03	8.12	0.12	1.5	4.88	0.030	1.36	18.8	8.8
OS -12-130	261.52	264.57	3.05	K309251	20.30	0.20	35.1	15.8	40	8.25	40.2	2.32	10.40	0.07	1.5	4.63	0.031	1.56	17.9	8.8
OS -12-130	264.57	267.61	3.04	K309252	25.60	0.17	29.2	10.3	25	5.75	25.9	1.60	7.29	0.06	1.2	3.63	0.023	1.11	15.1	6.1

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li
OS -12-130	267.61	270.66	3.05	K309254	20.80	0.31	36.4	13.1	31	7.66	32.4	1.72	9.55	0.10	1.3	5.44	0.099	1.36	19.0	8.7
OS -12-130	270.66	273.71	3.05	K309255	26.30	0.17	25.0	9.2	22	4.42	22.8	1.34	6.32	0.05	0.9	4.40	0.019	0.97	12.1	4.8
OS -12-130	273.71	276.76	3.05	K309256	23.90	0.23	26.4	8.9	23	4.19	23.6	1.50	6.25	0.03	1.0	13.00	0.052	0.96	12.8	6.1
OS -12-130	276.76	279.81	3.05	K309257	23.20	0.22	35.0	13.3	33	8.49	33.4	1.92	9.12	0.07	1.4	6.33	0.029	1.35	18.2	8.8
OS -12-130	279.81	282.85	3.04	K309258	27.80	0.13	22.9	9.8	22	6.69	21.8	1.35	5.31	0.03	0.8	2.37	0.019	0.81	11.5	5.4
OS -12-130	282.85	285.90	3.05	K309259	31.90	0.11	14.6	3.1	13	3.52	11.5	0.66	2.75	0.12	0.5	1.30	0.021	0.48	7.3	3.9
OS -12-130	285.90	288.95	3.05	K309260	31.50	0.08	8.1	1.7	6	1.05	6.4	0.39	1.32	0.14	0.2	1.10	0.092	0.23	3.9	1.9
OS -12-130	288.95	292.00	3.05	K309261	30.70	0.09	12.7	2.5	9	2.06	9.6	0.56	2.06	0.13	0.4	1.75	0.094	0.37	6.4	4.1
OS -12-130	292.00	295.05	3.05	K309262	29.70	0.13	11.6	2.4	9	1.71	8.9	0.58	2.07	0.14	0.4	2.16	0.131	0.35	5.8	4.2
OS -12-130	295.05	298.09	3.04	K309264	34.90	0.13	13.5	2.6	11	2.01	9.7	0.62	2.53	0.13	0.4	1.53	0.031	0.50	7.1	4.3
OS -12-130	298.09	301.14	3.05	K309265	36.80	0.10	8.2	1.5	6	1.01	5.5	0.30	1.13	0.15	0.2	0.45	0.006	0.20	3.9	1.9
OS -12-130	301.14	304.19	3.05	K309266	34.20	0.10	9.0	1.8	6	1.54	6.9	0.39	1.35	0.16	0.3	0.37	0.008	0.27	4.4	2.3
OS -12-130	304.19	307.24	3.05	K309268	34.80	0.10	11.2	2.6	9	1.73	8.5	0.56	1.84	0.16	0.4	0.47	0.008	0.36	5.3	2.9
OS -12-130	307.24	310.29	3.05	M669031	36.60	0.04	3.5	0.7	3	0.21	1.9	0.17	0.45	0.11	0.1	0.08	0.003	0.07	1.6	0.7
OS -12-130	310.29	313.33	3.04	M669032	37.10	0.07	7.8	1.5	5	0.84	4.7	0.30	1.13	0.12	0.2	0.22	0.003	0.19	4.0	1.8
OS -12-130	313.33	316.38	3.05	M669033	35.50	0.16	11.9	2.4	8	1.66	8.1	0.45	1.74	0.16	0.3	0.13	0.007	0.32	6.1	3.0
OS -12-130	316.38	319.43	3.05	M669035	36.40	0.08	7.0	1.4	6	0.77	4.5	0.31	0.95	0.13	0.2	0.12	0.003	0.18	3.7	1.8
OS -12-130	319.43	322.48	3.05	M669036	35.00	0.09	9.1	1.9	7	1.38	6.0	0.43	1.44	0.12	0.3	0.33	0.003	0.26	4.7	3.0
OS -12-130	322.48	325.53	3.05	M669037	34.80	0.12	11.6	3.4	10	2.45	9.8	0.62	2.35	0.12	0.5	0.07	0.006	0.42	6.0	4.1
OS -12-130	325.53	328.57	3.04	M669038	36.20	0.07	6.1	1.3	5	0.92	3.9	0.25	0.85	0.10	0.2	0.12	0.003	0.15	3.1	1.8
OS -12-130	328.57	331.62	3.05	M669039	36.90	0.05	4.8	1.1	4	0.95	3.3	0.22	0.75	0.10	0.1	0.10	0.003	0.13	2.4	1.4
OS -12-130	331.62	334.67	3.05	M669040	36.70	0.06	6.0	1.2	4	0.92	3.5	0.23	0.88	0.11	0.2	0.12	0.003	0.15	3.0	1.8
OS -12-130	334.67	337.72	3.05	M669042	34.70	0.04	6.5	1.1	4	0.83	3.7	0.24	0.82	0.15	0.1	0.15	0.003	0.14	3.2	1.7
OS -12-130	337.72	340.77	3.05	M669043	33.90	0.05	8.9	1.9	7	2.06	6.3	0.38	1.48	0.11	0.3	0.25	0.008	0.26	4.4	2.4
OS -12-130	340.77	343.81	3.04	M669044	34.90	0.05	9.2	2.2	7	1.97	6.6	0.42	1.64	0.14	0.3	0.50	0.009	0.34	4.7	2.9
OS -12-130	343.81	346.86	3.05	M669045	34.40	0.04	7.5	1.8	6	1.35	5.3	0.32	1.15	0.06	0.2	0.71	0.005	0.21	3.8	2.1
OS -12-130	346.86	349.91	3.05	K307788	29.50	1.06	13.5	3.0	9	1.41	9.5	0.51	2.34	0.03	0.4	4.10	0.041	0.25	6.5	10.9
OS -12-130	349.91	352.96	3.05	K307790	30.80	0.05	12.0	2.6	8	1.60	8.9	0.44	2.09	0.03	0.3	1.81	0.092	0.29	5.7	2.7
OS -12-130	352.96	356.01	3.05	K307791	32.50	0.03	6.3	1.6	5	0.94	4.9	0.28	1.10	0.05	0.2	0.95	0.061	0.15	3.0	2.0
OS -12-130	356.01	359.05	3.04	K307792	34.60	0.05	9.8	2.4	7	1.94	7.3	0.39	1.40	0.03	0.3	0.42	0.009	0.29	4.6	3.7
OS -12-130	359.05	362.10	3.05	K307793	36.20	0.04	6.0	1.8	4	0.81	6.2	0.26	1.13	0.03	0.2	0.19	0.003	0.18	2.7	1.5
OS -12-130	362.10	365.15	3.05	K307794	35.00	0.04	6.7	1.4	5	0.90	4.2	0.22	0.85	0.03	0.2	0.10	0.003	0.15	3.0	1.5
OS -12-130	365.15	368.20	3.05	K307796	33.60	0.03	7.1	2.0	4	0.91	4.9	0.23	0.93	0.03	0.2	0.06	0.003	0.15	3.2	1.4
OS -12-130	368.20	371.25	3.05	M669046	34.70	0.05	10.7	2.2	7	1.83	8.2	0.40	1.62	0.13	0.3	0.10	0.006	0.29	5.2	3.5
OS -12-130	371.25	374.29	3.04	M669047	36.40	0.04	6.5	1.4	5	0.80	4.7	0.30	1.03	0.09	0.2	0.08	0.003	0.19	3.2	2.3

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
OS -12-130	4.63	7.01	2.38	M668570	1.06	596	0.66	0.04	6.3	34.0	420	13.3	79.1	0.001	3.65	9.22	12.9	1	1.5	329.0
OS -12-130	7.01	10.06	3.05	M668572	1.39	607	0.70	0.03	7.0	34.7	410	15.0	92.8	0.001	4.48	1.40	14.8	1	1.6	111.0
OS -12-130	10.06	13.11	3.05	M668573	1.50	537	1.00	0.03	9.3	44.6	520	19.5	126.5	0.006	5.13	1.10	18.9	1	2.0	144.0
OS -12-130	13.11	16.15	3.04	M668574	1.37	565	0.75	0.03	9.7	40.2	530	21.5	139.5	0.002	5.20	1.36	18.9	1	2.2	105.5
OS -12-130	16.15	19.20	3.05	M668575	1.38	683	0.54	0.03	9.6	38.5	520	18.9	127.0	0.001	5.05	1.33	17.4	2	2.1	111.5
OS -12-130	19.20	20.69	1.49	M668576	1.50	660	0.59	0.03	7.9	35.5	410	24.2	124.5	0.002	3.59	0.61	16.6	1	1.8	98.8
OS -12-130	20.69	22.25	1.56	M668577	1.61	426	0.83	0.03	9.5	39.2	470	20.7	139.0	0.003	2.62	0.64	18.3	2	2.0	108.5
OS -12-130	22.25	25.30	3.05	M668578	1.54	368	0.57	0.02	8.1	28.4	590	12.4	115.5	0.002	1.00	0.40	16.0	2	1.6	117.5
OS -12-130	25.30	26.92	1.62	M668579	1.86	500	0.47	0.03	8.5	33.4	450	9.2	119.5	0.001	0.55	0.43	18.3	1	1.7	94.7
OS -12-130	26.92	29.87	2.95	M668581	1.99	776	0.44	0.03	6.6	31.1	440	7.6	94.3	0.001	1.18	0.43	13.9	1	1.3	120.0
OS -12-130	29.87	32.60	2.73	M668582	1.43	478	0.56	0.02	8.9	36.8	470	8.6	124.0	0.001	4.72	0.53	17.9	1	1.7	101.5
OS -12-130	32.60	34.44	1.84	M668583	1.21	433	0.52	0.03	9.9	50.5	460	24.1	147.0	0.002	4.67	1.03	20.5	2	2.0	83.4
OS -12-130	34.44	35.97	1.53	M668584	1.38	537	1.04	0.03	11.0	45.4	490	36.3	171.5	0.002	6.00	2.52	22.7	2	2.2	85.8
OS -12-130	35.97	39.01	3.04	M668586	1.41	472	0.63	0.03	10.4	45.0	450	27.1	156.0	0.002	3.80	1.85	19.2	2	2.0	102.0
OS -12-130	39.01	42.06	3.05	M668587	1.20	679	2.27	0.02	9.9	39.2	400	17.8	159.0	0.001	4.24	3.64	20.0	1	2.0	96.2
OS -12-130	42.06	45.11	3.05	M668588	1.32	702	0.30	0.02	9.6	36.5	460	12.5	141.0	0.001	4.44	2.19	17.2	1	1.8	101.0
OS -12-130	45.11	48.16	3.05	M668590	1.18	767	0.29	0.02	9.3	33.7	420	13.7	144.5	0.001	4.38	2.34	17.2	1	1.8	87.5
OS -12-130	48.16	51.21	3.05	M668591	1.00	481	0.55	0.03	12.5	39.9	540	15.9	189.0	0.002	4.95	2.97	24.2	2	2.6	83.9
OS -12-130	51.21	52.44	1.23	M668592	1.05	374	0.39	0.02	8.6	34.1	340	16.7	135.5	0.002	3.70	0.98	17.3	1	1.8	79.0
OS -12-130	52.44	54.25	1.81	M668593	2.17	894	0.39	0.03	9.5	33.6	560	9.5	138.5	0.002	3.83	0.61	17.2	1	1.8	115.0
OS -12-130	54.25	57.30	3.05	M668594	2.50	1050	0.44	0.03	10.9	34.2	580	11.8	151.0	0.001	3.44	1.17	19.1	1	2.1	151.5
OS -12-130	57.30	60.35	3.05	M668595	2.28	1400	0.65	0.03	10.2	34.7	530	12.6	138.5	0.001	3.88	3.78	18.4	1	2.0	119.5
OS -12-130	60.35	61.38	1.03	M668597	1.08	910	4.70	0.03	10.1	39.5	460	51.9	154.0	0.001	4.70	17.25	19.1	2	2.2	79.6
OS -12-130	61.38	63.40	2.02	K307772	0.64	348	0.68	0.02	10.9	44.4	510	21.9	159.0	0.001	5.02	24.60	18.0	2	2.2	66.7
OS -12-130	63.40	65.00	1.60	K307773	0.38	70	0.42	0.01	7.5	33.6	260	17.6	130.0	0.003	4.08	27.90	13.2	2	1.5	44.5
OS -12-130	65.00	67.97	2.97	K307774	0.61	318	0.36	0.02	10.5	36.0	420	15.2	154.5	0.001	4.67	32.60	19.8	2	1.9	60.2
OS -12-130	67.97	71.02	3.05	K307775	0.79	344	0.34	0.02	8.6	29.7	370	18.2	117.0	0.001	3.99	6.48	12.8	2	1.7	65.3
OS -12-130	71.02	74.07	3.05	K307777	1.02	523	0.35	0.02	10.8	38.9	470	16.6	144.5	0.001	4.87	9.37	17.7	2	1.9	83.8
OS -12-130	74.07	77.11	3.04	K307778	0.80	572	1.16	0.02	9.6	34.6	340	15.2	145.5	0.001	4.29	30.10	17.7	2	1.8	73.1
OS -12-130	77.11	80.16	3.05	K307779	0.48	200	0.38	0.02	9.5	33.6	730	19.8	144.0	0.001	4.91	17.25	14.8	2	1.8	62.0
OS -12-130	80.16	83.21	3.05	K307780	0.37	42	0.34	0.02	9.7	31.8	480	20.0	150.0	0.001	4.16	9.03	14.2	2	2.0	53.1
OS -12-130	83.21	86.26	3.05	K307781	0.43	152	0.48	0.02	9.9	33.1	370	20.8	150.5	0.001	4.03	3.93	15.6	2	1.9	58.9
OS -12-130	86.26	87.64	1.38	K307783	0.38	47	0.57	0.02	10.3	34.2	400	15.7	149.5	0.001	4.90	14.25	12.3	2	1.9	52.6
OS -12-130	87.64	89.31	1.67	K307784	0.27	50	0.31	0.01	9.5	34.0	450	10.1	123.0	0.001	5.24	17.55	10.4	2	1.6	60.8
OS -12-130	89.31	92.35	3.04	K307785	0.37	40	0.39	0.02	11.2	39.9	480	15.3	151.0	0.001	5.79	23.70	11.5	2	1.8	79.3

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
OS -12-130	92.35	95.00	2.65	K307739	0.40	96	0.51	0.02	8.3	35.9	250	30.0	150.0	0.003	4.03	29.60	11.4	2	1.7	52.5
OS -12-130	95.00	96.93	1.93	K307741	0.48	755	0.59	0.02	8.3	39.0	490	16.2	131.5	0.002	5.67	77.40	10.5	2	1.9	130.0
OS -12-130	96.93	99.97	3.04	K307742	0.42	955	0.68	0.02	8.3	30.0	430	23.4	137.0	0.002	3.98	58.30	10.0	2	1.7	150.0
OS -12-130	99.97	103.02	3.05	K307743	0.39	1090	1.08	0.02	8.2	31.8	410	18.8	135.5	0.005	3.98	81.80	7.3	2	1.8	101.5
OS -12-130	103.02	104.05	1.03	K307744	0.38	1210	0.91	0.02	8.2	33.0	400	17.8	135.5	0.004	3.74	87.50	10.8	2	1.7	156.5
OS -12-130	104.05	106.59	2.54	K307746	0.33	543	1.65	0.02	6.4	30.9	380	17.2	107.0	0.005	3.25	94.10	4.4	2	1.4	124.5
OS -12-130	106.59	109.64	3.05	K307747	0.32	608	1.38	0.02	6.1	25.5	490	19.7	98.0	0.004	3.19	67.40	5.0	2	1.3	198.5
OS -12-130	109.64	112.17	2.53	K307748	0.28	1190	0.23	0.01	1.8	0.7	490	7.1	25.0	0.002	0.84	8.22	5.2	1	0.4	1265.0
OS -12-130	112.17	115.21	3.04	K307749	0.23	1060	0.56	0.01	1.7	0.2	510	4.4	23.5	0.002	1.08	15.65	5.3	1	0.3	1420.0
OS -12-130	115.21	118.26	3.05	K307750	0.44	153	0.33	0.01	1.2	0.1	100	2.6	14.9	0.002	0.42	0.52	2.3	1	0.2	1875.0
OS -12-130	118.26	121.31	3.05	M668598	0.40	82	0.59	0.01	1.7	2.9	240	3.3	20.2	0.003	0.65	0.34	2.5	1	0.3	2390.0
OS -12-130	121.31	124.36	3.05	M668599	0.61	292	0.63	0.02	1.8	3.5	660	3.6	24.3	0.003	0.67	0.23	3.1	1	0.4	2060.0
OS -12-130	124.36	127.41	3.05	M668600	1.05	333	1.31	0.02	2.8	9.0	590	6.0	42.3	0.007	1.14	0.28	4.5	1	0.6	1565.0
OS -12-130	127.41	130.45	3.04	M669001	0.73	253	0.87	0.03	2.1	5.9	640	4.2	28.1	0.004	0.73	0.24	3.3	1	0.4	2030.0
OS -12-130	130.45	133.50	3.05	M669002	0.92	512	0.32	0.02	0.9	0.7	520	1.4	7.9	0.003	0.24	0.12	1.6	1	0.1	1855.0
OS -12-130	133.50	136.55	3.05	M669003	0.72	530	0.29	0.01	0.8	1.3	730	1.1	6.0	0.002	0.17	0.08	1.2	1	0.1	2010.0
OS -12-130	136.55	139.60	3.05	M669004	0.81	436	0.65	0.02	1.6	4.0	1000	3.0	19.2	0.002	0.51	0.15	2.5	1	0.3	1530.0
OS -12-130	139.60	142.65	3.05	M669006	0.62	211	0.48	0.02	1.4	3.4	760	2.9	17.4	0.003	0.47	0.14	2.3	1	0.3	1965.0
OS -12-130	142.65	145.69	3.04	M669007	0.60	302	0.32	0.02	1.1	2.0	560	2.0	11.3	0.003	0.31	0.12	1.5	1	0.2	1615.0
OS -12-130	145.69	148.74	3.05	M669008	0.83	265	1.11	0.03	2.5	8.6	480	5.2	35.2	0.006	0.91	0.24	4.3	2	0.5	1950.0
OS -12-130	148.74	151.79	3.05	M669009	1.17	477	1.49	0.03	4.0	14.7	310	8.6	59.9	0.006	1.37	0.38	6.7	2	0.8	1610.0
OS -12-130	151.79	154.84	3.05	M669010	1.13	445	1.59	0.07	4.7	17.9	250	10.1	70.2	0.008	1.71	0.42	7.9	2	1.0	1460.0
OS -12-130	154.84	157.89	3.05	M669012	0.52	194	0.70	0.05	1.7	6.6	270	5.0	26.3	0.003	0.67	0.21	3.5	1	0.4	2320.0
OS -12-130	157.89	160.93	3.04	M669014	0.68	260	0.75	0.02	2.5	6.8	180	5.5	34.7	0.002	0.98	0.26	4.2	2	0.5	2050.0
OS -12-130	160.93	163.98	3.05	M669015	0.66	326	0.46	0.02	2.6	6.5	540	5.2	33.4	0.002	1.05	0.25	4.3	1	0.5	1715.0
OS -12-130	163.98	167.03	3.05	M669016	0.50	281	0.48	0.01	1.8	6.7	200	4.4	26.7	0.003	0.75	0.26	3.8	1	0.4	2220.0
OS -12-130	167.03	170.08	3.05	M669017	0.84	442	0.67	0.02	3.3	14.3	310	7.0	48.9	0.001	1.47	0.27	6.9	1	0.7	1675.0
OS -12-130	170.08	173.13	3.05	M669018	0.57	410	0.40	0.01	1.6	7.5	340	4.8	22.0	0.001	0.66	0.26	3.4	1	0.4	2120.0
OS -12-130	173.13	176.17	3.04	M669020	0.66	301	0.50	0.01	1.5	6.9	720	3.9	20.1	0.001	0.71	0.86	3.1	0.5	0.4	2070.0
OS -12-130	176.17	179.22	3.05	M669021	0.72	369	0.70	0.01	2.4	9.7	910	6.6	32.5	0.002	1.05	0.64	4.4	1	0.6	1725.0
OS -12-130	179.22	182.27	3.05	M669022	0.67	368	0.49	0.01	2.2	9.9	1120	5.4	30.1	0.004	0.97	0.24	4.8	1	0.5	1740.0
OS -12-130	182.27	185.32	3.05	M669024	0.89	407	0.69	0.02	3.6	16.3	240	8.1	51.7	0.003	1.55	0.39	6.6	1	0.9	1650.0
OS -12-130	185.32	188.37	3.05	M669025	0.78	315	0.57	0.02	2.9	13.2	640	6.5	40.1	0.002	1.37	0.28	5.6	1	0.7	1915.0
OS -12-130	188.37	191.41	3.04	M669026	0.65	268	0.26	0.01	0.9	3.8	350	2.7	12.7	0.001	0.41	0.23	2.0	0.5	0.3	2100.0
OS -12-130	191.41	194.46	3.05	M669027	0.72	176	0.29	0.01	1.4	5.6	400	3.8	19.8	0.003	0.62	0.21	2.6	1	0.3	2050.0

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
OS -12-130	194.46	197.51	3.05	M669029	0.93	145	0.58	0.01	2.5	10.3	200	6.4	33.0	0.001	1.20	0.77	4.0	1	0.6	2300.0
OS -12-130	197.51	200.22	2.71	M669030	0.60	104	0.41	0.02	1.8	6.7	470	4.5	24.3	0.002	0.77	1.48	3.3	1	0.5	2540.0
OS -12-130	200.22	202.08	1.86	K309224	1.08	206	0.74	0.02	3.7	10.6	260	8.1	51.3	0.003	1.24	3.90	6.8	2	0.7	1895.0
OS -12-130	202.08	205.13	3.05	K309225	0.63	112	0.35	0.02	2.2	3.8	250	4.6	28.6	0.002	0.86	9.30	4.0	2	0.4	2890.0
OS -12-130	205.13	208.18	3.05	K309226	0.62	245	0.44	0.02	2.6	6.0	310	5.4	33.1	0.003	2.83	98.30	5.0	5	0.5	1825.0
OS -12-130	208.18	211.23	3.05	K309227	0.47	362	0.32	0.01	1.9	3.5	430	4.2	22.0	0.001	5.66	177.50	3.8	8	0.3	1110.0
OS -12-130	211.23	214.27	3.04	K309228	0.70	422	0.51	0.01	2.1	4.4	430	5.7	26.0	0.002	0.99	12.15	3.6	2	0.4	1520.0
OS -12-130	214.27	216.30	2.03	K309229	0.62	312	0.54	0.01	2.0	3.7	330	6.2	26.1	0.002	0.84	11.85	3.6	2	0.4	2120.0
OS -12-130	216.30	218.85	2.55	K309231	0.44	288	1.28	0.02	5.9	23.4	900	12.2	81.2	0.004	3.14	72.50	5.5	3	1.2	1075.0
OS -12-130	218.85	221.89	3.04	K309232	0.20	143	1.21	0.01	3.5	17.8	670	9.0	50.7	0.004	1.86	38.90	2.2	2	0.9	582.0
OS -12-130	221.89	224.10	2.21	K309233	0.44	229	1.52	0.02	7.1	32.1	2010	17.0	99.2	0.005	3.52	68.90	4.8	3	1.5	989.0
OS -12-130	224.10	226.47	2.37	K309235	0.42	308	0.56	0.01	1.7	4.0	360	3.7	19.6	0.003	0.80	7.26	3.1	2	0.3	2330.0
OS -12-130	226.47	229.51	3.04	K309236	0.48	319	0.35	0.01	1.2	0.8	360	2.3	13.4	0.002	0.35	2.35	2.1	1	0.2	1515.0
OS -12-130	229.51	232.56	3.05	K309237	0.56	603	0.53	0.01	2.2	4.9	280	4.4	27.3	0.002	0.81	3.69	3.5	2	0.4	1335.0
OS -12-130	232.56	235.61	3.05	K309239	0.40	356	0.46	0.01	1.2	1.4	200	2.2	13.5	0.002	0.42	1.80	2.1	1	0.2	1565.0
OS -12-130	235.61	238.66	3.05	K309240	0.48	140	0.49	0.01	1.5	2.9	140	3.1	18.6	0.002	0.50	0.78	2.3	1	0.3	1855.0
OS -12-130	238.66	241.71	3.05	K309241	0.59	100	0.48	0.01	1.5	3.0	140	3.3	17.6	0.002	0.46	0.55	2.4	2	0.3	2160.0
OS -12-130	241.71	243.43	1.72	K309242	0.48	177	0.28	0.01	1.4	2.7	150	2.8	18.8	0.001	0.48	1.41	2.6	1	0.3	1690.0
OS -12-130	243.43	246.28	2.85	K309243	0.12	138	0.73	0.01	3.0	14.2	720	10.1	43.5	0.004	7.61	416.00	2.8	8	0.6	122.0
OS -12-130	246.28	249.33	3.05	K309245	0.28	696	1.28	0.02	6.2	25.5	290	12.7	90.4	0.005	5.97	227.00	10.4	5	1.0	253.0
OS -12-130	249.33	252.37	3.04	K309247	0.91	762	1.29	0.02	5.8	20.6	270	11.2	87.9	0.005	2.61	24.70	10.8	2	1.1	1030.0
OS -12-130	252.37	255.42	3.05	K309248	0.84	706	1.22	0.02	5.6	21.2	230	10.8	81.5	0.005	2.78	39.50	10.2	2	1.0	1145.0
OS -12-130	255.42	258.47	3.05	K309249	1.03	755	1.10	0.02	4.5	14.7	210	8.3	66.4	0.004	1.83	8.82	9.6	2	0.9	1525.0
OS -12-130	258.47	261.52	3.05	K309250	0.99	714	1.15	0.02	5.0	18.1	230	9.2	70.0	0.005	2.15	17.90	9.6	2	0.9	1355.0
OS -12-130	261.52	264.57	3.05	K309251	1.35	671	1.27	0.05	5.4	21.8	230	9.5	75.3	0.004	2.20	3.86	12.7	2	0.9	1200.0
OS -12-130	264.57	267.61	3.04	K309252	0.71	578	0.73	0.02	4.3	12.0	330	8.1	53.4	0.003	1.65	3.81	7.9	2	0.6	1310.0

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
OS -12-130	267.61	270.66	3.05	K309254	0.64	743	1.78	0.02	5.1	16.3	290	9.9	69.9	0.005	4.21	123.50	8.7	6	0.8	1430.0
OS -12-130	270.66	273.71	3.05	K309255	0.44	977	0.86	0.02	3.5	11.0	590	7.2	46.4	0.004	1.50	12.80	7.2	2	0.5	1290.0
OS -12-130	273.71	276.76	3.05	K309256	0.33	656	0.87	0.02	3.6	11.1	1370	7.1	46.5	0.004	2.83	38.60	6.6	3	0.6	1030.0
OS -12-130	276.76	279.81	3.05	K309257	0.77	630	1.21	0.02	5.1	17.7	240	9.0	64.3	0.004	2.09	6.64	10.6	2	0.8	1230.0
OS -12-130	279.81	282.85	3.04	K309258	0.69	430	0.54	0.02	2.9	11.8	250	5.2	36.7	0.003	1.54	5.65	6.8	2	0.5	1505.0
OS -12-130	282.85	285.90	3.05	K309259	0.71	491	0.46	0.01	1.4	6.4	760	3.7	20.9	0.001	0.97	26.30	2.9	1	0.3	1920.0
OS -12-130	285.90	288.95	3.05	K309260	0.50	561	0.33	0.01	0.7	3.6	230	2.1	9.5	0.001	3.59	222.00	1.7	6	0.2	1620.0
OS -12-130	288.95	292.00	3.05	K309261	0.47	616	0.38	0.01	1.1	5.2	170	3.2	15.9	0.001	3.91	160.50	2.5	4	0.3	1680.0
OS -12-130	292.00	295.05	3.05	K309262	0.54	710	0.38	0.01	1.0	5.0	360	3.3	14.7	0.002	5.11	312.00	2.0	7	0.3	1580.0
OS -12-130	295.05	298.09	3.04	K309264	0.54	1760	0.37	0.01	1.3	5.2	330	3.6	19.9	0.002	1.36	39.00	2.8	1	0.4	1800.0
OS -12-130	298.09	301.14	3.05	K309265	0.44	119	0.36	0.01	0.6	3.1	280	1.8	8.4	0.004	0.31	1.19	1.2	1	0.2	2160.0
OS -12-130	301.14	304.19	3.05	K309266	0.48	87	0.33	0.01	0.7	3.9	300	3.0	11.1	0.001	0.41	0.73	1.4	0.5	0.2	2050.0
OS -12-130	304.19	307.24	3.05	K309268	0.54	128	0.25	0.01	1.0	5.0	220	2.9	14.8	0.001	0.61	0.69	2.0	1	0.2	1965.0
OS -12-130	307.24	310.29	3.05	M669031	0.50	217	0.16	0.01	0.2	0.8	610	0.8	2.5	0.001	0.13	0.05	0.6	0.5	0.1	2180.0
OS -12-130	310.29	313.33	3.04	M669032	0.42	98	0.27	0.02	0.6	2.7	740	1.7	7.7	0.002	0.30	0.12	1.3	0.5	0.2	2930.0
OS -12-130	313.33	316.38	3.05	M669033	0.51	74	0.44	0.02	0.9	4.2	650	2.5	12.3	0.003	0.46	0.13	1.7	1	0.3	3070.0
OS -12-130	316.38	319.43	3.05	M669035	0.49	211	0.29	0.01	0.5	2.2	210	1.6	7.1	0.002	0.29	0.28	1.0	0.5	0.2	2260.0
OS -12-130	319.43	322.48	3.05	M669036	0.71	264	0.27	0.01	0.7	3.1	180	2.0	10.5	0.001	0.42	0.13	1.5	0.5	0.3	2000.0
OS -12-130	322.48	325.53	3.05	M669037	0.49	87	0.33	0.01	1.3	5.6	430	3.1	17.0	0.002	0.67	0.16	2.0	0.5	0.3	2520.0
OS -12-130	325.53	328.57	3.04	M669038	0.42	59	0.18	0.01	0.4	2.0	230	1.4	5.8	0.001	0.25	0.19	1.1	0.5	0.2	2520.0
OS -12-130	328.57	331.62	3.05	M669039	0.43	203	0.15	0.01	0.4	1.7	170	1.2	5.3	0.001	0.21	0.22	0.9	0.5	0.2	1830.0
OS -12-130	331.62	334.67	3.05	M669040	0.41	57	0.17	0.01	0.4	1.8	320	1.3	5.8	0.001	0.23	0.11	0.9	0.5	0.2	2470.0
OS -12-130	334.67	337.72	3.05	M669042	0.51	100	0.16	0.01	0.4	1.7	250	1.2	5.6	0.001	0.22	0.11	1.0	0.5	0.2	2110.0
OS -12-130	337.72	340.77	3.05	M669043	0.59	84	0.23	0.01	0.7	3.2	370	2.1	10.8	0.001	0.39	0.18	1.6	0.5	0.2	2210.0
OS -12-130	340.77	343.81	3.04	M669044	0.48	156	0.24	0.01	0.9	3.6	250	2.4	13.0	0.001	0.45	0.16	1.6	0.5	0.3	2250.0
OS -12-130	343.81	346.86	3.05	M669045	0.48	152	0.17	0.01	0.7	0.3	360	1.5	8.4	0.001	0.33	0.72	1.5	1	0.2	2110.0
OS -12-130	346.86	349.91	3.05	K307788	0.27	2940	0.41	0.01	1.3	1.4	450	2.8	12.7	0.001	1.86	116.50	2.8	5	0.3	1595.0
OS -12-130	349.91	352.96	3.05	K307790	0.34	739	0.52	0.01	1.3	1.1	1000	2.8	13.5	0.002	4.12	298.00	2.3	9	0.2	1640.0
OS -12-130	352.96	356.01	3.05	K307791	0.45	244	0.27	0.01	0.8	0.1	540	1.6	7.0	0.001	3.35	233.00	1.1	7	0.1	1605.0
OS -12-130	356.01	359.05	3.04	K307792	0.47	205	0.28	0.01	1.1	1.6	380	1.9	10.3	0.002	0.45	0.74	1.8	2	0.2	1985.0
OS -12-130	359.05	362.10	3.05	K307793	0.44	50	0.32	0.01	0.8	0.1	700	1.5	7.0	0.002	0.30	0.40	1.1	2	0.1	2300.0
OS -12-130	362.10	365.15	3.05	K307794	0.38	49	0.30	0.01	0.8	3.9	530	1.4	6.5	0.001	0.23	0.22	0.9	1	0.1	2360.0
OS -12-130	365.15	368.20	3.05	K307796	0.49	45	0.34	0.01	0.8	0.1	540	1.5	6.9	0.001	0.22	0.13	1.2	2	0.1	2280.0
OS -12-130	368.20	371.25	3.05	M669046	0.56	72	0.56	0.02	0.8	4.1	680	2.5	11.6	0.002	0.44	0.12	1.6	1	0.3	2080.0
OS -12-130	371.25	374.29	3.04	M669047	0.52	116	0.30	0.02	0.5	2.5	1130	1.8	7.1	0.001	0.31	0.08	1.1	0.5	0.2	2490.0

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
OS -12-130	4.63	7.01	2.38	M668570	0.47	0.05	6.4	4150	20.80	1.7	120	6.3	14.0	72	73.4
OS -12-130	7.01	10.06	3.05	M668572	0.51	0.08	7.4	4460	9.09	1.6	131	2.0	15.7	74	77.6
OS -12-130	10.06	13.11	3.05	M668573	0.72	0.08	9.8	5340	9.59	2.2	158	3.4	21.1	102	106.5
OS -12-130	13.11	16.15	3.04	M668574	0.71	0.03	10.0	5160	7.15	2.2	150	4.4	21.8	78	105.5
OS -12-130	16.15	19.20	3.05	M668575	0.71	0.06	9.2	5230	4.27	1.9	140	4.6	21.2	86	101.5
OS -12-130	19.20	20.69	1.49	M668576	0.63	0.05	8.9	3980	6.25	1.8	115	1.4	17.3	66	83.8
OS -12-130	20.69	22.25	1.56	M668577	0.70	0.06	9.0	4630	4.39	1.9	135	1.9	19.8	82	98.5
OS -12-130	22.25	25.30	3.05	M668578	0.60	0.05	8.0	4220	1.69	1.7	123	1.1	18.5	78	86.3
OS -12-130	25.30	26.92	1.62	M668579	0.62	0.05	7.5	5080	1.10	1.6	147	1.4	17.0	81	91.2
OS -12-130	26.92	29.87	2.95	M668581	0.54	0.05	5.8	4020	1.37	1.3	116	1.1	15.0	76	72.7
OS -12-130	29.87	32.60	2.73	M668582	0.65	0.06	8.2	4910	7.38	1.7	143	1.5	18.1	79	94.2
OS -12-130	32.60	34.44	1.84	M668583	0.73	0.05	9.8	5330	4.96	2.0	150	3.0	20.6	78	106.5
OS -12-130	34.44	35.97	1.53	M668584	0.80	0.08	10.6	5240	8.64	2.2	152	4.0	22.8	91	116.0
OS -12-130	35.97	39.01	3.04	M668586	0.76	0.06	10.1	4940	5.01	2.1	135	3.8	21.1	58	108.0
OS -12-130	39.01	42.06	3.05	M668587	0.73	0.05	10.2	4650	6.61	2.0	126	5.3	19.8	99	106.0
OS -12-130	42.06	45.11	3.05	M668588	0.70	0.06	8.9	4880	4.75	1.8	128	6.3	19.6	53	99.7
OS -12-130	45.11	48.16	3.05	M668590	0.68	0.03	9.0	4530	6.01	1.8	122	5.7	19.2	54	95.3
OS -12-130	48.16	51.21	3.05	M668591	0.92	0.05	12.4	5440	11.80	2.5	149	11.1	25.6	64	124.0
OS -12-130	51.21	52.44	1.23	M668592	0.64	0.05	9.2	4130	4.82	1.9	115	4.9	17.2	53	93.5
OS -12-130	52.44	54.25	1.81	M668593	0.72	0.06	9.2	4750	6.11	1.9	120	4.7	20.7	53	98.8
OS -12-130	54.25	57.30	3.05	M668594	0.80	0.07	10.3	4910	7.19	2.1	124	7.2	22.2	49	111.5
OS -12-130	57.30	60.35	3.05	M668595	0.75	0.06	9.7	4800	13.25	1.9	120	9.7	20.9	94	104.0
OS -12-130	60.35	61.38	1.03	M668597	0.77	0.08	10.8	4400	22.80	2.3	124	16.1	22.1	251	105.5
OS -12-130	61.38	63.40	2.02	K307772	0.70	0.07	12.0	4590	38.30	2.4	136	13.1	24.2	55	103.0
OS -12-130	63.40	65.00	1.60	K307773	0.51	0.05	9.0	3310	34.40	2.0	117	9.8	18.3	64	80.4
OS -12-130	65.00	67.97	2.97	K307774	0.70	0.07	11.7	4560	28.60	2.2	135	15.0	24.0	74	103.0
OS -12-130	67.97	71.02	3.05	K307775	0.58	0.05	9.7	3930	18.20	1.9	107	9.3	17.6	65	87.3
OS -12-130	71.02	74.07	3.05	K307777	0.71	0.05	11.8	5020	20.30	2.2	135	11.4	22.3	66	109.5
OS -12-130	74.07	77.11	3.04	K307778	0.63	0.07	9.9	4170	38.40	2.0	125	9.6	20.0	107	92.0
OS -12-130	77.11	80.16	3.05	K307779	0.63	0.06	11.0	4080	35.60	2.2	116	11.7	24.1	71	99.1
OS -12-130	80.16	83.21	3.05	K307780	0.66	0.03	11.0	4090	31.80	2.2	118	12.1	22.2	74	96.8
OS -12-130	83.21	86.26	3.05	K307781	0.67	0.05	11.4	3920	23.50	2.3	110	11.5	22.2	89	102.0
OS -12-130	86.26	87.64	1.38	K307783	0.68	0.05	10.9	4420	27.90	2.2	122	13.3	21.8	69	103.5
OS -12-130	87.64	89.31	1.67	K307784	0.63	0.05	9.9	4920	60.70	1.8	131	13.9	19.7	62	101.5
OS -12-130	89.31	92.35	3.04	K307785	0.74	0.07	11.6	5390	43.00	2.2	143	15.1	24.5	79	109.0

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
OS -12-130	92.35	95.00	2.65	K307739	0.63	0.06	8.8	3770	36.60	2.1	127	9.8	21.4	90	91.4
OS -12-130	95.00	96.93	1.93	K307741	0.65	0.12	9.2	3160	104.50	2.4	86	9.8	22.6	71	81.8
OS -12-130	96.93	99.97	3.04	K307742	0.64	0.16	9.4	3130	70.40	3.4	94	7.4	25.7	93	94.9
OS -12-130	99.97	103.02	3.05	K307743	0.64	0.16	9.4	3080	96.10	3.6	98	7.2	29.1	86	93.0
OS -12-130	103.02	104.05	1.03	K307744	0.63	0.16	9.7	3130	95.70	4.1	96	7.0	30.2	95	92.7
OS -12-130	104.05	106.59	2.54	K307746	0.51	0.15	7.9	2560	104.00	5.6	81	5.6	23.1	94	78.9
OS -12-130	106.59	109.64	3.05	K307747	0.47	0.11	7.1	2350	78.80	6.7	70	5.5	20.4	66	70.9
OS -12-130	109.64	112.17	2.53	K307748	0.13	0.03	1.8	590	9.62	2.6	16	1.3	11.5	25	20.2
OS -12-130	112.17	115.21	3.04	K307749	0.11	0.03	1.7	530	19.00	2.5	17	1.7	13.5	13	18.6
OS -12-130	115.21	118.26	3.05	K307750	0.06	0.03	1.1	320	3.17	1.8	7	0.6	11.9	5	11.9
OS -12-130	118.26	121.31	3.05	M668598	0.10	0.03	1.7	510	3.72	2.8	16	0.4	11.8	11	15.9
OS -12-130	121.31	124.36	3.05	M668599	0.11	0.03	1.9	560	2.38	2.4	18	0.3	11.7	24	19.7
OS -12-130	124.36	127.41	3.05	M668600	0.19	0.05	3.1	950	2.16	3.3	32	0.4	14.3	23	30.3
OS -12-130	127.41	130.45	3.04	M669001	0.12	0.03	2.0	640	0.22	2.9	22	0.3	13.1	17	21.0
OS -12-130	130.45	133.50	3.05	M669002	0.03	0.03	0.7	190	0.06	1.8	10	0.1	7.1	7	8.1
OS -12-130	133.50	136.55	3.05	M669003	0.03	0.03	0.5	140	0.04	1.4	8	0.6	5.2	6	8.1
OS -12-130	136.55	139.60	3.05	M669004	0.09	0.03	1.6	440	0.13	2.3	17	0.3	10.1	13	16.9
OS -12-130	139.60	142.65	3.05	M669006	0.08	0.03	1.4	380	0.12	2.6	14	0.2	10.6	9	13.7
OS -12-130	142.65	145.69	3.04	M669007	0.05	0.03	0.9	250	0.09	2.0	10	0.1	7.4	3	9.1
OS -12-130	145.69	148.74	3.05	M669008	0.15	0.05	2.7	800	0.29	2.9	26	0.4	13.5	23	25.6
OS -12-130	148.74	151.79	3.05	M669009	0.28	0.07	4.5	1500	0.55	3.0	47	1.1	16.2	40	44.6
OS -12-130	151.79	154.84	3.05	M669010	0.34	0.07	5.3	1800	0.59	3.1	55	1.0	19.0	49	51.6
OS -12-130	154.84	157.89	3.05	M669012	0.12	0.07	2.2	660	0.23	2.5	21	0.4	15.6	19	20.7
OS -12-130	157.89	160.93	3.04	M669014	0.18	0.08	3.0	1020	0.31	2.5	28	0.4	16.6	25	28.3
OS -12-130	160.93	163.98	3.05	M669015	0.18	0.06	2.9	1140	0.33	2.5	30	0.5	14.6	23	30.2
OS -12-130	163.98	167.03	3.05	M669016	0.13	0.06	2.2	780	0.25	2.4	22	0.3	14.3	17	22.8
OS -12-130	167.03	170.08	3.05	M669017	0.23	0.05	3.6	1660	0.71	2.1	47	0.7	17.0	37	39.2
OS -12-130	170.08	173.13	3.05	M669018	0.12	0.03	2.1	740	0.29	2.1	22	0.3	14.2	19	20.5
OS -12-130	173.13	176.17	3.04	M669020	0.09	0.03	1.9	650	0.30	2.4	19	1.4	14.5	16	21.5
OS -12-130	176.17	179.22	3.05	M669021	0.17	0.05	2.9	990	0.54	2.6	30	1.5	16.7	24	31.7
OS -12-130	179.22	182.27	3.05	M669022	0.16	0.03	2.7	1030	0.47	2.5	30	0.8	16.9	17	32.7
OS -12-130	182.27	185.32	3.05	M669024	0.25	0.03	4.2	1860	0.81	2.8	53	0.9	17.5	39	43.5
OS -12-130	185.32	188.37	3.05	M669025	0.21	0.03	3.3	1480	0.85	2.8	42	1.0	18.3	31	37.7
OS -12-130	188.37	191.41	3.04	M669026	0.07	0.03	1.2	360	0.45	1.8	11	0.7	11.2	9	12.6
OS -12-130	191.41	194.46	3.05	M669027	0.10	0.03	1.8	610	0.65	2.0	16	0.5	12.7	14	18.6

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
OS -12-130	194.46	197.51	3.05	M669029	0.17	0.03	3.5	1100	1.41	3.7	30	0.4	18.2	28	30.3
OS -12-130	197.51	200.22	2.71	M669030	0.12	0.03	2.3	710	2.03	3.1	21	0.4	17.8	19	23.2
OS -12-130	200.22	202.08	1.86	K309224	0.22	0.06	4.2	1150	5.04	4.5	31	0.8	28.4	27	38.5
OS -12-130	202.08	205.13	3.05	K309225	0.13	0.05	2.3	630	2.69	2.9	16	0.5	19.6	16	22.1
OS -12-130	205.13	208.18	3.05	K309226	0.15	0.12	2.9	740	12.95	3.5	19	0.9	24.0	20	26.8
OS -12-130	208.18	211.23	3.05	K309227	0.10	0.09	1.8	520	11.00	2.4	13	0.7	17.2	13	20.0
OS -12-130	211.23	214.27	3.04	K309228	0.13	0.07	2.3	660	13.30	3.1	17	1.0	15.6	22	22.8
OS -12-130	214.27	216.30	2.03	K309229	0.12	0.05	2.2	620	11.40	3.4	16	1.2	21.5	48	22.7
OS -12-130	216.30	218.85	2.55	K309231	0.41	0.18	6.3	2170	42.90	7.2	60	3.2	26.8	84	66.4
OS -12-130	218.85	221.89	3.04	K309232	0.26	0.14	4.5	1300	37.50	7.9	41	1.9	25.5	81	43.8
OS -12-130	221.89	224.10	2.21	K309233	0.53	0.27	8.4	2820	74.70	9.5	78	3.8	48.9	94	81.9
OS -12-130	224.10	226.47	2.37	K309235	0.10	0.05	1.5	470	9.14	2.6	14	0.6	15.0	13	18.6
OS -12-130	226.47	229.51	3.04	K309236	0.06	0.03	1.0	300	3.18	1.5	7	0.5	8.2	8	12.2
OS -12-130	229.51	232.56	3.05	K309237	0.13	0.03	2.1	720	7.68	2.3	17	1.1	12.2	17	23.7
OS -12-130	232.56	235.61	3.05	K309239	0.07	0.03	1.0	320	3.83	1.6	7	0.4	9.4	9	12.0
OS -12-130	235.61	238.66	3.05	K309240	0.08	0.03	1.4	440	3.67	2.1	10	0.5	10.6	11	14.5
OS -12-130	238.66	241.71	3.05	K309241	0.08	0.03	1.4	410	3.34	2.2	10	0.5	11.2	7	15.0
OS -12-130	241.71	243.43	1.72	K309242	0.08	0.03	1.4	400	2.57	2.0	10	0.9	12.3	9	13.5
OS -12-130	243.43	246.28	2.85	K309243	0.21	0.22	3.8	1200	29.00	6.0	37	3.2	27.2	176	34.8
OS -12-130	246.28	249.33	3.05	K309245	0.43	0.16	6.3	2590	27.60	3.3	74	7.5	23.4	75	67.8
OS -12-130	249.33	252.37	3.04	K309247	0.39	0.09	6.0	2140	20.40	3.8	60	5.6	27.6	53	63.8
OS -12-130	252.37	255.42	3.05	K309248	0.39	0.08	5.8	2280	15.50	3.1	61	5.5	23.8	52	63.6
OS -12-130	255.42	258.47	3.05	K309249	0.30	0.06	4.5	1740	10.65	2.5	48	4.0	21.5	38	50.4
OS -12-130	258.47	261.52	3.05	K309250	0.34	0.06	4.9	1980	12.65	3.1	55	4.7	21.9	46	55.1
OS -12-130	261.52	264.57	3.05	K309251	0.37	0.05	4.8	2390	11.15	2.6	66	4.9	20.3	50	52.4
OS -12-130	264.57	267.61	3.04	K309252	0.27	0.03	3.9	1580	8.99	2.7	40	2.5	20.2	36	40.9

Hole Name	Depth From (m)	Depth To (m)	Interval	SampleID	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
OS -12-130	267.61	270.66	3.05	K309254	0.33	0.15	4.8	1790	15.80	3.3	48	3.0	19.9	53	46.8
OS -12-130	270.66	273.71	3.05	K309255	0.22	0.07	3.2	1290	14.30	2.9	34	2.3	17.0	27	33.7
OS -12-130	273.71	276.76	3.05	K309256	0.23	0.05	3.4	1320	32.40	3.4	36	3.3	18.7	31	38.0
OS -12-130	276.76	279.81	3.05	K309257	0.33	0.05	4.5	2020	16.60	2.6	56	4.4	22.2	46	49.3
OS -12-130	279.81	282.85	3.04	K309258	0.18	0.05	2.5	1460	6.71	1.8	36	3.2	17.4	28	28.0
OS -12-130	282.85	285.90	3.05	K309259	0.10	0.03	1.7	590	3.60	2.2	18	1.2	12.5	12	18.8
OS -12-130	285.90	288.95	3.05	K309260	0.03	0.18	0.9	270	3.21	1.9	9	0.4	8.6	9	8.8
OS -12-130	288.95	292.00	3.05	K309261	0.08	0.25	1.6	460	4.83	2.3	14	0.7	11.6	8	13.9
OS -12-130	292.00	295.05	3.05	K309262	0.06	0.31	1.5	430	6.20	2.5	14	0.6	10.3	12	14.0
OS -12-130	295.05	298.09	3.04	K309264	0.10	0.03	1.9	580	4.51	2.6	17	1.1	11.7	14	15.1
OS -12-130	298.09	301.14	3.05	K309265	0.05	0.03	0.8	240	1.25	1.9	8	0.4	7.8	7	7.7
OS -12-130	301.14	304.19	3.05	K309266	0.06	0.03	1.0	310	1.24	2.0	10	0.5	8.3	9	8.9
OS -12-130	304.19	307.24	3.05	K309268	0.07	0.03	1.4	530	1.52	1.9	14	0.9	9.0	12	12.5
OS -12-130	307.24	310.29	3.05	M669031	0.03	0.03	0.3	90	0.24	1.3	4	0.1	4.3	3	4.3
OS -12-130	310.29	313.33	3.04	M669032	0.03	0.03	0.7	230	0.37	2.0	8	0.3	8.1	4	9.0
OS -12-130	313.33	316.38	3.05	M669033	0.06	0.03	1.2	370	0.45	2.4	12	0.5	9.9	11	12.7
OS -12-130	316.38	319.43	3.05	M669035	0.03	0.03	0.7	210	0.32	1.5	7	0.4	6.0	7	7.1
OS -12-130	319.43	322.48	3.05	M669036	0.05	0.03	0.9	300	0.29	1.5	10	0.4	7.3	8	8.5
OS -12-130	322.48	325.53	3.05	M669037	0.08	0.03	1.4	630	0.48	2.0	14	0.4	8.3	14	16.1
OS -12-130	325.53	328.57	3.04	M669038	0.03	0.03	0.6	180	0.11	1.6	7	0.3	6.8	6	6.6
OS -12-130	328.57	331.62	3.05	M669039	0.03	0.03	0.5	160	0.13	1.2	5	0.3	5.3	4	5.2
OS -12-130	331.62	334.67	3.05	M669040	0.03	0.03	0.6	170	0.18	1.7	6	0.3	6.1	5	5.7
OS -12-130	334.67	337.72	3.05	M669042	0.03	0.03	0.5	160	0.20	1.4	6	0.3	6.2	3	5.1
OS -12-130	337.72	340.77	3.05	M669043	0.05	0.03	0.9	320	0.52	1.8	10	0.6	8.2	5	9.5
OS -12-130	340.77	343.81	3.04	M669044	0.06	0.03	1.2	370	1.30	1.8	11	0.5	6.9	9	10.0
OS -12-130	343.81	346.86	3.05	M669045	0.03	0.03	0.7	260	1.32	1.6	8	0.4	6.2	5	8.0
OS -12-130	346.86	349.91	3.05	K307788	0.07	0.20	1.2	330	5.09	2.3	11	0.8	12.7	74	13.8
OS -12-130	349.91	352.96	3.05	K307790	0.07	0.37	1.2	310	3.49	2.9	11	0.7	11.2	8	13.3
OS -12-130	352.96	356.01	3.05	K307791	0.03	0.29	0.6	180	2.14	1.6	6	0.4	5.5	5	7.6
OS -12-130	356.01	359.05	3.04	K307792	0.06	0.03	0.9	340	1.31	1.5	7	0.7	5.5	8	9.8
OS -12-130	359.05	362.10	3.05	K307793	0.03	0.03	0.6	200	0.46	1.6	4	0.4	6.0	6	7.2
OS -12-130	362.10	365.15	3.05	K307794	0.03	0.03	0.6	170	0.17	1.7	4	0.4	5.6	5	5.8
OS -12-130	365.15	368.20	3.05	K307796	0.03	0.03	0.6	160	0.18	2.0	7	0.3	6.3	2	6.5
OS -12-130	368.20	371.25	3.05	M669046	0.06	0.03	1.0	320	0.31	2.9	10	0.5	9.1	8	10.5
OS -12-130	371.25	374.29	3.04	M669047	0.03	0.03	0.6	210	0.13	2.4	7	0.3	6.5	5	7.6