

TRANS YUKON EXPLORATIONS

105-C-14 DD-19

73-1 Box 1 0-87
 2 87-107.6
 3 107.6
 4 131.5
 5 155.5
 6 179.5
 7 207.5-232
 8 232-244

73-2 1
 2 86-121
 3 121
 4 146-171.5
 5 171.5
 6 194
 7 217-242
 8 242-267
 9 267-290
 10 290-311.5
 11 311.5-381.5
 12 381.5-404

73-3 1 100-135
 2
 3 157-178.5
 4
 5 201.5-226
 6
 7 251-272
 8 272
 9 296
 10 322.5-350
 11 350 381.5
 12 381.5
 13 404-417

73-4 1 0-128
 2 128
 3 157-182
 4 182
 5 205-231.5
 6 231.5
 7 254-278
 8



021111

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

55-19

| | | | | |
|---------------------|-------------------|--------------|-------------|--------------------|
| PROPERTY _____ | Claim No. _____ | Strike _____ | Lat. _____ | Hole No. <u>2A</u> |
| Date _____ 19 _____ | Section No. _____ | Dip _____ | Dep. _____ | Total Depth _____ |
| Logged By _____ | Plan No. _____ | Level _____ | Elev. _____ | Page No. _____ |

| FOOTAGE | | ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE | MINERALIZATION | | ASSAY DATA | | | | | | | |
|---------|----|--|----------------|---|------------|-------|--------|-----|-----|------|-------|-------|
| From | To | | TYPE | % | SAMPLE NO. | WIDTH | RECOV. | %CU | %FE | MOLY | AU/AG | INSOL |
| 252 | | <p>GABBRO / AMPHIBOLITE - dark, fine to medium grained mafic rock, to 80% amphibole in some sections, others, chlorite rich with light schistosity</p> <p>- sulfides 1-3% disseminated pyrite / pyrrhotite with traces of chalcopyrite</p> <p>- with depth, finer grained rock more dominant, schistosity increasing, and sulfides decreasing -</p> <p>- below 285 only visible sulfides are local minor disseminations of chalcopyrite</p> <p>309-319 - as above but quite chloritic, strong schistosity.</p> | | | | | | | | | | |
| 319 | | END OF HOLE | | | | | | | | | | |

Box # ? - 252-283 = 31 ft - 25 ft of core - no obvious missing core.

