



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 15-OCT-2007
This copy reported on 4-DEC-2007
Account: MTT

CERTIFICATE VA07114500

Project: NIMO RICH

P.O. No.: RI07-06

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-OCT-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO RICH

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 15-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07114500

Sample Description	Method	PGM-ICP23		
	Analyte	Au	Pt	Pd
	Units	ppm	ppm	ppm
	LOR	0.001	0.005	0.001
C488177		0.001	<0.005	0.004
C488179		0.006	0.013	0.005
C488182		0.007	0.012	0.002
C488183		<0.001	0.005	0.001
C488184		<0.001	<0.005	0.001
C488185		0.002	<0.005	<0.001
C488186		0.003	0.006	<0.001
C488187		<0.001	0.020	<0.001
C488188		<0.001	<0.005	<0.001
C488189		0.002	<0.005	0.002
C488190		0.001	0.007	0.001
C488191		0.005	<0.005	<0.001
C488194		0.006	0.008	0.002