



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE VA07100571

Project: NIMO RICH

P.O. No.: R107-12

This report is for 23 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All results of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO RICH

Page: 2 - A
Total # ranges: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100571

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C488264		2.54	0.61	2.07	17.9	920	1.24	0.05	0.09	12.3	15.55	4.5	42	2.73	51.9	1.1
C488265		2.46	0.33	1.31	14.3	1090	0.78	0.07	3.51	5.14	11.65	3.4	35	1.69	36.2	1.02
C488266		1.70	0.49	1.55	21.6	440	0.94	0.09	0.08	8.6	15.5	4.4	44	2.11	55.9	1.32
C488267		1.74	0.25	1.67	14.6	460	1.23	0.09	0.19	2.22	14.8	4.3	32	2.43	32.1	1.17
C488268		1.00	0.19	1.62	12.6	320	1.1	0.08	0.07	1.63	14.6	3.7	29	2.2	29	1.08
C488269		0.60	0.25	1.44	8.3	1250	0.84	0.08	0.04	1.57	10	2.6	36	1.79	23.3	0.89
C488270		0.86	0.14	1.36	10.7	630	0.97	0.07	0.04	1.24	10.75	3.2	34	1.77	24.3	1
C488271		0.96	0.17	1.3	13.2	620	0.9	0.07	0.04	2.14	12.5	3.1	26	1.6	25.5	0.93
C488272		0.20	0.22	1.75	19.2	310	1	0.08	0.06	3.02	13.3	4.7	31	1.94	41.2	1.2
C488274		0.66	0.48	6.99	75.9	820	3.29	0.23	5.88	3.02	44.8	18.3	88	9.92	64.4	4.12
C488275		0.72	0.17	2.45	20	760	1.33	0.07	27.7	1.42	18.9	4.3	32	2.87	20.4	1.14
C488276		1.18	0.19	0.1	6	120	0.09	6.05	20.2	0.09	1.42	1.1	1	0.22	3	0.46
C488277		0.96	0.1	0.98	10	1770	1.15	0.03	28.3	0.67	14.05	2	10	1.06	7.4	0.68
C488278		0.66	0.27	3.91	20	420	1.52	0.13	4.8	2.79	39.7	7.4	48	4.9	25.6	1.83
C488279		1.82	0.31	4.87	23.4	160	1.8	0.17	2.13	4.47	36.7	9.5	56	6.23	33	2.41
C488280		1.96	0.3	5.02	19.8	330	1.94	0.17	2.89	3.55	43.6	9.6	58	6.44	31.1	2.33
C488281		1.80	0.29	4.43	18.9	170	1.74	0.16	0.72	3.65	31.8	8.8	59	6.17	32.6	2.03
C488282		2.80	0.28	3.3	16.6	340	1.41	0.12	2.42	2.55	33.1	7.7	49	4.51	30.4	1.7
C488283		2.48	0.21	3.06	16.1	210	1.27	0.12	3.91	2.43	33	6.3	46	3.67	31.3	1.65
C488284		0.62	0.22	3.15	14.1	480	1.32	0.11	4.19	4.31	38.2	6.5	44	4.12	31.8	1.56
C488285		0.06	0.71	2.35	161.5	740	0.9	0.49	1.43	12.75	38.9	5.2	35	2.56	119.5	21
C488286		0.64	0.33	4.6	20.6	830	1.71	0.12	1.23	1.44	39.7	9.8	65	5.82	34.9	2.41
C488293		0.40	0.72	4.67	265	520	2.41	0.19	0.71	2.99	46.8	27.4	84	6.4	88	7.26

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO RICH

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 2-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07100571

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
C488264		5.96	0.13	0.6	0.13	0.021	0.63	10.4	5.1	0.15	40	39.7	0.04	3.5	123
C488265		3.6	0.09	0.6	0.09	0.012	0.4	8.4	3.6	0.34	82	43.9	0.05	2.8	117.5
C488266		4.59	0.12	0.8	0.12	0.018	0.49	11.4	4.3	0.11	53	44.5	0.04	3.2	164.5
C488267		4.53	0.11	0.8	0.08	0.015	0.52	9.5	4.5	0.19	65	46.1	0.03	3.3	169.5
C488268		4.12	0.09	0.7	0.06	0.012	0.51	9.5	4	0.11	45	37.9	0.04	3.1	132
C488269		3.55	0.08	0.7	0.06	0.009	0.44	5.9	4.3	0.09	44	32.4	0.04	2.8	96.5
C488270		3.21	0.08	0.6	0.05	0.01	0.39	6.3	4.3	0.09	40	46.1	0.04	2.7	137.5
C488271		3.7	0.11	0.6	0.07	0.011	0.37	7.3	5.7	0.08	42	36.9	0.03	2.4	133
C488272		5.9	0.16	0.8	0.11	0.017	0.48	7.5	10.1	0.12	58	41.8	0.04	3.4	179
C488274		23.3	0.49	2.5	0.23	0.059	2.1	25.3	11.4	0.56	211	83.5	0.08	11.2	395
C488275		6.91	0.17	0.8	0.08	0.024	0.75	12	3.9	0.4	259	19.3	0.04	3.6	62.3
C488276		0.41	0.22	<0.1	<0.01	0.008	0.03	0.9	0.9	12.7	191	0.57	0.01	0.3	3.5
C488277		2.69	0.16	0.4	0.03	0.009	0.29	9.7	2	2.78	240	7.08	0.02	1.7	24.5
C488278		9.86	0.15	1.6	0.10	0.035	1.21	23	6.7	0.44	119	31.6	0.05	6.4	113.5
C488279		12.55	0.16	1.8	0.12	0.046	1.5	21	7.7	0.95	178	32.5	0.07	7.7	121.5
C488280		13.8	0.15	2	0.11	0.042	1.56	24	6.9	0.42	97	28.3	0.11	8.1	101
C488281		12.2	0.13	1.8	0.11	0.04	1.37	17.5	6.6	0.35	73	35.3	0.06	6.8	126
C488282		9.12	0.15	1.5	0.09	0.031	1.02	19.7	5.4	0.6	124	36.8	0.07	5.9	129.5
C488283		7.75	0.13	1.5	0.07	0.024	0.92	20.1	4.6	0.36	101	38.2	0.08	5.3	127
C488284		8.23	0.13	1.6	0.10	0.031	0.96	23.1	4.4	0.45	117	50.3	0.12	5.8	123.5
C488285		6.2	0.63	1	0.33	0.026	0.7	25.2	2.5	0.18	66	34.4	0.12	3.9	157
C488286		12.1	0.12	2.4	0.10	0.04	1.39	22.8	5.9	0.34	78	51.2	0.16	8.3	152
C488293		19.75	1.16	1.8	0.15	0.051	1.42	39	12.5	0.34	143	264	0.04	8.1	3900

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO RICH

Page: 2 - C

Total # pages: 2 (A - D)

Finalized Date: 2-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07100571

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
C488264		7.1	42.4	0.049	1.08	20	4.3	17	0.8	31.4	0.22	0.14	2.4	0.097	2.73
C488265		4.3	25.4	0.051	0.82	12.7	2.9	12	0.5	200	0.14	0.12	1.8	0.063	2.53
C488266		5.2	32	0.053	1.12	15.35	3.9	15	0.7	30	0.18	0.18	2.1	0.08	4.16
C488267		5.2	34.9	0.052	0.98	6.63	4.1	11	0.7	38.6	0.18	0.12	2.1	0.08	2.65
C488268		5.6	32	0.041	0.92	4.78	3.6	10	0.6	29.6	0.19	0.1	2.1	0.076	2.2
C488269		4.8	26.1	0.034	0.66	3.59	3	9	0.5	31.2	0.16	0.06	1.7	0.071	1.65
C488270		4.7	24.6	0.042	0.83	3.07	3.2	10	0.5	38.8	0.15	0.09	1.6	0.062	2.15
C488271		3.9	22.9	0.037	0.79	3.49	2.9	16	0.5	44.1	0.14	0.07	1.6	0.062	2.46
C488272		5.3	30	0.047	1.05	5.44	3.7	27	0.6	39.6	0.2	0.08	2.2	0.084	3.42
C488274		14.6	142	0.202	3.99	17.2	11.4	93	2	176	0.66	0.39	6.4	0.305	10.85
C488275		4.9	47.1	0.02	1.32	5.54	3.7	18	0.8	898	0.2	0.06	2.5	0.101	2.69
C488276		4.9	1.8	0.002	0.04	0.14	0.5	2	<0.2	48.7	<0.05	<0.05	<0.2	<0.005	0.06
C488277		2	19.2	0.007	0.67	2.03	3.2	7	0.3	797	0.08	<0.05	1.2	0.041	1.07
C488278		8	76.8	0.031	1.98	5.46	7.8	12	1.3	147	0.42	0.06	5	0.188	3.55
C488279		10.2	94.6	0.027	2.47	6.94	9	14	1.7	108.5	0.48	0.08	5.6	0.232	4.53
C488280		11	99.4	0.022	2.44	6.03	9.6	10	1.7	89.6	0.53	0.05	6.1	0.243	4.27
C488281		9.7	91.3	0.03	2.05	4.99	8.6	9	1.5	55.8	0.44	0.08	5	0.206	4.65
C488282		8.6	70.5	0.035	1.76	4.21	7.5	9	1.3	113	0.37	0.07	4.5	0.172	4.14
C488283		7.7	59.2	0.038	1.77	3.96	6.4	9	1.1	170	0.34	0.09	4	0.157	3.7
C488284		7.3	61.7	0.037	1.7	3.06	6.7	7	1.2	178.5	0.36	0.07	4.5	0.166	3.65
C488285		51.6	40	<0.002	>10.0	14.9	4.2	84	1.5	121.5	0.22	0.19	3	0.126	7.11
C488286		11.6	85.6	0.035	2.56	4.01	8.9	10	1.6	91.4	0.52	0.1	6.1	0.249	4.87
C488293		16.2	92.1	2.57	8.02	32.6	9.3	282	1.5	129	0.48	1.66	4.6	0.212	27

Comments: Interference; Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO RICH

Page: 2 - D
Total # pages: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100571

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
C488264		1030	0.4	11.9	1010	28.9
C488265		585	0.3	16.5	529	26.7
C488266		700	0.4	16.2	698	41.9
C488267		500	0.4	18.4	309	31.9
C488268		400	1.2	13.7	218	27.8
C488269		314	0.9	10.5	148	25.4
C488270		285	0.4	17.9	171	24.5
C488271		494	0.4	16.3	347	23
C488272		551	0.5	21.6	683	30.1
C488274		1080	1.1	43	946	82.2
C488275		388	0.3	32.1	205	25.1
C488276		10	0.1	1.2	21	0.7
C488277		172	0.2	39.2	73	17.2
C488278		512	0.7	28.8	224	53.8
C488279		732	0.9	15.9	365	60.9
C488280		640	0.8	25.1	290	64.2
C488281		674	0.8	12	294	55.8
C488282		594	0.7	16.8	196	54.3
C488283		655	0.6	26.5	176	51.7
C488284		395	0.7	22.9	371	56.3
C488285		261	1.4	9.9	974	35.3
C488286		502	1.1	16	119	74.5
C488293		1195	1.2	40.1	1030	62.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.