



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 4-OCT-2007

Account: MTT

CERTIFICATE VA07099395

Project: NIMO-RICH

P.O. No.: R107-14B

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-RICH

Page: 2 - A

Total #. ages: 2 (A - D)

Finalized Date: 4-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07099395

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units LOR	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C488337		0.70	0.29	1.28	10.9	610	0.83	0.06	0.06	7.91	9.4	2.9	49	1.5	33.5	1.09
C488338		0.40	0.17	1.36	8.7	560	0.88	0.05	0.05	2.89	9.78	2.8	34	1.57	20.6	1
C488339		0.42	0.12	1.41	12.6	470	1.02	0.07	0.04	1.86	10.5	4.3	45	1.53	26	2.09
C488340		0.70	0.19	1.53	16.3	360	0.92	0.07	0.04	2.91	9.87	4.3	40	1.72	27.4	1.58
C488341		1.04	0.49	5.87	64.1	100	3.25	0.22	0.13	7.38	43.8	12.6	94	9.05	60.6	3.42
C488342		1.01	0.37	5.45	41.9	210	2.39	0.17	2.39	4.06	46.4	9.9	60	7.04	49.6	2.85
C488343		1.06	0.06	0.94	13	1770	0.76	0.02	33	0.42	12.4	2	12	0.98	6.2	0.42
C488344		1.72	0.21	3.73	23.1	330	1.5	0.11	8.28	3.54	33.9	6.8	55	4.91	26.9	2.06
C488345		1.52	0.27	4.53	18.9	390	1.51	0.14	4.47	4.05	39.6	7.9	60	5.83	28.3	2.11
C488346		1.65	0.28	5.25	21.1	160	2.04	0.17	3.95	3.4	43.3	9.2	59	6.96	32.2	2.55
C488348		1.11	0.01	0.08	5	20	0.09	0.02	21.1	0.07	1.37	1.6	4	0.18	2.1	0.49
C488349		1.89	0.31	5.35	22.4	190	2.11	0.18	1.1	3.07	38.9	9.8	63	7.06	34.1	2.64
C488350		2.63	0.3	4.22	22.1	250	1.54	0.13	2.29	3.35	33.9	8	58	4.99	32.6	2.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-RICH

Page: 2 - B

Total # of pages: 2 (A - D)

Finalized Date: 4-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07099395

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
C488337		3.07	0.07	0.6	0.06	0.012	0.35	6.8	5.8	0.09	47	34.5	0.04	2.3	113
C488338		2.76	0.06	0.6	0.04	0.009	0.4	6.4	5.6	0.1	43	28.4	0.04	2.1	106
C488339		2.98	0.09	0.7	0.06	0.009	0.37	6.4	8.1	0.08	102	41.4	0.04	2.8	158.5
C488340		3.9	0.11	0.8	0.08	0.011	0.4	5.5	12.1	0.1	72	36.1	0.03	2.9	163.5
C488341		17.45	0.3	2.4	0.21	0.104	1.8	25.5	11.9	0.46	119	73.6	0.1	9.7	451
C488342		14.25	0.23	2.2	0.19	0.052	1.66	29.5	9.4	0.45	131	46	0.09	8.8	152
C488343		2.27	0.09	0.4	0.03	0.007	0.26	8.4	2.2	0.45	248	6.82	0.12	1.8	13.9
C488344		8.99	0.14	1.6	0.11	0.038	1.14	20.9	7.4	0.94	226	27.4	0.12	6.2	87.6
C488345		11.05	0.15	1.8	0.10	0.044	1.37	24.2	6.9	0.37	103	28.2	0.11	7.1	90.7
C488346		13.6	0.17	2.2	0.11	0.048	1.62	25	7.3	0.58	129	29	0.13	8.8	94.4
C488348		0.34	0.17	<0.1	<0.01	<0.005	0.03	0.7	1	13.05	219	0.28	0.01	0.3	<0.2
C488349		13.6	0.15	2.1	0.11	0.043	1.63	22.7	7.7	0.46	95	34.6	0.11	8.4	120
C488350		9.9	0.15	1.8	0.12	0.036	1.24	21.4	5.7	0.5	103	37.6	0.1	6.4	134

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO-RICH

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 4-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07099395

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
C488337		4.3	23	0.04	0.68	9.05	2.6	10	0.5	42.2	0.16	0.09	1.7	0.054	2.27
C488338		3.7	24.1	0.03	0.68	4.33	2.6	7	0.4	42.8	0.13	0.05	1.7	0.057	1.61
C488339		4.6	23	0.039	0.87	3.15	3.3	10	0.8	69.8	0.16	0.08	1.8	0.058	2.12
C488340		4.7	26.3	0.041	0.97	3.83	3.6	19	0.7	103.5	0.18	0.11	2.1	0.07	2.68
C488341		14.5	126.5	0.141	3.35	14.25	11.8	58	2.5	54.9	0.67	0.16	7.4	0.27	8.71
C488342		14.3	107.5	0.049	2.93	11.6	10.6	35	1.8	91.4	0.62	0.1	7.1	0.25	5.92
C488343		2.1	17	0.007	0.53	1.27	3.7	6	0.3	388	0.1	<0.05	1.2	0.044	0.67
C488344		8	71.5	0.029	1.99	5.83	7.4	17	1.4	358	0.41	0.07	5	0.173	3.38
C488345		9.7	87.5	0.028	2.21	6.27	8.5	12	1.5	122	0.49	0.07	6	0.206	3.75
C488346		11.6	103.5	0.021	2.67	6.66	10.2	13	1.8	121.5	0.62	0.07	6.9	0.247	3.96
C488348		1.7	1.5	<0.002	0.04	0.07	0.5	1	<0.2	51.4	<0.05	<0.05	<0.2	<0.005	<0.02
C488349		11.4	104.5	0.029	2.64	5.87	10.6	12	1.8	67.3	0.59	0.07	6.7	0.244	4.5
C488350		9.9	76.7	0.038	2.51	5.41	8.2	11	1.4	100	0.45	0.09	5.4	0.202	4.6

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-RICH

Page: 2 - D

Total Pages: 2 (A - D)

Finalized Date: 4-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07099395

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
C488337		546	0.4	9.1	481	24.3
C488338		324	0.4	12.1	155	20.5
C488339		271	0.6	13.4	189	28.7
C488340		510	0.4	10	418	29.4
C488341		1195	1.1	21.8	965	76.5
C488342		861	1	33.4	394	71.2
C488343		106	0.2	21	32	17.5
C488344		525	0.7	21.7	289	55.4
C488345		589	0.8	28.9	337	58
C488346		620	1	31.4	278	67.4
C488348		5	0.1	1	15	0.5
C488349		671	0.9	14.7	255	65.4
C488350		678	0.8	14.7	287	57.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.