



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE VA07099393

Project: NIMO - RICH

P.O. No.: R107-19

This report is for 12 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Hg-CV41	Trace Hg - cold vapor/AAS
	FIMS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # pages: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

Project: NIMO - RICH

CERTIFICATE OF ANALYSIS VA07099393

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C488391		2.63	0.19	1.52	17.1	430	1.13	0.05	0.09	1.1	13.2	5.7	41	1.7	25.8	0.98
C488392		2.10	0.12	1.4	13.2	490	0.88	0.04	0.07	0.72	12	5.1	39	1.42	22.1	0.95
C488393		1.88	0.1	1.62	14.2	350	0.81	0.03	0.07	0.73	11.9	4.2	42	1.18	27.4	1.14
C488394		1.78	0.23	1.77	20.7	340	1.15	0.06	0.15	2.65	15.3	6	43	1.89	31.9	1.38
C488395		0.81	0.36	2.2	32.9	370	1.34	0.09	0.06	4.44	17.8	7.6	54	2.19	49.4	1.78
C488396		0.27	0.5	3.1	375	320	1.4	0.25	1.08	18.15	24.1	32.4	53	3.55	80.1	3.57
C488397		0.82	0.07	0.8	12	510	1.06	0.02	33.5	0.94	13.1	2.5	9	0.83	8.5	0.36
C488398		0.93	0.11	2.01	8	720	0.76	0.05	15.8	1.23	15.85	4.5	19	2.22	15.2	1.11
C488399		1.77	0.29	4.54	31.6	560	1.85	0.17	2.88	4.38	40.4	8.5	59	5.34	34.4	1.91
C488400		1.96	0.28	4.92	31.5	600	2.1	0.23	2.9	4.65	39.1	9.7	52	6.02	36.4	2.33
C488401		2.69	0.28	5.04	28.9	600	1.89	0.12	3.12	4.02	35.5	9.2	57	5.68	30.5	2.18
C488402		2.69	0.36	5.86	35.4	470	2.5	0.23	2.41	3.72	42.7	11.5	64	7.04	37.6	2.53

Comments: Interference; Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - B
Total # Pages: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099393

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
C488391		3.35	0.12	0.7	0.05	0.011	0.49	8.3	9.2	0.09	39	44.5	0.03	2.8	148.5	180
C488392		2.98	0.11	0.6	0.05	0.01	0.45	7.9	14.6	0.08	39	46	0.03	2.4	147.5	220
C488393		2.64	0.09	0.5	0.07	0.011	0.54	7.3	10.2	0.09	37	42.9	0.03	2.3	150.5	290
C488394		4.28	0.14	0.8	0.08	0.018	0.58	7.5	12.9	0.11	57	48.7	0.03	3.1	186	240
C488395		6.43	0.18	1.3	0.13	0.021	0.69	9.2	20.6	0.14	64	64.7	0.03	4.5	262	260
C488396		11.4	1.15	1.4	0.15	0.195	1.08	16.2	9.3	0.21	110	237	0.04	5.1	6460	970
C488397		2.45	0.1	0.3	0.02	0.01	0.22	9.4	2.4	0.42	196	8.75	0.07	1.1	55.3	340
C488398		4.92	0.1	0.7	0.05	0.019	0.73	9.5	4.5	9.11	188	14.2	0.03	3.4	56.4	360
C488399		11.65	0.18	1.8	0.12	0.052	1.51	25	9.3	0.43	134	35.3	0.05	6.8	130	720
C488400		12.9	0.21	2	0.12	0.055	1.64	22.3	10	0.64	150	33	0.05	7.7	124.5	260
C488401		12.35	0.18	1.9	0.10	0.044	1.67	19.5	8.5	0.45	119	29.3	0.05	7.1	107.5	210
C488402		15.2	0.2	2.3	0.11	0.045	1.92	23.1	10	0.56	122	34.3	0.05	8.5	128.5	310

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099393

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
C488391		5.5	29.6	0.04	1.02	5.18	3.5	10	0.5	37.2	0.15	0.08	1.8	0.067	2.21	8.7
C488392		4.8	26	0.034	0.94	4.1	3.1	9	0.6	38.1	0.13	0.07	1.6	0.06	1.85	8.2
C488393		4.2	23.5	0.028	1.21	5.05	2.9	9	0.5	33.2	0.13	0.08	1.3	0.073	2.24	7.6
C488394		6.1	34.7	0.052	1.5	7.09	4.3	14	0.6	41.9	0.17	0.13	1.8	0.082	3.18	10
C488395		7.3	42	0.093	1.97	10.55	6	23	0.9	43.3	0.27	0.21	2.8	0.116	4.54	12.1
C488396		10.6	63.7	3.12	4.8	20.6	6.8	250	2.4	80.8	0.33	3.27	2.8	0.137	29.8	12
C488397		2.4	16	0.023	0.47	1.97	2.4	9	0.3	896	0.06	0.05	0.7	0.03	0.93	1.8
C488398		10	42.4	0.019	1	3.3	3.7	9	0.7	78	0.21	<0.05	2.6	0.088	1.55	3
C488399		10.3	97.6	0.032	2.2	8.08	9	19	1.7	120.5	0.43	0.08	5.7	0.199	3.9	7
C488400		11.1	108	0.033	2.62	8.61	9.9	21	1.7	116.5	0.5	0.07	6.5	0.229	4.45	6
C488401		10.5	103.5	0.024	2.47	7.51	9.5	12	1.6	109	0.46	0.08	5.7	0.222	3.99	5.2
C488402		12.6	124.5	0.027	2.85	7.94	11.6	14	2	90.1	0.54	0.07	7	0.253	4.85	6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - D
Total # pages: 2 (A - D)
Finalized Date: 2-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099393

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
C488391		278	0.4	14	278	27.2
C488392		156	0.4	11.4	252	23.4
C488393		154	0.3	9.1	253	21.9
C488394		522	0.5	17	535	32.5
C488395		860	0.7	20.9	847	48.4
C488396		565	0.9	23.5	2880	50
C488397		152	0.1	44.6	116	11.7
C488398		234	0.4	6.7	125	25.8
C488399		661	0.7	16.6	392	59.4
C488400		729	0.8	17.3	377	65.5
C488401		655	0.8	18.2	354	62.2
C488402		709	0.9	22.5	295	72.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.