



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1-OCT-2007
Account: MTT

CERTIFICATE VA07099398

Project: NIMO - RICH

P.O. No.: R107-20

This report is for 22 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - A
Total # Pages: 2 (A - D)
Finalized Date: 1-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099398

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
Sample Description	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C488415	2.42	0.2	2.55	26	120	1.28	0.16	0.27	0.99	21.1	11.3	31	2.11	36	3.1
C488416	2.04	0.26	2.63	20.4	110	1.44	0.21	0.83	1.45	26.7	14.6	31	2.33	48.2	3.05
C488417	1.42	0.34	3	32.3	130	1.72	0.24	0.34	1.36	30.2	17.3	36	2.88	57.4	3.77
C488418	1.92	0.38	4.59	35.2	100	2.87	0.46	0.49	1.5	45.4	27	55	4.72	81.6	4.93
C488419	1.64	0.32	3.99	51.1	180	1.99	0.31	3.58	1.3	37.8	18.9	42	3.8	59.8	4.33
C488420	0.82	0.35	4.28	66.3	140	2.17	0.27	0.6	1.61	34.1	17.9	52	4.3	62	4.61
C488421	0.34	0.06	0.76	<5	500	0.61	<0.01	13.4	0.67	13.9	3.5	13	0.65	8.8	1.35
C488422	1.20	0.03	0.12	<5	20	0.06	<0.01	21.4	0.07	1.37	1.3	2	0.15	1.7	0.44
C488423	0.46	0.17	2.03	21.2	100	1.04	0.12	2.67	0.67	18.25	7.4	24	2.1	26.9	2.17
C488424	0.58	0.31	4.16	47.4	130	1.95	0.15	0.49	1.19	29.1	14.2	45	3.98	51.7	4.09
C488425	0.59	0.42	6.48	62.9	170	2.85	0.16	1.68	1.55	108	18.6	38	4.69	59.2	6.08
C488426	0.17	0.34	3.38	124	80	1.53	0.16	0.92	1.92	40.4	16.6	42	3.04	45.8	5.59
C488427	0.57	0.25	2.69	33.3	100	1.35	0.09	0.75	0.86	19.85	9.9	30	2.48	36.2	3.27
C488428	0.59	0.32	4.09	35.7	140	1.84	0.11	0.79	1.83	28.7	10.7	28	2.7	36.8	3.65
C488429	0.73	0.26	1.92	21.2	90	1.1	0.07	0.68	1.98	15.75	7.9	33	1.96	29.4	2.61
C488430	0.92	0.28	2.14	22.5	100	1.28	0.08	0.61	1.37	20.4	8	36	1.92	32.2	2.44
C488431	1.51	0.28	2.29	23.1	140	1.3	0.08	0.3	1.97	16.95	8.1	35	1.77	34.5	2.1
C488432	1.28	0.29	2.15	19.5	150	1.35	0.1	0.43	2.02	20.7	8.1	35	1.94	40.8	2.24
C488433	1.94	0.3	1.95	18.7	130	1.11	0.08	0.39	1.77	19.05	7.3	35	1.83	39	2.35
C488434	2.07	0.3	1.97	18	100	1.09	0.09	0.71	1.21	19.4	7.4	34	1.7	39.6	2.46
C488435	0.18	0.14	0.95	9	110	0.62	0.02	12.05	0.85	35.1	5.7	16	0.75	16.7	2.24
C488436	2.47	0.32	2.11	21.5	90	1.27	0.09	1.09	2.19	21.6	8.8	38	1.91	42.6	2.53

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 1-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07099398

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
C488415		6.49	0.11	1.5	0.18	0.041	0.74	9.8	5.2	0.19	89	29.3	0.03	4.9	98.4
C488416		7.22	0.13	1.3	0.21	0.051	0.78	11.7	6.3	0.52	138	18.95	0.03	4.5	83.8
C488417		9.11	0.15	1.7	0.28	0.066	0.94	13.7	6.1	0.31	91	36.9	0.03	5.8	105
C488418		14.7	0.19	2.5	0.38	0.095	1.55	19.2	10.4	0.49	167	20.2	0.04	9	94.5
C488419		11.35	0.16	2.5	0.36	0.068	1.28	17.5	7.2	0.56	173	36.6	0.04	8	110
C488420		12.55	0.17	2.6	0.44	0.071	1.38	15	8.2	0.49	146	49.2	0.04	8.4	138
C488421		2.12	0.09	0.7	0.07	0.014	0.22	5.7	2.6	6.9	599	7.34	0.02	1.7	31.9
C488422		0.36	0.06	<0.1	<0.01	0.005	0.03	0.6	1.2	13.25	201	0.31	0.01	0.4	3.2
C488423		5.78	0.1	1.5	0.19	0.028	0.6	8.9	4.8	1.47	196	22.2	0.03	4.7	74.2
C488424		12.2	0.15	2.9	0.37	0.062	1.3	13.2	7.1	0.4	114	51.8	0.03	9	148.5
C488425		15.5	0.31	4.1	0.38	0.068	1.79	55.2	10.2	0.56	392	73.2	0.04	24	216
C488426		8.6	0.26	3.1	0.26	0.083	1.09	15.9	7	0.22	128	129.5	0.03	25.8	795
C488427		7.36	0.13	2.1	0.23	0.035	0.8	9.1	6.4	0.44	129	38.9	0.03	6.1	141.5
C488428		9.31	0.16	2.7	0.27	0.03	1.11	13.1	8.2	0.23	222	43.7	0.03	7.1	166.5
C488429		5.3	0.11	1.4	0.15	0.033	0.58	7.7	5.5	0.34	129	37.6	0.03	4	125
C488430		5.87	0.11	1.6	0.16	0.028	0.63	10	6.5	0.34	110	37.6	0.03	5.3	136
C488431		5.34	0.11	1.1	0.13	0.024	0.56	8.2	9	0.12	52	35.8	0.03	3.9	190
C488432		6.05	0.12	1.1	0.12	0.029	0.62	11.3	7.1	0.23	96	33.4	0.02	4	144.5
C488433		5.81	0.12	1	0.13	0.022	0.59	10.3	7.5	0.21	84	41.3	0.02	3.7	125.5
C488434		5.86	0.13	1	0.15	0.023	0.6	10.1	7.8	0.29	98	44	0.02	3.6	149
C488435		2.86	0.14	0.6	0.07	0.015	0.27	15.3	4.8	4.56	593	27.7	0.02	1.8	106.5
C488436		6.22	0.13	1	0.16	0.027	0.64	11.3	7.4	0.51	115	54.3	0.02	3.9	154.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 1-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099398

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti
	Units LOR	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
C488415		10.4	39.2	0.039	3.41	0.94	6.4	5	1	50.7	0.33	0.14	3.2	0.128	2.51
C488416		10.2	41.8	0.024	3.44	1.02	7.7	5	1	72	0.29	0.18	3.3	0.125	2.77
C488417		12.2	50.6	0.036	4.41	1.34	7.9	6	1.2	42.3	0.37	0.21	3.6	0.153	4.15
C488418		19.3	82.8	0.022	5.74	2.01	13	8	1.7	51.2	0.57	0.36	5.7	0.236	4.74
C488419		13.7	66.4	0.038	5.18	2.07	10.6	7	1.5	119.5	0.49	0.25	5.2	0.2	4.38
C488420		14	74	0.047	5.47	2.52	11.2	8	1.6	52.2	0.51	0.23	5.2	0.225	5.22
C488421		2.1	11.9	0.006	1.45	0.38	5.1	2	0.3	858	0.09	<0.05	1	0.037	0.72
C488422		1.5	1.4	<0.002	0.04	<0.05	0.5	<1	<0.2	47.6	<0.05	<0.05	0.2	<0.005	0.03
C488423		6.6	36.7	0.017	2.76	1.07	5.1	3	0.8	147.5	0.24	0.08	2.8	0.106	2.3
C488424		12.3	73.4	0.049	4.9	2.32	11.7	7	1.5	48	0.47	0.14	5	0.222	4.69
C488425		13.9	91.4	0.102	7.07	3.93	19.1	12	1.7	150.5	1.81	0.22	6.2	0.339	5.08
C488426		8.7	53.3	0.474	6.62	4.2	9.1	20	1.2	73.5	0.4	0.31	3.9	0.198	6.6
C488427		8.7	45.4	0.042	3.74	2.04	8.9	6	1	56.6	0.31	0.11	2.9	0.135	3.57
C488428		9.5	55.3	0.058	4.63	2.86	9.4	8	1	48.3	0.37	0.13	3.6	0.169	3.97
C488429		6.8	33.4	0.037	2.65	2.03	5.8	6	0.8	53.9	0.25	0.1	2.3	0.097	2.81
C488430		7.4	35.1	0.035	2.68	2.29	6.4	6	0.8	57.7	0.39	0.12	2.8	0.11	2.87
C488431		7	32.1	0.027	2.61	2.31	6.3	6	0.7	35.6	0.23	0.09	2.5	0.099	2.93
C488432		7.5	36.2	0.024	2.33	2.64	6.3	6	0.8	47.1	0.25	0.13	3	0.109	2.84
C488433		8.4	33.5	0.03	2.45	2.24	5.5	5	0.7	42.7	0.22	0.12	2.6	0.097	2.84
C488434		8.6	33.1	0.03	2.67	1.89	5.6	6	0.7	54.4	0.23	0.13	2.5	0.097	3.05
C488435		3.7	14.6	0.016	2.47	1.14	18.4	5	0.3	755	0.12	0.06	1.2	0.042	1.46
C488436		9	36.6	0.034	2.92	2.31	6.5	6	0.8	76.9	0.24	0.12	2.7	0.103	3.48

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO - RICH

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 1-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07099398

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
C488415		98	0.8	14.6	171	46
C488416		88	0.8	21	235	42.8
C488417		101	1.1	18.5	177	52.8
C488418		131	1.3	30.3	193	83.3
C488419		126	1.1	27.4	212	77.1
C488420		165	1.1	24.2	224	83.3
C488421		43	0.3	38.1	156	30.1
C488422		3	0.1	1	18	0.9
C488423		103	0.5	14.9	100	45.9
C488424		242	0.9	18.9	164	88.1
C488425		284	1.1	46.9	346	122
C488426		381	1	70.3	439	136.5
C488427		211	0.5	20.8	218	60.3
C488428		345	0.6	19.8	425	76.1
C488429		350	0.5	20	481	45.4
C488430		351	0.5	17.5	369	50.3
C488431		352	0.5	16.5	331	39
C488432		344	0.5	18.2	413	37.6
C488433		266	0.6	16.1	321	34.2
C488434		223	0.5	15.8	265	33.3
C488435		165	0.4	72.8	215	24.5
C488436		268	0.6	19.2	308	37.3

Comments: interference; Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.