



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 01, 2023  
Analysis Start: August 08, 2023  
Report Date: August 15, 2023  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI23000272.1

## CLIENT JOB INFORMATION

Project: ROG  
Shipment ID: SGD-DC-230724-039  
P.O. Number  
Number of Samples: 150

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP85-250	141	Crush split and pulverize 250g of sample to 200mesh			WHI
SLBHP	6	Sort, label and box pulps			WHI
SHP01	150	Per sample shipping charges for branch shipments			VAN
FA430	150	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN
MA250	150	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
RT001	150	Red Tier - Variable Fees			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS

  
Martin Wong  
Data Validation Specialist



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504684	Drill Core	2.32	0.769	1.12	62.5	17.94	36.6	48	3.6	9.8	457	3.47	19.1	2.6	10.8	259	0.06	0.40	10.91	69	3.39
4504685	Drill Core	3.68	1.196	1.96	49.6	20.89	43.0	848	3.5	9.9	510	3.49	28.4	3.0	12.2	256	0.06	0.63	31.83	69	3.40
4504686	Drill Core	3.67	1.026	2.34	84.9	17.22	35.0	84	3.7	9.6	422	3.47	51.6	2.1	9.2	259	0.07	0.50	28.02	72	3.42
4504687	Drill Core	3.64	1.828	2.48	112.7	17.92	32.2	119	4.0	9.0	378	3.32	46.4	2.3	10.2	247	0.09	0.70	56.64	70	3.28
4504688	Drill Core	2.30	2.438	1.49	78.6	15.45	34.7	124	4.8	9.7	415	3.32	43.8	2.2	9.1	241	0.07	0.51	40.10	72	3.21
4504689	Drill Core	1.21	3.385	1.45	100.7	16.96	35.1	150	3.6	9.5	410	3.42	50.6	2.2	9.8	253	0.06	0.64	53.55	74	3.30
4504690	Drill Core	1.11	1.954	1.42	102.2	18.11	33.3	149	3.4	9.1	421	3.45	41.5	2.2	9.4	250	0.07	0.82	80.17	76	3.32
4504691	Drill Core	2.43	4.618	1.91	103.6	20.33	34.2	158	3.5	9.5	407	3.34	53.1	2.0	9.1	243	0.05	1.12	91.79	69	3.24
4504692	Drill Core	2.27	1.676	2.47	121.4	28.97	70.0	203	3.6	10.9	447	3.56	397.4	2.1	9.3	252	0.65	0.96	56.86	77	3.40
4504693	Drill Core	2.36	2.019	2.68	110.5	22.70	34.2	86	3.8	10.0	418	3.49	64.0	2.0	9.2	250	0.10	0.92	65.91	72	3.30
4504694	Drill Core	1.18	1.297	0.89	94.0	18.83	30.9	85	2.9	8.3	363	2.91	25.7	2.1	7.0	218	0.09	0.66	42.29	61	2.95
4504695	Drill Core	3.79	3.162	1.32	127.1	29.26	32.3	109	3.3	9.6	368	3.31	57.1	2.2	8.9	234	0.10	0.87	61.95	66	3.24
4504696	Drill Core	3.39	1.251	1.20	116.2	20.15	30.8	61	3.3	10.0	385	3.39	70.5	2.1	8.4	253	0.06	0.61	35.21	70	3.41
4504697	Drill Core	3.47	0.546	1.94	120.5	13.26	33.9	94	4.2	10.0	474	3.63	38.1	2.2	9.5	247	0.07	0.38	33.67	81	3.53
4504698	Drill Core	3.48	0.684	1.33	89.9	17.09	34.7	67	3.3	9.7	411	3.39	20.3	2.3	11.0	249	0.07	0.34	14.98	68	3.35
4504699	Drill Core	3.69	2.117	2.68	97.4	30.19	36.6	101	4.2	9.8	436	3.38	42.3	2.4	9.4	243	0.13	0.95	45.67	68	3.23
4504700	Rock	0.56	0.008	0.22	2.3	0.63	2.7	<20	0.7	<0.2	11	0.13	<0.2	0.1	0.6	6	<0.02	0.02	0.09	<2	0.14
4504701	Drill Core	3.56	1.163	1.18	97.2	24.37	39.7	107	3.4	10.7	482	3.60	405.8	2.0	8.4	252	0.10	0.93	37.60	75	3.39
4504702	Drill Core	3.45	3.896	1.77	91.2	65.41	33.7	631	2.9	9.4	424	3.20	41.6	2.2	8.8	235	0.23	2.13	82.46	65	3.18
4504703	Drill Core	3.26	>10	20.15	111.2	78.80	73.5	515	3.9	9.8	407	3.24	90.0	2.3	9.8	211	0.72	7.25	208.50	62	2.86
4504704	Drill Core	3.61	3.841	10.06	100.5	46.42	38.1	212	3.3	8.8	424	3.16	46.9	2.4	9.8	217	0.21	2.00	95.34	62	3.13
4504705	Drill Core	3.56	1.367	2.44	94.4	24.16	37.7	89	3.5	9.3	421	3.43	29.5	2.3	9.8	240	0.11	0.77	36.76	67	3.21
4504706	Drill Core	3.58	6.840	13.51	94.6	55.75	37.1	253	3.2	8.8	414	3.08	59.4	2.1	8.6	197	0.18	2.74	183.48	63	2.89
4504707	Drill Core	3.14	1.212	1.65	100.2	20.36	34.8	82	3.4	9.4	414	3.38	68.4	2.4	9.9	242	0.09	0.56	21.03	65	3.26
4504708	Drill Core	3.54	3.242	1.14	91.5	32.24	36.7	88	3.3	8.5	384	3.01	119.6	2.1	9.3	204	0.16	1.62	71.96	62	2.80
4504709	Drill Core	3.45	2.161	2.58	90.4	29.79	35.8	151	3.4	8.7	400	3.11	124.6	2.3	9.9	222	0.11	1.22	57.01	60	2.99
4504710	Rock Pulp	0.18	1.374	16.77	1205.4	1961.35	3853.8	82966	23.3	17.8	923	4.53	45.1	1.8	2.3	377	21.94	143.49	1.38	155	4.23
4504711	Drill Core	3.60	1.141	2.90	59.8	20.58	35.4	75	3.0	7.6	382	2.92	65.8	2.5	10.1	220	0.06	0.64	40.47	58	2.94
4504712	Drill Core	3.38	0.807	1.69	83.0	19.51	37.1	58	3.4	9.2	426	3.27	89.8	2.5	9.7	228	0.08	0.62	30.69	66	3.23
4504713	Drill Core	3.29	2.549	1.81	88.5	26.13	33.2	149	3.1	8.4	376	3.12	11.2	2.4	10.0	229	0.07	1.03	75.71	62	3.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
4504684	Drill Core	0.041	23.9	13	0.97	625	0.412	7.30	1.558	2.92	16.8	24.9	4.1	2	13.2	0.28	17.5	50.86	5.8	22.3	4.4
4504685	Drill Core	0.041	26.8	12	0.95	591	0.413	7.23	1.557	2.74	20.5	24.8	4.0	2	13.3	0.21	18.3	55.68	6.3	23.4	4.5
4504686	Drill Core	0.042	21.6	14	0.98	642	0.411	6.98	1.521	2.81	56.4	19.9	4.8	2	13.2	0.33	15.9	44.35	5.3	20.4	4.1
4504687	Drill Core	0.043	25.2	14	0.96	639	0.414	6.96	1.512	2.85	20.2	19.9	5.9	2	13.5	0.39	16.4	50.35	5.8	22.3	4.3
4504688	Drill Core	0.045	21.6	20	0.99	593	0.400	6.52	1.468	2.53	3.7	22.8	4.6	2	12.9	0.27	16.2	45.21	5.3	20.6	4.1
4504689	Drill Core	0.045	23.5	14	0.99	655	0.421	7.02	1.506	2.99	20.4	20.4	6.2	2	13.8	0.38	17.2	48.55	5.7	22.0	4.4
4504690	Drill Core	0.043	23.3	13	1.02	642	0.412	7.07	1.468	3.03	31.6	19.8	6.4	2	13.4	0.39	16.7	48.86	5.7	22.6	4.5
4504691	Drill Core	0.040	22.9	15	0.94	589	0.389	6.73	1.428	2.71	13.9	18.9	5.6	2	13.6	0.39	16.5	46.68	5.5	21.4	4.3
4504692	Drill Core	0.042	23.9	15	1.06	614	0.411	6.98	1.497	2.80	27.2	19.5	6.0	2	15.6	0.40	18.9	49.20	6.0	23.9	4.9
4504693	Drill Core	0.045	24.2	14	0.98	645	0.419	6.91	1.432	2.99	49.9	18.0	5.7	2	13.4	0.44	15.9	49.66	5.7	22.0	4.2
4504694	Drill Core	0.036	15.4	11	0.84	560	0.365	6.23	1.319	2.89	16.3	15.7	4.8	2	11.9	0.32	14.2	33.16	4.0	16.3	3.5
4504695	Drill Core	0.041	21.5	12	0.92	609	0.407	6.92	1.464	2.96	37.2	17.3	5.7	2	12.8	0.45	16.1	44.07	5.2	20.4	4.1
4504696	Drill Core	0.041	21.0	12	0.97	649	0.421	7.16	1.550	2.94	23.3	17.4	5.0	2	13.5	0.39	15.7	43.38	5.2	20.4	4.1
4504697	Drill Core	0.042	23.4	18	1.16	626	0.426	7.30	1.535	3.15	58.4	21.1	5.9	2	15.4	0.35	19.8	49.73	6.0	24.1	4.9
4504698	Drill Core	0.042	27.1	13	0.95	622	0.407	7.11	1.542	2.75	10.7	18.8	4.5	2	13.4	0.30	16.6	54.18	6.0	23.0	4.3
4504699	Drill Core	0.045	22.3	18	0.99	661	0.408	6.95	1.452	3.08	93.4	19.6	4.8	2	12.9	0.36	16.2	45.38	5.4	21.3	4.2
4504700	Rock	0.002	3.4	2	0.01	47	0.010	0.13	0.006	0.06	<0.1	3.4	<0.1	<1	0.1	<0.04	0.5	6.42	0.7	2.9	0.4
4504701	Drill Core	0.043	20.8	13	1.02	595	0.427	7.14	1.526	2.88	25.9	19.3	5.2	2	13.5	0.37	15.3	42.33	4.9	19.0	3.8
4504702	Drill Core	0.039	21.6	12	0.91	617	0.385	6.98	1.403	3.10	138.4	18.1	5.3	2	12.7	0.40	15.7	43.52	5.1	19.9	3.9
4504703	Drill Core	0.037	24.3	13	0.87	614	0.360	6.72	1.274	3.16	173.2	17.9	5.0	2	12.5	0.49	14.8	48.23	5.5	21.1	4.0
4504704	Drill Core	0.038	22.8	13	0.87	627	0.355	6.91	1.270	3.29	185.7	19.4	5.8	2	12.6	0.48	14.7	45.84	5.2	20.4	3.9
4504705	Drill Core	0.041	22.4	14	0.93	615	0.392	6.93	1.471	2.86	28.1	21.2	4.7	2	12.8	0.40	15.6	46.96	5.2	20.3	4.0
4504706	Drill Core	0.036	19.9	11	0.88	502	0.330	6.06	1.237	2.69	69.0	18.9	4.8	1	11.6	0.40	13.2	40.49	4.7	17.9	3.5
4504707	Drill Core	0.040	22.2	13	0.93	601	0.403	7.18	1.480	3.03	19.6	19.9	5.4	2	13.5	0.37	16.3	45.35	5.2	20.3	4.0
4504708	Drill Core	0.034	21.1	11	0.87	534	0.344	6.11	1.253	2.68	63.1	18.0	5.4	1	11.9	0.39	14.2	41.99	4.7	18.3	3.5
4504709	Drill Core	0.036	24.4	13	0.85	603	0.360	6.77	1.364	3.09	33.5	22.6	5.2	2	12.2	0.42	14.6	46.24	5.1	19.3	3.6
4504710	Rock Pulp	0.092	8.0	36	1.64	137	0.306	7.47	2.404	1.53	7.8	43.5	2.2	<1	13.2	1.02	14.3	17.35	2.3	10.3	2.4
4504711	Drill Core	0.035	23.2	11	0.81	604	0.356	6.62	1.383	2.84	43.3	23.4	4.4	2	12.0	0.26	15.4	47.45	5.2	20.3	3.9
4504712	Drill Core	0.038	21.1	15	0.92	625	0.386	6.90	1.451	3.05	23.4	21.1	5.2	2	13.4	0.32	16.5	45.19	5.2	20.4	4.1
4504713	Drill Core	0.037	22.1	12	0.86	591	0.379	6.80	1.433	2.92	26.4	20.1	4.9	2	12.4	0.36	15.4	47.48	5.2	20.2	3.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504684	Drill Core	1.0	3.8	0.5	3.4	0.6	1.8	0.2	1.7	0.2	1.08	24.4	114.3	0.6	8.15	9.1	17.16	0.04	<0.002	0.4	1.35
4504685	Drill Core	1.0	3.8	0.5	3.4	0.6	1.9	0.3	1.8	0.2	1.10	22.7	109.5	0.7	8.23	8.5	17.43	0.04	<0.002	0.6	3.30
4504686	Drill Core	1.0	3.5	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.87	24.4	104.7	0.6	8.07	9.7	17.02	0.03	<0.002	0.5	3.67
4504687	Drill Core	1.0	3.7	0.5	3.3	0.6	1.8	0.2	1.6	0.2	0.92	24.2	111.7	0.6	7.80	9.8	16.83	0.03	<0.002	0.6	6.22
4504688	Drill Core	0.9	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	0.95	19.6	93.3	0.6	7.88	7.9	15.89	0.04	<0.002	0.5	4.36
4504689	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.89	23.2	116.3	0.6	8.16	10.4	16.91	0.04	<0.002	0.7	5.65
4504690	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.2	1.7	0.2	0.88	22.9	116.8	0.6	7.94	11.0	16.50	0.04	<0.002	0.5	6.15
4504691	Drill Core	1.0	3.8	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.83	22.3	108.9	0.5	7.58	9.8	15.99	0.03	<0.002	0.8	9.49
4504692	Drill Core	1.0	4.3	0.6	3.8	0.7	2.1	0.3	1.9	0.3	0.94	22.3	108.8	0.6	8.00	11.2	16.70	0.10	<0.002	0.6	5.78
4504693	Drill Core	1.0	3.7	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.80	24.3	115.7	0.6	7.95	10.5	16.94	0.03	<0.002	0.7	6.23
4504694	Drill Core	0.8	3.1	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.72	21.9	108.5	0.5	6.86	9.5	15.01	0.03	<0.002	0.4	4.07
4504695	Drill Core	1.0	3.5	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.76	23.9	115.9	0.6	7.57	9.7	16.24	0.04	<0.002	1.0	5.69
4504696	Drill Core	1.0	3.6	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.80	23.9	105.4	0.6	7.69	9.4	16.89	0.03	<0.002	0.6	3.83
4504697	Drill Core	1.1	4.3	0.6	3.8	0.7	2.1	0.3	2.0	0.3	0.98	22.5	122.6	0.6	8.12	11.5	16.90	0.04	<0.002	0.7	2.69
4504698	Drill Core	1.0	3.7	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.82	22.4	110.4	0.6	7.66	9.5	16.51	0.03	<0.002	0.6	1.55
4504699	Drill Core	1.0	3.6	0.5	3.2	0.6	1.8	0.2	1.6	0.2	0.85	23.6	119.3	0.6	7.73	10.3	16.31	0.03	<0.002	0.7	3.86
4504700	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	0.10	1.1	1.0	<0.1	0.34	<0.1	0.16	<0.01	<0.002	<0.3	<0.05	
4504701	Drill Core	0.9	3.3	0.5	2.9	0.6	1.6	0.2	1.5	0.2	0.82	24.1	108.2	0.5	7.62	9.4	16.68	0.04	<0.002	0.8	3.90
4504702	Drill Core	0.9	3.5	0.5	3.0	0.6	1.6	0.2	1.6	0.2	0.76	25.0	119.6	0.5	7.22	9.8	15.86	0.03	<0.002	0.8	8.27
4504703	Drill Core	0.9	3.4	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.77	25.8	128.1	0.5	6.65	10.1	15.47	0.07	<0.002	1.1	22.37
4504704	Drill Core	1.0	3.3	0.4	2.8	0.5	1.5	0.2	1.5	0.2	0.82	30.1	139.7	0.5	6.68	13.5	15.90	0.03	<0.002	0.7	8.94
4504705	Drill Core	0.9	3.4	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.89	23.6	106.8	0.6	7.41	9.0	16.20	0.03	<0.002	0.7	3.28
4504706	Drill Core	0.8	2.9	0.4	2.5	0.5	1.4	0.2	1.3	0.2	0.82	21.1	106.5	0.5	6.20	9.7	13.90	0.03	<0.002	0.8	19.95
4504707	Drill Core	0.9	3.5	0.5	3.1	0.6	1.7	0.2	1.5	0.2	0.86	23.8	113.4	0.6	7.35	8.4	16.43	0.03	<0.002	0.6	1.89
4504708	Drill Core	0.8	3.1	0.4	2.7	0.5	1.5	0.2	1.4	0.2	0.78	22.5	105.0	0.5	6.13	8.4	13.93	0.03	<0.002	0.6	5.95
4504709	Drill Core	0.9	3.1	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.93	25.2	119.9	0.5	6.52	9.5	15.38	0.03	<0.002	0.7	5.16
4504710	Rock Pulp	0.8	2.5	0.4	2.5	0.5	1.5	0.2	1.5	0.2	1.34	16.8	42.1	0.2	2.45	1.9	15.66	0.10	0.045	5.4	0.22
4504711	Drill Core	0.9	3.4	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.99	22.3	112.2	0.5	6.50	9.2	14.81	0.02	<0.002	0.6	3.62
4504712	Drill Core	0.9	3.6	0.5	3.3	0.6	1.8	0.2	1.7	0.2	0.93	22.9	108.4	0.6	7.36	8.4	16.10	0.03	<0.002	0.6	3.24
4504713	Drill Core	0.9	3.4	0.5	3.0	0.6	1.7	0.2	1.5	0.2	0.83	22.4	102.5	0.6	6.92	8.3	15.59	0.03	<0.002	0.7	6.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000272.1

Method	MA250	FA530
Analyte	Tl	Au
Unit	ppm	ppm
MDL	0.05	0.9
4504684	Drill Core	0.72
4504685	Drill Core	0.69
4504686	Drill Core	0.69
4504687	Drill Core	0.70
4504688	Drill Core	0.60
4504689	Drill Core	0.73
4504690	Drill Core	0.74
4504691	Drill Core	0.68
4504692	Drill Core	0.72
4504693	Drill Core	0.78
4504694	Drill Core	0.68
4504695	Drill Core	0.69
4504696	Drill Core	0.70
4504697	Drill Core	0.69
4504698	Drill Core	0.66
4504699	Drill Core	0.75
4504700	Rock	<0.05
4504701	Drill Core	0.69
4504702	Drill Core	0.75
4504703	Drill Core	0.74 10.0
4504704	Drill Core	0.87
4504705	Drill Core	0.68
4504706	Drill Core	0.65
4504707	Drill Core	0.67
4504708	Drill Core	0.64
4504709	Drill Core	0.74
4504710	Rock Pulp	0.58
4504711	Drill Core	0.65
4504712	Drill Core	0.68
4504713	Drill Core	0.65



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504714	Drill Core	3.45	2.654	1.56	91.1	34.11	77.6	215	3.7	8.6	358	3.66	68.9	2.4	9.7	204	0.79	2.65	43.79	61	2.68
4504715	Drill Core	3.35	2.225	2.05	102.1	37.87	32.2	208	3.3	9.3	386	3.20	37.1	2.2	9.2	230	0.12	0.97	38.97	62	2.98
4504716	Drill Core	2.91	5.094	3.48	111.5	68.55	37.4	502	4.0	8.9	409	3.29	91.0	2.2	9.7	228	0.21	2.38	98.29	67	2.92
4504717	Drill Core	3.26	0.863	1.29	90.5	28.26	46.8	177	3.7	8.2	395	2.96	50.8	2.4	10.0	217	0.28	4.23	37.30	64	3.21
4504718	Drill Core	3.63	2.673	2.80	113.4	48.50	41.4	278	5.2	10.3	465	3.44	24.5	2.3	10.2	247	0.16	4.12	75.25	72	3.29
4504719	Drill Core	3.58	2.351	2.20	104.7	48.59	38.7	264	3.4	8.9	391	3.08	8.2	2.6	10.7	238	0.20	2.66	63.51	64	2.89
4504720	Core DUP		1.813	2.37	103.1	45.82	37.7	262	3.3	9.0	389	3.07	9.6	2.5	9.9	240	0.18	2.81	54.35	63	2.96
4504721	Drill Core	3.62	4.252	3.28	131.0	45.59	36.9	185	5.4	9.7	433	3.48	23.2	2.5	11.0	241	0.16	2.72	89.30	72	3.07
4504722	Drill Core	3.07	2.301	2.06	92.3	48.99	45.1	189	3.8	8.7	387	3.25	17.2	2.3	11.3	230	0.24	1.43	45.15	65	2.83
4504723	Drill Core	3.44	7.062	4.86	80.3	130.30	114.8	1033	3.4	6.8	389	2.83	61.8	2.4	9.9	196	1.43	9.23	145.08	57	2.72
4504724	Drill Core	3.52	3.915	3.89	67.4	80.53	52.2	561	2.9	7.0	430	2.81	33.1	2.3	9.9	186	0.44	6.94	82.95	59	2.74
4504725	Rock	0.53	0.012	0.38	4.1	1.24	4.7	<20	2.6	<0.2	14	0.16	0.6	0.1	0.7	14	<0.02	0.05	0.35	<2	0.25
4504726	Drill Core	3.38	3.225	2.49	66.4	55.16	42.1	451	3.3	8.2	457	3.13	29.7	2.3	10.6	218	0.17	1.79	107.05	62	2.91
4504727	Drill Core	3.53	4.000	5.36	64.7	82.72	45.7	682	3.5	8.6	451	3.22	12.7	2.2	9.1	220	0.25	2.38	102.73	61	2.89
4504728	Drill Core	2.34	1.321	2.37	62.2	34.15	37.3	157	3.1	9.4	424	3.27	31.0	2.1	10.4	250	0.13	0.83	30.27	67	3.11
4504729	Drill Core	2.21	6.916	6.96	81.9	123.14	48.8	715	4.1	9.5	462	3.21	21.9	2.4	10.4	233	0.41	3.74	144.23	67	3.21
4504730	Rock Pulp	0.18	1.980	169.65	3272.1	4128.12	6517.7	115114	56.9	19.3	903	5.38	253.8	2.1	2.7	335	36.39	108.02	4.24	120	3.27
4504731	Drill Core	2.49	4.394	3.17	75.2	74.78	48.5	424	3.1	8.9	387	2.90	82.9	2.2	9.5	210	0.43	2.14	76.21	58	2.80
4504732	Drill Core	2.53	0.565	1.47	65.9	23.25	41.1	95	4.4	9.6	456	3.51	6.2	2.3	10.3	261	0.10	0.76	19.39	73	3.23
4504733	Drill Core	2.87	3.318	2.09	74.9	48.24	44.0	430	5.4	8.5	376	2.88	58.4	2.3	9.8	212	0.28	1.71	65.94	62	2.81
4504734	Drill Core	3.50	2.034	3.95	68.1	53.99	42.6	313	3.9	8.6	423	3.26	16.0	2.3	9.8	247	0.20	1.35	48.77	69	3.21
4504735	Drill Core	3.53	1.311	4.18	63.4	48.26	39.9	354	3.2	8.1	398	3.01	23.2	2.3	10.0	238	0.16	1.33	38.13	69	3.02
4504736	Drill Core	3.48	2.980	2.33	61.9	64.15	48.9	560	3.3	8.9	445	3.25	174.1	2.4	9.7	220	0.33	1.52	63.62	66	3.06
4504737	Drill Core	3.50	2.821	1.80	50.1	68.28	41.9	565	3.3	8.7	485	3.22	33.9	2.2	10.6	251	0.15	1.68	64.87	69	3.10
4504738	Drill Core	3.23	1.389	2.43	60.0	56.54	54.3	429	3.2	8.8	421	3.36	49.6	2.6	10.8	186	0.39	7.21	36.16	61	2.47
4504739	Drill Core	1.63	2.077	1.66	37.9	44.83	42.8	5193	2.9	8.6	509	3.20	64.6	2.3	10.0	250	0.12	1.40	55.58	69	3.11
4504740	Drill Core	1.59	1.919	1.61	42.7	46.80	46.5	386	3.3	9.1	525	3.28	41.7	2.4	10.6	259	0.12	1.75	68.60	70	3.28
4504741	Drill Core	3.64	1.994	4.35	51.7	40.05	42.3	361	3.4	8.8	486	3.21	28.2	2.4	9.9	240	0.13	1.58	81.08	70	3.12
4504742	Drill Core	3.54	1.130	3.15	83.3	35.90	43.4	327	4.6	13.2	446	3.29	11.5	2.4	10.2	185	0.11	2.23	38.68	67	2.47
4504743	Drill Core	1.02	2.762	2.91	57.9	53.78	39.9	456	3.0	7.9	438	2.91	11.5	2.4	9.6	199	0.16	1.88	63.86	61	2.75



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
4504714	Drill Core	0.037	22.2	14	0.87	235	0.366	6.78	1.131	3.05	60.2	18.1	5.3	2	12.6	1.15	14.9	45.82	5.2	20.2	3.9
4504715	Drill Core	0.039	21.0	12	0.90	623	0.376	6.59	1.380	2.99	43.4	19.0	5.5	2	11.9	0.44	14.5	44.53	5.0	19.5	3.8
4504716	Drill Core	0.042	23.3	14	0.98	627	0.384	6.70	1.309	2.99	94.4	19.0	5.8	2	12.4	0.46	14.4	47.94	5.3	20.8	4.0
4504717	Drill Core	0.041	22.2	14	0.86	668	0.364	6.63	1.254	2.91	24.0	18.6	5.5	2	11.6	0.38	14.1	45.20	5.1	20.0	3.9
4504718	Drill Core	0.041	26.7	28	1.10	567	0.375	6.88	1.323	2.82	24.1	21.3	6.7	2	13.9	0.44	18.9	53.36	6.3	25.2	4.9
4504719	Drill Core	0.038	24.9	12	0.89	642	0.353	6.67	1.242	3.17	75.6	20.3	4.8	2	12.0	0.41	14.5	49.27	5.6	21.6	4.1
4504720	Core DUP	0.040	22.5	13	0.89	639	0.357	6.72	1.269	3.24	69.4	20.2	5.0	2	12.2	0.39	14.9	46.00	5.3	20.8	3.9
4504721	Drill Core	0.042	25.9	13	1.03	761	0.365	6.80	1.264	3.24	84.5	23.1	5.9	2	13.5	0.62	17.7	53.09	6.4	23.3	4.5
4504722	Drill Core	0.041	26.3	12	0.90	638	0.349	6.80	1.310	3.04	76.8	22.8	5.3	2	11.8	0.42	15.7	52.44	6.3	22.8	4.2
4504723	Drill Core	0.034	22.4	14	0.80	577	0.283	6.13	1.136	2.84	143.1	21.2	5.3	2	11.0	0.42	12.4	45.73	5.3	20.5	3.9
4504724	Drill Core	0.032	23.9	13	0.83	522	0.258	6.05	1.077	2.76	136.2	20.6	5.5	1	12.2	0.38	12.8	48.42	5.7	20.7	3.8
4504725	Rock	0.002	3.1	2	0.02	280	0.009	0.14	0.008	0.07	0.9	4.3	0.1	<1	0.2	<0.04	0.6	6.32	0.7	2.6	0.4
4504726	Drill Core	0.036	19.9	12	0.88	553	0.326	6.62	1.328	3.05	35.8	24.7	4.6	2	12.6	0.33	15.7	43.15	5.0	19.6	3.9
4504727	Drill Core	0.037	22.1	11	0.89	605	0.326	6.49	1.258	2.81	>200	21.2	4.8	2	11.4	0.35	15.0	46.03	5.3	20.3	3.9
4504728	Drill Core	0.042	24.8	12	0.93	610	0.374	6.77	1.387	2.62	45.6	19.2	4.3	2	12.3	0.30	14.2	51.27	5.7	21.9	4.1
4504729	Drill Core	0.042	24.7	13	0.95	676	0.341	6.94	1.296	3.02	91.1	20.0	5.2	2	12.6	0.35	13.6	50.23	5.7	22.1	4.2
4504730	Rock Pulp	0.083	10.0	55	1.34	56	0.262	6.77	2.070	1.88	21.8	39.2	3.9	1	9.6	2.88	13.1	23.77	3.1	13.6	2.9
4504731	Drill Core	0.038	23.5	11	0.80	589	0.289	6.15	1.118	2.85	90.2	17.9	5.0	1	11.1	0.41	11.0	46.54	5.2	19.8	3.6
4504732	Drill Core	0.043	24.4	14	0.99	653	0.403	6.97	1.454	2.76	68.9	22.1	4.5	2	13.6	0.28	16.6	51.84	5.8	22.3	4.4
4504733	Drill Core	0.038	23.4	10	0.81	604	0.323	6.48	1.222	2.62	27.3	19.6	4.9	2	11.5	0.32	12.7	47.28	5.3	20.2	3.7
4504734	Drill Core	0.042	23.3	14	0.93	623	0.377	6.86	1.380	2.73	53.6	20.2	4.8	2	12.5	0.32	14.8	47.79	5.4	20.7	4.0
4504735	Drill Core	0.041	24.1	11	0.89	658	0.364	6.64	1.330	2.93	36.3	20.5	5.1	2	12.2	0.32	14.6	49.30	5.5	21.2	4.0
4504736	Drill Core	0.040	23.3	12	0.91	689	0.337	6.91	1.203	2.80	45.5	19.6	4.9	2	12.1	0.37	14.7	48.00	5.5	21.6	4.1
4504737	Drill Core	0.043	25.6	11	0.92	660	0.368	6.75	1.314	2.90	33.3	21.3	4.6	2	12.6	0.28	15.8	51.96	5.9	22.3	4.3
4504738	Drill Core	0.038	24.9	13	0.90	240	0.339	6.71	0.946	2.97	57.4	22.5	5.0	2	11.9	0.89	15.0	50.01	5.7	21.5	4.0
4504739	Drill Core	0.042	24.2	11	0.93	632	0.378	7.01	1.333	2.96	110.4	23.7	3.9	2	12.4	0.21	15.9	49.57	5.6	21.5	4.1
4504740	Drill Core	0.044	26.0	12	0.95	650	0.395	7.07	1.402	2.96	137.9	24.2	4.6	2	13.0	0.22	16.5	52.39	5.9	22.3	4.3
4504741	Drill Core	0.041	24.5	12	0.93	690	0.376	6.71	1.334	2.97	177.8	22.1	4.5	2	12.4	0.30	15.4	50.80	5.7	21.9	4.2
4504742	Drill Core	0.042	25.4	15	0.87	743	0.355	6.79	0.871	3.03	96.3	21.6	4.9	2	12.5	0.58	14.6	51.33	5.7	21.9	4.1
4504743	Drill Core	0.037	23.4	10	0.83	704	0.279	5.94	0.973	2.91	63.2	19.1	4.4	2	10.7	0.35	12.5	45.74	5.1	19.3	3.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504714	Drill Core	0.9	3.3	0.4	2.9	0.5	1.6	0.2	1.5	0.2	0.78	48.0	118.4	0.5	6.75	12.0	15.39	0.07	<0.002	0.8	3.96
4504715	Drill Core	0.9	3.3	0.5	2.9	0.5	1.6	0.2	1.5	0.2	0.80	26.0	101.0	0.5	7.05	8.4	15.43	0.03	<0.002	0.5	3.50
4504716	Drill Core	0.9	3.4	0.5	2.9	0.5	1.5	0.2	1.5	0.2	0.82	32.1	116.2	0.5	7.17	10.4	15.36	0.03	<0.002	1.0	9.35
4504717	Drill Core	0.9	3.2	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.83	38.7	112.9	0.6	7.11	9.1	15.62	0.04	<0.002	<0.3	2.64
4504718	Drill Core	1.1	4.2	0.6	3.6	0.7	1.9	0.3	1.8	0.2	0.94	30.0	123.2	0.5	7.38	9.0	15.55	0.04	<0.002	0.6	5.91
4504719	Drill Core	0.9	3.4	0.4	2.9	0.5	1.5	0.2	1.5	0.2	0.86	27.0	125.5	0.5	6.91	8.9	15.44	0.04	<0.002	0.7	6.35
4504720	Core DUP	0.9	3.3	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.85	27.4	126.4	0.5	7.02	8.8	15.47	0.04	<0.002	0.5	5.01
4504721	Drill Core	1.0	3.9	0.5	3.4	0.6	1.9	0.3	1.7	0.2	0.98	27.6	132.0	0.7	7.57	10.8	16.09	0.05	<0.002	0.9	7.94
4504722	Drill Core	1.0	3.5	0.5	3.0	0.5	1.6	0.2	1.5	0.2	0.91	27.8	134.1	0.6	7.07	8.3	16.11	0.04	<0.002	0.6	4.28
4504723	Drill Core	0.9	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	0.89	26.8	124.0	0.5	5.70	8.8	14.50	0.11	<0.002	0.7	13.71
4504724	Drill Core	0.9	3.0	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.85	24.5	120.8	0.5	5.27	8.5	13.77	0.05	<0.002	0.6	8.08
4504725	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.11	1.2	1.3	<0.1	0.28	<0.1	0.25	<0.01	<0.002	<0.3	<0.05
4504726	Drill Core	0.9	3.4	0.5	3.0	0.6	1.6	0.2	1.5	0.2	1.00	23.3	120.8	0.5	6.54	6.5	15.58	0.04	<0.002	0.7	10.70
4504727	Drill Core	0.9	3.3	0.5	2.8	0.5	1.5	0.2	1.5	0.2	0.88	23.0	126.8	0.6	6.68	7.9	15.40	0.04	<0.002	0.6	11.59
4504728	Drill Core	0.9	3.5	0.5	2.9	0.5	1.6	0.2	1.5	0.2	0.86	22.6	98.5	0.5	7.19	6.8	15.87	0.03	<0.002	0.5	2.73
4504729	Drill Core	1.0	3.4	0.4	2.7	0.5	1.5	0.2	1.4	0.2	0.85	23.0	123.6	0.5	6.67	9.1	15.87	0.04	<0.002	0.7	13.96
4504730	Rock Pulp	0.8	2.7	0.3	2.3	0.4	1.3	0.2	1.3	0.2	1.19	16.7	53.5	0.3	4.65	1.9	15.59	0.40	0.111	8.9	0.37
4504731	Drill Core	0.8	2.9	0.4	2.2	0.4	1.2	0.2	1.1	0.2	0.75	22.4	118.2	0.4	5.70	8.7	14.31	0.04	<0.002	0.6	8.10
4504732	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.2	1.6	0.2	0.97	21.7	104.6	0.6	7.79	7.1	16.54	0.04	<0.002	0.5	1.50
4504733	Drill Core	0.9	3.1	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.84	20.1	111.7	0.5	6.31	8.7	14.46	0.04	<0.002	0.3	6.91
4504734	Drill Core	0.9	3.4	0.5	2.9	0.5	1.5	0.2	1.5	0.2	0.87	22.2	104.4	0.5	7.29	7.0	15.94	0.04	<0.002	0.6	3.76
4504735	Drill Core	0.9	3.4	0.4	2.9	0.5	1.5	0.2	1.4	0.2	0.88	23.2	114.6	0.5	6.95	7.5	15.69	0.03	<0.002	0.5	2.86
4504736	Drill Core	1.0	3.5	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.86	23.3	116.4	0.5	6.49	8.2	14.94	0.04	<0.002	0.5	10.05
4504737	Drill Core	1.0	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	0.95	25.1	113.1	0.5	7.20	7.2	15.78	0.04	<0.002	0.6	5.28
4504738	Drill Core	0.9	3.4	0.5	2.8	0.5	1.6	0.2	1.5	0.2	0.92	35.5	118.6	0.5	6.60	12.6	15.52	0.05	<0.002	0.7	3.15
4504739	Drill Core	1.0	3.5	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.99	23.6	112.3	0.5	7.34	6.2	16.07	0.04	<0.002	0.4	5.22
4504740	Drill Core	1.0	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.02	24.7	114.4	0.6	7.67	6.5	16.44	0.04	<0.002	0.5	7.49
4504741	Drill Core	1.0	3.5	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.94	28.9	117.4	0.5	7.28	7.5	15.84	0.04	<0.002	0.5	5.56
4504742	Drill Core	1.0	3.4	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.92	37.3	119.2	0.5	6.98	9.6	15.78	0.04	<0.002	0.8	2.90
4504743	Drill Core	0.9	3.0	0.4	2.4	0.4	1.3	0.2	1.3	0.2	0.81	30.3	120.3	0.4	5.66	8.3	13.60	0.03	<0.002	0.6	6.16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000272.1

Method	MA250	FA530
Analyte	Tl	Au
Unit	ppm	ppm
MDL	0.05	0.9
4504714	Drill Core	0.77
4504715	Drill Core	0.67
4504716	Drill Core	0.71
4504717	Drill Core	0.76
4504718	Drill Core	0.72
4504719	Drill Core	0.76
4504720	Core DUP	0.75
4504721	Drill Core	0.71
4504722	Drill Core	0.73
4504723	Drill Core	0.69
4504724	Drill Core	0.66
4504725	Rock	<0.05
4504726	Drill Core	0.67
4504727	Drill Core	0.71
4504728	Drill Core	0.68
4504729	Drill Core	0.80
4504730	Rock Pulp	3.80
4504731	Drill Core	0.74
4504732	Drill Core	0.64
4504733	Drill Core	0.66
4504734	Drill Core	0.68
4504735	Drill Core	0.72
4504736	Drill Core	0.72
4504737	Drill Core	0.72
4504738	Drill Core	0.95
4504739	Drill Core	0.70
4504740	Drill Core	0.72
4504741	Drill Core	0.76
4504742	Drill Core	0.76
4504743	Drill Core	0.72



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 4 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504744	Drill Core	5.79	3.020	7.84	43.6	45.36	41.1	332	3.4	8.3	480	3.07	36.3	2.2	9.0	226	0.12	5.54	55.83	63	3.07
4504745	Drill Core	3.43	0.474	1.82	50.2	33.31	40.1	176	3.0	8.3	421	2.95	8.2	2.5	10.3	164	0.07	2.13	28.82	62	2.14
4504746	Drill Core	3.43	0.546	1.50	63.8	45.42	56.7	309	3.5	8.7	453	3.15	9.1	2.3	9.8	225	0.30	1.03	37.56	66	2.85
4504747	Drill Core	2.79	0.816	3.67	62.5	24.08	33.4	279	3.3	8.5	424	3.05	8.3	2.6	9.9	239	0.06	1.32	25.72	65	2.98
4504748	Drill Core	3.72	1.595	2.14	64.1	36.89	32.5	318	3.2	9.4	398	3.02	50.1	2.5	10.0	233	0.12	3.93	25.37	64	2.83
4504749	Drill Core	3.46	1.558	3.86	41.2	39.49	35.9	318	3.1	7.9	432	2.98	25.8	2.2	8.9	247	0.12	1.05	38.38	67	3.10
4504750	Rock	0.49	0.011	0.35	2.0	0.57	2.9	<20	1.0	<0.2	14	0.17	<0.2	0.1	0.6	3	<0.02	0.03	0.21	<2	0.02
4504751	Drill Core	3.59	1.559	3.11	48.5	38.73	26.3	383	2.7	5.2	278	2.11	34.3	1.8	8.5	182	0.13	1.41	38.07	45	2.40
4504752	Drill Core	3.45	2.674	1.89	57.5	65.30	35.5	1090	3.0	5.6	313	2.32	28.8	1.9	9.2	189	0.24	4.34	45.03	48	2.39
4504753	Drill Core	3.21	1.896	13.91	61.7	61.08	41.1	654	3.4	6.5	360	2.58	33.7	2.2	9.7	201	0.23	10.70	61.88	55	2.53
4504754	Drill Core	3.63	1.268	2.43	69.5	72.63	39.1	725	3.0	7.0	392	2.86	28.1	2.2	10.3	236	0.25	1.39	48.07	62	2.69
4504755	Drill Core	3.27	2.312	3.05	66.2	96.20	44.1	928	2.8	6.1	330	2.51	34.9	2.0	9.8	190	0.43	1.88	59.74	52	2.37
4504756	Drill Core	3.60	0.946	4.23	59.4	85.19	503.2	806	2.8	5.9	352	2.55	53.0	2.3	10.3	194	7.73	1.34	58.32	53	2.48
4504757	Drill Core	2.36	4.023	14.05	49.7	73.58	30.0	856	2.6	5.1	267	2.06	22.4	2.1	9.3	166	0.22	2.39	84.05	46	2.12
4504758	Drill Core	2.31	2.722	4.02	53.5	55.50	40.5	485	2.8	5.6	309	2.37	15.0	2.1	10.1	182	0.18	1.56	61.95	50	2.25
4504759	Drill Core	2.44	2.842	2.09	52.5	61.43	32.6	418	2.9	6.1	347	2.52	33.3	2.6	12.3	198	0.15	1.71	74.48	53	2.40
4504760	Rock Pulp	0.19	3.939	17.61	3630.9	3492.22	6837.1	159800	56.5	15.5	795	4.75	62.9	1.6	2.2	438	38.06	265.88	1.10	130	2.84
4504761	Drill Core	2.39	1.710	6.42	41.4	39.44	33.2	376	2.6	5.1	302	2.18	17.9	2.7	11.0	176	0.14	1.54	40.82	41	2.21
4504762	Drill Core	3.76	1.999	2.58	44.8	55.66	45.0	481	2.9	6.6	379	2.65	25.3	3.1	11.2	211	0.21	1.13	49.10	50	2.50
4504763	Drill Core	3.59	1.637	3.43	34.3	48.25	41.2	336	2.9	6.6	374	2.56	18.6	3.0	11.1	197	0.14	1.33	45.51	51	2.31
4504764	Drill Core	3.49	0.744	3.11	26.0	31.19	64.2	156	2.9	6.5	483	2.84	30.2	3.0	11.2	182	0.12	2.06	16.55	57	2.22
4504765	Drill Core	3.36	5.029	6.45	35.9	99.02	42.6	1150	2.9	6.2	396	2.57	73.4	2.5	11.0	193	0.23	17.67	97.05	52	2.39
4504766	Drill Core	3.53	2.968	7.43	37.1	69.00	45.6	795	2.9	6.3	419	2.63	92.6	2.3	9.5	204	0.24	9.71	77.28	52	2.51
4504767	Drill Core	3.34	6.486	5.83	35.6	127.69	46.2	1371	3.0	6.5	402	2.68	71.1	2.4	10.4	208	0.30	6.29	118.21	50	2.50
4504768	Drill Core	3.60	1.581	7.07	40.2	49.26	45.4	523	3.1	6.2	397	2.59	45.4	2.3	10.6	202	0.17	1.12	37.86	49	2.49
4504769	Drill Core	3.38	0.725	6.07	38.9	34.07	43.6	320	3.0	6.6	410	2.75	17.0	2.2	10.0	217	0.14	0.85	26.37	53	2.60
4504770	Core DUP		0.658	6.36	37.1	32.88	41.3	229	3.2	6.5	405	2.72	20.7	2.3	10.2	213	0.13	0.82	26.72	52	2.60
4504771	Drill Core	3.46	1.758	3.35	97.1	50.45	60.1	729	5.2	8.5	403	3.02	46.0	2.2	9.4	171	0.43	5.30	53.43	56	2.34
4504772	Drill Core	3.83	0.958	1.40	38.2	38.94	39.1	288	2.7	6.2	358	2.47	23.7	2.3	10.1	195	0.12	2.57	32.80	47	2.28
4504773	Drill Core	3.39	1.351	2.05	63.2	47.92	37.1	405	3.1	7.1	379	2.88	11.7	2.0	10.1	218	0.13	2.75	36.59	55	2.63



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 4 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
4504744	Drill Core	0.038	22.4	11	0.90	695	0.339	6.56	1.213	2.86	90.6	18.7	4.1	2	12.0	0.28	13.5	45.67	5.2	20.2	3.9
4504745	Drill Core	0.041	24.7	12	0.83	745	0.324	6.77	0.709	2.89	37.2	19.2	4.2	2	11.5	0.30	13.7	50.56	5.7	21.7	4.1
4504746	Drill Core	0.041	24.4	13	0.89	642	0.330	6.76	1.180	2.84	52.9	18.7	5.0	2	12.0	0.33	14.0	49.77	5.7	21.8	4.1
4504747	Drill Core	0.041	22.1	11	0.88	643	0.336	6.60	1.332	2.85	>200	18.7	4.7	2	11.6	0.31	13.6	45.99	5.3	20.4	3.9
4504748	Drill Core	0.042	24.5	10	0.84	676	0.326	6.59	1.282	3.14	72.7	18.5	5.1	2	11.1	0.52	13.7	48.70	5.6	21.2	4.0
4504749	Drill Core	0.044	22.8	11	0.88	663	0.350	6.60	1.265	2.77	47.2	15.3	4.4	2	11.2	0.26	11.8	46.60	5.2	19.4	3.6
4504750	Rock	0.002	3.2	3	0.02	20	0.012	0.19	0.009	0.09	0.1	3.5	0.1	<1	0.2	<0.04	0.5	6.07	0.7	2.4	0.3
4504751	Drill Core	0.030	24.3	8	0.61	627	0.217	5.48	1.062	2.78	96.7	11.6	4.0	1	9.2	0.29	8.3	47.15	5.0	18.0	3.0
4504752	Drill Core	0.032	22.4	8	0.64	634	0.233	5.99	1.223	2.97	>200	13.7	4.5	2	10.0	0.34	11.1	47.08	5.0	19.2	3.6
4504753	Drill Core	0.033	22.4	9	0.69	581	0.265	6.09	1.313	2.89	>200	13.9	4.2	2	11.3	0.36	13.6	48.75	5.3	20.4	3.9
4504754	Drill Core	0.036	22.6	10	0.77	618	0.308	6.43	1.497	2.97	82.9	17.0	3.8	2	11.9	0.28	15.9	48.75	5.3	20.6	4.0
4504755	Drill Core	0.031	22.4	9	0.66	650	0.245	5.91	1.257	2.93	85.8	14.9	4.1	2	10.4	0.35	12.7	48.26	5.2	20.1	3.8
4504756	Drill Core	0.031	24.1	10	0.66	580	0.244	6.16	1.266	2.88	68.2	14.4	3.6	2	10.6	0.33	13.3	50.20	5.5	20.9	3.9
4504757	Drill Core	0.028	22.4	7	0.58	584	0.218	5.30	1.038	2.86	124.5	13.0	3.7	1	9.1	0.30	11.6	46.49	5.1	19.4	3.6
4504758	Drill Core	0.030	22.3	8	0.64	650	0.240	5.73	1.126	3.17	90.8	14.4	4.0	1	10.0	0.36	12.4	46.99	5.1	19.4	3.6
4504759	Drill Core	0.032	24.4	8	0.66	643	0.260	6.14	1.257	3.13	62.7	15.5	3.8	2	10.4	0.30	14.4	51.18	5.6	21.4	4.1
4504760	Rock Pulp	0.083	7.5	36	1.18	140	0.269	7.18	2.389	2.04	13.1	20.1	3.0	1	8.7	1.24	9.1	17.37	2.2	9.5	2.1
4504761	Drill Core	0.027	21.5	8	0.55	566	0.205	5.56	1.132	2.83	>200	12.7	3.6	1	8.7	0.28	11.6	44.84	4.9	18.8	3.5
4504762	Drill Core	0.032	21.8	9	0.64	634	0.254	6.54	1.346	3.13	63.4	15.1	3.8	2	10.2	0.29	15.7	45.81	5.1	19.7	3.8
4504763	Drill Core	0.033	22.4	9	0.64	657	0.267	6.37	1.180	3.01	93.5	14.7	3.4	2	10.5	0.21	15.2	48.44	5.3	20.3	3.9
4504764	Drill Core	0.035	24.9	10	0.69	728	0.277	6.74	1.032	2.99	64.7	15.5	3.0	2	11.0	0.15	15.9	52.71	5.8	22.3	4.2
4504765	Drill Core	0.033	23.1	10	0.66	671	0.238	6.15	1.227	2.95	96.4	13.9	3.6	2	10.4	0.28	12.9	48.94	5.4	20.5	3.9
4504766	Drill Core	0.033	20.2	9	0.66	655	0.255	6.23	1.276	3.10	>200	14.6	3.7	2	10.3	0.26	13.8	43.82	4.9	19.0	3.7
4504767	Drill Core	0.034	23.3	8	0.64	691	0.261	6.36	1.287	2.97	>200	13.5	3.5	2	10.3	0.24	13.2	50.39	5.4	20.8	3.9
4504768	Drill Core	0.033	24.5	9	0.63	662	0.241	6.31	1.217	2.99	62.5	13.1	3.5	2	10.2	0.25	12.3	51.35	5.6	21.3	3.9
4504769	Drill Core	0.034	22.6	10	0.68	636	0.274	6.52	1.344	3.20	37.9	14.5	3.4	2	10.7	0.25	14.0	48.51	5.3	20.5	3.8
4504770	Core DUP	0.035	22.8	12	0.67	650	0.268	6.53	1.334	2.94	38.8	13.7	3.4	2	10.5	0.24	13.8	48.58	5.3	20.6	3.9
4504771	Drill Core	0.028	21.9	8	0.70	222	0.190	5.63	0.981	3.17	>200	12.6	4.0	2	9.0	0.69	11.6	44.57	5.0	18.9	3.5
4504772	Drill Core	0.031	23.1	8	0.59	676	0.237	5.92	1.218	2.82	57.7	13.3	2.7	2	9.4	0.22	12.1	48.82	5.2	19.9	3.7
4504773	Drill Core	0.035	24.4	9	0.70	854	0.268	6.51	1.333	3.00	48.9	12.8	3.5	2	10.7	0.39	13.1	51.50	5.7	21.6	4.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 4 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504744	Drill Core	0.9	3.3	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.83	29.8	116.6	0.5	6.54	8.3	14.90	0.03	<0.002	0.5	4.94
4504745	Drill Core	0.9	3.3	0.4	2.7	0.5	1.5	0.2	1.3	0.2	0.83	35.1	114.1	0.5	6.60	10.2	15.86	0.03	<0.002	0.5	1.73
4504746	Drill Core	0.9	3.4	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.83	29.0	115.2	0.5	6.74	6.7	15.35	0.04	<0.002	0.6	2.26
4504747	Drill Core	0.9	3.3	0.4	2.7	0.5	1.5	0.2	1.4	0.2	0.88	27.4	110.3	0.5	6.85	6.8	15.46	0.03	<0.002	0.5	2.17
4504748	Drill Core	0.9	3.2	0.4	2.7	0.5	1.5	0.2	1.3	0.2	0.81	26.4	126.1	0.5	6.72	6.8	15.19	0.03	<0.002	0.9	2.66
4504749	Drill Core	1.0	2.9	0.4	2.4	0.4	1.3	0.2	1.2	0.2	0.71	26.2	110.2	0.5	6.71	7.8	15.86	0.03	<0.002	0.5	3.12
4504750	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.11	1.4	1.5	<0.1	0.38	<0.1	0.24	<0.01	<0.002	<0.3	<0.05
4504751	Drill Core	0.8	2.3	0.3	1.7	0.3	0.9	0.1	0.9	0.1	0.47	22.8	117.8	0.3	4.53	7.7	13.10	0.02	<0.002	0.7	4.05
4504752	Drill Core	0.8	2.7	0.3	2.2	0.4	1.2	0.2	1.1	0.2	0.60	25.3	121.6	0.4	5.58	7.2	14.15	0.03	<0.002	0.6	4.77
4504753	Drill Core	0.8	3.1	0.4	2.6	0.5	1.4	0.2	1.4	0.2	0.63	23.8	119.6	0.5	6.15	6.7	15.04	0.03	<0.002	0.8	5.00
4504754	Drill Core	0.9	3.5	0.4	3.0	0.6	1.7	0.2	1.6	0.2	0.78	24.3	113.3	0.6	7.07	6.0	16.34	0.03	<0.002	0.7	4.01
4504755	Drill Core	0.8	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	0.69	21.5	114.9	0.5	5.77	6.4	14.42	0.03	<0.002	0.6	5.84
4504756	Drill Core	0.8	3.1	0.4	2.6	0.5	1.4	0.2	1.3	0.2	0.68	20.6	117.5	0.5	5.80	6.4	14.68	0.47	<0.002	0.6	4.19
4504757	Drill Core	0.7	2.8	0.3	2.3	0.4	1.2	0.2	1.2	0.2	0.66	18.8	119.6	0.4	5.04	5.8	12.81	0.02	<0.002	0.5	7.95
4504758	Drill Core	0.8	2.9	0.4	2.4	0.4	1.3	0.2	1.2	0.2	0.68	21.8	128.0	0.4	5.49	5.9	13.85	0.02	<0.002	0.6	6.08
4504759	Drill Core	0.8	3.4	0.4	2.8	0.5	1.5	0.2	1.5	0.2	0.79	21.4	125.9	0.5	6.12	6.3	15.17	0.02	<0.002	0.4	7.75
4504760	Rock Pulp	0.7	2.0	0.2	1.8	0.3	1.0	0.1	1.0	0.1	0.67	11.6	48.8	0.3	6.04	1.4	18.32	0.12	0.054	8.2	0.35
4504761	Drill Core	0.7	2.8	0.3	2.2	0.4	1.2	0.2	1.1	0.2	0.63	19.5	122.9	0.4	4.93	6.0	13.29	0.02	<0.002	0.3	4.62
4504762	Drill Core	0.8	3.3	0.4	2.9	0.5	1.6	0.2	1.6	0.2	0.81	21.9	127.9	0.6	6.31	6.4	15.62	0.03	<0.002	0.4	5.12
4504763	Drill Core	0.8	3.3	0.4	3.0	0.5	1.6	0.2	1.7	0.2	0.76	25.9	118.4	0.6	6.37	7.3	15.42	0.03	<0.002	0.5	4.34
4504764	Drill Core	0.9	3.5	0.5	3.1	0.6	1.7	0.2	1.7	0.2	0.78	36.9	117.5	0.6	6.54	8.6	16.16	0.03	<0.002	0.3	1.71
4504765	Drill Core	0.8	3.1	0.4	2.6	0.5	1.4	0.2	1.4	0.2	0.73	27.3	117.3	0.5	5.68	6.8	14.71	0.03	<0.002	0.6	9.06
4504766	Drill Core	0.8	3.1	0.4	2.7	0.5	1.5	0.2	1.5	0.2	0.75	26.8	113.3	0.5	6.18	6.0	15.28	0.03	0.002	0.7	8.29
4504767	Drill Core	0.9	3.2	0.4	2.6	0.5	1.4	0.2	1.4	0.2	0.68	24.6	116.1	0.5	6.24	6.6	15.69	0.04	<0.002	0.6	8.57
4504768	Drill Core	0.8	3.1	0.4	2.4	0.4	1.3	0.2	1.3	0.2	0.67	23.4	118.2	0.4	5.83	6.2	14.85	0.03	<0.002	0.5	3.06
4504769	Drill Core	0.9	3.2	0.4	2.7	0.5	1.5	0.2	1.4	0.2	0.69	24.3	118.8	0.5	6.50	6.0	15.97	0.03	<0.002	0.6	3.68
4504770	Core DUP	0.9	3.2	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.67	24.2	113.8	0.5	6.37	6.2	15.69	0.03	<0.002	0.4	2.45
4504771	Drill Core	0.8	2.7	0.3	2.2	0.4	1.2	0.2	1.2	0.2	0.60	26.4	125.0	0.4	4.57	5.6	13.42	0.04	0.003	1.4	5.80
4504772	Drill Core	0.8	3.0	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.66	22.9	106.7	0.5	5.79	5.7	14.23	0.03	<0.002	0.6	2.11
4504773	Drill Core	0.9	3.3	0.4	2.7	0.5	1.4	0.2	1.4	0.2	0.63	25.3	119.0	0.5	6.37	7.2	16.09	0.03	<0.002	1.0	3.62



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 4 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000272.1

Method	MA250	FA530
Analyte	Tl	Au
Unit	ppm	ppm
MDL	0.05	0.9
4504744	Drill Core	0.74
4504745	Drill Core	0.75
4504746	Drill Core	0.74
4504747	Drill Core	0.71
4504748	Drill Core	0.75
4504749	Drill Core	0.70
4504750	Rock	<0.05
4504751	Drill Core	0.70
4504752	Drill Core	0.68
4504753	Drill Core	0.65
4504754	Drill Core	0.63
4504755	Drill Core	0.68
4504756	Drill Core	0.66
4504757	Drill Core	0.66
4504758	Drill Core	0.74
4504759	Drill Core	0.71
4504760	Rock Pulp	0.69
4504761	Drill Core	0.67
4504762	Drill Core	0.70
4504763	Drill Core	0.70
4504764	Drill Core	0.67
4504765	Drill Core	0.71
4504766	Drill Core	0.70
4504767	Drill Core	0.70
4504768	Drill Core	0.67
4504769	Drill Core	0.65
4504770	Core DUP	0.67
4504771	Drill Core	0.69
4504772	Drill Core	0.64
4504773	Drill Core	0.74



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 5 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504774	Drill Core	3.49	1.169	1.60	42.2	32.21	43.2	219	2.8	6.9	405	2.78	14.4	2.0	10.1	237	0.10	1.59	19.83	54	2.75
4504775	Rock	0.53	0.008	0.44	7.2	1.04	6.0	<20	0.9	<0.2	15	0.15	0.3	0.1	0.5	9	<0.02	0.05	0.10	<2	0.32
4504776	Drill Core	3.59	0.754	6.85	55.4	52.62	46.0	476	4.0	8.3	425	3.14	7.1	1.8	10.0	219	0.17	1.50	20.91	57	2.85
4504777	Drill Core	3.66	0.810	1.99	76.5	42.60	46.3	412	3.9	7.6	349	3.02	5.8	2.2	10.2	229	0.28	0.80	37.41	55	2.72
4504778	Drill Core	3.42	1.449	1.24	60.9	75.01	33.2	605	3.1	5.8	316	2.30	107.9	2.5	10.2	189	0.17	16.31	36.66	47	2.42
4504779	Drill Core	3.46	0.895	1.77	64.6	41.16	35.6	377	3.4	6.9	329	2.55	147.3	2.6	11.1	223	0.14	4.49	25.55	52	2.54
4504780	Rock Pulp	0.17	1.318	16.10	1173.4	1927.55	3704.1	76505	21.5	16.5	868	4.33	43.8	1.5	2.0	354	21.24	127.56	1.38	150	4.10
4504781	Drill Core	3.46	0.928	2.83	50.5	42.58	35.8	327	2.9	6.5	342	2.54	12.9	2.4	10.5	221	0.13	0.89	29.76	49	2.52
4504782	Drill Core	3.55	1.679	1.13	49.8	42.00	42.5	424	2.9	7.4	398	2.81	21.2	2.5	10.7	234	0.14	1.47	34.08	54	2.68
4504783	Drill Core	3.50	1.461	7.80	55.0	34.02	40.3	208	3.3	7.4	395	2.83	19.4	2.6	10.9	251	0.12	0.78	35.86	54	2.80
4504784	Drill Core	3.60	0.251	1.28	45.4	25.94	44.1	186	3.1	6.8	379	2.72	14.9	2.4	10.1	237	0.07	0.49	10.97	54	2.81
4504785	Drill Core	3.54	0.501	3.04	44.1	29.23	37.9	199	2.9	6.7	369	2.62	10.3	2.1	9.7	229	0.10	0.52	10.54	51	2.75
4504786	Drill Core	3.55	0.420	1.32	38.2	23.02	39.2	153	3.1	7.0	387	2.72	4.7	2.1	10.1	244	0.06	0.42	10.02	55	2.87
4504787	Drill Core	3.53	0.408	1.43	36.1	29.89	46.6	182	3.2	7.1	424	2.90	4.3	2.4	11.1	253	0.12	0.63	8.29	54	2.91
4504788	Drill Core	3.57	2.064	1.66	34.0	50.99	50.0	841	3.2	6.7	444	2.84	16.4	2.8	11.9	244	0.14	1.08	41.50	52	2.85
4504789	Drill Core	1.71	1.200	2.18	49.3	40.44	47.1	283	2.9	6.8	399	2.75	6.6	2.8	11.3	237	0.21	1.30	33.62	52	2.94
4504790	Drill Core	1.55	1.086	1.46	49.2	43.40	43.7	464	2.8	6.9	405	2.78	9.8	2.8	12.2	230	0.18	1.42	33.34	52	2.90
4504791	Drill Core	3.69	1.028	2.65	42.6	38.03	43.2	896	3.0	7.3	418	2.99	22.4	2.3	11.2	246	0.11	0.90	27.47	54	2.89
4504792	Drill Core	3.57	1.090	1.34	54.4	30.25	44.0	208	3.3	7.0	410	2.86	24.2	2.4	10.5	262	0.13	1.03	17.78	55	2.98
4504793	Drill Core	3.55	1.087	1.20	36.2	30.55	40.0	137	3.0	6.2	382	2.62	4.1	2.4	10.9	268	0.09	0.50	13.27	47	2.61
4504794	Drill Core	3.67	2.294	1.58	44.6	46.92	40.0	385	3.0	6.4	380	2.71	7.1	2.5	12.3	249	0.14	3.74	57.96	52	2.77
4504795	Drill Core	3.21	0.746	1.42	47.3	29.70	67.1	170	3.7	7.3	432	3.07	71.4	2.6	12.1	246	0.26	5.21	10.38	58	2.94
4504796	Drill Core	3.40	3.196	1.48	44.6	73.06	49.1	812	3.7	7.4	447	3.02	12.5	2.8	11.8	253	0.19	2.42	89.03	57	2.95
4504797	Drill Core	3.49	0.799	1.21	25.8	32.26	126.7	401	2.8	6.5	442	2.78	9.7	3.3	13.2	246	0.63	2.62	9.55	49	2.81
4504798	Drill Core	2.28	1.397	0.83	29.8	38.74	48.0	184	3.0	6.7	436	2.81	5.0	3.2	12.9	252	0.11	0.78	21.54	50	2.83
4504799	Drill Core	3.22	0.629	1.40	40.6	38.24	45.8	384	3.2	6.9	421	2.98	4.6	3.2	13.7	251	0.13	0.63	17.07	52	2.95
4504800	Rock	0.51	0.006	0.33	3.3	0.60	3.4	<20	0.8	<0.2	13	0.14	<0.2	0.1	0.5	3	<0.02	0.02	0.10	<2	0.03
4504801	Drill Core	3.36	0.586	1.34	41.1	27.54	41.5	133	3.1	6.3	369	2.67	3.5	3.0	12.2	233	0.09	0.39	16.49	46	2.63
4504802	Drill Core	2.19	1.858	1.31	51.3	48.30	35.7	561	2.7	6.3	341	2.58	14.8	2.3	10.9	236	0.14	1.16	67.40	46	2.70
4504803	Drill Core	2.46	0.945	1.24	60.9	29.35	32.3	267	2.7	6.0	318	2.55	5.1	2.7	11.5	237	0.10	0.59	24.47	47	2.68



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 5 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
4504774	Drill Core	0.036	23.3	9	0.67	728	0.287	6.74	1.492	3.13	47.3	13.8	2.8	2	10.6	0.22	13.6	50.35	5.4	20.7	3.9
4504775	Rock	0.002	3.4	2	0.02	6	0.008	0.12	0.006	0.06	0.3	3.2	<0.1	<1	0.1	<0.04	0.5	6.87	0.8	3.2	0.4
4504776	Drill Core	0.038	25.4	10	0.71	662	0.285	6.67	1.384	2.73	24.6	11.2	3.2	2	11.4	0.41	13.8	51.95	5.7	21.8	4.1
4504777	Drill Core	0.035	24.9	11	0.70	702	0.283	6.70	1.471	2.76	40.6	13.8	3.6	2	10.8	0.42	14.0	51.32	5.7	21.6	4.0
4504778	Drill Core	0.031	23.6	7	0.60	831	0.230	6.22	1.166	3.39	134.9	12.7	3.8	2	9.4	0.45	13.4	47.75	5.3	20.2	3.8
4504779	Drill Core	0.035	26.0	10	0.67	769	0.280	6.90	1.347	3.43	59.9	14.5	4.0	2	10.7	0.41	15.1	52.77	5.8	22.2	4.1
4504780	Rock Pulp	0.090	6.8	33	1.58	130	0.282	7.37	2.319	1.46	7.9	41.7	2.2	<1	12.6	0.95	13.6	15.49	2.0	9.2	2.2
4504781	Drill Core	0.033	24.3	8	0.62	677	0.266	6.39	1.352	2.96	47.5	13.7	3.1	2	9.9	0.27	14.3	50.25	5.5	21.1	3.9
4504782	Drill Core	0.035	24.7	9	0.68	703	0.296	6.69	1.462	2.99	19.1	14.4	3.1	2	10.6	0.25	15.3	52.13	5.7	21.6	4.1
4504783	Drill Core	0.038	25.5	10	0.69	757	0.310	7.16	1.497	3.44	78.9	15.8	3.6	2	11.1	0.31	16.3	53.02	5.9	22.4	4.2
4504784	Drill Core	0.036	24.3	10	0.67	708	0.306	6.88	1.510	3.33	27.7	15.4	3.2	2	10.5	0.23	15.4	51.09	5.6	21.3	4.0
4504785	Drill Core	0.036	23.5	8	0.63	677	0.287	6.59	1.425	3.01	40.3	12.8	3.0	2	10.3	0.25	14.7	49.96	5.4	20.5	3.9
4504786	Drill Core	0.037	24.6	10	0.67	697	0.308	6.81	1.504	3.04	31.7	13.4	2.8	2	11.1	0.21	15.6	51.88	5.6	21.3	4.0
4504787	Drill Core	0.038	27.5	9	0.71	731	0.300	7.20	1.526	3.10	28.8	15.5	3.0	2	11.0	0.20	15.8	56.43	6.3	23.7	4.4
4504788	Drill Core	0.035	27.1	10	0.68	682	0.296	7.32	1.512	3.20	42.2	15.7	3.0	2	10.7	0.16	17.0	55.42	6.3	23.9	4.5
4504789	Drill Core	0.035	25.8	9	0.69	651	0.292	7.14	1.536	3.01	64.9	12.5	3.3	2	11.1	0.21	18.4	52.86	5.9	22.9	4.5
4504790	Drill Core	0.035	27.8	9	0.69	636	0.292	7.02	1.524	2.98	42.3	13.5	3.2	2	10.8	0.22	18.9	56.09	6.4	24.4	4.7
4504791	Drill Core	0.037	27.9	11	0.70	685	0.295	7.27	1.536	2.85	27.0	11.8	2.6	2	11.1	0.23	16.0	56.70	6.3	24.1	4.5
4504792	Drill Core	0.037	25.5	10	0.73	721	0.311	7.31	1.545	3.09	50.3	13.6	3.2	2	11.3	0.26	16.9	53.11	5.9	22.6	4.3
4504793	Drill Core	0.032	25.8	10	0.63	647	0.278	6.98	1.506	3.36	36.8	16.2	2.4	2	9.8	0.18	16.2	53.91	5.9	22.3	4.1
4504794	Drill Core	0.035	29.1	9	0.68	689	0.292	7.13	1.498	3.13	56.6	14.9	2.8	2	10.6	0.22	17.5	60.27	6.5	24.5	4.6
4504795	Drill Core	0.039	30.2	12	0.74	754	0.326	7.87	1.598	3.11	17.3	13.8	2.7	2	11.8	0.28	16.6	62.48	6.9	26.1	4.8
4504796	Drill Core	0.038	27.1	11	0.76	772	0.322	7.44	1.568	3.32	34.0	15.0	2.8	2	12.0	0.24	18.0	56.84	6.3	24.5	4.7
4504797	Drill Core	0.034	27.6	9	0.64	655	0.293	7.36	1.587	3.24	26.6	19.2	2.0	2	10.5	0.13	19.0	57.73	6.4	24.3	4.6
4504798	Drill Core	0.035	26.4	9	0.65	650	0.299	7.37	1.594	3.16	14.5	18.5	2.5	2	10.4	0.13	19.4	54.22	6.1	23.4	4.6
4504799	Drill Core	0.036	28.6	10	0.69	695	0.309	7.76	1.700	3.37	15.2	20.2	2.5	2	10.8	0.19	18.2	58.81	6.6	24.5	4.7
4504800	Rock	0.001	2.9	2	0.01	9	0.008	0.13	0.006	0.06	<0.1	3.1	0.1	<1	<0.1	<0.04	0.4	5.62	0.6	2.3	0.3
4504801	Drill Core	0.033	25.7	10	0.62	667	0.274	7.06	1.573	3.18	37.7	21.3	2.1	2	9.9	0.19	17.7	53.51	5.9	22.5	4.3
4504802	Drill Core	0.033	26.1	9	0.62	646	0.272	7.00	1.539	2.71	23.8	16.6	2.2	2	9.7	0.18	13.1	52.47	5.7	21.4	3.8
4504803	Drill Core	0.033	26.7	9	0.62	488	0.275	6.70	1.519	2.53	29.4	16.9	2.2	2	9.8	0.18	14.5	52.91	5.8	22.0	4.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 5 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504774	Drill Core	0.9	3.2	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.66	25.2	112.1	0.5	6.77	5.8	16.58	0.03	<0.002	0.5	1.65
4504775	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.10	1.2	1.0	<0.1	0.26	<0.1	0.18	<0.01	<0.002	<0.3	<0.05
4504776	Drill Core	0.9	3.3	0.4	2.8	0.5	1.4	0.2	1.3	0.2	0.53	25.4	111.0	0.4	6.67	7.3	16.35	0.04	<0.002	1.2	1.49
4504777	Drill Core	0.9	3.4	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.68	26.1	112.3	0.5	6.60	6.7	16.23	0.04	<0.002	0.8	2.91
4504778	Drill Core	0.8	3.1	0.4	2.6	0.5	1.4	0.2	1.3	0.2	0.63	24.9	135.6	0.5	5.66	6.6	14.64	0.02	<0.002	0.8	3.35
4504779	Drill Core	0.9	3.4	0.4	2.9	0.5	1.6	0.2	1.5	0.2	0.73	26.5	141.3	0.5	6.62	6.7	16.15	0.03	<0.002	0.7	2.40
4504780	Rock Pulp	0.7	2.3	0.3	2.3	0.4	1.4	0.2	1.4	0.2	1.32	17.0	38.7	0.2	2.40	1.8	15.76	0.10	0.038	5.4	0.21
4504781	Drill Core	0.9	3.3	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.70	23.2	118.9	0.5	6.44	6.1	15.56	0.03	<0.002	0.5	2.52
4504782	Drill Core	0.9	3.4	0.4	3.0	0.6	1.7	0.2	1.5	0.2	0.73	23.4	116.5	0.6	6.97	5.9	16.47	0.03	<0.002	0.5	3.58
4504783	Drill Core	0.9	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	0.80	23.7	131.8	0.6	7.32	6.6	17.12	0.03	<0.002	0.5	3.83
4504784	Drill Core	0.9	3.5	0.4	3.0	0.6	1.7	0.2	1.6	0.2	0.78	20.6	118.4	0.6	7.28	6.0	16.77	0.03	<0.002	0.7	0.95
4504785	Drill Core	0.9	3.2	0.4	2.8	0.5	1.5	0.2	1.5	0.2	0.63	21.2	113.0	0.5	6.91	5.8	16.12	0.03	<0.002	0.4	0.94
4504786	Drill Core	0.9	3.4	0.4	2.9	0.5	1.6	0.2	1.5	0.2	0.64	21.4	115.3	0.5	7.29	6.0	16.79	0.03	<0.002	0.5	1.07
4504787	Drill Core	1.0	3.7	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.72	19.9	120.9	0.6	7.39	6.8	17.12	0.04	<0.002	0.3	0.91
4504788	Drill Core	1.0	3.9	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.75	19.2	125.8	0.6	7.30	6.5	17.27	0.04	<0.002	0.4	4.82
4504789	Drill Core	0.9	3.9	0.5	3.4	0.7	1.9	0.3	1.8	0.3	0.66	20.7	125.5	0.6	7.31	6.9	17.07	0.04	<0.002	0.5	4.43
4504790	Drill Core	0.9	4.1	0.6	3.5	0.7	1.9	0.3	1.9	0.3	0.68	20.6	122.6	0.6	7.34	6.6	17.07	0.04	<0.002	0.5	4.87
4504791	Drill Core	1.0	3.7	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.59	21.9	120.5	0.5	7.23	6.7	17.04	0.04	<0.002	0.4	2.84
4504792	Drill Core	1.0	3.7	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.67	24.0	126.0	0.6	7.60	6.7	17.48	0.03	<0.002	0.4	2.76
4504793	Drill Core	0.9	3.5	0.5	3.0	0.6	1.6	0.2	1.6	0.2	0.74	21.0	126.7	0.6	7.01	6.5	16.25	0.03	<0.002	0.5	1.63
4504794	Drill Core	0.9	3.8	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.75	23.4	131.1	0.6	7.25	6.7	16.91	0.03	<0.002	0.4	7.70
4504795	Drill Core	1.0	4.0	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.68	46.6	130.4	0.6	7.76	8.0	18.46	0.04	<0.002	0.4	1.53
4504796	Drill Core	1.0	4.0	0.6	3.5	0.7	1.9	0.3	1.8	0.3	0.73	29.4	127.6	0.6	7.83	6.9	17.87	0.04	<0.002	0.4	9.53
4504797	Drill Core	1.0	4.0	0.6	3.5	0.7	2.0	0.3	1.9	0.3	0.92	20.0	125.3	0.7	7.38	6.8	17.11	0.05	<0.002	0.4	1.29
4504798	Drill Core	1.0	4.0	0.6	3.5	0.7	2.0	0.3	1.9	0.3	0.91	18.4	122.0	0.7	7.44	7.1	17.15	0.04	<0.002	0.4	2.62
4504799	Drill Core	1.0	3.9	0.5	3.5	0.7	1.9	0.3	1.8	0.3	0.95	21.6	133.9	0.7	7.70	8.0	18.23	0.03	<0.002	0.4	2.54
4504800	Rock	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.09	1.2	1.0	<0.1	0.25	<0.1	0.18	<0.01	<0.002	<0.3	<0.05
4504801	Drill Core	0.9	3.7	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.95	19.0	126.1	0.6	7.04	7.1	16.48	0.03	<0.002	<0.3	3.04
4504802	Drill Core	0.9	3.0	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.73	18.3	115.3	0.5	6.53	7.0	15.67	0.02	<0.002	0.3	11.08
4504803	Drill Core	0.9	3.3	0.5	2.7	0.5	1.5	0.2	1.4	0.2	0.77	18.4	112.1	0.5	6.60	6.7	15.67	0.02	<0.002	0.4	4.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 5 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000272.1

Method	Analyte	MA250	FA530
		Tl	Au
Unit		ppm	ppm
MDL		0.05	0.9
4504774	Drill Core	0.69	
4504775	Rock	<0.05	
4504776	Drill Core	0.68	
4504777	Drill Core	0.66	
4504778	Drill Core	0.77	
4504779	Drill Core	0.79	
4504780	Rock Pulp	0.56	
4504781	Drill Core	0.66	
4504782	Drill Core	0.66	
4504783	Drill Core	0.73	
4504784	Drill Core	0.64	
4504785	Drill Core	0.64	
4504786	Drill Core	0.64	
4504787	Drill Core	0.68	
4504788	Drill Core	0.69	
4504789	Drill Core	0.67	
4504790	Drill Core	0.65	
4504791	Drill Core	0.64	
4504792	Drill Core	0.70	
4504793	Drill Core	0.66	
4504794	Drill Core	0.70	
4504795	Drill Core	0.82	
4504796	Drill Core	0.76	
4504797	Drill Core	0.69	
4504798	Drill Core	0.65	
4504799	Drill Core	0.70	
4504800	Rock	<0.05	
4504801	Drill Core	0.65	
4504802	Drill Core	0.59	
4504803	Drill Core	0.52	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 6 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504804	Drill Core	3.42	1.621	1.53	65.1	41.40	42.4	294	2.9	7.0	384	2.98	3.4	3.4	13.5	267	0.15	0.83	34.29	54	3.01
4504805	Drill Core	3.65	0.832	2.52	71.6	353.38	78.0	147	2.9	6.7	347	2.82	28.0	3.3	12.7	247	0.49	295.80	40.95	50	2.91
4504806	Drill Core	3.53	0.991	1.53	48.9	65.96	44.7	533	3.0	6.5	368	2.71	7.5	3.0	12.2	234	0.15	3.40	33.95	48	2.63
4504807	Drill Core	3.33	1.873	1.64	40.3	44.05	44.4	611	3.4	6.9	382	2.62	342.9	2.5	11.4	229	0.14	1.83	27.59	47	2.62
4504808	Drill Core	3.40	0.914	7.09	42.1	35.74	47.5	225	2.9	6.3	395	2.75	17.9	2.9	12.2	235	0.17	0.85	23.95	50	2.75
4504809	Drill Core	3.47	0.907	1.27	30.3	41.05	47.5	243	2.9	6.8	437	2.84	8.7	2.9	13.0	239	0.10	0.75	22.90	51	2.82
4504810	Rock Pulp	0.18	2.164	172.79	3221.3	4090.79	6475.4	117298	54.0	18.1	892	5.31	295.7	1.9	2.7	354	34.44	211.63	3.63	117	3.19
4504811	Drill Core	3.61	0.750	0.77	23.4	37.10	52.6	214	3.1	6.8	465	2.93	11.3	2.5	10.9	248	0.11	0.76	14.85	54	2.97
4504812	Drill Core	3.75	0.337	1.16	25.4	24.34	52.3	70	2.9	7.1	477	3.05	9.8	2.3	11.0	255	0.08	0.54	3.30	55	3.07
4504813	Drill Core	3.62	0.162	0.99	34.8	21.87	50.4	105	3.6	7.5	475	2.99	12.4	2.2	9.6	240	0.13	0.49	4.08	59	2.98
4504814	Drill Core	3.49	0.235	1.63	44.5	30.79	43.4	208	3.8	6.5	392	2.82	21.0	2.4	12.1	266	0.11	0.59	6.96	57	2.92
4504815	Drill Core	3.55	1.618	1.78	45.9	33.40	34.9	233	3.2	5.3	297	2.29	10.3	2.8	11.6	208	0.10	0.99	28.93	43	2.26
4504816	Drill Core	3.58	0.654	1.23	43.9	25.36	42.7	122	3.3	7.1	416	2.97	11.5	2.8	12.2	249	0.08	0.44	11.91	55	2.95
4504817	Drill Core	3.54	0.413	0.98	24.3	28.66	54.3	97	3.0	7.4	528	3.14	12.1	2.9	11.6	269	0.06	0.72	9.20	57	3.05
4504818	Drill Core	3.35	0.176	1.26	23.6	24.04	49.7	54	3.6	7.3	499	3.09	2.0	2.6	11.5	258	0.07	0.32	4.63	56	3.05
4504819	Drill Core	3.40	0.379	0.73	24.3	24.04	50.9	71	3.2	7.4	490	3.06	4.1	2.6	11.9	252	0.07	0.31	4.61	57	3.04
4504820	Core DUP		0.317	0.63	23.4	23.48	49.5	78	3.5	7.2	486	3.04	2.4	2.5	11.7	246	0.07	0.30	4.77	56	2.99
4504821	Drill Core	3.62	3.335	1.35	35.7	57.56	51.3	428	3.9	7.5	469	3.02	127.1	2.5	10.8	245	0.17	1.75	65.74	56	3.05
4504822	Drill Core	3.50	0.398	0.84	29.2	29.11	56.7	145	3.2	8.1	509	3.31	21.6	2.4	11.7	268	0.08	0.75	13.42	62	3.21
4504823	Drill Core	3.39	0.616	1.38	25.2	30.11	54.3	441	3.9	8.3	518	3.31	12.7	3.1	13.9	273	0.08	0.83	20.00	63	3.30
4504824	Drill Core	3.42	0.500	0.69	33.9	33.93	52.4	307	4.2	7.7	465	3.10	11.8	2.9	12.9	266	0.12	1.38	16.02	62	3.07
4504825	Rock	0.51	0.008	0.35	1.6	0.86	3.0	<20	1.0	<0.2	13	0.15	<0.2	0.1	0.6	3	<0.02	0.09	<0.04	<2	0.03
4504826	Drill Core	3.47	0.467	0.83	34.8	30.85	49.4	167	3.2	8.0	452	3.12	9.4	3.1	13.1	263	0.07	0.70	12.45	57	3.17
4504827	Drill Core	2.31	2.300	1.24	20.3	43.62	50.1	289	2.8	7.8	495	3.14	12.9	2.7	9.8	257	0.11	1.48	39.51	59	3.11
4504828	Drill Core	3.54	0.556	1.37	27.0	36.40	50.4	329	3.3	8.4	516	3.08	222.8	2.8	10.7	240	0.08	2.94	41.63	57	3.14
4504829	Drill Core	3.12	0.744	0.94	51.0	41.82	48.6	324	3.5	7.5	448	3.06	28.0	2.7	11.5	241	0.15	1.03	37.86	58	2.92
4504830	Rock Pulp	0.18	3.912	17.43	3533.2	3366.62	6712.1	150399	55.9	15.2	798	4.69	41.5	1.5	2.3	443	36.87	287.17	1.29	129	2.82
4504831	Drill Core	3.41	0.909	2.41	53.8	35.10	49.2	542	3.5	8.2	462	3.17	5.9	2.8	11.5	248	0.16	0.66	32.55	62	3.07
4504832	Drill Core	3.43	0.277	0.83	49.3	28.18	48.9	181	3.9	7.0	391	2.84	3.8	2.6	10.5	248	0.28	0.59	17.11	59	3.00
4504833	Drill Core	3.51	2.594	1.04	63.3	26.53	38.7	313	3.0	7.1	362	2.79	5.8	2.6	11.2	239	0.15	0.48	45.62	56	2.95



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 6 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	
4504804	Drill Core	0.037	29.2	9	0.71	626	0.313	7.52	1.710	2.83	37.8	18.3	2.4	2	11.1	0.24	17.8	58.52	6.4	24.1	4.6
4504805	Drill Core	0.035	27.4	9	0.66	635	0.293	7.15	1.588	2.73	18.3	16.2	2.4	2	10.6	0.31	18.0	55.73	6.2	23.2	4.4
4504806	Drill Core	0.034	28.2	9	0.63	757	0.271	7.28	1.482	3.43	28.4	17.2	2.4	2	10.3	0.24	17.7	57.42	6.4	24.3	4.5
4504807	Drill Core	0.033	28.3	9	0.62	710	0.274	6.95	1.434	3.08	16.7	15.7	2.4	2	10.0	0.21	15.6	56.48	6.2	23.4	4.3
4504808	Drill Core	0.035	28.4	9	0.66	687	0.284	7.30	1.533	3.05	37.4	16.0	2.4	2	10.5	0.18	17.9	56.60	6.3	24.1	4.5
4504809	Drill Core	0.035	30.6	10	0.67	698	0.297	7.33	1.540	3.11	19.5	17.1	2.4	2	10.7	0.13	18.6	61.99	6.8	25.3	4.8
4504810	Rock Pulp	0.089	10.3	55	1.31	657	0.253	6.89	2.036	1.80	15.3	40.1	3.5	1	9.2	2.88	12.2	23.52	3.1	13.4	2.8
4504811	Drill Core	0.037	26.4	9	0.71	687	0.318	7.39	1.575	2.98	21.1	16.8	2.4	2	11.2	0.11	17.4	54.49	6.0	22.9	4.4
4504812	Drill Core	0.038	28.6	10	0.74	693	0.329	7.64	1.660	3.06	20.2	17.4	2.5	2	11.5	0.12	17.3	57.49	6.4	24.7	4.6
4504813	Drill Core	0.035	24.9	13	0.82	674	0.302	7.09	1.536	2.81	36.2	17.4	2.9	2	12.4	0.18	18.8	49.87	5.7	23.0	4.7
4504814	Drill Core	0.039	30.4	11	0.75	857	0.316	7.97	1.609	3.99	110.0	18.8	2.6	2	11.7	0.22	16.0	63.21	6.9	26.1	4.7
4504815	Drill Core	0.030	23.2	7	0.57	808	0.230	6.66	1.347	3.53	78.0	18.0	2.1	2	8.8	0.21	14.0	47.10	5.2	19.9	3.8
4504816	Drill Core	0.037	29.9	10	0.74	720	0.325	7.38	1.583	2.96	35.7	18.4	2.6	2	11.4	0.19	18.1	58.98	6.6	24.5	4.6
4504817	Drill Core	0.038	26.4	10	0.77	700	0.340	7.44	1.581	2.79	25.3	17.5	2.9	2	11.7	0.09	18.6	55.19	6.1	23.7	4.7
4504818	Drill Core	0.037	26.6	10	0.74	687	0.326	7.63	1.623	3.01	13.4	19.2	2.3	2	11.6	0.08	17.5	55.13	6.2	23.4	4.6
4504819	Drill Core	0.037	26.9	10	0.77	718	0.330	7.62	1.604	3.15	16.1	18.9	2.3	2	11.7	0.11	18.2	55.76	6.2	23.8	4.5
4504820	Core DUP	0.038	27.2	10	0.76	689	0.326	7.48	1.569	3.07	14.0	18.4	2.3	2	11.7	0.10	17.6	55.94	6.1	23.4	4.4
4504821	Drill Core	0.036	24.5	10	0.74	688	0.323	7.29	1.581	2.89	45.3	16.6	2.4	2	11.4	0.16	16.5	52.16	5.7	22.1	4.3
4504822	Drill Core	0.042	30.0	11	0.84	781	0.355	7.71	1.691	2.85	9.7	17.8	2.8	2	13.4	0.17	18.4	61.65	6.9	25.8	4.9
4504823	Drill Core	0.043	32.5	12	0.86	788	0.370	7.82	1.755	2.91	21.5	19.4	3.4	2	13.6	0.14	19.7	65.43	7.3	27.2	5.0
4504824	Drill Core	0.043	31.5	10	0.86	907	0.336	7.79	1.745	3.40	110.3	20.7	3.0	2	14.3	0.16	17.8	64.75	7.2	26.7	4.9
4504825	Rock	0.001	2.9	2	0.01	18	0.012	0.11	0.005	0.05	0.2	3.8	0.1	<1	0.1	<0.04	0.5	5.80	0.6	2.4	0.3
4504826	Drill Core	0.040	29.2	10	0.79	860	0.341	7.77	1.681	2.93	20.8	18.8	2.9	2	12.6	0.19	18.6	60.43	6.7	25.4	4.8
4504827	Drill Core	0.039	21.6	9	0.77	730	0.342	7.09	1.604	2.76	56.0	17.7	2.4	2	11.6	0.10	16.6	46.70	5.3	20.0	4.0
4504828	Drill Core	0.039	22.6	9	0.75	775	0.313	6.96	1.582	2.69	55.6	17.3	2.7	2	11.5	0.14	16.6	48.68	5.5	21.0	4.2
4504829	Drill Core	0.038	26.2	9	0.76	921	0.320	7.06	1.495	3.05	38.5	17.6	3.1	2	11.6	0.18	16.8	54.33	6.0	22.6	4.4
4504830	Rock Pulp	0.086	8.3	37	1.17	189	0.268	7.06	2.340	1.99	13.0	18.6	2.9	1	8.5	1.21	9.0	18.00	2.3	9.7	2.0
4504831	Drill Core	0.040	27.1	10	0.79	783	0.349	7.11	1.590	2.99	37.7	17.2	3.5	2	12.1	0.16	18.8	58.12	6.4	24.4	4.7
4504832	Drill Core	0.039	24.6	9	0.75	958	0.315	7.12	1.551	3.54	43.7	16.2	3.3	2	11.7	0.17	15.9	51.74	5.9	22.0	4.2
4504833	Drill Core	0.037	26.7	9	0.73	723	0.328	6.96	1.528	3.06	47.0	16.5	3.5	2	11.4	0.17	16.5	55.69	6.2	23.3	4.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 6 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504804	Drill Core	1.0	3.8	0.5	3.3	0.6	1.9	0.3	1.8	0.3	0.89	21.8	122.5	0.7	7.72	7.5	17.61	0.03	<0.002	0.6	5.14
4504805	Drill Core	1.0	3.7	0.5	3.1	0.6	1.8	0.2	1.6	0.2	0.78	20.8	116.6	0.6	7.11	6.5	16.58	0.05	<0.002	0.8	3.28
4504806	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.3	1.8	0.3	0.82	25.5	137.2	0.7	6.75	7.4	16.56	0.03	<0.002	0.3	3.32
4504807	Drill Core	0.9	3.5	0.5	3.0	0.6	1.6	0.2	1.5	0.2	0.74	21.0	126.4	0.5	6.64	6.4	15.95	0.03	<0.002	0.4	4.20
4504808	Drill Core	1.0	3.8	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.78	21.3	129.1	0.6	6.92	6.8	16.26	0.04	<0.002	0.4	3.27
4504809	Drill Core	1.0	4.1	0.6	3.6	0.7	2.0	0.3	1.9	0.3	0.85	19.3	121.4	0.7	7.40	6.9	16.71	0.04	<0.002	<0.3	3.49
4504810	Rock Pulp	0.8	2.6	0.3	2.2	0.4	1.3	0.2	1.2	0.2	1.20	16.3	53.6	0.3	4.70	2.0	15.64	0.40	0.106	8.7	0.40
4504811	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.82	18.7	116.7	0.6	7.73	6.1	17.40	0.04	<0.002	0.4	2.21
4504812	Drill Core	1.0	3.9	0.5	3.3	0.6	1.8	0.2	1.6	0.2	0.81	19.7	120.4	0.6	7.79	6.3	17.64	0.04	<0.002	<0.3	0.43
4504813	Drill Core	1.0	4.1	0.6	3.5	0.7	2.0	0.3	1.8	0.3	0.85	20.4	116.2	0.6	7.19	6.5	16.65	0.06	<0.002	0.4	0.57
4504814	Drill Core	1.0	3.8	0.5	3.1	0.6	1.6	0.2	1.5	0.2	0.89	22.9	156.3	0.6	7.40	8.5	18.18	0.04	<0.002	0.4	0.84
4504815	Drill Core	0.8	3.3	0.4	2.8	0.5	1.5	0.2	1.4	0.2	0.87	18.9	136.5	0.5	6.09	6.8	15.17	0.03	<0.002	0.3	3.73
4504816	Drill Core	1.0	4.0	0.5	3.4	0.6	1.9	0.3	1.7	0.2	0.89	21.6	122.9	0.6	7.52	6.9	17.03	0.03	<0.002	0.5	1.35
4504817	Drill Core	1.0	3.9	0.6	3.5	0.7	1.9	0.3	1.9	0.3	0.89	20.2	113.1	0.7	7.70	7.0	17.16	0.04	<0.002	<0.3	1.15
4504818	Drill Core	1.0	3.7	0.5	3.3	0.6	1.8	0.3	1.6	0.2	0.88	19.1	115.0	0.6	7.43	6.0	17.21	0.04	<0.002	<0.3	0.68
4504819	Drill Core	1.0	4.0	0.5	3.4	0.7	1.9	0.3	1.8	0.2	0.91	20.3	117.5	0.6	7.62	6.6	17.52	0.04	<0.002	<0.3	0.65
4504820	Core DUP	1.0	3.8	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.87	19.8	114.4	0.6	7.49	6.4	16.95	0.04	<0.002	<0.3	0.61
4504821	Drill Core	0.9	3.7	0.5	3.2	0.6	1.8	0.3	1.7	0.2	0.84	21.0	115.3	0.6	7.36	6.8	16.91	0.04	<0.002	0.5	9.02
4504822	Drill Core	1.1	4.1	0.5	3.5	0.7	1.9	0.3	1.7	0.2	0.85	21.6	120.9	0.6	7.97	6.2	17.77	0.04	<0.002	0.4	1.40
4504823	Drill Core	1.1	4.2	0.5	3.6	0.7	2.0	0.3	1.8	0.3	0.92	23.4	128.1	0.7	8.27	6.7	18.13	0.04	<0.002	0.4	2.43
4504824	Drill Core	1.0	4.0	0.5	3.4	0.6	1.8	0.3	1.7	0.2	0.99	23.5	150.2	0.6	7.74	8.0	18.76	0.04	<0.002	0.6	1.66
4504825	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.11	1.1	0.9	<0.1	0.38	<0.1	0.15	<0.01	<0.002	<0.3	<0.05
4504826	Drill Core	1.0	4.0	0.5	3.6	0.7	2.0	0.3	1.8	0.3	0.93	23.7	128.3	0.7	7.84	7.2	17.86	0.03	<0.002	0.4	1.28
4504827	Drill Core	0.9	3.5	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.89	23.6	102.6	0.6	7.76	6.1	17.70	0.04	<0.002	0.5	5.52
4504828	Drill Core	0.9	3.6	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.89	23.1	103.9	0.6	7.18	6.1	16.97	0.04	<0.002	0.5	3.73
4504829	Drill Core	0.9	3.7	0.5	3.2	0.6	1.8	0.2	1.6	0.2	0.85	22.3	123.1	0.6	7.28	6.1	16.78	0.04	<0.002	0.6	3.53
4504830	Rock Pulp	0.7	1.9	0.2	1.7	0.3	1.0	0.1	0.9	0.1	0.60	11.6	51.1	0.3	5.80	1.3	17.36	0.11	0.054	8.0	0.42
4504831	Drill Core	1.0	4.1	0.6	3.7	0.7	2.1	0.3	2.1	0.3	0.95	21.6	114.9	0.8	7.87	6.9	17.21	0.04	<0.002	0.7	3.74
4504832	Drill Core	0.9	3.5	0.5	3.0	0.6	1.7	0.2	1.6	0.2	0.81	22.1	129.9	0.7	7.20	7.5	17.20	0.04	<0.002	0.7	1.79
4504833	Drill Core	1.0	3.7	0.5	3.2	0.6	1.8	0.2	1.6	0.2	0.81	20.8	115.7	0.6	7.45	5.8	16.33	0.04	<0.002	0.7	6.09



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 6 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000272.1

Method	Analyte	MA250	FA530
		Tl	Au
Unit		ppm	ppm
MDL		0.05	0.9
4504804	Drill Core	0.63	
4504805	Drill Core	0.57	
4504806	Drill Core	0.70	
4504807	Drill Core	0.65	
4504808	Drill Core	0.65	
4504809	Drill Core	0.68	
4504810	Rock Pulp	3.65	
4504811	Drill Core	0.65	
4504812	Drill Core	0.65	
4504813	Drill Core	0.63	
4504814	Drill Core	0.82	
4504815	Drill Core	0.71	
4504816	Drill Core	0.67	
4504817	Drill Core	0.67	
4504818	Drill Core	0.64	
4504819	Drill Core	0.68	
4504820	Core DUP	0.65	
4504821	Drill Core	0.65	
4504822	Drill Core	0.67	
4504823	Drill Core	0.70	
4504824	Drill Core	0.80	
4504825	Rock	<0.05	
4504826	Drill Core	0.71	
4504827	Drill Core	0.65	
4504828	Drill Core	0.67	
4504829	Drill Core	0.71	
4504830	Rock Pulp	0.66	
4504831	Drill Core	0.71	
4504832	Drill Core	0.73	
4504833	Drill Core	0.62	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 1 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

# WHI23000272.1

Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
Pulp Duplicates																					
4504691	Drill Core	2.43	4.618	1.91	103.6	20.33	34.2	158	3.5	9.5	407	3.34	53.1	2.0	9.1	243	0.05	1.12	91.79	69	3.24
REP 4504691	QC			2.22	107.7	21.44	34.2	157	3.6	9.4	416	3.39	52.2	2.1	9.2	250	0.07	1.16	96.24	68	3.33
4504724	Drill Core	3.52	3.915	3.89	67.4	80.53	52.2	561	2.9	7.0	430	2.81	33.1	2.3	9.9	186	0.44	6.94	82.95	59	2.74
REP 4504724	QC			3.83	69.8	79.80	53.0	491	4.4	7.3	429	2.84	32.5	2.3	9.2	185	0.42	6.74	82.90	60	2.80
4504759	Drill Core	2.44	2.842	2.09	52.5	61.43	32.6	418	2.9	6.1	347	2.52	33.3	2.6	12.3	198	0.15	1.71	74.48	53	2.40
REP 4504759	QC			2.06	51.0	61.79	32.3	453	3.0	5.9	348	2.53	27.9	2.6	12.1	200	0.16	1.67	73.05	52	2.42
4504794	Drill Core	3.67	2.294	1.58	44.6	46.92	40.0	385	3.0	6.4	380	2.71	7.1	2.5	12.3	249	0.14	3.74	57.96	52	2.77
REP 4504794	QC			1.35	43.4	45.16	40.4	384	3.0	6.7	371	2.64	5.6	2.5	11.8	236	0.13	3.71	50.43	51	2.66
Core Reject Duplicates																					
4504687	Drill Core	3.64	1.828	2.48	112.7	17.92	32.2	119	4.0	9.0	378	3.32	46.4	2.3	10.2	247	0.09	0.70	56.64	70	3.28
DUP 4504687	QC		1.405	2.76	118.0	17.81	33.3	101	4.0	9.3	387	3.43	40.3	2.2	9.4	250	0.09	0.68	45.35	73	3.33
4504721	Drill Core	3.62	4.252	3.28	131.0	45.59	36.9	185	5.4	9.7	433	3.48	23.2	2.5	11.0	241	0.16	2.72	89.30	72	3.07
DUP 4504721	QC		3.147	3.22	132.0	47.40	36.6	198	4.1	9.5	432	3.45	21.6	2.5	10.9	240	0.18	2.64	103.73	73	3.06
4504755	Drill Core	3.27	2.312	3.05	66.2	96.20	44.1	928	2.8	6.1	330	2.51	34.9	2.0	9.8	190	0.43	1.88	59.74	52	2.37
DUP 4504755	QC		2.012	4.28	64.4	96.06	43.8	950	2.8	6.2	324	2.48	30.1	2.1	9.9	198	0.44	1.90	58.70	52	2.41
4504789	Drill Core	1.71	1.200	2.18	49.3	40.44	47.1	283	2.9	6.8	399	2.75	6.6	2.8	11.3	237	0.21	1.30	33.62	52	2.94
DUP 4504789	QC		1.275	2.85	48.7	38.05	48.4	290	3.3	7.1	406	2.83	7.4	2.9	11.6	239	0.24	1.27	31.78	53	2.97
4504823	Drill Core	3.39	0.616	1.38	25.2	30.11	54.3	441	3.9	8.3	518	3.31	12.7	3.1	13.9	273	0.08	0.83	20.00	63	3.30
DUP 4504823	QC		0.855	1.08	26.9	30.95	54.7	186	3.7	8.2	514	3.27	8.8	3.1	13.2	272	0.08	0.83	23.99	63	3.30
Reference Materials																					
STD AGPROOF	Standard																				
STD OREAS263	Standard		0.224																		
STD OREAS233	Standard		1.012																		
STD OREAS263	Standard		0.216																		
STD OREAS233	Standard		1.017																		
STD OREAS25A-4A	Standard			2.33	32.4	24.84	45.3	41	47.4	8.2	492	6.51	9.3	2.7	15.7	48	0.03	0.56	0.41	154	0.30
STD OREAS25A-4A	Standard			2.38	35.4	23.92	43.3	<20	45.1	7.9	511	6.64	9.0	2.7	15.0	49	0.03	0.58	0.38	161	0.31
STD OREAS45H	Standard			1.41	769.1	11.57	38.4	137	434.5	91.3	398	20.14	15.1	1.5	6.8	28	<0.02	0.55	0.19	262	0.13



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 1 of 3 Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
Pulp Duplicates																					
4504691	Drill Core	0.040	22.9	15	0.94	589	0.389	6.73	1.428	2.71	13.9	18.9	5.6	2	13.6	0.39	16.5	46.68	5.5	21.4	4.3
REP 4504691	QC	0.041	23.0	15	0.97	598	0.406	7.07	1.455	2.75	14.8	18.7	5.8	2	14.1	0.39	17.1	47.20	5.6	22.0	4.4
4504724	Drill Core	0.032	23.9	13	0.83	522	0.258	6.05	1.077	2.76	136.2	20.6	5.5	1	12.2	0.38	12.8	48.42	5.7	20.7	3.8
REP 4504724	QC	0.033	22.6	13	0.84	536	0.278	6.01	1.093	2.76	146.6	21.4	5.7	1	11.6	0.38	12.8	44.93	5.2	20.1	3.8
4504759	Drill Core	0.032	24.4	8	0.66	643	0.260	6.14	1.257	3.13	62.7	15.5	3.8	2	10.4	0.30	14.4	51.18	5.6	21.4	4.1
REP 4504759	QC	0.031	24.3	9	0.66	638	0.247	6.27	1.246	3.10	63.9	14.6	3.7	2	10.4	0.29	13.9	50.22	5.6	21.6	4.1
4504794	Drill Core	0.035	29.1	9	0.68	689	0.292	7.13	1.498	3.13	56.6	14.9	2.8	2	10.6	0.22	17.5	60.27	6.5	24.5	4.6
REP 4504794	QC	0.033	28.0	9	0.67	673	0.287	6.74	1.471	3.07	56.5	14.8	2.8	2	10.3	0.21	16.6	57.70	6.2	23.5	4.4
Core Reject Duplicates																					
4504687	Drill Core	0.043	25.2	14	0.96	639	0.414	6.96	1.512	2.85	20.2	19.9	5.9	2	13.5	0.39	16.4	50.35	5.8	22.3	4.3
DUP 4504687	QC	0.044	23.3	15	0.98	656	0.419	7.08	1.576	2.92	21.0	20.6	6.1	2	13.8	0.42	17.3	47.70	5.6	21.6	4.3
4504721	Drill Core	0.042	25.9	13	1.03	761	0.365	6.80	1.264	3.24	84.5	23.1	5.9	2	13.5	0.62	17.7	53.09	6.4	23.3	4.5
DUP 4504721	QC	0.042	25.3	12	1.03	761	0.362	6.87	1.260	3.22	76.1	22.9	5.8	2	13.2	0.61	17.8	51.29	6.3	23.0	4.4
4504755	Drill Core	0.031	22.4	9	0.66	650	0.245	5.91	1.257	2.93	85.8	14.9	4.1	2	10.4	0.35	12.7	48.26	5.2	20.1	3.8
DUP 4504755	QC	0.032	23.2	8	0.66	641	0.249	6.15	1.276	3.09	83.4	14.5	4.2	2	10.7	0.35	12.9	48.10	5.3	20.4	3.8
4504789	Drill Core	0.035	25.8	9	0.69	651	0.292	7.14	1.536	3.01	64.9	12.5	3.3	2	11.1	0.21	18.4	52.86	5.9	22.9	4.5
DUP 4504789	QC	0.036	27.6	12	0.70	634	0.298	7.31	1.553	3.06	70.0	13.3	3.3	2	11.3	0.23	19.4	55.72	6.2	23.8	4.6
4504823	Drill Core	0.043	32.5	12	0.86	788	0.370	7.82	1.755	2.91	21.5	19.4	3.4	2	13.6	0.14	19.7	65.43	7.3	27.2	5.0
DUP 4504823	QC	0.043	30.8	12	0.85	821	0.370	7.73	1.746	2.88	22.7	20.1	3.1	2	13.5	0.13	19.2	62.62	6.9	26.0	4.9
Reference Materials																					
STD AGPROOF	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS25A-4A	Standard	0.047	22.6	109	0.34	149	0.937	8.82	0.133	0.48	1.7	146.7	3.8	<1	13.3	0.05	10.6	47.13	4.9	18.9	3.7
STD OREAS25A-4A	Standard	0.048	23.2	110	0.35	146	0.991	9.46	0.138	0.49	1.9	162.5	3.6	<1	13.3	0.05	11.0	48.86	5.0	19.3	3.7
STD OREAS45H	Standard	0.023	12.7	673	0.25	316	0.909	7.84	0.092	0.20	0.8	121.4	1.8	1	57.1	<0.04	11.9	24.15	2.8	10.9	2.4



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 1 of 3

Part: 3 of 4

# QUALITY CONTROL REPORT

# WHI23000272.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
Pulp Duplicates																					
4504691	Drill Core	1.0	3.8	0.5	3.2	0.6	1.7	0.2	1.6	0.2	0.83	22.3	108.9	0.5	7.58	9.8	15.99	0.03	<0.002	0.8	9.49
REP 4504691	QC	1.0	3.8	0.5	3.3	0.6	1.8	0.2	1.6	0.2	0.81	23.0	113.6	0.5	7.67	10.0	16.22	0.04	<0.002	0.7	10.57
4504724	Drill Core	0.9	3.0	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.85	24.5	120.8	0.5	5.27	8.5	13.77	0.05	<0.002	0.6	8.08
REP 4504724	QC	0.9	3.0	0.4	2.5	0.5	1.3	0.2	1.3	0.2	0.86	24.9	120.6	0.5	5.62	8.6	14.26	0.05	<0.002	0.6	8.36
4504759	Drill Core	0.8	3.4	0.4	2.8	0.5	1.5	0.2	1.5	0.2	0.79	21.4	125.9	0.5	6.12	6.3	15.17	0.02	<0.002	0.4	7.75
REP 4504759	QC	0.8	3.3	0.4	2.8	0.5	1.5	0.2	1.5	0.2	0.74	21.4	126.4	0.5	5.92	6.3	14.80	0.02	<0.002	0.6	8.22
4504794	Drill Core	0.9	3.8	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.75	23.4	131.1	0.6	7.25	6.7	16.91	0.03	<0.002	0.4	7.70
REP 4504794	QC	0.9	3.7	0.5	3.2	0.6	1.8	0.2	1.7	0.2	0.74	22.5	126.9	0.6	7.14	6.7	16.42	0.03	<0.002	0.5	5.31
Core Reject Duplicates																					
4504687	Drill Core	1.0	3.7	0.5	3.3	0.6	1.8	0.2	1.6	0.2	0.92	24.2	111.7	0.6	7.80	9.8	16.83	0.03	<0.002	0.6	6.22
DUP 4504687	QC	1.0	3.8	0.5	3.3	0.6	1.8	0.2	1.7	0.2	0.94	24.6	110.6	0.6	8.09	9.8	17.40	0.03	<0.002	0.9	4.00
4504721	Drill Core	1.0	3.9	0.5	3.4	0.6	1.9	0.3	1.7	0.2	0.98	27.6	132.0	0.7	7.57	10.8	16.09	0.05	<0.002	0.9	7.94
DUP 4504721	QC	1.0	3.7	0.5	3.3	0.6	1.8	0.2	1.7	0.2	0.98	27.5	131.5	0.6	7.55	11.0	15.88	0.05	<0.002	1.0	9.15
4504755	Drill Core	0.8	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	0.69	21.5	114.9	0.5	5.77	6.4	14.42	0.03	<0.002	0.6	5.84
DUP 4504755	QC	0.8	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	0.68	21.7	122.2	0.5	5.84	6.3	14.61	0.03	<0.002	0.5	5.24
4504789	Drill Core	0.9	3.9	0.5	3.4	0.7	1.9	0.3	1.8	0.3	0.66	20.7	125.5	0.6	7.31	6.9	17.07	0.04	<0.002	0.5	4.43
DUP 4504789	QC	1.0	3.9	0.5	3.5	0.7	1.9	0.3	1.8	0.3	0.66	20.9	133.1	0.6	7.38	6.7	17.20	0.04	<0.002	0.6	4.12
4504823	Drill Core	1.1	4.2	0.5	3.6	0.7	2.0	0.3	1.8	0.3	0.92	23.4	128.1	0.7	8.27	6.7	18.13	0.04	<0.002	0.4	2.43
DUP 4504823	QC	1.1	4.2	0.5	3.6	0.7	2.0	0.3	1.8	0.3	0.97	23.1	124.2	0.7	8.30	6.9	18.30	0.04	<0.002	0.4	3.12
Reference Materials																					
STD AGPROOF	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS25A-4A	Standard	0.7	2.8	0.4	2.3	0.4	1.2	0.2	1.3	0.2	3.95	34.9	58.4	1.3	19.04	6.1	24.53	0.08	<0.002	2.5	0.07
STD OREAS25A-4A	Standard	0.7	2.9	0.4	2.3	0.4	1.3	0.2	1.3	0.2	4.23	38.3	64.8	1.5	20.22	6.4	25.68	0.09	<0.002	2.7	0.06
STD OREAS45H	Standard	0.6	2.1	0.3	2.2	0.4	1.2	0.2	1.3	0.2	3.20	13.2	23.6	0.9	13.55	2.2	20.94	0.10	<0.002	2.0	0.10



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 1 of 3

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

Method	MA250	FA530
Analyte	TI	Au
Unit	ppm	ppm
MDL	0.05	0.9
Pulp Duplicates		
4504691	Drill Core	0.68
REP 4504691	QC	0.70
4504724	Drill Core	0.66
REP 4504724	QC	0.69
4504759	Drill Core	0.71
REP 4504759	QC	0.71
4504794	Drill Core	0.70
REP 4504794	QC	0.69
Core Reject Duplicates		
4504687	Drill Core	0.70
DUP 4504687	QC	0.70
4504721	Drill Core	0.71
DUP 4504721	QC	0.70
4504755	Drill Core	0.68
DUP 4504755	QC	0.67
4504789	Drill Core	0.67
DUP 4504789	QC	0.64
4504823	Drill Core	0.70
DUP 4504823	QC	0.72
Reference Materials		
STD AGPROOF	Standard	<0.9
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS25A-4A	Standard	0.35
STD OREAS25A-4A	Standard	0.34
STD OREAS45H	Standard	0.15



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
STD OREAS45H	Standard			1.42	781.7	11.70	39.7	150	440.0	90.9	401	20.45	17.1	1.6	7.0	28	<0.02	0.59	0.22	268	0.14
STD OREAS45H	Standard			1.43	779.5	11.84	38.6	139	458.7	91.2	398	20.49	15.5	1.6	7.1	27	<0.02	0.55	0.25	278	0.14
STD OREAS45H	Standard			1.47	791.0	12.59	40.5	141	447.3	91.8	408	20.65	16.1	1.7	7.5	29	<0.02	0.55	0.20	273	0.14
STD OREAS45H	Standard			1.40	770.4	11.16	38.5	117	431.2	90.4	403	20.48	15.6	1.5	6.5	27	<0.02	0.57	0.20	263	0.14
STD OREAS45H	Standard			1.43	780.4	11.68	38.9	101	437.1	89.2	402	20.80	16.5	1.6	7.0	28	<0.02	0.59	0.20	266	0.14
STD OREAS45H	Standard			1.38	783.4	11.82	39.9	132	447.4	93.9	405	20.36	14.9	1.5	7.0	28	<0.02	0.56	0.27	270	0.14
STD OREAS501D	Standard			95.12	2621.6	24.33	86.4	621	22.0	9.5	372	3.28	11.8	3.4	12.2	204	0.26	2.06	1.24	73	1.74
STD OREAS501D	Standard			92.86	2591.7	24.90	85.2	648	20.7	9.2	362	3.19	12.2	3.3	11.7	195	0.27	2.04	1.29	70	1.68
STD OREAS501D	Standard			98.16	2685.6	25.89	88.1	687	22.6	10.0	379	3.34	11.9	3.7	13.3	209	0.29	2.09	1.40	74	1.79
STD OREAS501D	Standard			94.31	2599.4	24.68	86.3	601	21.6	9.3	364	3.24	10.7	3.7	13.1	208	0.26	2.15	1.27	69	1.75
STD OREAS501D	Standard			95.18	2710.6	25.45	88.7	646	22.6	9.6	377	3.36	10.9	3.7	13.6	211	0.27	2.12	1.43	74	1.81
STD OREASL11	Standard		0.300																		
STD OREASL13	Standard		1.325																		
STD OREASL15	Standard		7.107																		
STD OREASL11	Standard		0.319																		
STD OREASL13	Standard		1.236																		
STD OREASL15	Standard		7.165																		
STD OXN173	Standard		7.487																		
STD OXN173	Standard		7.494																		
STD OXQ132	Standard																				
STD OXQ153	Standard																				
STD OREAS263 Expected			0.214																		
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD OREAS25A-4A Expected				2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65	0.37	157	0.301
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		
STD OREASL15 Expected			7.18																		
STD OXQ132 Expected																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 3

Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
STD OREAS45H	Standard	0.022	12.7	657	0.25	328	0.911	8.12	0.093	0.21	1.2	123.2	1.9	1	58.1	<0.04	9.8	24.24	2.8	10.9	2.4
STD OREAS45H	Standard	0.023	12.7	675	0.25	336	0.890	8.01	0.091	0.20	0.8	117.2	1.9	1	56.4	<0.04	9.5	23.79	2.8	10.9	2.4
STD OREAS45H	Standard	0.022	13.5	680	0.26	351	0.924	7.94	0.092	0.21	0.8	125.7	1.9	1	57.7	<0.04	9.9	25.80	3.0	11.8	2.6
STD OREAS45H	Standard	0.023	12.2	671	0.25	310	0.907	8.12	0.093	0.20	0.8	124.8	1.8	1	57.6	<0.04	9.7	23.31	2.6	10.5	2.3
STD OREAS45H	Standard	0.023	12.8	671	0.25	343	0.897	8.25	0.095	0.21	0.8	122.9	1.9	1	59.6	<0.04	9.8	23.79	2.8	11.0	2.4
STD OREAS45H	Standard	0.023	12.4	662	0.26	320	0.914	7.92	0.099	0.21	0.8	122.7	1.9	1	58.6	<0.04	9.8	23.59	2.8	10.9	2.3
STD OREAS501D	Standard	0.087	30.0	42	0.78	937	0.365	7.21	2.058	3.06	9.3	63.5	4.4	3	8.5	0.37	15.2	62.93	7.5	29.2	6.1
STD OREAS501D	Standard	0.085	26.3	37	0.75	960	0.351	6.79	2.069	3.00	9.6	65.1	4.4	3	8.3	0.36	14.5	59.38	6.9	27.8	5.9
STD OREAS501D	Standard	0.085	32.1	41	0.79	1001	0.376	7.43	2.118	3.14	9.5	64.0	4.5	2	8.9	0.38	16.7	66.77	8.0	31.6	6.5
STD OREAS501D	Standard	0.089	33.0	41	0.78	1014	0.363	7.48	2.292	3.07	9.7	76.0	4.5	3	8.8	0.37	16.1	68.05	7.9	31.6	6.5
STD OREAS501D	Standard	0.092	34.0	40	0.80	972	0.383	7.64	2.160	3.18	9.5	67.9	4.5	3	8.8	0.38	17.4	70.85	8.6	32.6	6.6
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OXN173	Standard																				
STD OXN173	Standard																				
STD OXQ132	Standard																				
STD OXQ153	Standard																				
STD OREAS263 Expected																					
STD OXN173 Expected																					
STD OREAS233 Expected																					
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	0.93	13.7	0.047	10.5	47.3	5.11	18.2	3.55
STD OREASL11 Expected																					
STD OREASL13 Expected																					
STD OREASL15 Expected																					
STD OXQ132 Expected																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 3

Part: 3 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
STD OREAS45H	Standard	0.6	2.2	0.3	2.3	0.4	1.3	0.3	1.3	0.2	3.33	12.9	23.0	0.9	13.72	2.3	21.44	0.10	<0.002	2.0	0.09
STD OREAS45H	Standard	0.6	2.2	0.3	2.3	0.4	1.2	0.2	1.4	0.2	3.19	12.5	22.1	0.9	13.05	2.3	20.55	0.09	<0.002	2.0	0.13
STD OREAS45H	Standard	0.7	2.3	0.4	2.4	0.4	1.3	0.2	1.4	0.2	3.33	13.0	23.7	0.9	13.31	2.4	20.99	0.10	<0.002	2.2	0.11
STD OREAS45H	Standard	0.6	2.1	0.3	2.1	0.4	1.2	0.2	1.4	0.2	3.16	12.8	22.9	0.9	12.99	2.2	20.52	0.10	<0.002	2.1	0.11
STD OREAS45H	Standard	0.6	2.2	0.3	2.3	0.4	1.3	0.2	1.3	0.2	3.33	13.2	23.9	0.9	13.70	2.3	21.23	0.12	<0.002	2.2	0.10
STD OREAS45H	Standard	0.6	2.1	0.3	2.2	0.4	1.2	0.2	1.3	0.2	3.13	12.8	23.8	0.9	13.58	2.2	21.18	0.10	<0.002	1.9	0.11
STD OREAS501D	Standard	1.2	5.2	0.7	3.5	0.5	1.4	0.2	1.2	0.2	1.89	48.4	149.7	0.9	11.55	9.5	19.18	0.07	0.046	2.1	0.24
STD OREAS501D	Standard	1.1	5.2	0.7	3.6	0.5	1.4	0.2	1.2	0.2	2.01	48.5	137.4	1.0	11.03	9.7	18.89	0.07	0.049	2.1	0.22
STD OREAS501D	Standard	1.3	5.7	0.7	3.8	0.6	1.5	0.2	1.3	0.2	1.95	47.4	154.8	0.9	11.42	10.3	19.23	0.08	0.049	2.4	0.23
STD OREAS501D	Standard	1.2	5.5	0.7	3.7	0.6	1.5	0.2	1.2	0.2	1.98	49.9	161.2	1.0	11.38	10.0	19.23	0.07	0.047	2.1	0.20
STD OREAS501D	Standard	1.3	5.5	0.7	3.8	0.6	1.5	0.2	1.3	0.2	1.89	50.7	165.1	1.0	11.83	10.2	19.58	0.08	0.046	2.1	0.27
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OXN173	Standard																				
STD OXN173	Standard																				
STD OXQ132	Standard																				
STD OXQ153	Standard																				
STD OREAS263 Expected																					
STD OXN173 Expected																					
STD OREAS233 Expected																					
STD OREAS25A-4A Expected		0.69	2.68	0.36	2.25	0.43	1.23	0.19	1.3	0.2	4.14	36.7	61	1.4	20.9	6	25.9	0.09		2.4	
STD OREASL11 Expected																					
STD OREASL13 Expected																					
STD OREASL15 Expected																					
STD OXQ132 Expected																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 2 of 3

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250 TI ppm 0.05	FA530 Au ppm 0.9
STD OREAS45H	Standard	0.15	
STD OREAS45H	Standard	0.15	
STD OREAS45H	Standard	0.16	
STD OREAS45H	Standard	0.15	
STD OREAS45H	Standard	0.15	
STD OREAS45H	Standard	0.15	
STD OREAS501D	Standard	0.87	
STD OREAS501D	Standard	0.91	
STD OREAS501D	Standard	0.91	
STD OREAS501D	Standard	0.90	
STD OREAS501D	Standard	0.89	
STD OREASL11	Standard		
STD OREASL13	Standard		
STD OREASL15	Standard		
STD OREASL11	Standard		
STD OREASL13	Standard		
STD OREASL15	Standard		
STD OXN173	Standard		
STD OXN173	Standard		
STD OXQ132	Standard		34.9
STD OXQ153	Standard		34.8
STD OREAS263 Expected			
STD OXN173 Expected			
STD OREAS233 Expected			
STD OREAS25A-4A Expected		0.35	
STD OREASL11 Expected			
STD OREASL13 Expected			
STD OREASL15 Expected			
STD OXQ132 Expected			34.69



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
STD OXQ153 Expected																				
STD OREAS45H Expected			1.55	767	12.2	39.7	147	451	92	405	20.4	16.9	1.68	7.6	28		0.63	0.17	275	0.135
STD OREAS501D Expected			95	2720	25.2	90	664	21	9.57	370	3.37	15.1	3.88	14	212	0.3	2.25	1.26	71	1.85
BLK	Blank	0.008																		
BLK	Blank	0.008																		
BLK	Blank	0.006																		
BLK	Blank	0.006																		
BLK	Blank		<0.05	0.1	0.11	0.7	<20	0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01
BLK	Blank		<0.05	<0.1	0.07	<0.2	<20	<0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01
BLK	Blank	<0.005																		
BLK	Blank	0.008																		
BLK	Blank		<0.05	<0.1	0.05	<0.2	<20	<0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	0.06	<2	<0.01
BLK	Blank		<0.05	<0.1	0.04	<0.2	<20	<0.1	<0.2	<1	<0.01	0.3	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01
BLK	Blank		<0.05	0.5	0.09	0.3	<20	0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	0.06	<2	<0.01
BLK	Blank	<0.005																		
BLK	Blank	<0.005																		
BLK	Blank																			
BLK	Blank		<0.05	<0.1	0.19	0.4	<20	0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01
BLK	Blank		<0.05	<0.1	0.04	<0.2	<20	0.3	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	0.06	<2	<0.01
Prep Wash																				
ROCK-WHI	Prep Blank	0.005	1.39	4.7	3.31	35.9	<20	1.8	3.7	630	2.07	43.2	1.2	2.6	203	0.07	0.14	0.09	33	1.56
ROCK-WHI	Prep Blank	<0.005	1.18	4.3	2.70	33.2	<20	1.3	4.0	672	2.17	17.9	1.2	2.7	218	0.02	0.09	0.07	37	1.69



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 3

Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
STD OXQ153 Expected																						
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215	0.9	126	1.93	1.09	59	0.035	10.4	24.3	2.91	11.2	2.5	
STD OREAS501D Expected		0.087	34.8	45.4	0.827	993	0.359	7.69	2.07	3.01	8.56	62	4.86	2.65	9.47	0.38	15.7	73	8.37	32.6	6.79	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.003	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.05	<0.1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.002	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
Prep Wash																						
ROCK-WHI	Prep Blank	0.038	12.1	5	0.47	762	0.200	6.85	3.352	1.62	0.3	47.6	0.8	<1	6.2	<0.04	15.7	23.69	2.7	10.8	2.3	
ROCK-WHI	Prep Blank	0.039	12.4	3	0.50	787	0.212	7.17	3.447	1.70	0.3	51.0	0.7	1	6.7	<0.04	16.5	24.50	2.8	11.2	2.5	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 3

Part: 3 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05	
STD OXQ153 Expected																						
STD OREAS45H Expected		0.65	2.34	0.39	2.42	0.48	1.44	0.23	1.44	0.21	3.42	13.9	22.5	1	13.8	2.29	21.3	0.1		2.02		
STD OREAS501D Expected		1.44	5.89	0.76	3.76	0.62	1.49	0.19	1.22	0.19	2	51	164	1.09	12.2	10.7	20.8	0.086	0.049			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.2	<0.1	<0.1	<0.04	<0.1	0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
Prep Wash																						
ROCK-WHI	Prep Blank	0.6	2.4	0.4	2.6	0.5	1.7	0.3	1.9	0.3	1.57	2.0	33.6	0.4	5.32	0.3	12.44	0.06	<0.002	<0.3	<0.05	
ROCK-WHI	Prep Blank	0.7	2.5	0.4	2.7	0.6	1.7	0.3	1.9	0.3	1.60	2.1	35.1	0.4	5.50	0.2	13.06	0.03	<0.002	<0.3	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 15, 2023

Page: 3 of 3

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI23000272.1

		MA250	FA530
		Tl	Au
		ppm	ppm
		0.05	0.9
STD OXQ153 Expected			34.78
STD OREAS45H Expected		0.15	
STD OREAS501D Expected		0.91	
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank	<0.05	
BLK	Blank	<0.05	
BLK	Blank		
BLK	Blank		
BLK	Blank	<0.05	
BLK	Blank	<0.05	
BLK	Blank	<0.05	
BLK	Blank		
BLK	Blank		<0.9
BLK	Blank	<0.05	
BLK	Blank	<0.05	
Prep Wash			
ROCK-WHI	Prep Blank	0.16	
ROCK-WHI	Prep Blank	0.16	