



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 08, 2023  
Analysis Start: August 16, 2023  
Report Date: August 22, 2023  
Page: 1 of 5

# CERTIFICATE OF ANALYSIS

WHI23000311.1

## CLIENT JOB INFORMATION

Project: ROG  
Shipment ID: SGD-DC-230724-040  
P.O. Number  
Number of Samples: 112

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP85-250	106	Crush split and pulverize 250g of sample to 200mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
SHP01	112	Per sample shipping charges for branch shipments			VAN
FA430	112	Lead Collection Fire Assay Fusion - AAS Finish	30	Completed	VAN
MA250	112	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
RT001	112	Red Tier - Variable Fees			VAN

## ADDITIONAL COMMENTS

  


---

Martin Wong  
Data Validation Specialist



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 5

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504834	Drill Core	3.41	0.559	4.19	64.6	25.14	44.1	170	3.4	7.5	371	2.92	9.1	2.5	10.3	241	0.26	0.51	16.86	57	2.97
4504835	Drill Core	3.42	0.306	1.52	57.0	21.69	42.8	152	3.8	7.9	431	3.18	3.3	2.8	11.8	258	0.10	0.34	29.66	63	3.22
4504836	Drill Core	3.35	1.094	2.05	61.2	41.08	40.4	591	3.4	7.8	418	3.10	11.8	2.7	11.5	249	0.25	0.90	91.66	61	3.12
4504837	Drill Core	2.34	0.579	1.23	53.5	27.45	44.0	206	2.9	7.9	422	3.10	14.2	2.8	11.0	254	0.17	0.59	35.86	60	3.11
4504838	Drill Core	2.35	0.254	2.62	87.1	35.58	56.0	358	3.7	8.0	450	3.21	74.5	3.1	11.9	261	0.42	3.53	29.79	73	3.31
4504839	Drill Core	0.49	0.239	1.95	64.1	28.18	50.5	296	3.2	7.6	362	3.00	39.3	2.5	10.6	273	0.34	0.56	30.47	59	3.05
4504840	Drill Core	0.42	0.599	2.51	64.5	30.82	46.9	372	3.2	7.6	370	2.99	53.5	2.5	11.1	264	0.25	0.72	83.49	60	3.11
4504841	Drill Core	1.35	0.948	3.29	65.9	33.66	46.3	626	3.2	8.4	442	3.22	19.3	1.4	8.6	256	0.15	0.81	107.44	60	3.10
4504842	Drill Core	2.37	2.960	7.60	118.7	133.40	79.7	1792	7.1	4.7	407	2.03	55.8	1.2	6.2	131	0.91	12.45	266.67	40	1.94
4504843	Drill Core	2.09	0.573	1.63	60.9	43.37	46.5	615	3.5	7.8	450	3.00	6.5	2.5	10.9	245	0.13	1.49	153.18	56	2.95
4504844	Drill Core	3.47	0.400	1.18	66.6	23.54	46.6	235	3.2	8.5	454	3.28	6.9	2.5	10.9	271	0.11	0.45	66.15	61	3.33
4504845	Drill Core	3.58	0.298	1.46	32.1	36.27	68.7	232	3.3	8.4	510	3.26	11.8	2.6	11.6	260	0.22	0.82	34.12	60	3.26
4504846	Drill Core	3.67	1.456	70.05	35.4	45.32	58.5	385	3.3	7.9	487	3.19	7.9	2.4	10.9	249	0.16	1.94	83.30	59	3.15
4504847	Drill Core	3.31	0.171	1.40	28.7	26.65	73.9	157	3.2	8.1	515	3.13	11.4	2.5	10.4	250	0.28	0.60	29.84	59	3.19
4504848	Drill Core	3.54	0.543	1.38	28.7	36.89	71.7	432	3.1	8.4	621	3.33	8.7	2.5	11.2	259	1.18	1.78	69.87	62	3.30
4504849	Drill Core	3.30	0.393	1.15	34.8	31.39	78.2	237	3.4	8.3	520	3.15	24.3	2.5	10.9	277	0.25	0.66	46.87	60	3.23
4504850	Rock	0.54	0.010	0.86	1.4	0.55	1.5	<20	1.2	<0.2	25	0.30	0.4	0.1	0.5	2	<0.02	0.03	0.37	<2	0.02
4504851	Drill Core	2.33	0.971	1.11	31.2	38.76	77.9	357	3.3	8.2	547	3.22	11.6	2.7	11.8	267	0.25	0.71	51.77	60	3.27
4504852	Drill Core	3.51	0.137	1.20	29.4	22.70	78.9	83	2.9	8.7	587	3.36	7.0	2.6	11.0	268	0.20	0.27	23.18	61	3.40
4504853	Drill Core	3.48	0.335	1.23	35.5	28.95	73.2	164	3.4	8.8	553	3.30	87.2	2.5	11.1	256	0.17	0.74	17.89	61	3.26
4504854	Drill Core	2.31	0.966	3.21	38.9	23.89	65.1	97	3.1	8.3	514	3.24	44.3	2.4	10.5	249	0.07	0.84	12.26	59	3.16
4504855	Drill Core	3.25	0.202	1.07	30.3	21.11	74.1	97	3.5	8.5	553	3.29	10.0	2.3	10.1	262	0.17	0.46	33.30	61	3.28
4504856	Drill Core	3.58	0.297	2.29	35.7	33.55	71.8	198	5.6	8.3	534	3.30	23.3	2.5	10.9	259	0.11	0.91	41.23	63	3.21
4504857	Drill Core	3.42	0.254	1.03	34.7	24.23	75.5	127	3.2	8.8	619	3.33	14.9	2.5	11.2	266	0.12	0.47	32.80	62	3.35
4504858	Drill Core	3.31	0.213	1.20	44.0	21.04	69.3	104	3.8	8.5	576	3.23	28.6	2.5	11.1	248	0.21	0.84	8.72	60	3.10
4504859	Drill Core	3.53	0.344	1.25	36.6	16.20	59.4	27	5.5	7.7	476	2.98	14.6	2.5	10.7	237	0.10	0.85	5.90	61	2.86
4504860	Rock Pulp	0.17	0.497	2.09	41.8	9.40	44.6	260	9.5	5.9	663	2.25	2.8	1.2	2.8	199	0.06	0.76	1.35	38	1.78
4504861	Drill Core	3.35	0.109	8.10	62.0	4.74	35.3	58	23.1	4.6	209	1.69	7.6	1.6	3.0	80	0.07	1.55	1.99	72	0.79
4504862	Drill Core	3.28	0.021	4.47	47.9	7.44	47.0	38	16.6	6.8	379	2.48	13.0	1.5	4.5	160	0.07	1.58	1.27	72	1.84
4504863	Drill Core	3.57	0.036	6.16	82.3	6.55	36.1	73	23.7	4.8	214	1.56	10.0	1.5	2.9	80	0.10	2.52	1.10	72	0.81



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 5

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
4504834	Drill Core	0.037	26.2	11	0.75	755	0.326	6.96	1.491	2.89	51.8	17.4	3.4	2	11.5	0.22	16.9	53.12	6.0	22.7	4.4
4504835	Drill Core	0.041	28.4	12	0.84	799	0.363	7.61	1.626	3.00	>200	18.5	3.4	2	12.7	0.18	18.2	58.74	6.5	24.6	4.7
4504836	Drill Core	0.039	29.2	12	0.81	937	0.352	7.29	1.520	3.01	60.5	16.4	4.1	2	12.3	0.21	18.2	59.05	6.6	25.3	4.7
4504837	Drill Core	0.038	27.3	10	0.82	853	0.347	7.38	1.542	3.01	51.0	17.5	3.6	2	12.4	0.18	18.5	55.57	6.2	23.5	4.6
4504838	Drill Core	0.044	30.9	12	0.90	1061	0.376	7.14	1.491	2.82	84.7	17.9	5.1	2	13.7	0.40	18.4	62.48	7.0	26.2	4.9
4504839	Drill Core	0.039	25.4	11	0.79	1006	0.351	7.09	1.563	2.69	99.3	17.3	3.8	2	11.6	0.26	16.1	52.01	5.8	21.8	4.1
4504840	Drill Core	0.039	28.8	11	0.79	1037	0.352	7.38	1.553	2.71	89.6	17.1	4.2	2	12.1	0.22	16.8	57.57	6.4	24.2	4.5
4504841	Drill Core	0.040	26.9	10	0.81	1020	0.346	7.26	1.460	2.82	106.2	15.0	3.4	2	12.4	0.24	15.3	53.47	6.1	23.1	4.3
4504842	Drill Core	0.022	24.6	8	0.58	385	0.150	4.40	0.607	2.69	>200	11.0	3.9	1	7.2	0.38	9.0	45.92	5.2	19.5	3.5
4504843	Drill Core	0.037	26.4	10	0.75	1096	0.319	7.22	1.404	3.03	61.9	30.9	2.3	2	11.4	0.22	16.5	54.26	6.1	23.2	4.4
4504844	Drill Core	0.040	27.1	10	0.82	805	0.358	7.57	1.557	2.85	38.8	29.8	2.7	2	12.5	0.23	17.3	56.71	6.3	23.9	4.5
4504845	Drill Core	0.040	29.1	10	0.81	904	0.347	7.59	1.527	2.81	15.3	51.3	1.5	2	12.3	0.16	17.4	59.17	6.7	25.1	4.7
4504846	Drill Core	0.038	27.4	11	0.80	798	0.332	7.28	1.441	2.69	>200	40.7	1.5	2	12.1	0.22	16.8	54.92	6.2	23.5	4.5
4504847	Drill Core	0.039	25.4	10	0.79	757	0.344	7.26	1.450	2.72	53.6	41.7	1.3	2	12.1	0.13	16.3	52.21	5.8	22.4	4.3
4504848	Drill Core	0.040	28.2	10	0.83	811	0.357	7.59	1.507	2.91	32.9	42.5	1.9	2	12.7	0.13	17.6	57.17	6.4	24.3	4.6
4504849	Drill Core	0.040	27.5	11	0.82	843	0.340	7.55	1.476	2.91	47.3	42.6	1.5	2	12.4	0.16	17.4	55.38	6.2	23.5	4.5
4504850	Rock	0.001	3.2	4	0.01	6	0.009	0.12	0.007	0.05	0.2	3.6	<0.1	<1	0.1	<0.04	0.4	5.38	0.6	2.1	0.3
4504851	Drill Core	0.040	30.2	11	0.82	842	0.348	7.70	1.476	2.91	84.6	42.3	1.4	2	12.6	0.15	18.1	60.04	6.7	25.5	4.8
4504852	Drill Core	0.041	27.9	10	0.83	717	0.362	7.68	1.528	2.80	23.2	42.9	1.1	2	12.7	0.11	18.0	56.36	6.3	23.9	4.6
4504853	Drill Core	0.039	27.0	11	0.82	824	0.345	7.50	1.495	2.72	20.5	41.1	1.2	2	12.4	0.19	17.0	55.82	6.2	23.6	4.5
4504854	Drill Core	0.039	26.6	10	0.81	798	0.339	7.33	1.453	2.58	38.4	41.8	1.2	2	12.3	0.20	16.3	54.23	6.2	23.2	4.3
4504855	Drill Core	0.040	24.2	11	0.82	768	0.357	7.40	1.444	2.68	35.4	43.2	1.1	2	12.8	0.12	17.0	50.18	5.7	21.8	4.2
4504856	Drill Core	0.040	26.8	16	0.83	823	0.418	7.30	1.446	2.77	65.4	60.9	7.2	2	12.4	0.19	16.9	54.82	6.2	23.6	4.5
4504857	Drill Core	0.041	28.9	11	0.84	776	0.359	7.65	1.494	2.63	16.7	43.1	0.9	2	12.9	0.17	17.7	59.21	6.5	25.0	4.7
4504858	Drill Core	0.039	28.4	10	0.81	1187	0.320	7.44	1.417	2.81	21.9	41.3	1.2	2	12.5	0.26	16.2	58.28	6.5	24.2	4.6
4504859	Drill Core	0.043	29.5	12	0.78	874	0.308	6.87	1.276	2.48	44.6	38.1	1.1	2	11.5	0.19	17.0	57.13	6.5	24.3	4.5
4504860	Rock Pulp	0.045	12.5	12	0.49	808	0.203	7.17	3.353	1.77	17.6	51.4	0.9	1	6.7	<0.04	17.3	25.10	2.8	11.5	2.5
4504861	Drill Core	0.078	12.2	33	0.63	875	0.129	1.95	0.358	0.88	15.3	13.1	0.4	<1	3.5	0.18	9.7	23.80	2.8	10.9	2.1
4504862	Drill Core	0.071	16.0	34	0.85	766	0.235	3.86	0.619	1.18	13.4	15.5	0.6	<1	7.6	0.15	10.2	31.89	3.5	13.7	2.6
4504863	Drill Core	0.079	12.0	35	0.58	922	0.140	1.82	0.336	0.68	13.5	13.7	0.4	<1	3.5	0.26	9.1	23.36	2.8	10.8	2.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 5

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504834	Drill Core	1.0	3.7	0.6	3.3	0.6	1.8	0.3	1.7	0.2	0.81	20.5	119.5	0.6	7.25	5.9	16.81	0.04	<0.002	0.5	1.91
4504835	Drill Core	1.0	3.9	0.6	3.4	0.7	1.9	0.3	1.8	0.2	0.87	21.3	125.5	0.7	8.06	6.5	18.54	0.04	<0.002	0.6	3.38
4504836	Drill Core	1.0	4.0	0.6	3.4	0.7	1.9	0.3	1.8	0.3	0.80	20.6	122.3	0.6	7.71	7.0	17.36	0.04	<0.002	0.7	10.21
4504837	Drill Core	1.0	3.9	0.5	3.4	0.6	1.9	0.3	1.8	0.3	0.83	23.3	123.1	0.6	7.71	6.5	17.45	0.04	<0.002	0.6	3.60
4504838	Drill Core	1.2	4.1	0.6	3.6	0.7	2.0	0.3	1.9	0.3	0.89	28.7	127.3	0.7	7.78	7.6	17.37	0.06	<0.002	0.6	2.92
4504839	Drill Core	1.0	3.4	0.5	3.0	0.6	1.7	0.2	1.6	0.2	0.78	27.2	113.1	0.6	7.72	6.3	17.63	0.05	<0.002	0.7	2.68
4504840	Drill Core	1.1	3.8	0.5	3.3	0.6	1.8	0.3	1.7	0.2	0.79	26.3	119.5	0.6	7.52	6.5	17.34	0.04	<0.002	0.6	6.54
4504841	Drill Core	1.0	3.6	0.5	3.0	0.6	1.6	0.2	1.4	0.2	0.59	26.9	112.9	0.5	7.53	6.6	17.29	0.04	<0.002	0.7	8.33
4504842	Drill Core	0.8	2.7	0.3	1.9	0.3	1.0	0.1	0.9	0.1	0.40	21.2	125.7	0.1	2.89	5.6	10.75	0.06	0.005	1.2	13.23
4504843	Drill Core	0.9	3.7	0.5	3.2	0.6	1.8	0.2	1.7	0.2	1.09	21.7	122.7	0.6	7.21	6.9	17.40	0.04	<0.002	0.8	6.18
4504844	Drill Core	1.0	3.8	0.5	3.3	0.6	1.8	0.3	1.7	0.2	1.09	22.6	111.7	0.6	7.77	6.0	17.94	0.04	<0.002	0.7	3.09
4504845	Drill Core	1.0	3.9	0.5	3.3	0.6	1.9	0.3	1.7	0.3	1.43	22.1	113.4	0.6	7.60	5.3	18.08	0.05	<0.002	0.4	2.02
4504846	Drill Core	0.9	3.7	0.5	3.2	0.6	1.7	0.3	1.6	0.2	1.46	23.5	118.4	0.6	7.25	6.2	17.31	0.04	0.006	0.8	5.74
4504847	Drill Core	1.0	3.7	0.5	3.2	0.6	1.8	0.2	1.6	0.2	1.46	19.9	110.6	0.6	7.35	5.2	17.01	0.05	<0.002	0.4	1.13
4504848	Drill Core	1.0	3.8	0.5	3.4	0.6	1.9	0.3	1.7	0.2	1.49	20.3	108.0	0.6	7.57	4.8	17.54	0.04	<0.002	0.5	2.59
4504849	Drill Core	1.0	3.7	0.5	3.3	0.6	1.8	0.3	1.7	0.2	1.41	22.4	113.5	0.6	7.43	5.9	17.72	0.05	<0.002	0.4	1.82
4504850	Rock	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.10	1.1	0.9	<0.1	0.31	<0.1	0.21	<0.01	<0.002	<0.3	<0.05	
4504851	Drill Core	1.0	4.0	0.5	3.4	0.6	1.9	0.3	1.7	0.2	1.46	22.0	112.7	0.6	7.69	5.9	17.89	0.04	<0.002	0.7	3.24
4504852	Drill Core	1.0	3.9	0.5	3.4	0.6	1.8	0.3	1.7	0.2	1.51	20.1	105.5	0.6	7.88	4.8	18.14	0.05	<0.002	0.6	1.51
4504853	Drill Core	1.0	3.8	0.5	3.4	0.6	1.8	0.3	1.7	0.2	1.44	24.2	106.6	0.6	7.46	5.8	17.72	0.04	<0.002	0.5	1.09
4504854	Drill Core	0.9	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.42	23.2	107.8	0.6	7.21	6.0	17.20	0.04	<0.002	0.8	1.13
4504855	Drill Core	0.9	3.6	0.5	3.2	0.6	1.8	0.2	1.7	0.2	1.48	21.9	105.8	0.6	7.60	5.5	17.49	0.04	<0.002	0.4	1.78
4504856	Drill Core	1.0	3.9	0.5	3.3	0.6	1.9	0.3	1.8	0.2	1.87	24.7	106.1	0.6	7.68	5.8	17.54	0.04	<0.002	0.6	3.11
4504857	Drill Core	1.0	3.9	0.5	3.4	0.6	1.9	0.3	1.7	0.2	1.47	24.7	99.8	0.6	7.61	5.3	17.65	0.04	<0.002	0.5	2.11
4504858	Drill Core	0.9	3.7	0.5	3.2	0.6	1.7	0.2	1.6	0.2	1.46	27.0	116.2	0.6	6.85	6.4	17.43	0.04	<0.002	0.7	0.64
4504859	Drill Core	0.9	3.7	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.35	30.7	114.1	0.5	6.78	10.5	16.03	0.03	<0.002	0.5	0.71
4504860	Rock Pulp	0.6	2.6	0.4	2.7	0.6	1.8	0.3	2.0	0.3	1.62	3.2	36.3	0.4	5.34	0.5	13.32	0.03	<0.002	<0.3	0.24
4504861	Drill Core	0.4	2.0	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.37	30.0	51.2	0.2	3.80	3.5	5.01	0.01	<0.002	0.7	0.19
4504862	Drill Core	0.6	2.2	0.3	1.8	0.4	1.0	0.1	0.9	0.1	0.55	38.3	70.9	0.3	4.96	10.2	9.18	0.02	<0.002	0.5	0.12
4504863	Drill Core	0.4	1.9	0.3	1.6	0.3	0.9	0.2	0.8	0.2	0.38	28.6	44.5	0.2	3.97	4.2	4.62	0.01	<0.002	1.0	0.16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 5

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method	MA250
Analyte	Tl
Unit	ppm
MDL	0.05
4504834	Drill Core 0.60
4504835	Drill Core 0.66
4504836	Drill Core 0.66
4504837	Drill Core 0.62
4504838	Drill Core 0.76
4504839	Drill Core 0.64
4504840	Drill Core 0.63
4504841	Drill Core 0.57
4504842	Drill Core 0.72
4504843	Drill Core 0.63
4504844	Drill Core 0.58
4504845	Drill Core 0.59
4504846	Drill Core 0.58
4504847	Drill Core 0.43
4504848	Drill Core 0.40
4504849	Drill Core 0.45
4504850	Rock <0.05
4504851	Drill Core 0.44
4504852	Drill Core 0.37
4504853	Drill Core 0.47
4504854	Drill Core 0.46
4504855	Drill Core 0.39
4504856	Drill Core 0.51
4504857	Drill Core 0.43
4504858	Drill Core 0.57
4504859	Drill Core 0.54
4504860	Rock Pulp 0.17
4504861	Drill Core 0.29
4504862	Drill Core 0.37
4504863	Drill Core 0.32



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 5

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504864	Drill Core	3.28	0.203	5.05	76.9	10.55	47.7	53	25.3	4.8	202	1.67	5.6	1.6	2.9	75	0.18	2.20	1.82	78	0.64
4504865	Drill Core	3.44	0.021	8.39	64.6	3.79	34.2	43	20.2	4.2	195	1.53	10.3	1.3	2.5	57	0.09	2.20	1.11	62	0.59
4504866	Drill Core	2.48	0.103	4.04	75.6	7.60	40.1	62	23.8	4.5	199	1.64	5.8	1.6	3.2	70	0.12	0.77	3.39	83	0.60
4504867	Drill Core	2.32	1.370	5.13	57.4	13.36	48.5	135	32.1	5.3	206	1.54	45.1	2.0	3.2	84	0.20	1.57	14.24	121	0.58
4504868	Drill Core	3.50	0.035	8.06	80.9	6.08	36.5	48	26.1	5.0	210	1.65	15.9	1.8	3.3	84	0.09	0.44	1.04	92	0.70
4504869	Drill Core	3.33	0.012	6.55	64.4	3.57	33.1	37	24.6	4.4	202	1.64	5.6	1.8	3.1	98	0.06	0.26	0.65	79	0.76
4504870	Core DUP		0.013	6.45	67.0	3.78	33.6	41	25.5	4.6	206	1.69	7.4	1.9	3.3	100	0.06	0.32	0.63	80	0.78
4504871	Drill Core	3.50	0.014	7.33	84.9	4.22	32.6	43	28.7	4.9	168	1.66	9.0	1.9	3.2	98	0.08	0.32	0.48	94	0.71
4504872	Drill Core	3.70	0.011	4.46	69.1	5.36	31.2	42	31.7	5.2	173	1.85	7.5	1.9	3.8	106	0.09	0.28	0.55	105	0.78
4504873	Drill Core	3.52	0.184	3.55	97.6	6.31	33.9	87	21.8	4.5	202	1.78	4.4	1.5	2.8	74	0.11	0.50	5.88	60	0.71
4504874	Drill Core	3.42	0.107	16.65	74.1	16.62	84.0	61	43.4	9.2	251	2.50	9.9	2.0	6.5	125	0.21	0.75	4.10	159	0.64
4504875	Rock	0.52	0.006	1.31	1.9	0.47	2.1	<20	1.6	<0.2	29	0.37	<0.2	0.1	0.5	2	<0.02	0.03	0.04	<2	0.01
4504876	Drill Core	3.60	0.055	4.62	91.8	19.60	129.3	39	65.9	12.8	315	3.31	17.9	2.2	8.0	163	0.38	0.64	0.25	249	0.64
4504877	Drill Core	3.55	0.332	1.40	31.1	17.92	67.7	36	9.3	9.5	469	3.45	2.1	2.1	9.6	279	0.10	0.29	4.87	84	3.16
4504878	Drill Core	3.50	0.162	1.28	40.0	15.70	71.7	63	4.8	10.8	560	3.78	4.2	1.9	8.6	300	0.10	0.37	4.95	74	3.79
4504879	Drill Core	3.66	0.307	1.07	26.2	20.98	85.4	102	5.0	11.5	683	4.10	5.3	2.0	8.6	318	0.09	0.46	7.93	81	3.99
4504880	Rock Pulp	0.18	0.851	1.91	18.1	200.71	208.0	1484	16.1	5.5	340	1.23	299.1	1.8	1.8	91	2.07	101.95	0.06	47	16.59
4504881	Drill Core	3.57	0.032	2.86	35.1	23.45	77.8	28	25.5	9.2	407	3.30	9.0	2.0	8.6	226	0.12	0.41	0.81	129	2.07
4504882	Drill Core	3.39	0.088	9.01	68.5	28.20	94.6	111	54.7	10.5	318	2.94	13.1	2.0	7.3	185	0.28	1.32	1.27	244	0.74
4504883	Drill Core	3.63	0.239	3.67	87.2	14.23	63.9	93	37.9	7.5	223	2.49	11.6	1.6	3.8	121	0.19	1.15	3.45	110	0.63
4504884	Drill Core	3.23	0.028	2.86	87.5	6.78	52.0	73	29.0	5.3	347	1.76	12.1	1.7	3.0	105	0.21	1.01	0.54	92	1.02
4504885	Drill Core	3.45	0.072	3.57	69.6	7.13	67.3	65	32.6	5.6	210	1.66	6.2	1.9	3.0	63	0.32	0.83	1.04	122	0.51
4504886	Drill Core	3.32	0.024	5.03	87.0	6.76	57.9	62	34.6	5.9	197	1.68	11.6	2.0	3.4	87	0.27	0.79	0.40	120	0.67
4504887	Drill Core	3.54	0.039	2.74	73.0	3.54	35.9	44	25.5	4.6	174	1.48	58.9	1.6	2.9	86	0.09	0.65	0.48	78	0.75
4504888	Drill Core	3.58	0.016	2.91	87.0	4.88	61.7	75	29.8	5.6	188	1.67	8.5	1.8	3.1	83	0.27	0.89	0.38	106	0.71
4504889	Drill Core	1.71	0.088	5.12	83.2	7.63	48.0	80	25.0	4.9	219	1.61	5.5	1.7	3.0	82	0.17	0.72	0.80	73	0.78
4504890	Drill Core	1.52	0.047	2.43	79.6	5.29	40.4	65	25.0	4.9	218	1.55	5.9	1.7	3.1	85	0.12	0.62	0.53	75	0.78
4504891	Drill Core	3.28	0.013	2.55	79.8	3.11	43.5	50	25.6	4.9	199	1.54	47.5	1.5	3.0	87	0.12	0.53	0.33	75	0.75
4504892	Drill Core	3.47	0.060	3.19	78.4	10.17	45.7	68	26.8	5.1	157	1.50	38.3	1.6	2.9	86	0.16	2.41	0.49	88	0.70
4504893	Drill Core	3.59	0.038	2.60	98.3	3.25	36.6	74	23.2	4.5	152	1.42	16.7	1.4	2.4	90	0.10	0.55	0.37	70	0.70



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 5

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
4504864	Drill Core	0.078	12.1	33	0.60	1020	0.131	1.96	0.397	0.90	11.2	12.2	0.5	<1	3.6	0.25	9.2	23.68	2.8	11.1	2.2
4504865	Drill Core	0.074	10.3	31	0.55	768	0.122	1.74	0.349	0.75	19.6	10.2	0.3	<1	3.2	0.21	8.3	20.40	2.4	9.5	1.8
4504866	Drill Core	0.078	12.9	31	0.55	993	0.141	2.02	0.436	1.14	23.6	13.3	0.4	<1	3.6	0.23	9.7	25.64	3.0	11.7	2.2
4504867	Drill Core	0.081	13.2	37	0.56	1093	0.141	2.21	0.546	1.16	17.1	15.5	0.6	<1	4.3	0.20	9.5	25.08	3.0	12.0	2.3
4504868	Drill Core	0.082	13.3	39	0.62	1030	0.144	2.09	0.395	1.12	15.4	13.5	0.4	<1	3.9	0.24	10.3	25.00	3.0	11.8	2.3
4504869	Drill Core	0.078	12.5	32	0.72	990	0.135	1.99	0.357	0.92	9.0	14.6	0.4	<1	3.5	0.18	10.3	24.03	2.9	11.4	2.2
4504870	Core DUP	0.080	12.8	34	0.74	1025	0.141	2.03	0.363	0.95	9.2	15.0	0.4	<1	3.7	0.19	10.5	25.30	3.0	12.1	2.4
4504871	Drill Core	0.079	12.8	35	0.66	970	0.149	2.03	0.428	0.87	16.8	16.5	0.4	<1	3.8	0.24	10.1	24.77	2.9	11.5	2.3
4504872	Drill Core	0.080	14.6	41	0.69	1005	0.170	2.38	0.522	0.97	11.9	14.7	1.1	<1	4.2	0.21	10.8	27.82	3.2	12.7	2.4
4504873	Drill Core	0.079	11.4	37	0.70	642	0.131	1.63	0.275	0.61	10.9	13.5	0.3	<1	3.2	0.30	9.7	22.88	2.6	10.5	2.1
4504874	Drill Core	0.072	21.9	55	1.03	1347	0.235	4.99	1.007	2.78	17.0	14.8	0.7	1	9.4	0.21	11.4	42.46	5.0	19.5	3.6
4504875	Rock	0.001	2.9	4	0.01	13	0.010	0.10	0.005	0.04	<0.1	3.6	0.1	<1	<0.1	<0.04	0.4	5.37	0.6	2.1	0.3
4504876	Drill Core	0.084	29.0	90	1.34	1551	0.295	7.18	1.610	4.15	1.3	18.0	0.8	2	13.4	0.24	13.3	55.44	6.6	25.5	4.7
4504877	Drill Core	0.044	26.1	18	1.05	1306	0.399	7.41	1.320	2.56	64.5	29.6	0.9	2	13.4	0.11	15.8	52.27	5.9	22.6	4.3
4504878	Drill Core	0.048	23.9	13	1.10	869	0.432	7.87	1.364	2.19	31.7	33.0	1.1	2	14.9	0.21	17.1	49.24	5.7	22.1	4.3
4504879	Drill Core	0.054	24.6	15	1.18	815	0.463	8.11	1.317	2.16	20.3	29.8	1.0	2	15.6	0.14	16.1	49.77	5.7	22.1	4.3
4504880	Rock Pulp	0.054	10.0	43	0.15	226	0.059	1.00	0.010	0.46	103.3	18.7	0.8	<1	2.6	0.04	13.3	13.47	1.9	7.8	1.5
4504881	Drill Core	0.054	25.8	39	1.10	2132	0.336	6.72	1.257	2.82	8.4	18.7	1.3	1	12.8	0.13	13.0	50.13	5.6	21.7	4.0
4504882	Drill Core	0.062	26.1	81	1.21	1221	0.255	6.39	1.377	4.20	6.5	15.8	0.8	2	12.2	0.21	11.1	49.56	5.8	22.1	3.9
4504883	Drill Core	0.062	14.0	55	0.92	605	0.159	3.97	0.886	2.05	3.3	13.0	0.6	<1	6.5	0.32	8.5	28.49	3.4	13.3	2.6
4504884	Drill Core	0.083	13.2	36	0.82	922	0.142	2.00	0.330	0.72	7.8	16.6	0.5	<1	3.8	0.31	9.7	25.34	3.0	11.8	2.3
4504885	Drill Core	0.081	12.7	42	0.55	960	0.130	2.12	0.521	0.82	3.3	14.4	0.4	<1	3.8	0.28	9.0	25.04	3.0	12.0	2.3
4504886	Drill Core	0.085	14.2	41	0.65	1033	0.144	2.33	0.515	0.91	11.6	19.3	0.5	<1	4.2	0.30	9.9	27.02	3.3	13.0	2.5
4504887	Drill Core	0.084	12.3	36	0.65	849	0.147	1.95	0.425	0.69	6.2	16.4	0.4	<1	3.6	0.24	9.5	24.93	2.9	11.2	2.2
4504888	Drill Core	0.087	13.4	37	0.63	929	0.153	2.12	0.555	0.74	5.7	16.1	0.5	<1	4.0	0.30	9.7	26.06	3.1	12.1	2.3
4504889	Drill Core	0.083	12.2	39	0.65	931	0.139	1.95	0.435	0.63	8.6	18.1	0.4	<1	3.6	0.28	9.6	23.95	2.8	11.1	2.2
4504890	Drill Core	0.084	12.9	38	0.65	1019	0.145	1.99	0.456	0.64	8.2	19.6	0.4	<1	3.6	0.27	9.9	25.49	3.0	11.7	2.3
4504891	Drill Core	0.085	13.1	37	0.61	874	0.146	1.93	0.446	0.67	5.9	15.5	0.3	<1	3.6	0.26	10.0	25.94	3.0	11.9	2.3
4504892	Drill Core	0.086	12.8	35	0.59	870	0.140	1.91	0.482	0.71	10.5	19.5	0.5	<1	3.7	0.26	9.5	25.66	3.0	11.8	2.3
4504893	Drill Core	0.079	10.8	30	0.59	802	0.120	1.74	0.361	0.59	3.4	17.1	0.4	<1	3.2	0.30	8.8	21.43	2.5	10.2	2.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 5

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504864	Drill Core	0.4	2.0	0.3	1.6	0.3	0.9	0.1	0.8	0.1	0.36	31.6	55.2	0.2	3.88	4.6	4.94	<0.01	<0.002	1.1	0.23
4504865	Drill Core	0.3	1.7	0.2	1.4	0.3	0.8	0.1	0.7	<0.1	0.26	26.6	51.5	0.2	3.46	3.6	4.46	<0.01	0.002	0.8	0.08
4504866	Drill Core	0.4	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.39	26.6	60.5	0.3	4.17	4.1	5.18	0.01	<0.002	0.8	0.23
4504867	Drill Core	0.4	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.39	27.0	60.9	0.2	4.15	4.0	5.71	<0.01	0.003	1.1	3.13
4504868	Drill Core	0.4	2.1	0.3	1.8	0.3	1.0	0.1	0.9	0.1	0.42	29.9	62.3	0.2	4.19	4.5	5.31	<0.01	<0.002	0.7	0.15
4504869	Drill Core	0.4	2.1	0.3	1.8	0.3	1.0	0.1	0.9	0.1	0.41	31.1	65.9	0.2	4.18	6.3	5.23	0.01	<0.002	0.8	0.06
4504870	Core DUP	0.4	2.1	0.3	1.9	0.4	1.0	0.1	0.9	0.1	0.43	31.6	67.9	0.2	4.38	6.5	5.39	0.01	<0.002	0.7	0.06
4504871	Drill Core	0.5	2.1	0.3	1.8	0.3	1.0	0.1	0.9	0.1	0.42	29.6	63.5	0.3	4.48	5.9	5.11	<0.01	<0.002	0.9	0.05
4504872	Drill Core	0.5	2.2	0.3	1.9	0.4	1.0	0.1	0.9	0.1	0.39	30.5	71.2	0.3	4.94	6.8	5.87	<0.01	0.003	0.9	0.06
4504873	Drill Core	0.4	1.9	0.3	1.6	0.3	1.3	0.1	0.8	0.1	0.37	29.1	49.9	0.2	3.79	5.4	4.27	<0.01	<0.002	1.1	0.74
4504874	Drill Core	0.7	3.0	0.4	2.3	0.4	1.1	0.1	0.8	0.1	0.42	46.4	124.9	0.4	5.49	9.0	12.29	0.02	0.003	1.5	0.28
4504875	Rock	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.10	1.0	0.7	<0.1	0.35	<0.1	0.15	<0.01	<0.002	<0.3	<0.05
4504876	Drill Core	1.0	3.8	0.5	2.9	0.5	1.4	0.2	1.1	0.1	0.49	64.6	161.2	0.4	6.16	10.8	16.93	0.03	0.005	2.6	0.09
4504877	Drill Core	0.9	3.7	0.5	3.0	0.6	1.6	0.2	1.5	0.2	1.13	33.2	112.9	0.6	7.93	13.3	17.81	0.03	<0.002	0.5	0.45
4504878	Drill Core	1.0	3.7	0.5	3.2	0.6	1.7	0.2	1.6	0.2	1.21	28.7	101.2	0.6	8.09	9.1	18.89	0.04	<0.002	0.7	0.63
4504879	Drill Core	1.1	3.8	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.12	27.3	91.4	0.6	8.66	8.2	19.30	0.04	<0.002	0.5	0.70
4504880	Rock Pulp	0.3	1.6	0.2	1.5	0.3	1.0	0.1	0.9	0.1	0.46	14.7	18.8	0.1	1.92	3.6	2.63	0.01	<0.002	0.3	0.17
4504881	Drill Core	0.9	3.2	0.4	2.5	0.5	1.3	0.2	1.1	0.2	0.70	48.9	130.8	0.5	7.13	13.8	15.92	0.02	<0.002	0.6	0.10
4504882	Drill Core	0.9	3.0	0.4	2.3	0.4	1.1	0.1	0.9	0.1	0.41	56.4	161.3	0.3	5.47	9.9	15.50	0.02	0.004	1.7	0.19
4504883	Drill Core	0.6	2.3	0.3	1.7	0.3	0.8	0.1	0.7	<0.1	0.36	41.6	99.8	0.2	3.19	7.8	8.96	0.02	0.002	1.8	0.65
4504884	Drill Core	0.5	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.48	31.6	48.4	0.2	3.91	4.9	5.17	0.01	0.002	1.2	0.07
4504885	Drill Core	0.5	2.1	0.3	1.7	0.3	0.8	0.1	0.7	<0.1	0.38	32.4	45.7	0.2	3.70	3.3	5.36	0.01	0.002	1.5	0.26
4504886	Drill Core	0.5	2.2	0.3	1.9	0.3	0.9	0.1	0.8	0.1	0.54	31.4	56.0	0.2	3.85	4.8	5.87	0.01	0.003	1.3	<0.05
4504887	Drill Core	0.4	2.0	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.47	32.1	49.0	0.2	4.10	4.1	4.94	<0.01	<0.002	1.0	0.08
4504888	Drill Core	0.4	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.42	30.5	46.7	0.2	4.26	3.8	5.48	0.01	0.002	1.3	0.08
4504889	Drill Core	0.4	1.9	0.3	1.6	0.3	0.9	0.1	0.8	0.1	0.46	28.9	42.3	0.2	3.96	3.4	4.91	<0.01	0.003	1.1	0.14
4504890	Drill Core	0.4	2.0	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.50	28.9	43.9	0.2	4.18	3.7	5.04	<0.01	<0.002	0.9	0.06
4504891	Drill Core	0.4	2.0	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.42	29.6	42.2	0.2	4.06	3.7	4.84	<0.01	<0.002	0.8	0.07
4504892	Drill Core	0.5	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.47	30.0	46.8	0.2	3.97	4.1	4.94	0.01	<0.002	0.9	0.05
4504893	Drill Core	0.5	1.9	0.2	1.5	0.3	0.8	0.1	0.7	0.1	0.46	28.0	41.8	0.2	3.28	3.7	4.38	<0.01	<0.002	0.9	<0.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 5

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method	MA250
Analyte	Tl
Unit	ppm
MDL	0.05
4504864	Drill Core 0.41
4504865	Drill Core 0.37
4504866	Drill Core 0.39
4504867	Drill Core 0.40
4504868	Drill Core 0.39
4504869	Drill Core 0.40
4504870	Core DUP 0.42
4504871	Drill Core 0.46
4504872	Drill Core 0.51
4504873	Drill Core 0.37
4504874	Drill Core 0.85
4504875	Rock <0.05
4504876	Drill Core 1.15
4504877	Drill Core 0.60
4504878	Drill Core 0.52
4504879	Drill Core 0.49
4504880	Rock Pulp 0.44
4504881	Drill Core 0.79
4504882	Drill Core 1.18
4504883	Drill Core 0.75
4504884	Drill Core 0.39
4504885	Drill Core 0.41
4504886	Drill Core 0.47
4504887	Drill Core 0.41
4504888	Drill Core 0.42
4504889	Drill Core 0.36
4504890	Drill Core 0.38
4504891	Drill Core 0.38
4504892	Drill Core 0.38
4504893	Drill Core 0.35



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 4 of 5

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504894	Drill Core	3.29	0.054	3.45	94.1	6.14	36.6	79	26.4	5.6	215	1.67	69.8	1.5	2.9	103	0.09	1.59	1.54	78	0.83
4504895	Drill Core	3.68	0.024	2.88	99.5	2.80	34.6	82	23.2	5.2	196	1.61	35.2	1.4	2.6	97	0.09	0.74	0.33	61	0.88
4504896	Drill Core	3.62	0.020	2.79	91.9	9.17	72.1	63	45.1	12.1	348	3.53	23.8	2.1	8.7	213	0.15	1.34	0.91	164	1.70
4504897	Drill Core	3.46	0.044	2.57	75.4	6.84	62.3	35	59.0	12.7	253	3.12	20.4	2.1	7.4	117	0.11	1.84	0.34	218	0.59
4504898	Drill Core	3.54	0.065	3.22	73.8	7.11	66.5	56	58.6	13.2	238	3.20	25.5	2.1	7.3	107	0.12	2.02	0.72	209	0.57
4504899	Drill Core	3.55	0.048	5.17	88.0	8.26	95.4	26	63.9	13.1	265	3.65	19.2	2.1	7.2	134	0.37	1.54	0.38	235	0.66
4504900	Rock	0.55	<0.005	1.31	2.3	0.50	2.0	<20	1.8	0.2	27	0.31	0.4	0.1	0.5	6	<0.02	0.04	<0.04	<2	0.15
4504951	Drill Core	3.41	0.081	4.86	78.9	9.59	83.5	30	60.4	12.0	246	3.13	20.6	2.1	7.1	143	0.35	1.66	1.89	229	0.66
4504952	Drill Core	3.73	0.020	2.90	69.6	8.48	99.8	<20	60.5	12.6	264	3.35	13.8	2.1	7.8	150	0.42	1.13	0.37	230	0.68
4504953	Drill Core	3.53	0.031	2.26	77.6	9.64	83.0	23	56.1	11.9	287	3.28	18.2	1.9	7.5	164	0.21	0.81	0.46	198	0.73
4504954	Drill Core	3.34	0.019	2.73	65.9	10.01	74.6	<20	48.6	10.5	258	3.00	17.3	2.5	8.3	152	0.21	0.58	0.37	163	0.84
4504955	Drill Core	3.76	0.014	2.19	75.6	7.52	85.0	<20	58.4	12.1	263	3.47	19.9	2.1	7.7	149	0.21	0.84	0.43	210	0.57
4504956	Drill Core	3.28	0.024	2.55	93.0	9.40	77.4	36	57.0	11.8	297	3.32	18.5	1.9	7.4	187	0.17	0.71	0.56	202	0.79
4504957	Drill Core	3.67	0.022	2.29	90.6	43.26	103.9	69	51.5	11.2	253	3.26	46.7	2.0	7.3	154	0.46	0.89	0.49	177	0.60
4504958	Drill Core	3.60	0.021	2.26	56.3	6.40	65.3	35	54.1	11.6	273	3.10	25.3	2.1	8.5	148	0.07	0.77	0.39	196	0.52
4504959	Drill Core	3.65	0.015	3.05	79.6	4.23	54.7	53	38.1	8.2	246	2.81	11.6	1.6	5.0	142	0.07	0.38	2.44	115	0.86
4504960	Rock Pulp	0.18	0.566	2.06	43.6	9.19	45.1	234	9.6	5.9	656	2.24	4.1	1.2	2.8	196	0.08	0.70	1.13	36	1.77
4504961	Drill Core	3.69	0.014	3.30	64.6	6.87	74.4	33	46.9	9.9	271	2.80	21.9	2.1	6.2	157	0.23	0.73	0.37	163	0.84
4504962	Drill Core	3.53	0.012	3.19	79.1	5.83	64.3	47	43.8	9.3	210	2.76	33.5	1.9	5.1	114	0.19	0.87	0.36	124	0.67
4504963	Drill Core	3.03	0.014	2.70	62.2	6.51	57.3	41	45.9	9.5	225	2.89	12.5	1.8	5.2	114	0.09	0.90	0.39	139	0.61
4504964	Drill Core	3.66	0.016	2.68	64.3	6.94	60.1	23	50.4	10.8	245	3.03	29.3	1.9	7.3	152	0.07	1.04	0.41	181	0.55
4504965	Drill Core	3.42	0.095	2.42	69.7	9.25	72.2	37	43.3	9.3	258	2.85	28.2	1.7	6.1	152	0.11	0.92	2.64	139	0.66
4504966	Drill Core	3.32	0.020	3.70	78.5	7.56	61.1	34	52.0	11.2	357	3.08	35.6	1.8	7.1	194	0.06	1.01	0.64	176	1.26
4504967	Drill Core	3.55	0.048	2.09	102.3	5.77	60.6	96	29.9	7.9	539	3.05	27.2	1.3	4.0	178	0.09	0.75	4.79	84	1.79
4504968	Drill Core	3.43	0.013	2.27	64.0	6.72	70.2	45	45.6	9.7	239	2.77	19.6	1.7	6.2	130	0.11	0.61	0.45	157	0.60
4504969	Drill Core	3.57	0.079	2.81	58.6	6.56	72.9	49	47.0	10.4	298	3.22	21.6	1.8	6.5	138	0.09	0.57	9.47	150	0.71
4504970	Core DUP		0.060	2.62	59.1	6.65	73.4	43	47.6	10.4	298	3.22	16.8	1.9	6.6	140	0.10	0.58	11.77	153	0.72
4504971	Drill Core	3.54	0.023	1.72	61.2	6.77	79.4	27	48.7	10.8	324	3.46	30.5	1.9	7.6	144	0.06	0.73	0.57	162	0.65
4504972	Drill Core	2.96	0.009	2.08	63.3	6.52	71.1	23	50.3	10.8	264	3.20	19.1	1.9	7.5	141	0.05	0.61	0.84	167	0.66
4504973	Drill Core	3.94	0.013	2.06	68.5	6.42	69.4	47	47.2	10.3	267	3.29	26.1	1.9	6.6	124	0.08	0.57	1.85	156	0.63



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 4 of 5

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
4504894	Drill Core	0.081	12.8	40	0.68	971	0.147	1.93	0.349	0.69	7.0	19.6	0.6	<1	3.6	0.31	9.6	24.70	2.9	11.7	2.3
4504895	Drill Core	0.082	11.3	36	0.67	738	0.135	1.82	0.270	0.58	3.9	18.2	0.4	<1	3.2	0.31	9.3	22.76	2.7	10.6	2.0
4504896	Drill Core	0.080	28.8	65	1.42	706	0.379	7.39	1.258	3.14	4.7	24.2	1.0	2	12.7	0.43	15.4	58.26	6.8	26.3	4.9
4504897	Drill Core	0.078	25.6	78	1.33	598	0.232	6.99	0.993	3.32	1.2	17.3	1.5	2	12.5	0.33	12.5	53.09	6.3	24.3	4.7
4504898	Drill Core	0.081	25.2	77	1.27	502	0.237	7.15	0.846	3.65	1.4	18.1	1.3	2	13.1	0.34	12.0	51.66	6.1	23.9	4.5
4504899	Drill Core	0.091	25.2	80	1.53	484	0.245	6.94	1.056	3.31	1.3	21.9	1.3	2	13.0	0.40	12.5	51.42	6.1	23.8	4.5
4504900	Rock	0.001	2.9	5	0.01	78	0.009	0.12	0.006	0.05	<0.1	3.6	0.1	<1	0.1	<0.04	0.4	5.78	0.6	2.3	0.3
4504951	Drill Core	0.078	25.3	75	1.34	536	0.236	6.22	1.116	3.21	1.3	20.8	1.3	2	12.0	0.36	11.3	51.52	6.0	23.3	4.3
4504952	Drill Core	0.075	26.6	73	1.47	990	0.257	6.89	1.039	3.11	0.9	20.4	1.2	2	13.6	0.30	11.4	52.80	6.1	23.7	4.4
4504953	Drill Core	0.072	26.3	71	1.41	562	0.260	6.69	1.034	3.19	0.9	19.5	1.3	2	12.8	0.36	11.6	51.85	6.0	23.0	4.3
4504954	Drill Core	0.068	23.7	60	1.19	827	0.229	6.13	1.092	2.72	1.1	19.2	1.0	2	10.9	0.30	10.2	46.93	5.4	21.4	4.1
4504955	Drill Core	0.076	25.3	79	1.42	561	0.266	6.78	0.916	3.29	1.0	19.3	1.2	2	13.3	0.36	11.9	51.23	6.1	24.1	4.5
4504956	Drill Core	0.081	25.4	76	1.37	378	0.275	6.54	1.078	3.10	1.0	24.2	1.0	2	12.4	0.39	12.1	50.60	5.9	23.4	4.4
4504957	Drill Core	0.081	24.6	73	1.32	265	0.187	6.19	0.951	3.00	0.9	19.2	1.0	2	11.5	0.50	12.0	50.20	6.0	23.3	4.3
4504958	Drill Core	0.075	27.4	80	1.36	1455	0.239	6.80	1.005	3.42	1.0	18.2	1.3	2	13.2	0.26	11.7	55.35	6.5	25.5	4.7
4504959	Drill Core	0.078	18.2	55	1.21	892	0.211	3.73	0.591	1.46	1.7	25.4	0.6	<1	6.6	0.38	10.4	35.58	4.2	17.0	3.3
4504960	Rock Pulp	0.044	13.3	12	0.49	810	0.205	7.24	3.313	1.73	17.7	51.6	0.9	1	6.7	<0.04	18.0	25.52	2.9	11.9	2.6
4504961	Drill Core	0.086	22.7	64	1.10	977	0.217	4.51	0.853	1.75	1.0	26.9	0.7	1	8.1	0.35	10.5	43.23	5.1	20.0	3.8
4504962	Drill Core	0.088	18.7	55	1.04	352	0.170	4.03	0.769	1.55	1.0	21.5	0.7	1	6.8	0.41	10.5	36.17	4.3	17.4	3.4
4504963	Drill Core	0.080	19.5	55	1.06	457	0.178	4.26	0.710	1.80	1.3	20.5	0.7	1	7.5	0.37	9.6	38.08	4.5	17.7	3.4
4504964	Drill Core	0.083	25.7	75	1.28	514	0.198	6.24	1.007	3.17	1.1	19.5	1.1	2	12.0	0.31	11.8	51.16	6.0	23.7	4.5
4504965	Drill Core	0.082	21.1	70	1.12	410	0.182	5.23	0.991	2.57	1.3	18.1	0.9	1	9.2	0.36	10.4	42.92	5.0	19.8	3.9
4504966	Drill Core	0.084	25.0	75	1.44	393	0.244	6.22	0.918	2.74	2.3	27.6	0.8	2	11.2	0.35	11.8	49.17	5.8	22.9	4.4
4504967	Drill Core	0.073	15.7	45	1.60	249	0.164	4.26	0.482	1.49	12.0	18.4	0.6	<1	6.6	0.44	10.9	30.09	3.5	14.0	2.8
4504968	Drill Core	0.077	22.0	67	1.09	392	0.230	5.15	0.722	2.17	0.9	20.9	0.8	2	9.2	0.32	9.7	43.06	5.1	20.3	3.7
4504969	Drill Core	0.082	24.7	68	1.24	1054	0.253	5.33	0.867	2.15	0.9	19.8	0.8	1	9.4	0.29	10.4	47.14	5.4	21.2	4.0
4504970	Core DUP	0.083	24.7	68	1.25	919	0.262	5.51	0.881	2.18	0.9	19.8	0.8	1	9.6	0.28	10.6	47.09	5.5	21.7	4.1
4504971	Drill Core	0.086	27.0	72	1.43	730	0.259	6.57	0.926	2.78	0.9	19.5	1.1	2	12.0	0.29	11.7	52.67	6.2	24.4	4.5
4504972	Drill Core	0.080	26.4	72	1.34	835	0.258	6.43	0.991	2.77	1.1	21.7	1.0	2	11.5	0.25	11.7	52.09	6.1	23.8	4.5
4504973	Drill Core	0.081	23.2	70	1.26	517	0.248	5.78	0.840	2.45	1.0	19.5	0.9	2	10.4	0.30	10.7	46.52	5.4	21.4	4.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 4 of 5

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504894	Drill Core	0.4	2.0	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.59	29.7	48.7	0.2	4.14	4.7	4.94	<0.01	<0.002	1.1	0.11
4504895	Drill Core	0.4	1.9	0.2	1.6	0.3	0.9	0.1	0.8	0.1	0.50	29.4	41.4	0.2	3.74	3.9	4.48	<0.01	<0.002	1.2	<0.05
4504896	Drill Core	1.1	4.0	0.5	3.1	0.5	1.4	0.2	1.2	0.2	0.66	71.2	141.5	0.5	7.50	14.9	17.67	0.03	0.002	2.5	0.11
4504897	Drill Core	1.0	3.7	0.5	2.7	0.5	1.2	0.2	1.0	0.1	0.47	70.7	136.2	0.3	4.20	9.6	17.22	0.03	0.004	2.6	0.08
4504898	Drill Core	0.9	3.7	0.5	2.7	0.5	1.2	0.2	1.0	0.1	0.49	73.6	145.6	0.3	4.25	11.5	17.53	0.03	0.003	2.7	0.12
4504899	Drill Core	0.9	3.7	0.5	2.6	0.5	1.2	0.2	1.0	0.1	0.57	77.2	149.1	0.3	4.54	12.6	17.18	0.03	0.005	3.5	0.08
4504900	Rock	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.11	1.2	0.9	<0.1	0.33	<0.1	0.19	<0.01	<0.002	<0.3	<0.05
4504951	Drill Core	1.0	3.4	0.4	2.5	0.4	1.1	0.1	0.9	0.1	0.57	69.5	142.3	0.3	4.59	10.5	15.78	0.03	0.005	2.9	0.23
4504952	Drill Core	0.9	3.3	0.4	2.5	0.4	1.1	0.1	0.9	0.1	0.53	73.8	140.8	0.3	4.85	11.4	17.13	0.03	0.004	3.2	0.09
4504953	Drill Core	0.9	3.5	0.5	2.5	0.4	1.1	0.1	0.9	0.1	0.51	70.4	148.3	0.3	5.01	11.8	16.38	0.03	0.003	2.4	0.07
4504954	Drill Core	0.9	3.3	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.56	65.1	135.9	0.3	4.53	12.8	14.21	0.02	0.003	2.2	0.10
4504955	Drill Core	0.9	3.6	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.51	73.7	149.5	0.3	5.05	14.3	17.04	0.03	0.003	2.5	0.09
4504956	Drill Core	1.0	3.6	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.60	69.2	150.4	0.3	5.20	14.7	15.62	0.03	0.003	2.4	0.10
4504957	Drill Core	0.9	3.5	0.5	2.5	0.4	1.1	0.1	0.9	0.1	0.52	67.9	137.7	0.2	3.65	12.2	15.19	0.05	0.003	2.5	0.08
4504958	Drill Core	0.9	3.6	0.5	2.7	0.5	1.2	0.1	0.9	0.1	0.51	75.9	137.9	0.3	4.49	10.4	17.36	0.02	0.003	1.4	0.07
4504959	Drill Core	0.7	2.9	0.4	2.1	0.4	1.0	0.1	1.0	0.1	0.66	55.5	94.8	0.3	4.95	10.7	8.94	0.02	<0.002	1.7	0.15
4504960	Rock Pulp	0.6	2.6	0.4	2.8	0.6	1.8	0.3	2.0	0.3	1.65	3.2	37.7	0.4	5.45	0.5	12.93	0.03	<0.002	0.4	0.27
4504961	Drill Core	0.8	3.0	0.4	2.3	0.4	1.0	0.1	0.9	0.1	0.70	59.9	96.5	0.3	5.14	9.8	11.03	0.02	0.003	1.8	0.08
4504962	Drill Core	0.7	2.9	0.4	2.1	0.4	1.0	0.1	0.8	0.1	0.59	56.4	85.4	0.2	3.93	8.9	9.42	0.02	<0.002	1.8	0.06
4504963	Drill Core	0.8	2.9	0.4	2.1	0.4	0.9	0.1	0.8	0.1	0.55	54.9	96.6	0.3	4.16	9.4	10.12	0.02	0.003	1.5	0.06
4504964	Drill Core	1.0	3.6	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.52	71.3	135.8	0.2	3.77	10.9	15.73	0.02	0.002	1.6	0.08
4504965	Drill Core	0.9	3.2	0.4	2.4	0.4	1.0	0.1	0.8	0.1	0.48	58.1	120.5	0.2	3.46	8.8	12.15	0.02	<0.002	1.4	0.24
4504966	Drill Core	0.9	3.6	0.5	2.6	0.5	1.2	0.1	1.0	0.1	0.70	73.9	142.9	0.3	4.77	14.7	14.41	0.02	0.003	1.5	0.11
4504967	Drill Core	0.6	2.4	0.3	2.0	0.4	1.0	0.1	0.9	0.1	0.50	54.0	92.7	0.2	3.29	13.2	9.48	0.02	<0.002	2.0	0.27
4504968	Drill Core	0.8	3.0	0.4	2.2	0.4	1.0	0.1	0.8	0.1	0.54	58.2	100.1	0.3	4.70	10.5	12.32	0.02	0.002	1.5	0.08
4504969	Drill Core	0.9	3.3	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.53	66.4	107.9	0.4	5.49	11.5	12.63	0.02	0.002	1.3	0.41
4504970	Core DUP	0.9	3.3	0.4	2.4	0.4	1.0	0.1	0.8	0.1	0.53	68.3	111.7	0.4	5.45	11.8	12.78	0.02	0.002	1.3	0.36
4504971	Drill Core	1.0	3.6	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.58	77.0	123.3	0.3	4.81	13.5	15.55	0.02	<0.002	1.4	0.06
4504972	Drill Core	0.9	3.7	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.55	74.5	130.3	0.3	4.99	14.3	14.94	0.02	0.002	1.3	0.06
4504973	Drill Core	0.9	3.2	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.57	71.2	116.4	0.3	5.04	12.3	13.55	0.02	<0.002	1.2	0.16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 4 of 5

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method	MA250
Analyte	Tl
Unit	ppm
MDL	0.05
4504894	Drill Core 0.43
4504895	Drill Core 0.37
4504896	Drill Core 1.14
4504897	Drill Core 1.07
4504898	Drill Core 1.17
4504899	Drill Core 1.27
4504900	Rock <0.05
4504951	Drill Core 1.23
4504952	Drill Core 1.18
4504953	Drill Core 1.21
4504954	Drill Core 1.09
4504955	Drill Core 1.24
4504956	Drill Core 1.23
4504957	Drill Core 1.12
4504958	Drill Core 1.12
4504959	Drill Core 0.82
4504960	Rock Pulp 0.17
4504961	Drill Core 0.83
4504962	Drill Core 0.73
4504963	Drill Core 0.83
4504964	Drill Core 1.07
4504965	Drill Core 0.98
4504966	Drill Core 1.15
4504967	Drill Core 0.74
4504968	Drill Core 0.84
4504969	Drill Core 0.91
4504970	Core DUP 0.94
4504971	Drill Core 1.05
4504972	Drill Core 1.05
4504973	Drill Core 0.98



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 5 of 5

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
4504974	Drill Core	3.65	0.025	2.08	46.1	6.67	63.6	20	51.9	11.2	245	3.02	26.0	1.8	7.5	142	0.06	0.83	1.26	186	0.67
4504975	Rock	0.50	<0.005	1.55	2.1	0.47	2.7	<20	1.8	0.2	34	0.36	0.9	0.1	0.6	16	<0.02	0.03	<0.04	<2	0.21
4504976	Drill Core	3.51	0.032	2.76	80.2	5.60	48.9	62	40.2	8.8	211	2.79	10.2	1.4	4.3	115	0.06	0.80	5.87	114	0.68
4504977	Drill Core	3.58	0.164	2.11	76.6	7.04	46.0	94	40.2	8.5	318	2.52	19.4	1.6	5.5	167	0.13	0.61	13.81	118	1.05
4504978	Drill Core	3.40	0.032	2.60	64.7	4.28	46.4	56	33.0	7.5	256	2.13	13.8	1.8	4.9	133	0.09	0.46	0.92	96	0.92
4504979	Drill Core	3.43	0.028	2.79	68.9	5.02	39.2	51	39.5	7.4	173	2.02	13.1	2.0	5.5	111	0.11	0.56	0.85	132	0.67
4504980	Rock Pulp	0.18	0.799	1.99	20.5	221.18	217.9	1520	16.9	5.6	357	1.23	305.3	2.0	2.0	94	2.14	107.03	0.05	47	17.82
4504981	Drill Core	3.99	0.040	6.38	82.3	5.41	70.8	92	47.0	6.3	203	1.83	11.8	3.4	3.9	93	0.39	0.50	0.29	216	0.68
4504982	Drill Core	3.39	0.025	4.92	57.0	4.43	35.1	119	29.5	4.8	98	1.34	5.2	1.9	2.0	54	0.15	0.62	1.67	95	0.32
4504983	Drill Core	3.53	0.013	3.21	49.4	2.96	36.0	65	26.7	4.7	98	1.26	5.7	1.9	2.0	60	0.16	0.52	0.37	87	0.31
4504984	Drill Core	3.22	0.025	2.89	50.1	2.91	45.0	88	29.3	5.0	101	1.33	12.2	1.7	2.1	53	0.23	1.32	0.26	97	0.30
4504985	Drill Core	3.60	0.014	2.88	57.4	3.41	49.9	93	29.0	4.8	92	1.26	7.3	1.8	2.0	50	0.32	1.03	0.48	90	0.31
4504986	Drill Core	3.48	0.016	14.92	198.5	5.97	143.4	217	111.5	10.5	136	2.87	20.3	6.0	3.6	82	1.23	0.94	3.09	416	0.43
4504987	Drill Core	3.37	0.206	25.05	138.8	4.31	62.5	163	86.3	7.0	139	2.36	17.7	7.0	3.8	104	0.33	0.69	1.89	465	0.77
4504988	Drill Core	3.62	0.114	2.71	73.5	5.56	71.1	30	53.5	12.0	254	3.26	19.8	2.1	7.1	118	0.12	0.85	0.62	180	0.45
4504989	Drill Core	1.70	0.047	4.28	84.8	8.83	75.8	66	60.3	12.4	258	3.08	17.0	2.4	7.3	144	0.25	1.48	0.78	190	0.64
4504990	Drill Core	1.57	0.034	3.66	84.4	8.03	74.8	64	59.3	12.2	260	3.11	14.9	2.3	7.1	144	0.22	1.35	0.70	184	0.63
4504991	Drill Core	3.62	0.023	3.35	88.1	7.50	95.8	49	62.9	13.7	304	3.45	9.7	2.3	7.8	148	0.29	1.18	0.50	206	0.57
4504992	Drill Core	3.60	0.053	1.88	71.6	5.23	61.0	38	51.7	11.1	316	3.20	29.2	1.9	8.2	170	0.06	0.98	0.43	181	0.53
4504993	Drill Core	3.39	0.128	2.06	57.5	6.66	63.8	34	55.5	11.4	308	3.33	23.8	1.8	7.5	180	0.09	1.00	0.40	187	0.56
4504994	Drill Core	2.28	0.049	1.94	59.6	4.52	58.6	24	52.7	11.3	306	3.18	25.1	1.8	7.7	141	0.06	0.85	0.41	171	0.48
4504995	Drill Core	2.39	0.067	2.42	79.2	8.05	70.2	36	54.3	11.4	252	3.25	20.3	1.9	7.4	115	0.19	1.21	0.55	183	0.49



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 5 of 5

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
4504974	Drill Core	0.076	26.1	75	1.30	2262	0.264	6.74	0.921	3.13	1.2	22.6	0.9	2	12.4	0.21	10.9	50.38	5.8	23.2	4.3
4504975	Rock	0.002	3.2	6	0.03	669	0.011	0.16	0.006	0.08	<0.1	4.4	0.1	<1	0.2	<0.04	0.6	6.30	0.7	2.9	0.4
4504976	Drill Core	0.065	17.2	54	1.01	936	0.177	3.71	0.569	1.54	1.0	18.7	0.5	<1	6.5	0.37	8.5	32.51	3.8	14.9	2.9
4504977	Drill Core	0.074	20.2	56	1.25	664	0.181	4.23	0.666	1.75	5.1	19.1	0.8	1	7.6	0.30	10.2	38.46	4.4	17.6	3.3
4504978	Drill Core	0.075	18.2	51	0.92	717	0.152	3.43	0.648	1.25	4.8	18.1	0.7	1	6.1	0.31	9.7	35.75	4.1	16.5	3.2
4504979	Drill Core	0.083	21.0	51	0.74	493	0.136	3.46	0.640	1.41	1.2	21.8	0.8	1	5.9	0.39	9.6	39.66	4.6	18.0	3.3
4504980	Rock Pulp	0.060	11.0	44	0.16	242	0.062	0.99	0.010	0.49	111.4	18.3	0.8	<1	2.7	<0.04	14.6	14.61	2.0	8.4	1.6
4504981	Drill Core	0.086	16.4	57	0.63	653	0.136	2.77	0.316	1.13	1.3	34.1	0.5	<1	5.4	0.35	10.2	29.25	3.8	15.2	2.9
4504982	Drill Core	0.048	7.9	25	0.39	1065	0.066	1.70	0.227	0.72	0.8	21.6	0.3	<1	3.5	0.34	5.7	15.29	1.9	7.6	1.5
4504983	Drill Core	0.048	7.9	26	0.39	1058	0.070	1.69	0.278	0.69	0.7	21.1	0.4	<1	3.5	0.25	5.6	15.26	1.9	7.5	1.5
4504984	Drill Core	0.051	8.0	27	0.38	1077	0.068	1.73	0.215	0.74	0.8	22.4	0.3	<1	3.6	0.36	5.7	15.18	1.9	7.6	1.5
4504985	Drill Core	0.053	7.9	26	0.37	1005	0.059	1.68	0.239	0.71	0.6	21.2	0.4	<1	3.4	0.36	5.5	15.16	1.9	7.6	1.6
4504986	Drill Core	0.066	14.6	92	0.66	104	0.107	3.00	0.388	1.41	0.6	52.2	0.5	2	7.6	0.85	9.2	24.72	3.7	15.1	2.9
4504987	Drill Core	0.155	19.7	59	0.68	520	0.127	2.77	0.490	1.13	1.5	42.8	0.7	1	5.5	0.56	11.9	33.22	4.8	19.0	3.9
4504988	Drill Core	0.068	23.9	66	1.18	360	0.207	6.21	0.629	2.67	0.8	28.2	1.2	2	11.5	0.45	9.9	49.96	6.0	23.1	4.4
4504989	Drill Core	0.067	25.7	61	1.15	318	0.161	6.01	0.979	2.52	0.9	33.8	1.3	2	10.7	0.52	10.1	51.88	6.3	24.2	4.5
4504990	Drill Core	0.067	24.8	60	1.17	321	0.160	6.00	0.965	2.56	0.8	34.3	1.3	2	10.9	0.53	10.0	50.68	6.1	23.6	4.4
4504991	Drill Core	0.066	26.6	72	1.35	314	0.167	7.07	0.890	3.00	0.8	37.1	1.1	2	13.4	0.55	10.6	54.92	6.7	25.6	4.8
4504992	Drill Core	0.069	28.2	73	1.32	1040	0.239	7.31	0.894	3.16	0.9	27.8	1.3	2	13.6	0.29	10.5	56.72	6.7	25.5	4.7
4504993	Drill Core	0.065	26.4	75	1.32	1183	0.227	6.90	1.081	3.16	1.2	24.0	1.7	2	13.3	0.33	9.8	52.80	6.3	23.6	4.4
4504994	Drill Core	0.068	26.8	68	1.30	782	0.225	7.07	0.783	3.22	0.9	24.2	1.5	2	13.2	0.27	10.2	53.68	6.2	24.4	4.6
4504995	Drill Core	0.070	22.8	68	1.22	225	0.161	6.73	0.709	3.17	0.7	30.8	1.3	2	12.3	0.65	10.3	48.21	5.9	23.5	4.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 5 of 5

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

# WHI23000311.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
4504974	Drill Core	0.8	3.3	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.57	73.7	140.4	0.3	4.85	15.1	15.69	0.02	0.003	1.1	0.12
4504975	Rock	<0.1	0.2	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.18	1.5	1.4	<0.1	0.46	<0.1	0.30	<0.01	<0.002	<0.3	<0.05
4504976	Drill Core	0.6	2.5	0.3	1.8	0.3	0.8	0.1	0.7	<0.1	0.53	55.8	98.3	0.2	3.90	11.7	8.52	0.02	0.002	1.3	0.25
4504977	Drill Core	0.7	3.1	0.4	2.1	0.4	1.0	0.1	0.9	0.1	0.54	51.9	96.3	0.3	4.15	12.7	10.16	0.02	<0.002	1.4	0.40
4504978	Drill Core	0.7	2.7	0.3	2.0	0.3	0.9	0.1	0.8	0.1	0.53	43.2	67.1	0.2	3.76	6.9	8.30	0.02	<0.002	1.3	0.08
4504979	Drill Core	0.7	2.7	0.4	2.0	0.3	0.9	0.1	0.7	0.1	0.58	40.8	70.7	0.2	3.33	6.1	8.37	0.01	0.003	1.6	0.07
4504980	Rock Pulp	0.4	1.7	0.2	1.6	0.3	1.0	0.1	0.9	0.1	0.48	15.9	19.9	0.1	2.00	3.9	2.73	0.01	<0.002	0.3	0.16
4504981	Drill Core	0.7	2.8	0.4	2.0	0.4	1.0	0.1	0.9	0.1	0.77	40.5	55.6	0.2	3.16	6.3	7.11	0.01	0.009	2.8	0.05
4504982	Drill Core	0.3	1.4	0.2	1.1	0.2	0.6	<0.1	0.6	<0.1	0.55	32.4	37.9	<0.1	1.71	4.1	4.76	<0.01	0.003	2.0	0.08
4504983	Drill Core	0.3	1.3	0.2	1.0	0.2	0.6	<0.1	0.5	<0.1	0.52	32.8	36.1	<0.1	2.13	3.7	4.51	<0.01	0.004	1.6	0.09
4504984	Drill Core	0.3	1.3	0.2	1.1	0.2	0.6	<0.1	0.6	<0.1	0.53	32.5	38.8	0.1	1.83	4.1	4.66	<0.01	0.006	1.6	0.06
4504985	Drill Core	0.3	1.4	0.2	1.1	0.2	0.5	<0.1	0.5	<0.1	0.50	32.2	37.5	<0.1	1.35	3.7	4.49	<0.01	0.006	2.0	0.08
4504986	Drill Core	0.6	2.3	0.3	1.8	0.3	0.9	0.1	1.0	0.2	1.18	37.7	77.4	0.2	3.20	8.8	9.88	0.02	0.022	9.0	0.17
4504987	Drill Core	0.8	3.1	0.4	2.3	0.4	1.2	0.2	1.3	0.2	1.06	31.0	70.4	0.3	3.99	6.8	7.86	0.02	0.030	7.0	0.13
4504988	Drill Core	0.9	3.5	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.72	64.3	127.3	0.3	4.04	13.0	15.12	0.03	0.003	2.2	0.11
4504989	Drill Core	1.0	3.4	0.4	2.4	0.4	1.0	0.1	0.9	0.1	0.87	53.9	115.2	0.2	3.37	8.8	14.56	0.03	0.008	3.1	0.10
4504990	Drill Core	1.0	3.4	0.4	2.3	0.4	1.0	0.1	0.8	0.1	0.90	55.6	121.6	0.2	3.20	9.4	14.84	0.03	0.009	3.1	0.09
4504991	Drill Core	1.0	3.7	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.99	66.5	128.4	0.2	3.05	9.7	17.22	0.03	0.006	3.2	0.10
4504992	Drill Core	1.0	3.7	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.73	75.9	125.9	0.3	4.56	8.9	17.25	0.03	<0.002	1.3	0.11
4504993	Drill Core	0.9	3.4	0.4	2.4	0.4	1.0	0.1	0.8	0.1	0.59	73.9	132.6	0.3	4.44	9.6	16.84	0.03	0.003	1.9	0.10
4504994	Drill Core	0.9	3.5	0.5	2.4	0.4	1.0	0.1	0.8	0.1	0.62	71.5	135.5	0.3	4.14	10.8	17.36	0.04	<0.002	1.9	0.14
4504995	Drill Core	0.9	3.5	0.5	2.4	0.4	1.1	0.1	0.9	0.1	0.77	62.9	136.8	0.2	2.71	10.5	16.84	0.03	0.006	3.4	0.21



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bvna.com/mining-laboratory-services](http://www.bvna.com/mining-laboratory-services)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 5 of 5

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI23000311.1

Method	MA250
Analyte	Tl
Unit	ppm
MDL	0.05
4504974	Drill Core 1.15
4504975	Rock <0.05
4504976	Drill Core 0.87
4504977	Drill Core 0.78
4504978	Drill Core 0.59
4504979	Drill Core 0.60
4504980	Rock Pulp 0.46
4504981	Drill Core 0.52
4504982	Drill Core 0.37
4504983	Drill Core 0.35
4504984	Drill Core 0.38
4504985	Drill Core 0.35
4504986	Drill Core 0.76
4504987	Drill Core 0.70
4504988	Drill Core 1.19
4504989	Drill Core 1.08
4504990	Drill Core 1.13
4504991	Drill Core 1.20
4504992	Drill Core 1.30
4504993	Drill Core 1.28
4504994	Drill Core 1.26
4504995	Drill Core 1.26



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 1 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01	
Pulp Duplicates																					
4504846	Drill Core	3.67	1.456	70.05	35.4	45.32	58.5	385	3.3	7.9	487	3.19	7.9	2.4	10.9	249	0.16	1.94	83.30	59	3.15
REP 4504846	QC			62.49	34.5	42.77	57.0	373	3.3	7.7	473	3.11	7.2	2.4	10.5	237	0.16	1.87	82.67	58	3.04
4504862	Drill Core	3.28	0.021	4.47	47.9	7.44	47.0	38	16.6	6.8	379	2.48	13.0	1.5	4.5	160	0.07	1.58	1.27	72	1.84
REP 4504862	QC		0.018																		
4504870	Core DUP		0.013	6.45	67.0	3.78	33.6	41	25.5	4.6	206	1.69	7.4	1.9	3.3	100	0.06	0.32	0.63	80	0.78
REP 4504870	QC		0.011																		
4504880	Rock Pulp	0.18	0.851	1.91	18.1	200.71	208.0	1484	16.1	5.5	340	1.23	299.1	1.8	1.8	91	2.07	101.95	0.06	47	16.59
REP 4504880	QC			1.98	18.7	206.71	210.2	1523	16.8	5.6	351	1.23	311.0	1.8	1.8	93	2.13	104.75	0.05	48	17.21
4504884	Drill Core	3.23	0.028	2.86	87.5	6.78	52.0	73	29.0	5.3	347	1.76	12.1	1.7	3.0	105	0.21	1.01	0.54	92	1.02
REP 4504884	QC		0.028																		
4504965	Drill Core	3.42	0.095	2.42	69.7	9.25	72.2	37	43.3	9.3	258	2.85	28.2	1.7	6.1	152	0.11	0.92	2.64	139	0.66
REP 4504965	QC			2.45	69.2	8.72	71.4	41	43.7	9.6	259	2.87	34.9	1.7	5.9	150	0.12	0.92	2.95	142	0.66
4504991	Drill Core	3.62	0.023	3.35	88.1	7.50	95.8	49	62.9	13.7	304	3.45	9.7	2.3	7.8	148	0.29	1.18	0.50	206	0.57
REP 4504991	QC			3.10	85.7	7.23	94.5	52	63.3	13.2	301	3.43	10.8	2.3	7.5	145	0.27	1.13	0.46	205	0.57
Core Reject Duplicates																					
4504841	Drill Core	1.35	0.948	3.29	65.9	33.66	46.3	626	3.2	8.4	442	3.22	19.3	1.4	8.6	256	0.15	0.81	107.44	60	3.10
DUP 4504841	QC		0.703	3.24	69.3	34.50	45.6	519	3.3	8.5	448	3.25	16.2	1.5	9.2	257	0.15	0.79	99.18	61	3.15
4504875	Rock	0.52	0.006	1.31	1.9	0.47	2.1	<20	1.6	<0.2	29	0.37	<0.2	0.1	0.5	2	<0.02	0.03	0.04	<2	0.01
DUP 4504875	QC		0.007	1.38	1.6	0.47	1.9	<20	1.6	<0.2	30	0.35	<0.2	0.1	0.5	2	<0.02	0.03	<0.04	<2	<0.01
4504959	Drill Core	3.65	0.015	3.05	79.6	4.23	54.7	53	38.1	8.2	246	2.81	11.6	1.6	5.0	142	0.07	0.38	2.44	115	0.86
DUP 4504959	QC		0.043	2.64	84.3	4.37	55.3	50	38.8	8.4	244	2.81	11.5	1.7	5.2	146	0.07	0.37	2.05	119	0.87
4504993	Drill Core	3.39	0.128	2.06	57.5	6.66	63.8	34	55.5	11.4	308	3.33	23.8	1.8	7.5	180	0.09	1.00	0.40	187	0.56
DUP 4504993	QC		0.115	2.36	56.6	6.93	64.6	31	54.4	11.6	315	3.39	21.1	1.8	7.8	185	0.10	0.97	0.43	188	0.58
Reference Materials																					
STD OREAS263	Standard		0.226																		
STD OREAS233	Standard		1.078																		
STD OREAS25A-4A	Standard			2.30	30.9	22.76	41.5	<20	43.9	7.6	487	6.34	9.5	2.5	14.1	45	<0.02	0.53	0.33	155	0.30
STD OREAS263	Standard		0.221																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 1 of 3 Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
Pulp Duplicates																					
4504846	Drill Core	0.038	27.4	11	0.80	798	0.332	7.28	1.441	2.69	>200	40.7	1.5	2	12.1	0.22	16.8	54.92	6.2	23.5	4.5
REP 4504846	QC	0.038	26.8	10	0.77	780	0.324	6.99	1.390	2.59	>200	40.6	1.4	2	11.8	0.22	16.0	53.85	6.0	22.9	4.3
4504862	Drill Core	0.071	16.0	34	0.85	766	0.235	3.86	0.619	1.18	13.4	15.5	0.6	<1	7.6	0.15	10.2	31.89	3.5	13.7	2.6
REP 4504862	QC																				
4504870	Core DUP	0.080	12.8	34	0.74	1025	0.141	2.03	0.363	0.95	9.2	15.0	0.4	<1	3.7	0.19	10.5	25.30	3.0	12.1	2.4
REP 4504870	QC																				
4504880	Rock Pulp	0.054	10.0	43	0.15	226	0.059	1.00	0.010	0.46	103.3	18.7	0.8	<1	2.6	0.04	13.3	13.47	1.9	7.8	1.5
REP 4504880	QC	0.056	10.1	44	0.15	234	0.059	0.97	0.011	0.48	107.1	18.1	0.8	<1	2.7	0.04	13.8	13.79	2.0	7.9	1.5
4504884	Drill Core	0.083	13.2	36	0.82	922	0.142	2.00	0.330	0.72	7.8	16.6	0.5	<1	3.8	0.31	9.7	25.34	3.0	11.8	2.3
REP 4504884	QC																				
4504965	Drill Core	0.082	21.1	70	1.12	410	0.182	5.23	0.991	2.57	1.3	18.1	0.9	1	9.2	0.36	10.4	42.92	5.0	19.8	3.9
REP 4504965	QC	0.082	20.3	70	1.12	332	0.179	5.21	0.987	2.57	1.2	17.5	0.9	1	9.3	0.36	10.1	40.35	4.9	19.1	3.7
4504991	Drill Core	0.066	26.6	72	1.35	314	0.167	7.07	0.890	3.00	0.8	37.1	1.1	2	13.4	0.55	10.6	54.92	6.7	25.6	4.8
REP 4504991	QC	0.065	24.9	70	1.35	351	0.172	6.92	0.881	2.99	0.7	37.6	1.2	2	13.3	0.55	10.3	51.89	6.3	24.3	4.6
Core Reject Duplicates																					
4504841	Drill Core	0.040	26.9	10	0.81	1020	0.346	7.26	1.460	2.82	106.2	15.0	3.4	2	12.4	0.24	15.3	53.47	6.1	23.1	4.3
DUP 4504841	QC	0.040	28.8	10	0.82	1057	0.353	7.34	1.474	2.85	97.9	14.8	3.5	2	12.5	0.24	15.7	58.88	6.6	24.8	4.5
4504875	Rock	0.001	2.9	4	0.01	13	0.010	0.10	0.005	0.04	<0.1	3.6	0.1	<1	<0.1	<0.04	0.4	5.37	0.6	2.1	0.3
DUP 4504875	QC	0.001	2.8	4	0.01	12	0.009	0.09	0.005	0.04	<0.1	3.8	<0.1	<1	<0.1	<0.04	0.4	5.27	0.6	2.2	0.3
4504959	Drill Core	0.078	18.2	55	1.21	892	0.211	3.73	0.591	1.46	1.7	25.4	0.6	<1	6.6	0.38	10.4	35.58	4.2	17.0	3.3
DUP 4504959	QC	0.079	18.9	59	1.22	1170	0.236	3.83	0.610	1.50	1.6	25.9	0.6	<1	6.8	0.38	10.8	37.19	4.4	17.8	3.5
4504993	Drill Core	0.065	26.4	75	1.32	1183	0.227	6.90	1.081	3.16	1.2	24.0	1.7	2	13.3	0.33	9.8	52.80	6.3	23.6	4.4
DUP 4504993	QC	0.067	26.9	78	1.32	918	0.234	7.09	1.102	3.24	1.2	23.5	1.7	2	13.4	0.33	10.2	54.02	6.4	24.9	4.7
Reference Materials																					
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS25A-4A	Standard	0.046	21.2	107	0.33	143	0.933	8.75	0.130	0.47	1.8	149.5	3.5	<1	12.8	0.05	10.3	45.97	4.7	17.9	3.4
STD OREAS263	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 1 of 3 Part: 3 of 4

# QUALITY CONTROL REPORT

# WHI23000311.1

Method	Analyte	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
Pulp Duplicates																					
4504846	Drill Core	0.9	3.7	0.5	3.2	0.6	1.7	0.3	1.6	0.2	1.46	23.5	118.4	0.6	7.25	6.2	17.31	0.04	0.006	0.8	5.74
REP 4504846	QC	0.9	3.5	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.43	23.0	114.2	0.6	7.10	6.0	16.76	0.04	0.004	0.7	6.52
4504862	Drill Core	0.6	2.2	0.3	1.8	0.4	1.0	0.1	0.9	0.1	0.55	38.3	70.9	0.3	4.96	10.2	9.18	0.02	<0.002	0.5	0.12
REP 4504862	QC																				
4504870	Core DUP	0.4	2.1	0.3	1.9	0.4	1.0	0.1	0.9	0.1	0.43	31.6	67.9	0.2	4.38	6.5	5.39	0.01	<0.002	0.7	0.06
REP 4504870	QC																				
4504880	Rock Pulp	0.3	1.6	0.2	1.5	0.3	1.0	0.1	0.9	0.1	0.46	14.7	18.8	0.1	1.92	3.6	2.63	0.01	<0.002	0.3	0.17
REP 4504880	QC	0.4	1.7	0.2	1.5	0.3	1.0	0.1	0.9	0.1	0.45	15.3	19.2	0.1	1.91	3.7	2.70	0.01	<0.002	0.5	0.20
4504884	Drill Core	0.5	2.1	0.3	1.7	0.3	0.9	0.1	0.8	0.1	0.48	31.6	48.4	0.2	3.91	4.9	5.17	0.01	0.002	1.2	0.07
REP 4504884	QC																				
4504965	Drill Core	0.9	3.2	0.4	2.4	0.4	1.0	0.1	0.8	0.1	0.48	58.1	120.5	0.2	3.46	8.8	12.15	0.02	<0.002	1.4	0.24
REP 4504965	QC	0.8	3.1	0.4	2.2	0.4	1.0	0.1	0.8	0.1	0.46	57.0	117.5	0.2	3.39	8.4	11.86	0.02	<0.002	1.6	0.28
4504991	Drill Core	1.0	3.7	0.5	2.6	0.4	1.1	0.1	0.9	0.1	0.99	66.5	128.4	0.2	3.05	9.7	17.22	0.03	0.006	3.2	0.10
REP 4504991	QC	0.9	3.5	0.5	2.5	0.4	1.1	0.1	0.9	0.1	0.96	67.1	126.5	0.2	3.07	9.2	17.18	0.04	0.007	3.1	0.10
Core Reject Duplicates																					
4504841	Drill Core	1.0	3.6	0.5	3.0	0.6	1.6	0.2	1.4	0.2	0.59	26.9	112.9	0.5	7.53	6.6	17.29	0.04	<0.002	0.7	8.33
DUP 4504841	QC	1.0	3.8	0.5	3.1	0.6	1.7	0.2	1.5	0.2	0.61	27.0	112.2	0.5	7.57	6.8	17.36	0.04	<0.002	0.7	7.24
4504875	Rock	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.10	1.0	0.7	<0.1	0.35	<0.1	0.15	<0.01	<0.002	<0.3	<0.05
DUP 4504875	QC	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.11	1.0	0.7	<0.1	0.34	<0.1	0.15	<0.01	<0.002	<0.3	<0.05
4504959	Drill Core	0.7	2.9	0.4	2.1	0.4	1.0	0.1	1.0	0.1	0.66	55.5	94.8	0.3	4.95	10.7	8.94	0.02	<0.002	1.7	0.15
DUP 4504959	QC	0.7	3.0	0.4	2.4	0.4	1.1	0.1	0.8	0.1	0.85	57.1	97.2	0.3	5.02	11.0	9.09	0.01	0.002	1.7	0.14
4504993	Drill Core	0.9	3.4	0.4	2.4	0.4	1.0	0.1	0.8	0.1	0.59	73.9	132.6	0.3	4.44	9.6	16.84	0.03	0.003	1.9	0.10
DUP 4504993	QC	1.0	3.6	0.5	2.5	0.4	1.1	0.1	0.8	0.1	0.61	74.4	135.3	0.3	4.48	10.0	17.01	0.03	0.002	1.7	0.12
Reference Materials																					
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS25A-4A	Standard	0.6	2.5	0.3	2.1	0.5	1.1	0.2	1.2	0.2	3.91	35.6	60.7	1.3	18.68	5.9	24.59	0.08	<0.002	2.5	<0.05
STD OREAS263	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bvna.com/mining-laboratory-services](http://www.bvna.com/mining-laboratory-services)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Senoa Gold Corp.**  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 1 of 3

Part: 4 of 4

# QUALITY CONTROL REPORT

# WHI23000311.1

	Method	MA250
Analyte		Tl
Unit		ppm
MDL		0.05
Pulp Duplicates		
4504846	Drill Core	0.58
REP 4504846	QC	0.56
4504862	Drill Core	0.37
REP 4504862	QC	
4504870	Core DUP	0.42
REP 4504870	QC	
4504880	Rock Pulp	0.44
REP 4504880	QC	0.45
4504884	Drill Core	0.39
REP 4504884	QC	
4504965	Drill Core	0.98
REP 4504965	QC	0.93
4504991	Drill Core	1.20
REP 4504991	QC	1.15
Core Reject Duplicates		
4504841	Drill Core	0.57
DUP 4504841	QC	0.58
4504875	Rock	<0.05
DUP 4504875	QC	<0.05
4504959	Drill Core	0.82
DUP 4504959	QC	0.87
4504993	Drill Core	1.28
DUP 4504993	QC	1.32
Reference Materials		
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS25A-4A	Standard	0.34
STD OREAS263	Standard	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
STD OREAS233	Standard	1.123																			
STD OREAS263	Standard	0.214																			
STD OREAS233	Standard	1.052																			
STD OREAS25A-4A	Standard		2.26	30.9	23.58	42.3	<20	44.1	7.7	487	6.41	9.8	2.5	14.6	47	<0.02	0.55	0.35	158	0.29	
STD OREAS45H	Standard		1.38	761.2	11.45	38.0	86	436.8	88.1	387	19.56	16.0	1.5	6.7	27	<0.02	0.57	0.20	265	0.13	
STD OREAS45H	Standard		1.41	790.8	12.15	38.8	111	435.5	91.7	403	20.71	16.3	1.6	7.3	28	<0.02	0.54	0.20	263	0.14	
STD OREAS45H	Standard		1.39	770.1	11.59	38.9	97	434.3	91.2	396	20.55	16.1	1.6	7.0	28	0.02	0.54	0.22	265	0.13	
STD OREAS45H	Standard		1.44	776.4	11.93	38.8	108	433.5	89.9	396	20.63	15.5	1.5	6.8	28	<0.02	0.54	0.32	273	0.14	
STD OREAS501D	Standard			93.78	2691.8	24.89	86.9	636	21.5	9.6	374	3.31	13.0	3.8	13.7	210	0.27	2.05	1.24	70	1.81
STD OREAS501D	Standard			92.05	2654.2	24.60	86.3	614	21.1	9.5	365	3.22	14.1	3.3	11.9	206	0.25	2.06	1.30	74	1.77
STD OREASL11	Standard	0.314																			
STD OREASL13	Standard	1.265																			
STD OREASL15	Standard	7.095																			
STD OXN173	Standard	7.759																			
STD OXN173	Standard	7.807																			
STD OXN173	Standard	7.306																			
STD OREAS263 Expected		0.214																			
STD OXN173 Expected		7.668																			
STD OREAS233 Expected		1.05																			
STD OREAS25A-4A Expected			2.41	33.9	25.2	44.4		45.8	7.7	480	6.6	9.94	2.94	15.8	48.5		0.65	0.37	157	0.301	
STD OREAS45H Expected			1.55	767	12.2	39.7	147	451	92	405	20.4	16.9	1.68	7.6	28		0.63	0.17	275	0.135	
STD OREAS501D Expected				95	2720	25.2	90	664	21	9.57	370	3.37	15.1	3.88	14	212	0.3	2.25	1.26	71	1.85
STD OREASL11 Expected		0.305																			
STD OREASL13 Expected		1.29																			
STD OREASL15 Expected		7.18																			
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
BLK	Blank		<0.05	0.1	0.02	0.2	<20	<0.1	<0.2	<1	0.02	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01	
BLK	Blank	0.005																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 3 Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	
STD OREAS233	Standard																					
STD OREAS263	Standard																					
STD OREAS233	Standard																					
STD OREAS25A-4A	Standard	0.048	22.0	109	0.33	145	0.963	9.11	0.133	0.48	1.8	149.5	3.5	<1	13.2	0.05	10.3	46.84	4.9	18.2	3.5	
STD OREAS45H	Standard	0.022	12.0	664	0.24	321	0.867	7.64	0.090	0.20	0.9	123.3	1.8	1	55.3	<0.04	9.4	23.11	2.7	10.4	2.2	
STD OREAS45H	Standard	0.022	13.4	661	0.26	345	0.901	8.10	0.095	0.21	0.9	120.8	1.8	1	58.7	<0.04	9.7	25.11	2.9	11.4	2.4	
STD OREAS45H	Standard	0.023	13.0	658	0.25	327	0.894	7.98	0.092	0.21	0.9	122.2	1.8	1	58.7	<0.04	9.6	25.64	2.9	11.3	2.5	
STD OREAS45H	Standard	0.023	12.5	666	0.25	326	0.870	8.01	0.093	0.21	0.9	122.7	1.9	1	59.4	<0.04	9.7	24.05	2.8	10.9	2.3	
STD OREAS501D	Standard	0.091	33.9	42	0.79	956	0.370	7.87	2.102	3.12	9.5	63.2	4.3	3	8.9	0.37	16.9	68.47	8.0	32.3	6.6	
STD OREAS501D	Standard	0.087	29.2	43	0.78	967	0.362	7.38	2.107	3.11	9.3	64.9	4.3	3	8.4	0.38	15.8	62.48	7.4	29.1	6.1	
STD OREASL11	Standard																					
STD OREASL13	Standard																					
STD OREASL15	Standard																					
STD OXN173	Standard																					
STD OXN173	Standard																					
STD OXN173	Standard																					
STD OREAS263 Expected																						
STD OXN173 Expected																						
STD OREAS233 Expected																						
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.93	8.87	0.131	0.482	2	155	4.06	0.93	13.7	0.047	10.5	47.3	5.11	18.2	3.55	
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215	0.9	126	1.93	1.09	59	0.035	10.4	24.3	2.91	11.2	2.5	
STD OREAS501D Expected		0.087	34.8	45.4	0.827	993	0.359	7.69	2.07	3.01	8.56	62	4.86	2.65	9.47	0.38	15.7	73	8.37	32.6	6.79	
STD OREASL11 Expected																						
STD OREASL13 Expected																						
STD OREASL15 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	0.03	<0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 2 of 3 Part: 3 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05	
STD OREAS233	Standard																					
STD OREAS263	Standard																					
STD OREAS233	Standard																					
STD OREAS25A-4A	Standard	0.6	2.7	0.4	2.2	0.4	1.2	0.2	1.2	0.2	3.92	36.2	61.1	1.3	19.86	6.1	24.96	0.08	<0.002	2.6	0.05	
STD OREAS45H	Standard	0.6	2.1	0.3	2.1	0.4	1.2	0.2	1.3	0.2	3.28	12.8	21.7	0.9	12.86	2.2	20.21	0.09	<0.002	2.0	0.11	
STD OREAS45H	Standard	0.6	2.3	0.4	2.4	0.4	1.3	0.2	1.3	0.2	3.31	13.0	23.1	0.9	13.50	2.4	21.04	0.10	<0.002	2.2	0.10	
STD OREAS45H	Standard	0.6	2.2	0.4	2.3	0.4	1.3	0.2	1.3	0.2	3.76	13.0	22.9	0.9	13.68	2.3	20.77	0.10	<0.002	1.9	0.10	
STD OREAS45H	Standard	0.6	2.2	0.3	2.2	0.4	1.2	0.2	1.3	0.2	3.21	12.9	23.1	0.9	12.89	2.2	21.19	0.10	<0.002	2.1	0.12	
STD OREAS501D	Standard	1.2	5.6	0.7	3.7	0.6	1.4	0.2	1.2	0.2	1.89	54.0	161.6	0.9	11.04	10.2	19.25	0.08	0.047	2.2	0.22	
STD OREAS501D	Standard	1.2	5.2	0.7	3.6	0.6	1.4	0.2	1.2	0.2	1.86	48.6	149.2	0.9	10.98	9.7	19.53	0.08	0.047	1.9	0.20	
STD OREASL11	Standard																					
STD OREASL13	Standard																					
STD OREASL15	Standard																					
STD OXN173	Standard																					
STD OXN173	Standard																					
STD OXN173	Standard																					
STD OREAS263 Expected																						
STD OXN173 Expected																						
STD OREAS233 Expected																						
STD OREAS25A-4A Expected		0.69	2.68	0.36	2.25	0.43	1.23	0.19	1.3	0.2	4.14	36.7	61	1.4	20.9	6	25.9	0.09		2.4		
STD OREAS45H Expected		0.65	2.34	0.39	2.42	0.48	1.44	0.23	1.44	0.21	3.42	13.9	22.5	1	13.8	2.29	21.3	0.1		2.02		
STD OREAS501D Expected		1.44	5.89	0.76	3.76	0.62	1.49	0.19	1.22	0.19	2	51	164	1.09	12.2	10.7	20.8	0.086	0.049			
STD OREASL11 Expected																						
STD OREASL13 Expected																						
STD OREASL15 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250 Ti ppm 0.05
STD OREAS233	Standard	
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS25A-4A	Standard	0.33
STD OREAS45H	Standard	0.15
STD OREAS45H	Standard	0.16
STD OREAS45H	Standard	0.15
STD OREAS45H	Standard	0.15
STD OREAS501D	Standard	0.90
STD OREAS501D	Standard	0.88
STD OREASL11	Standard	
STD OREASL13	Standard	
STD OREASL15	Standard	
STD OXN173	Standard	
STD OXN173	Standard	
STD OXN173	Standard	
STD OREAS263 Expected		
STD OXN173 Expected		
STD OREAS233 Expected		
STD OREAS25A-4A Expected		0.35
STD OREAS45H Expected		0.15
STD OREAS501D Expected		0.91
STD OREASL11 Expected		
STD OREASL13 Expected		
STD OREASL15 Expected		
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.05
BLK	Blank	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 3

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
BLK	Blank		<0.05	0.2	0.06	<0.2	<20	<0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01	
BLK	Blank		<0.05	0.1	<0.02	<0.2	<20	<0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01	
BLK	Blank		<0.05	0.2	0.04	<0.2	<20	<0.1	<0.2	<1	<0.01	<0.2	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01	
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
Prep Wash																					
ROCK-WHI	Prep Blank		0.005	1.87	2.7	2.64	31.5	<20	2.1	3.9	632	2.09	1.8	1.2	2.7	210	<0.02	0.09	0.04	35	1.63
ROCK-WHI	Prep Blank		0.005	1.83	3.1	2.34	31.0	<20	1.6	3.9	645	2.12	1.8	1.2	2.6	213	<0.02	0.07	0.09	35	1.68



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 3

Part: 2 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BLK	Blank	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.039	12.6	7	0.50	709	0.204	7.12	3.621	1.56	0.3	49.6	0.8	1	6.8	<0.04	16.7	24.95	2.8	11.3	2.4
ROCK-WHI	Prep Blank	0.039	12.1	5	0.49	803	0.201	7.20	3.529	1.72	0.3	48.7	0.7	1	6.7	<0.04	16.1	24.54	2.8	11.2	2.4



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 3

Part: 3 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.2	<0.1	<0.1	<0.04	<0.1	0.03	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05	
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	0.7	2.5	0.4	2.7	0.5	1.7	0.3	1.9	0.3	1.58	2.3	35.2	0.4	5.36	0.3	13.20	0.03	<0.002	<0.3	<0.05	
ROCK-WHI	Prep Blank	0.7	2.5	0.4	2.7	0.5	1.7	0.3	1.9	0.3	1.59	2.2	37.6	0.4	5.39	0.3	13.48	0.03	<0.002	<0.3	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Senoa Gold Corp.  
1012 - 1030 West Georgia St.  
Vancouver British Columbia V6E 2Y3 Canada

Project: ROG  
Report Date: August 22, 2023

Page: 3 of 3

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI23000311.1

		MA250 Ti ppm 0.05
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.05
BLK	Blank	<0.05
BLK	Blank	<0.05
BLK	Blank	
BLK	Blank	
Prep Wash		
ROCK-WHI	Prep Blank	0.15
ROCK-WHI	Prep Blank	0.16