



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 9-AUG-2010
Account: F

Project: ROSY

CERTIFICATE OF ANALYSIS WH10103513

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
J997562		7.09	<0.2	1.18	3	<10	170	<0.5	<2	1.08	<0.5	7	25	28	1.86	<10
J997563		4.15	<0.2	1.12	12	<10	260	<0.5	<2	1.43	<0.5	7	26	30	2.02	<10
J997564		2.39	4.1	0.52	1725	<10	110	<0.5	<2	1.53	<0.5	9	9	29	3.11	<10
J997565		3.50	0.9	0.51	1345	<10	140	0.5	<2	5.23	<0.5	6	8	17	2.61	<10
J997566		2.81	<0.2	0.04	5	<10	20	<0.5	<2	20.6	<0.5	<1	1	2	0.41	<10
J997567		5.96	<0.2	1.27	22	<10	300	<0.5	<2	3.09	<0.5	9	29	30	2.74	<10
J997568		6.53	<0.2	1.29	4	<10	150	<0.5	<2	1.33	<0.5	8	29	23	2.19	10
J997569		7.07	<0.2	1.39	4	<10	100	<0.5	<2	1.50	<0.5	9	31	25	2.41	<10
J997570		8.21	<0.2	1.15	2	<10	310	<0.5	<2	1.22	<0.5	8	26	16	1.88	<10
J997571		2.15	0.6	1.37	220	<10	270	<0.5	<2	4.04	<0.5	11	25	24	3.41	10
J997572		0.26	>100	0.72	7080	<10	50	0.5	12	12.4	333	19	18	2790	4.77	<10
J997573		8.50	0.2	1.30	11	<10	260	<0.5	<2	1.52	<0.5	8	29	22	2.18	10
J997574		9.59	<0.2	1.28	17	<10	320	<0.5	<2	1.49	<0.5	9	30	19	2.27	10
J997575		1.32	1.9	0.44	9070	<10	140	0.5	<2	2.80	<0.5	9	6	15	2.49	<10
J997576		3.93	<0.2	1.53	38	<10	8180	0.7	<2	0.61	<0.5	2	2	<1	1.37	<10
J997577		1.90	9.1	0.52	6940	<10	130	0.6	<2	3.04	<0.5	8	3	44	2.80	<10
J997578		9.09	<0.2	1.51	21	<10	350	0.5	<2	2.07	<0.5	9	34	18	2.63	10
J997579		4.31	<0.2	1.40	21	<10	260	<0.5	<2	1.99	<0.5	10	30	16	2.55	10
J997580		8.56	<0.2	1.31	2	<10	340	<0.5	<2	1.52	<0.5	8	36	4	2.67	10
J997581		7.72	<0.2	1.62	3	<10	150	<0.5	<2	3.35	<0.5	10	41	3	3.26	10
J997582		0.79	<0.2	1.39	11	<10	60	0.6	<2	11.9	<0.5	6	17	<1	2.32	10
J997583		7.67	<0.2	1.70	2	<10	360	0.5	<2	3.78	<0.5	11	43	2	3.63	10
J997584		2.29	0.3	0.95	51	<10	140	<0.5	<2	9.6	<0.5	7	17	1	2.60	<10
J997585		4.36	<0.2	0.05	5	<10	20	<0.5	<2	21.5	<0.5	<1	1	<1	0.44	<10
J997586		8.11	<0.2	1.51	2	<10	370	<0.5	<2	3.28	<0.5	10	37	4	3.11	10
J997587		11.75	<0.2	1.44	6	<10	170	0.5	<2	2.81	<0.5	10	39	5	3.15	10
J997588		0.98	<0.2	1.42	6	<10	50	0.7	<2	10.2	<0.5	8	25	<1	2.65	10
J997589		9.43	<0.2	1.53	3	<10	70	<0.5	<2	1.99	<0.5	10	38	4	3.07	10
J997590		9.32	<0.2	1.42	<2	<10	80	<0.5	<2	2.19	<0.5	10	38	4	3.05	10
J997591		0.27	>100	1.26	268	<10	100	<0.5	7	0.61	24.2	10	32	6750	5.41	10
J997592		10.36	<0.2	1.17	2	<10	310	<0.5	<2	1.18	<0.5	7	37	10	2.39	10
J997593		9.75	<0.2	0.94	<2	<10	120	<0.5	<2	1.01	<0.5	6	31	5	2.18	10
J997594		11.55	<0.2	1.28	<2	<10	200	<0.5	<2	1.97	<0.5	8	37	6	2.63	10
J997595		11.02	0.2	1.43	<2	<10	70	<0.5	<2	1.60	<0.5	9	41	6	2.93	10
J997596		11.15	<0.2	1.57	2	<10	50	0.5	<2	2.37	<0.5	10	41	5	2.96	10
J997597		9.82	<0.2	1.50	<2	<10	120	<0.5	<2	1.92	<0.5	10	42	6	2.90	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 9-AUG-2010
Account: F

Project: ROSY

CERTIFICATE OF ANALYSIS WH10103513

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
J997562		<1	0.14	10	0.72	416	<1	0.08	9	790	4	0.07	<2	4	80	<20
J997563		<1	0.15	10	0.72	459	<1	0.09	10	790	5	0.12	<2	5	102	<20
J997564		<1	0.20	10	0.24	771	<1	0.02	11	800	8	0.82	40	5	22	<20
J997565		<1	0.20	10	0.86	927	<1	0.02	8	630	5	0.16	27	5	104	<20
J997566		<1	0.02	<10	12.50	199	<1	0.02	7	260	7	<0.01	<2	<1	55	<20
J997567		<1	0.18	10	1.05	737	<1	0.05	13	860	6	0.28	<2	7	129	<20
J997568		<1	0.14	10	0.97	523	<1	0.07	11	890	4	0.06	<2	5	82	<20
J997569		<1	0.13	10	1.02	566	<1	0.07	11	930	4	0.06	<2	5	85	<20
J997570		<1	0.16	10	0.75	405	<1	0.09	10	940	4	0.08	<2	4	84	<20
J997571		<1	0.20	10	0.86	768	<1	0.04	14	930	8	0.46	7	5	73	<20
J997572		9	0.14	10	0.48	6140	3	0.03	20	870	>10000	8.4	133	2	632	<20
J997573		<1	0.16	10	0.87	495	<1	0.08	11	970	38	0.08	<2	4	99	<20
J997574		<1	0.15	10	0.93	504	<1	0.07	12	930	11	0.21	2	5	87	<20
J997575		<1	0.24	10	0.57	416	<1	0.02	9	570	12	1.71	154	2	86	<20
J997576		<1	0.33	30	0.31	194	<1	1.06	1	350	14	0.04	2	1	750	20
J997577		<1	0.24	10	0.57	491	3	0.05	10	620	12	2.26	130	2	140	<20
J997578		<1	0.17	10	1.06	595	<1	0.08	13	960	6	0.12	2	7	126	<20
J997579		<1	0.17	10	1.01	566	<1	0.06	12	980	5	0.23	3	7	108	<20
J997580		<1	0.13	10	1.06	540	<1	0.10	12	1020	4	0.03	<2	5	91	<20
J997581		<1	0.11	10	1.28	753	<1	0.07	14	1000	4	0.02	<2	8	124	<20
J997582		<1	0.17	10	0.73	1390	<1	0.02	8	580	6	0.02	<2	4	240	<20
J997583		<1	0.16	10	1.35	846	<1	0.06	14	960	4	0.02	<2	6	132	<20
J997584		<1	0.16	10	0.75	1050	<1	0.03	9	640	5	0.24	<2	4	182	<20
J997585		<1	0.02	<10	12.85	207	<1	0.02	3	260	2	<0.01	<2	<1	63	<20
J997586		<1	0.13	10	1.13	737	<1	0.07	14	940	5	0.04	<2	7	137	<20
J997587		<1	0.12	10	1.07	665	<1	0.06	14	980	5	0.06	<2	8	131	<20
J997588		<1	0.25	10	0.94	1230	<1	0.02	10	690	7	0.02	<2	4	199	<20
J997589		<1	0.14	10	1.36	672	<1	0.06	13	950	3	0.01	<2	7	83	<20
J997590		<1	0.16	10	1.10	669	<1	0.07	13	970	3	0.01	<2	6	74	<20
J997591		1	0.10	<10	0.76	1660	19	0.07	28	450	>10000	2.34	438	4	28	<20
J997592		<1	0.21	<10	0.88	469	<1	0.13	11	980	15	0.02	<2	4	57	<20
J997593		<1	0.15	10	0.65	352	<1	0.11	9	910	4	0.02	<2	3	59	<20
J997594		<1	0.12	10	1.02	594	<1	0.08	11	940	5	0.02	<2	6	75	<20
J997595		<1	0.15	10	1.21	682	<1	0.09	12	990	4	0.01	<2	7	63	<20
J997596		<1	0.13	10	1.24	666	<1	0.06	14	950	4	0.02	<2	7	118	<20
J997597		<1	0.10	10	1.24	653	<1	0.07	15	990	4	0.03	<2	7	120	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 9-AUG-2010
Account: F

Project: ROSY

CERTIFICATE OF ANALYSIS WH10103513

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Au-AA24
		Ti	Ti	U	V	W	Zn	Ag	Pb	Zn	Au
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1	% 0.001	% 0.001	ppm 0.005
J997562		0.13	<10	<10	46	<10	41				<0.005
J997563		0.12	<10	<10	48	<10	43				<0.005
J997564		<0.01	<10	<10	18	10	56				0.331
J997565		<0.01	<10	<10	25	<10	39				0.203
J997566		<0.01	<10	<10	2	<10	19				<0.005
J997567		0.04	<10	<10	53	<10	55				<0.005
J997568		0.14	<10	<10	55	<10	51				<0.005
J997569		0.15	<10	<10	60	<10	53				<0.005
J997570		0.13	<10	<10	47	<10	41				<0.005
J997571		<0.01	<10	<10	46	<10	65				0.049
J997572		<0.01	<10	<10	14	10	>10000	151	4.80	4.84	0.204
J997573		0.13	<10	<10	53	<10	106				<0.005
J997574		0.10	<10	<10	51	<10	58				<0.005
J997575		<0.01	<10	<10	8	<10	68				4.15
J997576		0.09	<10	<10	13	<10	37				0.008
J997577		<0.01	<10	<10	57	<10	73				2.12
J997578		0.07	<10	<10	63	<10	58				<0.005
J997579		0.06	<10	<10	58	<10	53				<0.005
J997580		0.18	<10	<10	78	<10	48				<0.005
J997581		0.09	<10	<10	87	<10	60				<0.005
J997582		<0.01	<10	<10	39	<10	68				<0.005
J997583		0.01	<10	<10	83	<10	65				<0.005
J997584		<0.01	<10	<10	34	<10	41				0.006
J997585		<0.01	<10	<10	2	<10	18				<0.005
J997586		0.06	<10	<10	75	<10	58				<0.005
J997587		0.07	<10	<10	80	<10	58				<0.005
J997588		0.01	<10	<10	56	<10	45				<0.005
J997589		0.11	<10	<10	82	<10	56				<0.005
J997590		0.09	<10	<10	83	<10	57				<0.005
J997591		0.09	<10	<10	43	<10	5150	99	0.994		0.305
J997592		0.18	<10	<10	75	<10	46				<0.005
J997593		0.17	<10	<10	68	<10	33				<0.005
J997594		0.14	<10	<10	73	<10	47				<0.005
J997595		0.17	<10	<10	86	<10	52				<0.005
J997596		0.08	<10	<10	79	<10	57				<0.005
J997597		0.13	<10	<10	82	<10	57				<0.005