

MAGNETIC SUSCEPTIBILITY LOG

HOLE: ROSY-10-01

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00				
2.00				
3.00	DIO	WH/GN	0.42	
4.00	DIO	WH/GN	0.40	
5.00	DIO	WH/GN	0.50	
6.00	DIO	WH/GN	0.42	
7.00	DIO	WH/GN	0.50	
8.00	DIO	WH/GN	0.35	
9.00	DIO	WH/GN	0.35	
10.00	DIO	WH/GN	0.38	
11.00	DIO	WH/GN	1.20	
12.00	DIO	BN-OR	0.13	
13.00	DIO	BN-OR	0.21	
14.00	DIO	BN-OR	0.11	
15.00	DIO	MD-GN	0.40	
16.00	DIO	MD-GN	0.68	
17.00	DIO	WH/GN	0.43	
18.00	DIO	WH/GN	0.48	
19.00	DIO	WH/GN	0.36	
20.00	DIO	WH/GN	0.65	
21.00	DIO	WH/GN	0.40	
22.00	DIO	WH/GN	0.43	
23.00	DIO	WH/GN	0.47	
24.00	DIO	WH/GN	0.48	
25.00	DIO	WH/GN	0.50	
26.00	DIO	WH/GN	0.45	
27.00	DIO	WH/GN	0.25	
28.00	DIO	WH/GN	0.70	
29.00	DIO	WH/GN	0.33	
30.00	DIO	WH/GN	-0.68	
31.00	DIO	WH/GN	0.52	
32.00	DIO	WH/GN	0.43	
33.00	DIO	WH/GN	0.34	
34.00	DIO	WH/GN	0.36	
35.00	DIO	WH/GN	0.28	
36.00	DIO	WH/GN	0.51	
37.00	DIO	WH/GN	0.51	
38.00	DIO	WH/GN	0.28	
39.00	DIO	WH/GN	0.38	
40.00	DIO	WH/GN		
41.00	DIO	WH/GN	0.51	
42.00	DIO	WH/GN	0.41	
43.00	DIO	WH/GN	0.55	
44.00	DIO	WH/GN	0.43	

MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
45.00	DIO	WH/GN	0.20	
46.00	DIO	WH/GN	0.55	
47.00	DIO	WH/GN	0.47	
48.00	DIO	WH/GN	0.84	
49.00	DIO	WH/GN	1.43	
50.00	DIO	WH/GN	0.49	
51.00	DIO	WH/GN	2.35	
52.00	DIO	WH/GN	0.36	
53.00	DIO	WH/GN	0.49	
54.00	DIO	WH/GN	0.55	
55.00	DIO	WH/GN	0.36	
56.00	DIO	WH/GN	0.34	
57.00	DIO	WH/GN	0.45	
58.00	DIO	WH/GN	0.41	
59.00	DIO	WH/GN	0.24	
60.00	DIO	WH/GN	0.30	
61.00	DIO	WH/GN	0.43	
62.00	DIO	WH/GN	0.08	
63.00	DIO	WH/GN	-0.47	
64.00	DIO	WH/GN	0.36	
65.00	DIO	WH/GN	0.32	
66.00	DIO	WH/GN	-0.41	
67.00	DIO	WH/GN	0.47	
~68.00	DIO	WH/GN	0.51	hole ends at 67.97m