

## MAGNETIC SUSCEPTIBILITY LOG

**HOLE: ROSY-10-02**

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
1.00				
2.00				
3.00	DIO	WH/GN	1.19	
4.00	DIO	WH/GN	0.35	
5.00	DIO	WH/GN	0.38	
6.00	DIO	WH/GN	0.40	
7.00	DIO	WH/GN	0.38	
8.00	DIO	WH/GN	0.42	
9.00	DIO	WH/GN	0.52	
10.00	DIO	WH/GN	0.40	
11.00	DIO	WH/GN	0.36	
12.00	DIO	WH/GN	0.36	
13.00	DIO	WH/GN	0.31	
14.00	DIO	WH/GN	1.84	
15.00	DIO	WH/GN	2.57	
16.00	DIO	WH/GN	0.47	
17.00	DIO	WH/GN	0.35	
18.00	DIO	WH/GN	0.28	
19.00	DIO	WH/GN	0.40	
20.00	DIO	WH/GN	0.38	
21.00	DIO	WH/GN	0.36	
22.00	DIO	WH/BK	0.43	
23.00	DIO	WH/BK	0.58	
24.00	DIO	WH/BK	0.53	
25.00	DIO	WH/GN	0.43	
26.00	DIO	WH/GN	6.50	
27.00	DIO	WH/GN	-0.20	
28.00	DIO	WH/GN	0.36	
29.00	DIO	WH/GN	0.36	
30.00	DIO	WH/GN	-0.38	
31.00	DIO	WH/GN	0.26	
32.00	DIO	WH/GN	0.45	
33.00	DIO	WH/GN	0.25	
34.00	DIO	WH/GN	0.40	
35.00	DIO	WH/GN	1.15	
36.00	DIO	WH/GN	-0.01	
37.00	DIO	WH/GN	0.43	
38.00	DIO	WH/GN	0.58	
39.00	DIO	WH/GN	0.68	
40.00	DIO	WH/GN	0.16	
41.00	DIO	WH/GN	0.42	
42.00	DIO	WH/GN	0.40	
43.00	DIO	WH/GN	0.50	
44.00	DIO	WH/GN	0.42	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
45.00	DIO	WH/GN	2.53	
46.00	DIO	WH/GN	-0.35	
47.00	DIO	WH/GN	0.18	
48.00	DIO	WH/GN	0.53	
49.00	DIO	WH/GN	0.05	
50.00	DIO	WH/GN	0.73	
51.00	DIO	WH/GN	0.33	
52.00	DIO	WH/GN	0.45	
53.00	DIO	WH/GN	3.71	
54.00	DIO	WH/GN	0.33	
55.00	DIO	WH/GN	0.43	
56.00	DIO	WH/GN	0.38	
57.00	DIO	BN-OR	0.40	
58.00	DIO	WH/GN	0.67	
59.00	DIO	WH/GN	0.70	
60.00	DIO	WH/GN	0.45	
61.00	DIO	WH/GN	0.36	
62.00	DIO	WH/GN	0.38	
63.00	DIO	WH/GN	0.42	
64.00	DIO	WH/GN	0.60	
65.00	DIO	WH/GN	0.67	
66.00	DIO	WH/GN	0.45	
67.00	DIO	WH/GN	0.38	
68.00	DIO	WH/GN	0.42	
69.00	DIO	WH/GN	0.35	
70.00	DIO	WH/GN	0.45	
71.00	DIO	WH/GN	0.33	
72.00	DIO	WH/GN	0.33	
73.00	DIO	WH/GN	0.50	
74.00	DIO	WH/GN	0.55	
75.00	DIO	WH/GN	0.53	
76.00	DIO	WH/GN	0.51	
77.00	DIO	WH/GN	0.48	
78.00	DIO	WH/GN	0.31	
79.00	DIO	WH/GN	0.40	
80.00	DIO	WH/GN	0.40	
81.00	DIO	WH/GN	0.38	
82.00	DIO	WH/GN	0.33	
83.00	DIO	WH/GN	0.33	
84.00	DIO	WH/GN	0.26	
85.00	DIO	WH/GN	0.52	
86.00	AND	BN	6.19	
87.00	AND	BN	4.56	
88.00	DIO	WH/GN	0.40	
89.00	DIO	WH/GN	0.63	
90.00	DIO	WH/GN	0.38	

## MAGNETIC SUSCEPTIBILITY LOG

Depth (m)	Unit	Modifier	Magnetic Susceptibility	Comments
91.00	DIO	WH/GN	0.38	
92.00	DIO	WH/GN	0.40	
93.00	DIO	WH/GN	0.38	
94.00	DIO	WH/GN	0.36	
95.00	DIO	WH/GN	0.55	EOH