

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY: KIT Claims
 Logger: M.P. Phillips

HOLE: KIT 07-01
 Page: 1/3

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
0.00	6.71	6.71	±0.60	-	Casing								
6.71	8.23	1.52	1.52	100	0.70	46		67m	width < 6cm pieces rock-core ground.				
8.23	11.28	3.05	3.05	100	2.59	85							
11.28	14.33	3.05	2.82	92	2.04	72							
14.33	17.37	3.04	2.56	84	1.65	64							
17.37	20.42	3.05	3.05	100	2.70	89							
20.42	23.47	3.05	2.95	97	2.53	86							
23.47	26.52	3.05	2.75	90	2.20	80							
26.52	29.57	3.05	2.20	72	0.40	18							
29.57	32.61	3.04	3.04	100	1.88	62							
32.61	35.66	3.05	3.05	98	2.13	71							
35.66	38.71	3.05	2.60	85	1.80	69							
38.71	41.76	3.05	2.56	84	0.96	38							
41.76	44.81	3.05	2.80	92	2.20	79							
44.81	47.85	3.05	3.05	100	2.59	85							
47.85	50.90	3.05	2.96	97	2.90	98							
50.90	53.95	3.05	3.05	100	3.05	100							
53.95	57.00	3.05	3.05	100	3.05	100							
57.00	60.05	3.05	2.74	90	2.22	81							
60.05	63.09	3.05	3.00	98	2.80	93							
63.09	66.14	3.05	2.93	96	2.69	92							
66.14	69.19	3.05	2.50	82	2.19	72							
69.19	72.24	3.05	2.73	90	2.02	74							
72.24	75.29	3.05	2.85	93	2.05	67							
75.29	78.33	3.04	2.90	95	2.47	81							

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY:

HOLE: KIT 07-01

Logger:

Page: 2/3

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
78.33	81.38	3.05	2.90	95	2.20	76							
81.38	84.43	3.05	2.73	90	1.45	53							
84.43	87.48	3.05	2.73	90	1.45	53							
87.48	90.53	3.05	2.88	94	2.70	98							
90.53	93.57	3.04	2.90	95	1.27	44							
93.57	96.62	3.05	2.40	79	1.47	48							
96.62	99.67	3.05	2.96	90	1.79	60							
99.67	102.72	3.05	2.72	89	1.92	71							
102.72	105.77	3.05	2.95	97	1.71	58							
105.77	108.81	3.05	2.70	89	1.61	60							
108.81	111.86	3.05	2.84	93	1.50	53							
111.86	114.91	3.05	3.00	98	2.34	77							
114.91	117.96	3.05	2.98	98	2.34	79							
117.96	121.01	3.05	3.05	100	2.95	97							
121.01	124.05	3.04	2.87	94	1.92	67							
124.05	127.10	3.05	2.67	88	1.52	56							
127.10	130.15	3.05	2.75	90	1.43	47							
130.15	133.19	3.04	2.83	93	1.42	50							
133.19	136.25	3.06	2.76	90	1.39	50							
136.25	139.29	3.04	3.05	100	2.62	86							
139.29	142.34	3.05	2.15	97	2.47	83							
142.34	145.39	3.05	2.73	90	2.09	77							
145.39	148.44	3.05	3.27	107	3.07	93							
148.44	151.49	3.05	2.82	92	2.40	85							
151.49	154.53	3.04	2.88	95	2.82	98							

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY:

HOLE: KIT 07-01

Logger:

Page: 3/3

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
154.53	157.58	3.05	2.95	97	2.54	86							
157.58	160.63	3.05	2.95	97	2.76	94							
160.63	163.68	3.05	2.84	93	2.29	81							
163.68	166.73	3.05	2.70	89	2.60	96							
166.73	169.77	3.04	2.80	92	2.62	94							
169.77	172.82	3.05	2.81	92	0.78	28							
172.82	175.87	3.05	2.82	92	1.77	63							
175.87	178.92	3.05	2.77	91	1.82	66							
178.92	181.97	3.05	2.83	93	2.27	80							
181.97	185.01	3.04	2.81	92	1.32	47							
185.01	188.06	3.05	2.74	90	2.27	83							
188.06	191.11	3.05	2.95	97	2.18	74							
191.11	194.16	3.05	2.54	83	1.26	50							
194.16	197.21	3.05	2.67	88	1.29	48							
197.21	200.25	3.04	2.37	78	1.13	48							
200.25	203.30	3.05	2.77	91	1.05	38							
203.30	206.35	3.05	2.70	89	0.70	29							
206.35	209.40	3.05	2.70	89	1.47	54							
209.40	212.45	3.05	2.69	88	0.80	30							
212.45	215.49	3.04	2.70	89	1.88	70							
215.49	218.54	3.05	2.90	95	2.27	78							
218.54	221.59	3.05	2.88	94	1.70	59							
221.59	224.63	3.04	2.85	94	1.97	69							
224.63	227.68	3.05	2.15	70	1.05	49							
227.68	230.73	3.05	0.82	27	0.31	38							

230.73 E.O.H