

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY: KIT

HOLE: KIT 07-02

Logger: M P Phillips

Page: 1/4

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
0.00	6.10	6.10	0.30	5	0.00	0	Casing		to 6.10 m.				
6.10	8.23	2.13	0.27	13	0.00	0							
8.23	11.28	3.05	2.67	88	0.00	0							
11.28	14.33	3.05	2.33	76	0.00	0							
14.33	17.37	3.04	2.55	84	0.77	30							
17.37	20.42	3.05	2.65	87	1.15	43							
20.42	23.47	3.05	2.69	88	1.38	51							
23.47	26.52	3.05	2.97	97	0.90	30							
26.52	29.57	3.05	2.70	89	0.81	30							
29.57	32.61	3.05	2.48	81	1.07	43							
32.61	35.66	3.05	2.70	89	0.63	23							
35.66	38.71	3.05	2.28	75	0.14	7							
38.71	41.76	3.05	1.74	57	0.31	18							
41.76	44.81	3.05	2.28	75	0.38	17							
44.81	47.85	3.04	2.80	92	0.80	29							
47.85	50.90	3.05	2.65	87	0.92	42							
50.90	53.95	3.05	2.96	97	1.25	42							
53.95	57.00	3.05	2.40	79	0.88	36							
57.00	60.05	3.05	2.50	82	0.68	27							
60.05	63.09	3.04	2.28	75	0.10	4							
63.09	66.14	3.05	2.53	83	0.66	26							
66.14	69.19	3.05	2.60	85	0.22	8							
69.19	72.24	3.05	2.95	97	0.62	21							
72.24	75.29	3.04	3.04	100	2.17	71							
75.29	78.33	3.04	2.27	75	0.42	19							

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY: KIT CLAIMS

HOLE: KIT 07-02

Logger:

Page: 2/4

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
78.33	81.38	3.05	2.43	80	1.19	49							
81.38	84.43	3.05	3.05	100	1.75	57							
84.43	87.48	3.05	2.87	94	1.67	58							
87.48	90.53	3.05	2.92	96	1.53	52							
90.53	93.57	3.04	2.96	97	1.44	49							
93.57	96.62	3.05	3.05	100	1.68	55							
96.62	99.67	3.05	2.95	97	2.04	69							
99.67	102.72	3.05	2.78	91	1.33	48							
102.72	105.77	3.05	2.57	84	1.64	64							
105.77	108.81	3.04	3.04	100	2.53	83							
108.81	111.86	3.05	2.70	89	1.69	63							
111.86	114.91	3.05	2.66	87	1.21	40							
114.91	117.96	3.05	2.72	89	1.30	48							
117.96	121.01	3.05	1.96	64	1.08	55							
121.01	124.05	3.04	2.86	94	1.45	51							
124.05	127.10	3.05	2.37	78	1.33	56							
127.10	130.15	3.05	2.95	97	2.12	72							
130.15	133.20	3.05	2.95	97	2.78	94							
133.20	136.25	3.05	2.10	69	0.17	08							
136.25	139.29	3.04	2.04	67	0.60	29							
139.29	142.34	3.05	2.85	93	2.13	75							
142.34	145.39	3.05	2.64	87	1.88	71							
145.39	148.44	3.05	2.44	82	1.75	70							
148.44	151.49	3.05	2.44	80	1.01	41							
151.49	154.53	3.04	2.60	86	0.87	33							

PROJECT GEOTECHNICAL FIELD LOG

PROPERTY: KIT

HOLE: KIT 07-02.

Logger:

Page: 3/4

Blocks			GEOTECHNICAL						JOINTS				
From (m)	To (m)	Intvl. (m)	REC		RQD		Weathering	Hardness	Frequency (/m)	Attitude (tca)	Shape	Roughness	Infilling
			(m)	Percent	(m)	Percent							
154.53	157.58	3.05	2.47	81	0.65	26							
157.58	160.63	3.05	2.32	76	0.64	28							
160.63	163.68	3.05	2.40	79	0.83	35							
163.68	166.73	3.05	1.90	62	0.00	0							
166.73	169.77	3.04	2.44	80	0.87	36							
169.77	172.82	3.05	2.80	92	1.00	36							
172.82	175.87	3.05	3.05	100	1.37	45							
175.87	178.92	3.05	2.05	67	0.75	37							
178.92	181.97	3.05	2.80	92	0.77	28							
181.97	185.01	3.04	2.55	83	0.88	35							
185.01	188.06	3.05	2.73	90	0.53	19							
188.06	191.11	3.05	2.75	90	1.71	62							
191.11	194.16	3.05	2.45	80	0.35	14							
194.16	197.21	3.05	2.40	79	0.61	25							
197.21	200.25	3.04	2.50	82	1.46	58							
200.25	203.30	3.05	2.80	92	1.51	54							
203.30	206.35	3.05	2.88	78	1.00	42							
206.35	209.40	3.05	2.90	95	1.57	54							
209.40	212.45	3.05	2.71	89	1.43	53							
212.45	215.49	3.04	2.40	79	1.36	57							
215.49	218.54	3.05	2.23	73	0.88	39							
218.54	221.59	3.05	2.52	83	1.51	60							
221.59	224.64	3.05	2.65	87	1.00	38							
224.64	227.69	3.05	2.43	80	0.70	29							
227.69	230.73	3.04	2.01	66	0.27	13							

Page: 4/4

[illegible]