

**SYNOPTIC LOG  
NORDAC RESOURCES LTD.**
Property: SIMPSONHole: SM-97-06 Section: \_\_\_\_\_

Easting: \_\_\_\_\_

Northing: \_\_\_\_\_

Elevation: \_\_\_\_\_

Depth: \_\_\_\_\_

Logger: \_\_\_\_\_

Sefika Lesnikoff

468,197.50

6,735,813.82

1,569.24

127.10

Drilling Dates: \_\_\_\_\_

Aug 2-4, 1997

Depth	0.00	127.10
Azimuth	40	40
Dip	-55	-57
Method	Brunton	Acid

From (m)	To (m)	Interval (m)	*	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)
0.00	6.05	6.05		CSDH	casing										
6.05	6.70	0.65	T	OBDH	overburden										
6.70	11.27	4.57	S	CMSH	coarse grained quartz-chlorite-muscovite schist										
11.27	15.84	4.57	T	CMSH	quartz-chlorite-muscovite schist										
15.84	21.94	6.10	T	QFMT	metatuff										
21.94	27.88	5.94	S	CMSH	quartz-chlorite-muscovite schist										
27.88	32.44	4.56	T	CMSH	quartz-muscovite-chlorite schist with relict quartz phenocrysts										
32.44	33.44	1.00	T	QZVN	broken bull quartz vein										
33.44	39.83	6.39	T	SCSH	quartz-sericite-chlorite schist with relict quartz phenocrysts										
39.83	40.47	0.64	T	GSPH	quartz-sericite-graphite schist										
40.47	42.36	1.89	T	QZVN	quartz veins with quartz-chlorite-muscovite schist										
42.36	46.77	4.41	T	CMSH	quartz-chlorite-muscovite schist										
46.77	48.41	1.64	F	GSPH	graphite-sericite phyllite -quartz-pyrite-galena bands at the end of the interval										
48.41	63.09	14.68	T	SCSH	fine grained quartz-sericite-chlorite schist										
63.09	67.20	4.11	F	SCSH	metatuff										
67.20	77.60	10.40	F	SCSH	fine grained quartz-sericite-chlorite schist										
77.60	84.40	6.80	T	QMSH	quartz-muscovite schist										
84.40	85.50	1.10	F	SMSH	semi-massive quartz-chlorite schist -bands or wisps of sphalerite, galena and pyrite	84.40	85.50	1.10	59318	100	440	4570	6480	8.0	n/a
85.50	88.15	2.65	F	QCSH	quartz-chlorite schist -fine disseminated pyrite	85.50	88.15	2.65	59319	100	14	306	310	0.2	n/a
88.15	89.40	1.25	F	SMSH	semi-massive quartz-chlorite-muscovite schist -0.1-0.2cm wide bands of galena, sphalerite, and pyrite	88.15	89.40	1.25	59320	100	1635	4210	2.00%	16.4	n/a
					parallel to foliation										
					-downhole bands of magnetite with fine grained chalcopyrite and coarse grained pyrite										
89.40	92.60	3.40	F	QGPH	quartz-graphite phyllite -with intercalations of quartz-chlorite schist										

\*S-strong weathering, T-transitional weathering, F-fresh

**SYNOPTIC LOG**  
**NORDAC RESOURCES LTD.**

Property: SIMPSON

Hole : SM-97-06

[illegible]

\*S-strong weathering, T-transitional weathering, F-fresh