

Weighted Averages, DDH SG-06-02

2006 Sonora Gold Project, Phase 2

Firestone Ventures Inc.

Easting (NAD 83): 347270E, Zone 8

Northing (NAD 83): 6949805

Elev: 834m

Az: 180°

Dip: -50°

E.O.H: 47.2m

Hole No.	Sample Number	Interval (metres)			Au	Weighted Ave	Ag	Wtd Ave	Cu	Wtd Ave	Sb	Wtd Ave	As	Wtd Ave	Pb	Wtd Ave	Zn	Wtd Ave
		From	To	Width	g/t	Au	g/t	Ag	ppm	Cu	ppm	Sb	ppm	As	ppm	Pb	ppm	Zn
SG-06-02	C443601	3.1	4.6	1.5	0.059	0.089	0.6	0.9	104	156	7	10.5	29	43.5	46	69	407	610.5
SG-06-02	C443602	4.6	6.1	1.5	0.103	0.155	4.8	7.2	190	285	100	150	73	109.5	161	241.5	557	835.5
SG-06-02	C443603	6.1	7.6	1.5	0.254	0.381	17	25.5	182	273	337	505.5	146	219	615	922.5	149	223.5
SG-06-02	C443604	7.6	9.1	1.5	0.369	0.554	11.4	17.1	79	118.5	164	246	86	129	315	472.5	60	90
SG-06-02	C443605	9.1	10.7	1.6	0.036	0.058	1.1	1.76	115	184	27	43.2	40	64	79	126.4	164	262.4
SG-06-02	C443606	10.7	12.2	1.5	0.032	0.048	0.8	1.2	117	175.5	26	39	55	82.5	58	87	512	768
SG-06-02	C443607	12.2	13.7	1.5	0.242	0.363	4.3	6.45	25	37.5	53	79.5	108	162	196	294	50	75
SG-06-02	C443608	13.7	15	1.3	0.925	1.203	22.2	28.86	18	23.4	151	196.3	209	271.7	415	539.5	57	74.1
SG-06-02	C443609	15	16.5	1.5	0.166	0.249	10.5	15.75	17	25.5	60	90	64	96	77	115.5	64	96
SG-06-02	C443610	16.5	18.3	1.8	0.102	0.184	5.6	10.08	20	36	56	100.8	34	61.2	53	95.4	63	113.4
SG-06-02	C443611	18.3	19.8	1.5	0.179	0.269	10.1	15.15	94	141	178	267	68	102	555	832.5	167	250.5
SG-06-02	C443612	19.8	21.3	1.5	0.306	0.459	13.4	20.1	401	601.5	199	298.5	124	186	107	160.5	313	469.5
SG-06-02	C443613	21.3	24.4	3.1	0.141	0.437	4.2	13.02	196	607.6	116	359.6	133	412.3	59	182.9	201	623.1
SG-06-02	C319001	24.4	26	1.6	0.061	0.098	2	3.2	301	481.6	86	137.6	112	179.2	72	115.2	455	728
SG-06-02	C319002	26	27.4	1.4	0.06	0.084	0.8	1.12	148	207.2	34	47.6	80	112	31	43.4	234	327.6
SG-06-02	C319003	27.4	28.9	1.5	0.028	0.042	0.4	0.6	67	100.5	14	21	71	106.5	33	49.5	45	67.5
SG-06-02	C443614	28.9	30.5	1.6	0.043	0.069	0	0	67	107.2	10	16	54	86.4	28	44.8	234	374.4
SG-06-02	C443615	30.5	32	1.5	0.079	0.119	1.3	1.95	131	196.5	52	78	90	135	49	73.5	209	313.5
SG-06-02	C443616	32	33.5	1.5	0.085	0.128	1	1.5	263	394.5	76	114	113	169.5	30	45	204	306
SG-06-02	C443617	33.5	35	1.5	0.604	0.906	14	21	117	175.5	455	682.5	139	208.5	196	294	54	81
SG-06-02	C443618	35	36.6	1.6	0.11	0.176	5	8	280	448	249	398.4	164	262.4	150	240	114	182.4
SG-06-02	C443619	36.6	38.1	1.5	0.074	0.111	0.8	1.2	61	91.5	30	45	57	85.5	27	40.5	99	148.5
SG-06-02	C443620	38.1	39.6	1.5	0.055	0.083	0.7	1.05	90	135	14	21	55	82.5	68	102	155	232.5
SG-06-02	C443621	39.6	41.1	1.5	0.109	0.164	2	3	112	168	49	73.5	55	82.5	111	166.5	90	135
SG-06-02	C443622	41.1	42.7	1.6	0.168	0.269	5.3	8.48	301	481.6	133	212.8	89	142.4	139	222.4	130	208
SG-06-02	C443623	42.7	44.2	1.5	0.019	0.029	0.6	0.9	41	61.5	14	21	42	63	32	48	93	139.5
SG-06-02	C443624	44.2	45.7	1.5	0.078	0.117	4.2	6.3	697	1045.5	269	403.5	90	135	52	78	253	379.5
SG-06-02	C443625	45.7	47.2	1.5	0.177	0.266	8.5	12.75	385	577.5	182	273	63	94.5	144	216	167	250.5

Weighted Averages, DDH SG-06-02A

2006 Sonora Gold Project, Phase 2

Firestone Ventures Inc.

Easting (NAD 83): 347270E, Zone 8

Northing (NAD 83): 6949805

Elev: 834m

Az: 180°

Dip: -60°

E.O.H: 213.4m

Sample Number	Interval (m)			Au	Weighted Ave	Ag	Wted Ave	Cu	Wted Ave	Sb	Wted Ave	As	Wted Ave	Pb	Wted Ave	Zn	Wted Ave
	From	To	Width	Au g/t	Au	g/t	Ag	ppm	Cu	ppm	Sb	ppm	As	ppm	Pb	ppm	Zn
C443626	1.5	3.1	1.6	0.031	0.050	1.4	2.2	52	83	7	11	33	53	40	64	197	315
C443627	3.1	4.6	1.5	0.053	0.080	1.7	2.6	36	54	8	12	39	59	50	75	241	362
C443628	4.6	6.1	1.5	0.026	0.039	1	1.5	320	480	10	15	42	63	50	75	623	935
C443629	6.1	7.6	1.5	0.035	0.053	0.6	0.9	18	27	6	9	25	38	34	51	151	227
C443630	7.6	9.1	1.5	0.034	0.051	0.8	1.2	13	20	6	9	51	77	68	102	148	222
C443631	9.1	10.7	1.6	0.04	0.064	0.8	1.3	107	171	9	14	56	90	48	77	294	470
C443632	10.7	12.2	1.5	0.313	0.470	4.5	6.8	21	32	31	47	140	210	238	357	58	87
C443633	12.2	13.7	1.5	0.538	0.807	10.3	15.5	44	66	65	98	161	242	215	323	59	89
C443634	13.7	15.2	1.5	0.034	0.051	0.5	0.8	95	143	4	6	28	42	30	45	740	1110
C443635	15.2	16.8	1.6	0.033	0.053	1.8	2.9	50	80	6	10	49	78	40	64	503	805
C443636	16.8	18.3	1.5	0.034	0.051	0.8	1.2	135	203	10	15	39	59	36	54	1875	2813
C443637	Blank			0	0.000	0	0.0	40	0	0	0	5	0	7	0	89	0
C443638	STD, CDN-GS-P7A			0.75	0.000	1.8	0.0	59	0	26	0	238	0	226	0	219	0
C443639	18.3	19.8	1.5	0.054	0.081	0.7	1.1	208	312	86	129	179	269	30	45	507	761
C443640	19.8	21.3	1.5	0.072	0.108	3.7	5.6	294	441	165	248	149	224	47	71	439	659
C443641	21.3	22.9	1.6	0.120	0.192	5.8	9.3	140	224	143	229	133	213	95	152	145	232
C443642	22.9	24.4	1.5	0.039	0.059	0.5	0.8	270	405	41	62	53	80	37	56	358	537
C443643	24.4	25.9	1.5	0.116	0.174	2.7	4.1	212	318	52	78	69	104	44	66	318	477
C443644	25.9	27.4	1.5	0.090	0.135	4.1	6.2	355	533	69	104	59	89	118	177	809	1214
C443645	27.4	29	1.6	0.036	0.058	1.1	1.8	162	259	23	37	40	64	48	77	191	306
C443646	29	30.5	1.5	0.162	0.243	4.6	6.9	226	339	126	189	109	164	40	60	131	197
C443647	30.5	32	1.5	0.392	0.588	3.4	5.1	319	479	122	183	81	122	29	44	237	356
C443648	32	33.5	1.5	0.160	0.240	9.9	14.9	134	201	169	254	85	128	151	227	77	116
C443649	33.5	35.1	1.6	0.035	0.056	1.1	1.8	274	438	14	22	19	30	39	62	2740	4384
C443650	35.1	36.6	1.5	0.045	0.068	2.8	4.2	320	480	45	68	32	48	49	74	3230	4845
C443651	36.6	38.1	1.5	0.120	0.180	11.5	17.3	84	126	145	218	75	113	103	155	87	131
C443652	38.1	39.6	1.5	0.037	0.056	0.7	1.1	166	249	15	23	29	44	27	41	324	486
C443653	39.6	41.2	1.6	0.024	0.038	0.6	1.0	25	40	6	10	23	37	33	53	149	238
									0								
C443654	41.2	42.7	1.5	0.167	0.251	8.6	12.9	124	186	82	123	67	101	239	359	411	617
C443655	42.7	44.2	1.5	0.127	0.191	9.3	14.0	241	362	121	182	70	105	327	491	719	1079
C443656	44.2	45.7	1.5	0.207	0.311	10.6	15.9	165	248	55	83	93	140	487	731	522	783
C443657	45.7	47.2	1.5	0.231	0.347	15.5	23.3	473	710	106	159	122	183	436	654	1740	2610
C443658	47.2	48.8	1.6	1.030	1.648	35.9	57.4	563	901	253	405	322	515	808	1293	891	1426
			7.6		2.746		123.4		0		951		1043		3526		6514
				Au: 0.361 g/t		Ag: 16.2 g/t		Cu: 316 ppm	0	Sb: 125 ppm		As: 137 ppm		Pb: 464 ppm		Zn: 857 ppm	

									0									
C443659	48.8	50.3	1.5	0.072	0.108	2.9	4.4	38	57	18	27	41	62	170	255	363	545	
C443660	50.3	51.8	1.5	0.097	0.146	11.9	17.9	246	369	127	190.5	57	86	801	1202	322	483	
C443661	51.8	53.3	1.5	0.039	0.059	0.7	1.1	18	27	4	6	30	45	62	93	501	752	
C443662	53.3	54.9	1.6	0.022	0.035	0.9	1.4	27	43	11	17.6	18	29	37	59	82	131	
C443663	54.9	56.4	1.5	0.022	0.033	0.9	1.4	21	32	8	12	20	30	43	65	56	84	
C443664	56.4	57.9	1.5	0.02	0.030	0.5	0.8	37	56	11	16.5	24	36	22	33	54	81	
C443665	57.9	59.4	1.5	0.052	0.078	2.0	3.0	27	41	10	15	26	39	86	129	81	122	
C443666	59.4	61.0	1.6	0.106	0.170	6.7	10.7	49	78	14	22.4	57	91	476	762	1250	2000	
C443667	61.0	62.5	1.5	0.184	0.276	7.7	11.6	137	206	28	42	82	123	447	671	3160	4740	
C443668	62.5	64.0	1.5	0.096	0.144	2.6	3.9	30	45	13	19.5	48	72	134	201	140	210	
C443669	64.0	65.5	1.5	0.095	0.143	8.7	13.1	154	231	62	93	56	84	90	135	105	158	
C443670	65.5	67.1	1.6	0.066	0.106	1.0	1.6	18	29	6	9.6	31	50	46	74	231	370	
C443671	67.1	68.6	1.5	0.159	0.239	9.0	13.5	188	282	86	129	70	105	163	245	249	374	
C443672	68.6	70.1	1.5	0.036	0.054	0.8	1.2	16	24	3	4.5	35	53	44	66	89	134	
C443673	70.1	71.6	1.5	0.060	0.090	0.6	0.9	11	17	3	4.5	24	36	55	83	73	110	
C443674	71.6	73.2	1.6	0.235	0.376	9.9	15.8	225	360	92	147.2	100	160	556	890	1215	1944	
C443675	73.2	74.7	1.5	0.197	0.296	9.5	14.3	371	557	175	262.5	96	144	228	342	177	266	
C443676	74.7	76.2	1.5	0.037	0.056	0.5	0.8	44	66	16	24	19	29	17	26	96	144	
C443677	76.2	77.1	0.9	0.034	0.031	0.2	0.2	11	10	0	0	27	24	26	23	117	105	
C443678	77.1	79.3	2.2	0.067	0.147	3.3	7.3	155	341	71	156.2	55	121	126	277	331	728	
C443679	79.3	80.8	1.5	0.371	0.557	28.2	42.3	1870	2805	874	1311	381	572	272	408	371	557	
C443680	80.8	82.3	1.5	0.064	0.096	4.9	7.4	199	299	102	153	56	84	82	123	205	308	
C443681	82.3	83.8	1.5	0.060	0.090	5.6	8.4	146	219	67	100.5	55	83	86	129	192	288	
C443682	83.8	85.3	1.5	0.029	0.044	2.0	3.0	70	105	31	46.5	37	56	43	65	89	134	
C443683	85.3	86.8	1.5	0.057	0.086	3.1	4.7	97	146	40	60	51	77	76	114	100	150	
C443684	86.8	88.4	1.6	0.203	0.325	17.2	27.5	529	846	220	352	149	238	63	101	124	198	
C443685	88.4	89.9	1.5	0.300	0.450	63.6	95.4	1310	1965	457	686	355	533	289	434	394	591	
C443686	89.9	91.4	1.5	0.424	0.636	41.2	61.8	697	1046	284	426	332	498	232	348	215	323	
C443687	91.4	92.9	1.5	0.737	1.106	105	157.5	1280	1920	567	851	397	596	1010	1515	1880	2820	
C443688	92.9	94.5	1.6	0.437	0.699	130	208.0	1240	1984	580	928	302	483	1570	2512	480	768	
			3.1		1.805		365.5		3904		1779		1079		4027		3588	
			Au: 0.582g/t		Ag: 117.9 g/t		Cu: 1259 ppm		Sb: 574 ppm		As: 348 ppm		Pb: 1299 ppm		Zn: 1157 ppm			
C443689	94.5	96	1.5	0.244	0.366	43.8	65.7	812	1218	270	405	293	440	1425	2138	2070	3105	
C443690	96	97.5	1.5	0.277	0.416	67.2	100.8	1050	1575	340	510	373	560	744	1116	716	1074	
C443691	97.5	99	1.5	0.164	0.246	28.5	42.8	369	554	124	186	147	221	390	585	385	578	
C443692	99	100.6	1.6	0.330	0.528	43.4	69.4	744	1190	245	392	241	386	197	315	284	454	
C443693	100.6	102.1	1.5	0.289	0.434	9.4	14.1	116	174	41	62	193	290	81	122	294	441	
C443694	102.1	103.6	1.5	0.290	0.435	47.8	71.7	658	987	205	308	240	360	243	365	304	456	
C443695	103.6	105.1	1.5	0.164	0.246	22	33.0	339	509	99	149	147	221	417	626	197	296	
C443696	105.1	106.7	1.6	0.311	0.498	31.2	49.9	862	1379	265	424	299	478	821	1314	146	234	
			23		8.188		1363.1		19251		7455		6380		15515		14925	
			Au: 0.321 g/t		Ag: 50.1 g/t		Cu: 771 ppm		Sb: 285 ppm		As: 266 ppm		Pb: 577 ppm		Zn: 577 ppm			
C443697	106.7	108.2	1.5	0.025	0.038	1.4	2.1	23	35	10	15	36	54	61	92	182	273	
C443698	108.2	109.7	1.5	0.029	0.044	2.2	3.3	34	51	12	18	37	56	62	93	89	134	
C443699	109.7	111.2	1.5	0.138	0.207	25.8	38.7	508	762	194	291	176	264	190	285	186	279	
C443700	111.2	112.8	1.6	0.101	0.162	11.6	18.6	340	544	139	222.4	108	173	519	830	258	413	
C443701	112.8	114.3	1.5	0.117	0.176	9.3	14.0	292	438	123	184.5	105	158	488	732	200	300	
C443702	114.3	115.8	1.5	0.055	0.083	3.1	4.7	53	80	20	30	66	99	106	159	47	71	

C443703	115.8	117.3	1.5	0.110	0.165	10.5	15.8	426	639	158	237	127	191	182	273	251	377
C443704	117.3	118.9	1.6	0.121	0.194	6.5	10.4	143	229	64	102.4	66	106	146	234	143	229
C443705	118.9	120.4	1.5	0.121	0.182	12.6	18.9	312	468	154	231	83	125	276	414	435	653
C443706	120.4	121.9	1.5	0.084	0.126	11.5	17.3	225	338	115	172.5	66	99	433	650	102	153
C443707	121.9	123.4	1.5	0.092	0.138	18.5	27.8	190	285	103	154.5	51	77	1170	1755	972	1458
C443708	123.4	125	1.6	0.032	0.051	3.7	5.9	56	90	32	51.2	26	42	122	195	195	312
C443709	125	126.5	1.5	0.035	0.053	7.6	11.4	105	158	59	88.5	35	53	139	209	222	333
C443710	126.5	128	1.5	0.039	0.059	2.3	3.5	14	21	7	10.5	11	17	108	162	75	113
C443711	128	129.5	1.5	0.023	0.035	2.3	3.5	20	30	4	6	14	21	188	282	87	131
C443712	129.5	131	1.5	0.100	0.150	2.5	3.8	32	48	7	10.5	14	21	132	198	327	491
C443713	131	132.5	1.5	0.024	0.036	1.4	2.1	6	9	3	4.5	7	11	162	243	235	353
C443714	132.5	134	1.5	0.065	0.098	5	7.5	49	74	18	27	13	20	359	539	394	591
C443715	134	135.5	1.5	0.074	0.111	5.5	8.3	67	101	27	40.5	15	23	285	428	362	543
C443716	135.5	136.6	1.1	0.032	0.035	2.5	2.7	85	93	18	19.8	9	10	64	70	110	121
C443717	136.6	138.1	1.5	0.029	0.044	0.9	1.4	64	96	7	10.5	7	11	54	81	122	183
C443718	138.1	139.6	1.5	0.051	0.077	3.1	4.7	27	41	11	16.5	13	20	206	309	573	860
C443719	139.6	140.6	1	0.080	0.080	3.8	3.8	68	68	7	7	6	6	474	474	639	639
C443720	140.6	141.7	1.1	0.082	0.090	21.2	23.3	491	540	272	299.2	63	69	34	37	146	161
C443721	141.7	143.2	1.5	0.063	0.095	15.8	23.7	526	789	284	426	67	101	73	110	146	219
C443722	143.2	145	1.8	0.046	0.083	2.6	4.7	15	27	5	9	9	16	128	230	87	157
C443723	145	146.4	1.4	0.023	0.032	0.9	1.3	6	8	3	4.2	4	6	58	81	68	95
C443724	146.4	147.8	1.4	0.048	0.067	2.8	3.9	17	24	5	7	8	11	249	349	444	622
C443725	147.8	149.3	1.5	0.060	0.090	7.7	11.6	99	149	47	70.5	16	24	239	359	376	564
C443726	149.3	150.9	1.6	0.111	0.178	27.3	43.7	1020	1632	505	808	167	267	40	64	208	333
C443727	150.9	152.4	1.5	0.091	0.137	33	49.5	461	692	268	402	61	92	295	443	264	396
C443728	152.4	153.9	1.5	0.032	0.048	4.1	6.2	30	45	8	12	22	33	321	482	358	537
C443729	153.9	155.4	1.5	0.055	0.083	2.7	4.1	39	59	10	15	18	27	90	135	42	63
C443730	155.4	157	1.6	0.112	0.179	10.7	17.1	80	128	17	27.2	23	37	1825	2920	961	1538
C443731	157	158.5	1.5	0.042	0.063	21.5	32.3	151	227	87	130.5	32	48	2480	3720	3470	5205
C443732	158.5	160	1.5	0.087	0.131	14.2	21.3	115	173	62	93	33	50	348	522	355	533
C443733	160	161.6	1.6	0.024	0.038	8.2	13.1	56	90	34	54.4	17	27	697	1115	608	973
C443734	161.6	163.1	1.5		0.000		0.0		0		0		0		0		0
C443735	163.1	164.6	1.5	0.020	0.030	12.5	18.8	119	179	62	93	20	30	256	384	133	200
C443736	164.6	166.1	1.5	0.053	0.080	3.8	5.7	161	242	49	73.5	31	47	26	39	38	57
C443737	166.1	167.6	1.5	0.015	0.023	0.4	0.6	96	144	7	10.5	4	6	7	11	26	39
C443738	167.6	169.2	1.6	0.038	0.061	2.7	4.3	91	146	15	24	10	16	56	90	59	94
C443739	169.2	170.7	1.5	0.027	0.041	1.4	2.1	173	260	26	39	22	33	10	15	28	42
C443740	170.7	172.2	1.5	0.042	0.063	2.2	3.3	144	216	42	63	40	60	15	23	31	47
C443741	172.2	173.8	1.6	0.617	0.987	1.7	2.7	277	443	34	54.4	69	110	16	26	45	72
C443742	173.8	175.3	1.5	0.038	0.057	2.1	3.2	91	137	21	31.5	29	44	62	93	163	245
C443743	175.3	176.8	1.5	0.044	0.066	19.1	28.7	390	585	190	285	69	104	61	92	109	164
C443744	176.8	178.3	1.5	0.046	0.069	11.3	17.0	209	314	95	142.5	45	68	129	194	87	131
C443745	178.3	179.8	1.5	0.06	0.090	15.5	23.3	189	284	92	138	70	105	179	269	102	153
C443746	179.8	181.4	1.6	0.177	0.283	34.9	55.8	545	872	243	388.8	185	296	288	461	137	219
C443747	181.4	182.9	1.5	0.16	0.240	15.7	23.6	1200	1800	153	229.5	174	261	66	99	139	209
C443748	182.9	184.4	1.5	0.17	0.255	1.3	2.0	965	1448	5	7.5	11	17	13	20	30	45
C443749	184.4	185.9	1.5	0.092	0.138	10.9	16.4	362	543	125	187.5	54	81	12	18	65	98
C443750	185.9	187.5	1.6	0.039	0.062	1.4	2.2	186	298	19	30.4	11	18	31	50	41	66
C443751	187.5	189	1.5	0.04	0.060	4.6	6.9	90	135	45	67.5	20	30	72	108	114	171
C443752	189	190.5	1.5	0.058	0.087	11.4	17.1	183	275	83	124.5	35	53	50	75	91	137
C443753	190.5	192	1.5	0.039	0.059	8.8	13.2	113	170	52	78	22	33	40	60	41	62

[illegible]