



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 30-OCT-2007

Account: MTT

CERTIFICATE EL07115444

Project: NIMO-SN

P.O. No.: SN-07-01

This report is for 12 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER
VANCOUVER OFFICE

DOUG EATON
BILL WENGZYNOWSKI

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-36	Pulverize 1.5 kg to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-SN

Page: 2 - A

Total Pages: 2 (A - D)

Finalized Date: 30-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS EL07115444

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G087001		1.74	2.78	2.32	36.2	200	1.26	0.1	3.45	43.6	25.3	4.8	133	3.5	97.5	1.08
G087002		0.89	3.52	2.45	47.7	260	1.52	0.11	2.34	54.6	32.3	5.4	172	3.91	152	1.15
G087003		0.59	2.88	2.53	39.7	220	2.05	0.12	2.07	62.6	31	7.3	115	4.13	132	1.3
G087004		0.20	13.15	2.64	257	120	1.57	0.86	2.95	21.8	47.1	13.5	169	3.42	213	9.33
G087005		0.57	2.1	2.38	33.8	160	1.17	0.1	1.68	27.4	31	6.6	80	3.14	95.4	1.37
G087006		0.86	3.18	2.75	61.6	170	1.27	0.21	0.99	17.65	31.9	16.2	87	3.34	66.4	2.26
G087007		1.78	3.6	2.37	41.5	180	1.39	0.18	1.36	23.7	34.6	11.4	184	3.17	124.5	1.62
G087008		0.99	0.02	0.27	<5	30	0.11	0.01	19.05	0.13	2.02	1.7	3	0.48	2.7	0.53
G087009		1.24	2.17	3.64	30.5	190	2.14	0.18	3.48	7.18	33.7	5.7	312	4.39	160	1.77
G087010		0.36	0.59	1.28	30	440	0.77	0.03	22.5	6.54	15.95	2.4	107	1.24	150	0.42
G087011		0.59	1.97	4.08	45.7	130	2.71	0.19	6.05	14.4	37.6	7.6	286	4.97	175	1.71
G087012		0.90	1.66	3.17	44.4	150	2	0.14	8.46	21.7	36.3	6	141	4.29	140	1.28

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-SN

Page: 2 - B

Total Pages: 2 (A - D)

Finalized Date: 30-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS EL07115444

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G087001		6.23	0.21	1	0.48	0.024	0.79	20.5	7.8	0.33	60	48.4	0.08	3.7	235	760
G087002		6.98	0.21	1	0.58	0.033	0.88	26.9	8.2	0.38	55	56.9	0.08	4	258	1040
G087003		7.94	0.24	1.2	0.58	0.033	0.9	22.3	11.1	0.44	64	71.1	0.1	4	242	450
G087004		6.51	0.43	1.1	1.00	0.011	0.95	20.5	9.3	0.43	152	49.8	0.08	3.9	219	970
G087005		5.82	0.19	1	0.34	0.016	0.88	20.8	6.8	0.62	90	68.3	0.12	4.1	219	560
G087006		6.34	0.19	1.1	0.36	0.017	1.03	17.6	7.3	0.41	96	53.8	0.15	4.9	205	450
G087007		6.12	0.2	1.1	0.39	0.019	0.85	21.7	6.7	0.34	66	30.3	0.12	4.3	196	1710
G087008		0.63	0.05	0.1	0.01	0.005	0.05	1	1.1	12.05	198	0.38	0.05	0.7	4.8	180
G087009		11.75	0.19	1.9	0.31	0.044	1.34	20.9	17.2	0.81	78	15.6	0.11	7.4	269	5210
G087010		4.71	0.1	1.2	0.16	0.013	0.53	10.9	6.7	1.42	89	8.08	0.04	2.4	116	620
G087011		12.85	0.19	2.2	0.34	0.049	1.54	22.2	22.7	1.71	114	18.15	0.14	8.6	307	2150
G087012		9.95	0.14	1.7	0.36	0.038	1.21	22.7	17.6	2.23	114	58.3	0.09	7.4	318	2220

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total Pages: 2 (A - D)
Finalized Date: 30-OCT-2007
Account: MTT

Project: NIMO-SN

CERTIFICATE OF ANALYSIS EL07115444

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
G087001		11.5	49.8	0.124	1.44	21.5	6.5	38	0.8	364	0.23	0.17	2.8	0.104	2.57	19.6
G087002		11.9	53.2	0.131	1.54	40.4	7.9	37	0.9	248	0.24	0.2	2.9	0.119	3.03	22.5
G087003		12.7	55.6	0.085	1.74	38.7	6.7	36	1.1	193	0.24	0.23	3.2	0.124	3.65	23.5
G087004		68.8	53.5	0.058	>10.0	75.5	7.5	66	0.8	223	0.25	1.33	2.8	0.114	11.95	19
G087005		9.7	50.5	0.063	1.62	33.1	5.9	34	0.8	169.5	0.24	0.22	2.8	0.119	4.17	18.6
G087006		19.9	60.7	0.062	2.59	17.75	5.4	36	0.9	105.5	0.28	0.31	3.1	0.141	5.37	18.9
G087007		16.3	51.2	0.104	1.89	36.2	7	34	0.8	206	0.26	0.24	2.8	0.115	3.11	16.3
G087008		1.7	2	<0.002	0.02	0.14	0.8	3	<0.2	61.2	<0.05	<0.05	0.2	0.022	0.02	0.8
G087009		9.2	85.1	0.095	2.1	18.1	9.2	32	1.5	430	0.44	0.16	4.7	0.178	2.14	19.4
G087010		2.6	27.4	0.049	0.58	13.45	3.7	8	1	1665	0.14	0.09	1.9	0.063	0.71	8.2
G087011		11.4	91.6	0.112	2.12	18.3	9.4	24	1.8	437	0.46	0.21	5.6	0.202	2.42	23.3
G087012		10.2	77.6	0.125	1.85	24.4	8.9	20	1.3	584	0.41	0.14	5.1	0.152	3.11	34

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: NIMO-SN

Page: 2 - D

Total Pages: 2 (A - D)

Finalized Date: 30-OCT-2007

Account: MTT

CERTIFICATE OF ANALYSIS EL07115444

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
G087001		2500	0.6	45.4	2520	46.4
G087002		2970	0.7	50	3270	47.4
G087003		2790	0.8	42.4	3490	47.5
G087004		2130	0.9	43.2	1090	47
G087005		2100	0.8	35.5	1615	43.2
G087006		1960	0.9	38.7	1030	49
G087007		1740	0.6	43.6	1295	47.3
G087008		9	0.1	1.4	21	2.9
G087009		575	0.9	63.9	1145	89.4
G087010		267	0.3	32.9	661	72.9
G087011		774	0.9	60.9	1210	95.9
G087012		1450	0.9	53.3	1675	89.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.