

ASSAY LOG

DU PONT OF CANADA I

SOIL	TYPE				SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM OF ASSAY (P or A)	TO LAB	Sn ppm	P or A	FROM	P or A	TO	P or A	Pb	P or A	Zn	P or A
	ROCK	BULK	CORE						XRF													
			*		1750C	K81-2			55	0.08%					175.29		176.29					
			*		1751C	"			51	0.06%					176.29		177.29					
			*		1752C	"			67	0.16%			2		177.29		178.29		16		63	
			*		1753C	"			55	0.08%					178.29		179.29					
			*		1754C	"			64	0.14%			4		179.29		180.29		11		36	
			*		1755C	"			56	0.09%					180.29		181.29					
			*		1756C	"			61	0.12%			7		181.29		182.29		8		32	
			*		1757C	"			50	0.05%					182.29		183.29					
			*		1758C	"			73	0.20%			<2		183.29		184.29		13		46	
			*		1759C	"			48	0.04%					184.29		185.29					
			*		1760C	"			61	0.12%			2		185.29		186.29		11		63	
			*		1761C	"			38	0.01%					186.29		187.29					
			*		1762C	"			59	0.11%			3		187.29		188.29		12		264	
			*		1763C	"			58	0.10%			4		188.29		189.29		18		2350	
			*		1764C	"			63	0.13%			92		189.29		190.29		13		1120	
			*		1765C	"			66	0.15%			19		190.29		191.29		11		32	
			*		1766C	"			53	0.07%					191.29		192.29					
			*		1767C	"			73	0.20%			6		192.29		193.29		12		55	
			*		1768C	K81-3																
			*		1769C	"			73	0.20%			13		31.63		32.63		16		40	
			*		1770C	"			71	0.18%			86		32.63		33.63		12		38	
			*		1771C	"			58	0.10%			3		33.63		34.63		13		33	
			*		1772C	"			68	0.17%			5		34.63		35.63		9		29	
			*		1773C	"			52	0.07%					35.63		36.63					
			*		1774C	"			69	0.17%			8		36.63		37.63		10		31	

ASSAY LOG

DU PONT OF CANADA

SOIL	TYPE			SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM w ASSAY (P or A)	TO LAB	Sn		FROM	P or A	TO	P or A	Pb		Zn	P or A
	ROCK	BULK	CORE					XRF				ppm	P or A					P or A	P or A		
			*	1775C	K81-3			60	0.11%			<2		37.63		38.63		8		37	
			*	1776C	"			46	0.03%					38.63		39.63					
			*	1777C	"			63	0.13%			5		39.63		40.63		10		35	
			*	1778C	"			55	0.08%					40.63		41.63					
			*	1779C	"			59	0.11%			6		41.63		42.63		12		28	
			*	1780C	"			72	0.19%			35		42.63		43.63		17		42	
			*	1781C	"			59	0.11%			5		43.63		44.63		12		29	
			*	1782C	"			54	0.09%					44.63		45.63					
			*	1783C	"			57	0.10%			12		45.63		46.63		8		30	
			*	1784C	"			64	0.14%			72		46.63		47.63		16		24	
			*	1785C	"			58	0.10%			28		47.63		48.63		10		27	
			*	1786C	"			65	0.15%			97		48.63		49.63		12		28	
			*	1787C	"			61	0.12%			175		49.63		50.63		14		35	
			*	1788C	"			66	0.15%			500		50.63		51.63		14		31	
			*	1789C	"			61	0.12%			29		51.63		52.63		15		24	
			*	1790C	"			67	0.16%			20		52.63		53.63		12		33	
			*	1791C	"			65	0.15%			89		53.63		54.63		20		28	
			*	1792C	"			57	0.10%			18		54.63		55.63		10		23	
			*	1793C	"			58	0.10%			86		55.63		56.63		10		27	
			*	1794C	"			57	0.10%			25		56.63		57.63		12		31	
			*	1795C	"			66	0.15%			6		57.63		58.63		8		22	
			*	1796C	"																
			*	1797C	"			55	0.08%					58.63		59.63					
			*	1798C	"			66	0.15%			<2		59.63		60.63		10		25	
			*	1799C	"			58	0.10%			<2		60.63		61.63		12		25	

ASSAY LOG

DU PONT OF CANADA

SOIL	TYPE				SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM or ASSAY (P or A)	TO LAB	Sn		FROM	P or A	TO	P or A	Pb		Zn	P or A
	ROCK	BULK	CORE						XRF				ppm	P or A					P or A	P or A		
			*		1799C	K81-	3		58	0.10%			<2		60.63		61.63		12		25	
			*		1800C	"			64	0.14%			5		61.63		62.63		14		29	
			*		1801C	"			64	0.14%			90		62.63		63.63		12		28	
			*		1802C	"			71	0.18%			850		63.63		64.63		13		31	
			*		1803C	"			54	0.08%					64.63		65.63					
			*		1804C	"			65	0.15%			<2		65.63		66.63		12		29	
			*		1805C	"			56	0.09%					66.63		67.63					
			*		1806C	"			66	0.15%			3		67.63		68.63					
			*		1807C	"			47	0.03%					68.63		69.63					
			*		1808C	"			65	0.15%			55		69.63		70.63					
			*		1809C	"			49	0.04%					70.63		71.63					
			*		1810C	"			64	0.14%			3		71.63		72.63					
			*		1811C	"			54	0.08%					72.63		73.63					
			*		1812C	"			61	0.12%			17		73.63		74.63					
			*		1813C	"			55	0.08%					74.63		75.63					
			*		1814C	"			64	0.14%					75.63		76.63					
			*		1815C	"			62	0.12%			<2		76.63		77.63					
			*		1816C	"			50	0.05%					77.63		78.63					
			*		1817C	"			50	0.05%					78.63		79.63					
			*		1818C	"			57	0.10%			5		79.63		80.63					
			*		1819C	"			55	0.08%					80.63		81.63					
			*		1820C	"			69	0.17%			20		81.63		82.63					
			*		1821C	"			53	0.07%					82.63		83.63					
			*		1822C	"			65	0.15%			2		83.63		84.63					
			*		1823C	"			54	0.08%					84.63		85.63					

ASSAY LOG

DU PONT OF CANADA

SOIL	TYPE			SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM W ASSAY (P or A)	TO LAB	Sn		FROM	P or A	TO	P or A	Pb	P or A	Zn	P or A
	ROCK	BULK	CORE					XRF				ppm	P or A								
			*	1824C	K81-3			52	0.07%					96.32		97.32					
			*	1825C	"			66	0.15%			2		97.32		98.32					
			*	1827C	"			54	0.08%					98.32		99.32					
			*	1828C	"			64	0.14%			<2		99.36		100.36					
			*	1829C	"			52	0.07%					100.36		101.36					
			*	1830C	"			62	0.12%			3		101.36		102.36					
			*	1831C	"			50	0.05%					102.36		103.36					
			*	1832C	"			66	0.15%			2		103.36		104.36					
			*	1833C	"			55	0.08%					104.36		105.36					
			*	1834C	"			64	0.14%			2		105.36		106.36					
			*	1835C	"			47	0.03%					106.36		107.36					
			*	1836C	"			69	0.17%			<2		107.36		108.36					
			*	1837C	"			52	0.07%					108.36		109.36					
			*	1838C	"			63	0.13%			3		109.36		110.36					
			*	1839C	"			55	0.08%					110.36		111.36					
			*	1840C	"			64	0.14%			2		111.36		112.36					
			*	1841C	"			50	0.05%					112.36		113.36					
			*	1842C	"			54	0.08%					113.36		114.36					
			*	1843C	"			58	0.10%			35		114.36		115.36					
			*	1844C	"			63	0.13%			4		115.36		116.36					
			*	1845C	"			55	0.08%					116.36		117.36					
			*	1846C	"			54	0.08%			130		117.36		118.36					
			*	1847C	"			63	0.13%					125.30		126.30					
			*	1848C	"			59	0.11%			16		126.30		127.30					

ASSAY LOG

DU PONT OF CANADA

SOIL	TYPE			SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM or ASSAY (P or A)	TO LAB	Sn ppm	P or A	FROM	P or A	TO	P or A	Pb	P or A	Zn	P or A
	ROCK	BULK	CORE					XRF													
			*	1849C	K81-3			48	0.04%					127.30		128.30					
			*	1850C	"			118	0.5%			1,500		143.37		144.37					
			*	1851C	"			59	0.11%			5		158.68		159.68					
			*	1852C	"			65	0.15%			3		159.68		160.68					
			*	1853C	"			62	0.12%			2		160.68		161.68					
			*	1854C	"			51	0.06%					167.06		168.06					
			*	1855C	"			59	0.11%			2		168.06		169.06					
			*	1856C	"			57	0.10%			<2		169.06		170.06					
			*	1857C	"			63	0.13%			4		170.06		171.06					
			*	1858C	"			60	0.11%			28		171.06		172.06					
			*	1859C	"			60	0.11%			3		174.37		175.37					
			*	1860C	"			66	0.15%			2		175.37		176.37					
			*	1861C	"			65	0.15%			4		176.37		177.37					
			*	1862C	"			65	0.15%			3		177.37		178.37					
			*	1863C	"			65	0.15%			<2		178.37		179.37					
			*	1864C	"			70	0.18%			2		179.37		180.37					
			*	1865C	"			71	0.18%			3		180.37		181.37					
			*	1866C	"			59	0.11%			3		181.37		182.37					
			*	1867C	"			61	0.12%			2		182.37		183.37					
			*	1868C	"			56	0.09%					164.25		165.25					
			*	1869C	"			61	0.12%			3		165.25		166.25					
			*	1870C	"			53	0.07%					166.25		167.15					
			*	1871C	"			63	0.13%			19		172.08		173.08					
			*	1872C	"			54	0.08%					173.08		174.35					
			*	1873C	"			64	0.14%					190.78		191.78					

ASSAY LOG

DU PONT OF CANADA

SOIL	TYPE			SAMPLE NUMBER	SAMPLER'S INITIALS	PROJECT	PLOTTED	SWIFT - Sn		PPM or ASSAY (P or A)	TO LAB	Sn						Pb		Zn	
	ROCK	BULK	CORE					XRF				PPM	P or A	FROM	P or A	TO	P or A		P or A		P or A
			*	1874C	K81-3			56	0.09%					194.91		195.91					
			*	1875C	"			69	0.17%			<2		208.64		209.64					
			*	1876C	"			57	0.10%			3		214.00		214.96					
			*	1878C	K81-1			51	0.06%					39.00		40.00					
			*	1879C	"			65	0.15%			4,000		40.00		41.00					
			*	1880C	"			54	0.08%					41.00		42.00					
			*	1881C	"			63	0.13%			30		42.00		43.00					
			*	1882C	"			52	0.07%					43.00		44.00					
			*	1883C	"			52	0.07%					44.00		45.00					
			*	1884C	"			52	0.07%					45.00		46.00					
			*	1885C	"			68	0.17%			6		46.00		47.00					
			*	1886C	"			54	0.08%					47.00		48.00					
			*	1887C	"			63	0.13%			3		48.00		49.00					
			*	1888C	"			54	0.08%					49.00		50.00					
			*	1889C	"			62	0.12%			2		50.00		51.00					
			*	1890C	"			58	0.10%			3		51.00		52.00					
			*	1891C	"			60	0.11%			3		52.00		53.00					
			*	1892C	"			54	0.08%					53.00		54.00					
			*	1893C	"			62	0.12%			2		54.00		55.00					
			*	1894C	"			62	0.12%			8		55.00		56.00					
			*	1895C	"			62	0.12%			3		56.00		57.00					
			*	1896C	"			67	0.16%			2		57.00		58.00					
			*	1897C	"			63	0.14%			<2		58.00		59.00					
			*	1898C	"			64	0.15%			2		59.00		60.00					