



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10-FEB-2007
Account: MTT

CERTIFICATE VA07013137

Project: TIDD TD-06-11

P.O. No.:

This report is for 8 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-FEB-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: TIDD TD-06-11

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 10-FEB-2007

Account: MTT

CERTIFICATE OF ANALYSIS VA07013137

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
C106776		<0.005
C106779		<0.005
C106780		0.005
C106781		<0.005
C106782		<0.005
C106783		<0.005
C106784		0.080
C106787		<0.005



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 17-DEC-2006

Account: MTT

CERTIFICATE VA06119817

Project: TIDD TD-06-11

P.O. No.:

This report is for 21 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-OCT-2006.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA62	Ore grade Cu - four acid / AAS	AAS
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
ME-MS61	47 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: TIDD TD-06-11

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 17-DEC-2006

Account: MTT

CERTIFICATE OF ANALYSIS VA06119817

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C106771		3.42	2.77	7.33	10.3	1070	2.99	0.98	5.92	6.25	75.30	13.5	46	17.60	146.5	4.27
C106772		3.80	1.82	10.25	22.6	580	2.55	4.43	0.24	4.00	84.60	20.3	86	10.85	85.1	7.37
C106773		7.46	2.61	10.05	34.9	570	2.54	7.60	0.19	4.80	90.20	26.4	90	9.08	107.5	7.23
C106774		0.46	4.69	5.96	29.1	190	1.21	7.24	0.10	33.40	62.00	27.0	43	3.30	2010.0	9.89
C106775		3.50	0.55	9.54	24.5	590	2.97	2.99	0.20	1.95	64.70	21.8	81	9.84	63.8	7.41
C106776		0.32	13.65	7.28	49.1	250	1.10	3.85	0.16	15.10	62.40	79.8	59	3.79	7610.0	13.05
C106777		2.20	0.06	0.21	<5	40	0.06	0.01	21.50	0.18	1.92	1.0	7	0.12	18.0	0.18
C106778		6.62	0.71	9.10	24.8	600	2.36	4.66	0.40	4.26	82.60	24.7	84	9.06	226.0	6.44
C106779		6.64	4.13	9.68	42.1	510	2.08	55.30	0.18	2.13	87.90	32.4	79	6.97	1130.0	8.78
C106780		0.30	54.40	8.48	129.5	340	1.91	402.00	0.16	25.60	45.40	111.0	78	8.74	>10000	16.40
C106781		4.50	3.11	7.71	65.4	360	1.60	4.10	0.16	2.68	80.90	21.8	64	6.79	1525.0	7.43
C106782		4.10	2.14	8.47	67.9	410	1.62	9.90	0.25	1.47	77.10	25.3	71	8.62	621.0	8.16
C106783		3.78	0.32	9.75	63.3	550	1.67	6.26	0.14	0.21	60.80	47.2	83	8.61	33.3	7.03
C106784		0.44	54.60	5.55	152.0	90	0.86	290.00	0.26	186.50	54.90	169.5	56	4.22	>10000	15.55
C106785		2.14	0.05	0.13	9	10	0.07	0.47	20.60	0.20	2.17	1.0	<1	0.14	28.0	0.12
C106786		4.56	0.42	9.90	18.0	530	1.38	2.00	0.15	0.96	83.80	25.3	85	5.94	198.5	7.30
C106787		6.90	0.88	10.05	768.0	520	1.91	7.01	0.23	0.55	108.50	32.7	81	7.22	377.0	8.62
C106788		2.84	1.77	10.05	21.6	560	2.06	17.00	0.21	3.70	93.30	29.3	87	9.94	494.0	8.71
C106789		4.26	0.38	10.45	21.3	660	1.98	1.60	0.19	2.52	92.80	25.3	90	9.53	77.9	7.59
C106790		3.10	6.11	9.58	38.8	430	2.43	12.50	0.23	4.63	92.90	29.6	92	8.25	2890.0	6.92
C106791		5.68	0.13	10.65	34.4	640	3.03	0.44	0.42	0.70	101.00	25.4	96	15.70	60.8	7.14

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD TD-06-11

Page: 2 - B
Total # Pages: 2 (A - D)
Finalized Date: 17-DEC-2006
Account: MTT

CERTIFICATE OF ANALYSIS VA06119817

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
C106771		20.60	0.17	2.1	0.819	1.39	46.0	62.8	2.78	1650	1.70	0.69	15.1	33.7	1110
C106772		29.50	0.19	2.5	0.794	3.33	41.6	103.5	1.20	1805	0.98	0.08	17.3	44.9	590
C106773		29.80	0.21	2.6	0.350	2.94	47.2	131.0	1.18	1615	0.74	0.11	17.5	50.2	550
C106774		20.60	0.20	1.4	5.260	0.96	34.1	117.5	1.20	2480	0.85	0.03	10.6	23.4	330
C106775		29.90	0.18	2.4	0.374	2.80	31.5	93.8	1.64	2000	0.48	0.06	19.5	43.2	500
C106776		23.50	0.25	2.0	35.900	1.36	33.9	94.5	1.13	3030	0.74	0.04	13.9	57.9	650
C106777		0.42	0.06	<0.1	0.074	0.05	1.4	2.3	12.05	109	0.09	0.04	0.4	2.8	410
C106778		27.60	0.20	2.6	0.980	3.08	44.9	70.3	1.13	1515	0.41	0.11	20.3	46.4	670
C106779		30.10	0.24	3.0	2.820	2.77	46.2	108.5	1.14	2250	0.66	0.06	21.1	42.2	760
C106780		30.10	0.30	2.4	42.700	2.12	20.0	117.5	1.03	2780	1.12	0.05	16.1	65.8	760
C106781		24.30	0.19	2.0	2.160	2.17	45.4	131.5	0.97	1755	0.78	0.05	14.6	34.3	540
C106782		26.90	0.21	2.5	1.360	2.35	41.9	154.0	1.13	2090	0.44	0.06	17.8	45.6	600
C106783		29.40	0.19	2.2	0.201	2.97	27.8	116.5	1.50	1665	0.94	0.07	13.5	47.6	640
C106784		17.60	0.29	1.5	85.900	1.09	29.5	80.8	0.92	2770	0.45	0.03	9.9	52.1	320
C106785		0.42	<0.05	<0.1	0.050	0.04	1.4	2.4	11.55	150	0.32	0.02	0.4	2.3	410
C106786		28.60	0.19	2.4	0.636	2.98	40.1	91.9	1.49	1680	0.47	0.07	15.4	47.4	710
C106787		31.70	0.30	3.1	0.620	2.89	46.4	138.0	1.46	1780	0.47	0.06	20.5	55.5	810
C106788		27.70	0.21	2.2	2.620	2.94	46.9	126.5	1.14	1460	0.54	0.07	20.8	45.3	820
C106789		28.10	0.20	2.5	1.355	3.39	47.1	81.4	1.19	1305	0.51	0.10	21.2	49.2	840
C106790		28.40	0.21	2.3	4.700	2.62	47.3	144.0	1.13	1115	0.81	0.13	20.6	40.3	890
C106791		28.80	0.20	2.4	0.252	3.16	51.2	186.0	1.27	1220	0.54	0.27	22.7	47.5	790

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD TD-06-11

Page: 2 - C
Total # Pages: 2 (A - D)
Finalized Date: 17-DEC-2006
Account: MTT

CERTIFICATE OF ANALYSIS VA06119817

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
C106771		125.5	0.003	0.15	2.35	15.2	2	21.0	207.0	1.03	<0.05	13.6	0.283	0.85	3.6
C106772		188.0	0.002	0.31	0.51	21.7	1	84.8	35.2	1.23	<0.05	15.1	0.427	2.13	108
C106773		166.0	<0.002	0.72	1.05	23.2	2	49.9	46.7	1.32	<0.05	15.7	0.316	1.68	94
C106774		66.8	<0.002	0.68	0.85	17.2	1	24.9	16.1	0.70	<0.05	10.7	0.232	0.41	55
C106775		128.5	<0.002	0.09	0.92	20.6	1	28.6	30.6	1.34	0.07	11.9	0.493	1.34	108
C106776		89.5	<0.002	2.43	1.59	14.4	5	33.6	20.2	0.89	<0.05	11.3	0.348	0.85	80
C106777		1.5	<0.002	0.01	0.14	0.8	1	0.3	104.5	<0.05	<0.05	0.2	0.012	<0.02	8
C106778		163.0	<0.002	0.13	0.53	22.5	1	17.1	44.7	1.38	<0.05	14.2	0.607	1.14	124
C106779		155.5	<0.002	0.38	1.37	25.0	2	43.8	29.9	1.52	0.09	14.4	0.603	1.29	125
C106780		88.3	<0.002	5.01	9.18	18.9	9	104.0	19.2	1.12	0.28	9.3	0.429	1.81	122
C106781		142.5	<0.002	1.07	3.13	18.2	2	26.2	24.9	0.99	<0.05	12.3	0.424	1.11	91
C106782		141.0	<0.002	1.31	4.09	20.0	1	21.0	28.0	1.24	<0.05	12.5	0.462	1.22	105
C106783		125.5	<0.002	0.17	0.80	22.1	1	32.6	32.8	0.97	0.10	10.8	0.406	1.16	110
C106784		76.7	<0.002	6.66	4.97	13.1	15	50.9	13.0	0.71	0.27	9.2	0.317	0.98	64
C106785		1.9	<0.002	0.01	0.16	0.8	1	0.3	104.0	<0.05	<0.05	0.2	0.007	<0.02	6
C106786		140.5	<0.002	0.10	0.83	20.3	2	40.5	41.8	1.06	<0.05	12.4	0.456	1.06	119
C106787		157.0	<0.002	0.38	4.08	19.7	<1	58.1	36.9	1.22	<0.05	14.5	0.528	1.31	128
C106788		195.5	<0.002	0.73	5.76	20.3	2	86.3	38.3	1.43	<0.05	12.1	0.550	1.57	128
C106789		205.0	<0.002	1.36	5.37	21.0	2	70.3	53.4	1.45	<0.05	12.8	0.609	1.65	136
C106790		190.5	<0.002	1.45	10.15	19.9	2	94.7	53.1	1.33	<0.05	12.4	0.569	1.67	128
C106791		200.0	<0.002	0.84	5.79	21.4	2	10.1	104.5	1.54	<0.05	13.6	0.630	1.27	137

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD TD-06-11

Page: 2 - D
Total # Pages: 2 (A - D)
Finalized Date: 17-DEC-2006
Account: MTT

CERTIFICATE OF ANALYSIS VA06119817

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-AA62	Zn-AA62
		W	Y	Zn	Zr	Cu	Zn
		ppm	ppm	ppm	ppm	%	%
		0.1	0.1	2	0.5	0.01	0.01
C106771		9.2	20.6	637	88.1		
C106772		11.3	17.3	707	99.3		
C106773		10.0	19.6	474	99.4		
C106774		9.0	13.1	2830	54.8		
C106775		9.3	19.2	301	97.1		
C106776		11.8	22.1	1260	81.6		
C106777		0.6	2.6	18	2.0		
C106778		7.0	27.8	410	104.5		
C106779		13.3	29.5	277	113.5		
C106780		18.1	17.8	1500	97.5	1.99	
C106781		14.9	18.4	323	83.4		
C106782		20.3	19.9	243	98.8		
C106783		9.6	14.9	139	89.3		
C106784		18.2	15.6	>10000	59.1	3.36	1.13
C106785		0.3	2.3	11	2.1		
C106786		9.4	16.6	179	84.0		
C106787		15.1	23.1	172	92.5		
C106788		20.0	21.1	480	80.0		
C106789		7.8	19.8	475	87.1		
C106790		22.6	21.0	392	83.4		
C106791		26.1	23.2	215	83.7		

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.