

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TANTINA SILVER</u>	Claim No. <u>Eagle 4</u>	Strike <u>N 20° E</u>	Lat. <u>~ 1203.6</u>	Hole No. <u>74-17</u>
Date <u>June 21</u> 19 <u>74</u>	Section No. <u>9150E</u>	Dip <u>45°</u>	Dep. <u>950.0</u>	Total Depth <u>136</u>
Logged By <u>C. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-A1</u>	Elev. <u>5336.4</u>	Page No. <u>13</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
0	17	BLACK ARGILLITE - quite highly broken, especially to 12', rusty on fracture surfaces - minor visible disseminated po.	po	tr								
17	19.3	ARGILLACEOUS LIMESTONE (?) - dense, medium grey, lightly foliated, 1-2% disseminated po.	po	~1%								
19.3	47	BLACK ARGILLITE - foliation at approx. 60° to core axis, minor fractures at 30° - py/po finely disseminated throughout - local coarser patches, usually with associated cc. - small scale intrusive folding of thin, light colored beds, which is usually faulted or sheared out.										

R.E. MILKEN
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike <u>N 20° E</u>	Lot. _____	Hole No. <u>74-A2</u>
Date <u>June 21</u> 19 <u>74</u>	Section No. _____	Dip <u>- 45°</u>	Dep. _____	Total Depth <u>136</u>
Logged By <u>C. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 3</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%Cu Ag	%Fe Pb	MOLY Zn	AU/AG	INSOL.
47	91	LIMESTONE - mottled, light grey ("orange weathering") - white banding at approx. 50° to core axis.										
		62- SULFIDES.										
		62-64.1 - rusty limestone with up to 30% ga (galena) + 1% sphalerite with minor sl (sphalerite) and to 1% cp (chalcocite)	ga sl, cp	30 -1								
		64.1-66.5 - as above but 10-15% sl, no visible ga or cp.	sl	10-15								
		Assays										
		61-62	—	—	3801	1	1	0.35	0.09	0.08		
		62-64.1	ga (sl/cp)	30	3802	2.1	2.1	95.24	12.3	20.41		
		64.1-66.5	sl	10-15	3803	2.4	2.4	0.86	0.15	6.60		
		66.5-67.5	—	—	3804	1	1	0.12	0.05	0.02		

R.B. MILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINN SILVER</u>	Claim No. _____	Strike <u>N 13° E</u>	Lat. _____	Hole No. <u>74-11</u>
to <u>June 21</u> 19 <u>74</u>	Section No. _____	Dip <u>-45°</u>	Dep. _____	Total Depth <u>136</u>
Logged By <u>G. Cochran</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 3</u>

[illegible]