

PLG. MILITARY  
CONSULTING GEOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Tintina SW 32</u>	Claim No. <u>Single 2</u>	Strike <u>-</u>	Lat. <u>1A 2A 1</u>	Hole No. <u>20-A 23</u>
Date <u>July 5</u> 19 <u>78</u>	Section No. <u>9400</u>	Dip <u>-90°</u>	Dep. <u>509.5</u>	Total Depth <u>108</u>
Logged By <u>C. Coulson</u>	Plan No. <u>74-A</u>	Level <u>S-A9</u>	Elev. <u>5293.4</u>	Page No. <u>175</u>

[illegible]

R.L. WILKINSON  
CONSULTING GEOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TITIMA SILVER</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>74-A03</u>
Date <u>July 5</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>108</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 5</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
			20.5-22.0: limestone with 40% sl, 10% ga										
			22.0-23.3 - limestone with 5% sl, less ga, py?, or?										
			23.3-24.5 - limestone with 20% sl, 10% ga, 5% fr., tr. ep.										
			24.5-32.7 - limestone, quite strongly brecciated, with 5-10% po, local ga, sl.										

R.B. MILLER  
CONSULTING ECOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Note No. <u>77-1023</u>
Date <u>July 6</u> 19 <u>74</u>	Section No. _____	Dip _____	Dip. _____	Total Depth <u>103</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 5</u>

[illegible]

R.O. MILLER  
CONSULTING GEOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TIMBERLAK SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-123</u>
Date <u>July 7</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>128</u>
Logged By <u>R. Condon</u>	Plan No. _____	Level _____	Elev. _____	Pega No. <u>4-6/5</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA					
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn
		48-58.5 - limestone with 10% sl, 2-5% ga								
		58.5-76.3 - 20-30% sl, 5% ga								
		76.3-81.0 - limestone with 1% sl, minor ga, po								
		ASSAY: 42.9-43.9	po, ga	tr	3894	1.0	1.0	1.27	0.29	0.08
		43.9-46.3	po, ga	5/10	3895	2.4	2.4	3.56	2.25	0.24
		46.3-48.2	92% sl 8% ga	10/10	3896	1.9	1.9	7.9	3.90	3.90
		48.2-50.2	sl/ga	10/5	3897	2.0	2.0	0.35	0.08	6.12
		50.2-52.0	sl/ga	5/1	3898	1.8	1.8	0.06	0.03	5.52
		52.0-53.5	sl/ga	15/5	3899	1.5	1.5	0.12	0.03	10.48
		53.5-55.4	sl/ga	05/1	3900	1.9	1.9	0.09	0.03	0.63
		55.4-57.6	sl/ga	10/5	3901	2.2	2.2	Tr	0.01	6.00
		57.6-58.5	sl/ga	75/5	3902	0.9	0.9	0.06	0.01	0.74
		58.5-60.5	sl/ga	20/5	3903	2.0	2.0	0.15	Tr	10.0
		60.5-62.5	sl/ga	20/5	3904	2.0	2.0	0.13	Tr	14.6
		62.5-64.5	sl/ga	20/5	3905	2.0	2.0	0.09	0.01	14.6
		64.5-66.1	sl/ga	20/5	3906	0.6	0.6	0.06	0.01	4.08
		66.1-67.5	sl/ga	20/5	3907	1.5	1.5	0.29	0.03	20.45
		67.5-68.9	sl/ga	10/5	3908	1.2	1.2	0.12	0.01	6.72
		68.9-70.0	sl/ga	10/5	3909	1.0	1.0	0.13	0.03	2.69

R.B. MILLEN  
CONSULTING BIOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TWINDA SILVER</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>71-A33</u>
Date <u>July 7</u> 19 <u>24</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>100</u>
Logged By <u>G. Cooper</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>545</u>

[illegible]