

**U.S. INDIAN
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY**

PROPERTY <u>TINTONIA SUMMER</u>	Claim No. <u>Engle 2</u>	Strike <u>N 25° E</u>	Lat. <u>14° 35' 7</u>	Hole No. <u>74-A21</u>
Date <u>July 7</u> 19 <u>74</u>	Section No. <u>8450E</u>	Dip <u>-65°</u>	Dep. <u>849.5</u>	Total Depth <u>1000</u>
Logged By <u>C. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-A9</u>	Elev. <u>5293.4</u> <u>5375.0</u>	Page No. <u>104</u>

[illegible]

R.B. HILKER
CONSULTING GEOLOGIST
 WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-424</u>
Date <u>July 7</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>100</u>
Logged By <u>G. Condon</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 4</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
		26.2 - 27.9 - mainly quartz vein, some limestone, 5% gal, 5% po.										
		27.9 - 28.9 - limestone with 2" seam of 100% ga. - avg 30% ga, 15% sl.										
		28.9 - 48.5 - relatively dark grey limestone with 10-15% black sl, 5% ga.										
		Assay: 29.7 - 26.2	po/pq/ga	7/3	3917	1.5	1.5	4.41	0.78	0.85		
		26.2 - 27.9	po/ga	5/5	3918	1.7	1.7	7.21	3.00	1.85		
		27.9 - 28.9	ga/sl	30/15	3919	1.0	1.0	20.9	9.45	21.7		
		28.9 - 30.9	ga/sl	tr	3920	2.0	2.0	0.59	0.11	0.12		
		30.9 - 33.3	ga/sl	5/10	3921	2.4	2.4	25.76	4.73	4.68		
		33.3 - 35.8	ga/sl	1/2	3922	2.5	2.5	5.59	1.58	3.36		
		35.8 - 38.0	po/ga/sl	5/5	3923	2.2	2.2	32.9	2.50	1.42		
		38.0 - 40.5	sl/ga	30/5	3924	2.5	2.5	12.92	5.10	7.92		
		40.5 - 42.7	sl/ga	30/5	3925	2.2	2.2	13.76	5.78	10.5		
		42.7 - 44.8	sl/ga	16/5	3926	2.1	2.1	8.38	6.23	6.84		
		44.8 - 46.9	sl/ga	10/5	3927	2.1	2.1	0.88	0.54	4.08		
		46.9 - 48.5	sl/ga	2/10	3928	1.1	1.1	21.68	11.6	18.69		
		48.5 - 49.6	sl/ga	1/5	3929	1.6	1.6	1.18	0.30	7.56		

R. B. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TERRA SUIVIR</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>11-172</u>
Date <u>July 7</u> 19 <u>76</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>100</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 4</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION					ASSAY DATA				
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INCOL
48.6	49.8	3	BLACK ARGILLITE										
49.8	68	2	LIMESTONE - lighter grey than mineralized section, calcite stringers abundant										
68	75.2		SULFIDE ZONE / LIMESTONE										
			68.2 - 70.2 limestone with 20% sl, 3-5% ga.										
			70.2 - 75.2 - limestone with 10% po, locally to 25%, minor ga, sl.										
			ASSAY:										
			67.2 - 68.2	ga, sl	1%	3930	1.0	1.0	0.15	0.04	0.07		
			68.2 - 70.2	sl/po	20/35	3931	2.0	2.0	0.44	0.09	22.1		
			70.2 - 72.7	po, sl	10/2	3932	2.5	2.5	0.15	0.05	0.77		
			72.7 - 75.2	sl/po	10/2	3933	2.5	2.5	0.03	0.05	0.06		

THE MINING
CONSULTING ENGINEER
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Interoceanic Smelter</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>72-128</u>
Date <u>July 7</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>100</u>
Logged By <u>G. C. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>1874</u>

[illegible]