

U.S. MILITARY
OF MOUNTED POLICE
WHITEHORSE YUKON TERRITORY

PROPERTY UNITED STATES

Date July 8 19 79

Logged By G. Carlson

Claim No. Page 2

Section No. 81506

Plan No. 74-A

Strike 1/28/72

Dip 1-45°

Level S-A9

Lct. 1427.4

Dep. 8495

Elev. 5293

Mofo No. 74-122

Total Depth 112

Page No. 184

[illegible]

FILE NUMBER
CONSOLIDATED DEPARTMENT
WHITEHORSE UNION TERRITORY

PROPERTY <u>TURKISHA SUGAR</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>71-A25</u>
Date <u>July 8</u> 19 <u>77</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>118</u>
Logged By <u>E. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 4</u>

[illegible]

U.S. MINERAL
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SWIRL</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>71-A75</u>
Date <u>July 8</u> 19 <u>78</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>118</u>
Logged By <u>C. Carlen</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 4</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	% Ag	% Pb	% Zn	AU/AG	INCO.
			Assay: 49.4 - 50.3	po/py/sl	10/4	3937	.9	.9	2.00	0.07	0.22		
			50.3 - 51.2	sl/ga/py	10/5/1	3938	1.8	1.8	10.59	3.23	10.0		
			51.2 - 52.9 53.0	po/sl/ga	10/10	3939	1.8	1.8	6.03	1.38	0.08		
			52.9 - 52.8 53.0-54.0	po/py	10/5/5	3940	1.0	1.0	47.52	8.95	0.95		
			54.0-56.0 53.8 - 55.8	sl/ga	20/1/3	3941	2.0	2.0	1.76	0.33	22.4		
			56.0-58.0	"	"	3942	2.0	2.0	1.68	0.04	26.9		
			58.0 - 59.2 ^{60.2}	"	"	3943	1.2	1.2	0.94	0.03	25.8		
			59.2 - 60.4 ^{60.2 61.4}	po/sl/ga	5/5/1	3944	1.2	1.2	0.21	0.02	2.40		
			61.4 - 62.4			3945	1.0	1.0	6.29	0.10	0.07		
60.5	77.5	3	BLACK ARGILLITE - strongly stained with quartz, po/py - locally very minor sl, ga, ep. - foliation/banding varies from 80° to 10° to core axis. - also locally fine quartz stains and quartz po patches aligned with foliation. - core axis - 10° to 15° to core axis	po/py	5-7								

F.L.B. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TIMBER SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>712-125</u>
Date <u>July 8</u> 19 <u>71</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>118</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>1 of 1</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Cu	AU/AG	INSOL
			76.5-77.5 - siliceous zone, po quite abundant										
77.5	89.8	2	LOWER LIMESTONE - typical - no silicification or alteration, as in calcareous zone above, is evident. - light foliation or banding at 70°-80° to core axis.										
89.8	91.6	5	SULFIDE ZONE 89.8-90.8 - limestone with 1-2% sl, tr gal. 90.8-91.6 - 30% sl, 20% gal.			3946	1.0		0.15	0.05	1.02		
91.6	118	2	LOWER LIMESTONE - 95' - mic. sl in calcareous stages, with some calcite.			3947	.8		33.1	9.37	29.3		

118

END OF LOG