

CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. <u>Engle 2</u>	Strike <u>N 20° E</u>	Lat. <u>1371.7</u>	Hole No. <u>74-A22</u>
Date <u>July 5</u> 19 <u>74</u>	Section No. <u>B+50 E</u>	Dip <u>-45°</u>	Dep. <u>850.0</u>	Total Depth <u>117</u>
Logged By <u>G. Carlson</u>	Plon No. <u>74-A</u>	Level <u>S-A10</u>	Elev. <u>5294.9</u> 5295.5	Page No. <u>164</u>

[illegible]

R.S. WILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>79-A-21232</u>
Date <u>July 8</u> 19 <u>78</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>117</u>
Logged By <u>G. Coulson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>241</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL.
		35.5-37- as above but 5% sl, 1% ga, min. po.										
		37-39 - 3-5% po, to ga, sl.										
267		- lower section, to 42' end into argillite, is quite rich in tremolite-actinolite - light green colour - possibly giving darker dr grey colour to limestone.										
		Assay: 14-15.1	ga/sl/ep	5/5	3954	1.1	100%	5.59	2.00	2.40		
		15.1-18.1	ga/sl	5/5	3955	3.0	100%	25.3	15.7	19.1		
		18.1-21.1	"	"	3956	3.0	100%	19.42	16.3	14.8		
		21.1-24.1	"	"	3957	3.0	100%	15.89	14.03	18.9		
		24.1-26.5	ga/sl	10/5	3958	2.4	100%	7.50	7.2	10.68		
		26.5-28.5	ga/sl	5/5	3959	2.0	100%	1.18	1.38	2.34		
		28.5-31	ga/sl	5/5	3960	2.5	100%	0.56	0.60	0.34		
		31-33.5	ga/sl	5/5	3961	2.5	100%	0.94	1.28	1.26		
		33.5-35.5	sl/ga	15/5	3962	2.0	100%	2.65	3.23	10.2		
		35.5-37	sl/ga	5/1	3963	1.5	100%	8.24	2.15	2.46		
		37-39	po/sl/ga	5/1	3964	2.0	100%	0.15	0.04	0.08		

PLS. POLICE
CONSULTING DEPARTMENT
WHITENORSE YUKON TERRITORY

PROPERTY <u>TIMBERLAND SWAMP</u>	Claim No. _____	Strike _____	Lat. _____	Note No. <u>74-10027</u>
Date <u>July 5</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>117</u>
Logged By <u>C. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 4</u>

[illegible]

PROPERTY		Claim No.	Strike	Lot.
J. B. Sullivan				
Date		Section No.	Dip	
July 8 1917				
Logged By		Plan No.	Level	
G. C. Clark				
Hole No.	Total Depth	Pegs No.		
78-100	117	4-14		

FOOTAGE		MINERALIZATION		ASSAY DATA	
From	To	TYPE	%	SAMPLE NO.	WIDTH
					RECOV.
					% Cu
					% Pb
					% Zn
					AU/AG
					INSOL

83.6 - 99.5 - limestone with
5-25% sil, minor gra.

Assay

70-71.5
71.5-73.9
73.9-75.8
75.8-78.8
78.8-81.0
81.0-83.3
83.3-85.5
85.5-88.0
88.0-90.0
90.0-93.1
93.1-95.2
95.2-97.3
97.3-99.0
99.0-100.5

70-71.5	5	3965	1.5	1.5	0.49	0.19	0.26
71.5-73.9	15	3966	7.4	7.4	0.18	0.05	4.62
73.9-75.8	25	3967	1.9	1.9	0.49	0.01	60.8
75.8-78.8	50/80	3968	3.0	3.0	0.15	0.01	32.8
78.8-81.0	5	3969	2.2	2.2	0.18	0.01	3.48
81.0-83.3	5	3970	2.3	2.3	0.15	0.01	8.76
83.3-85.5	75	3971	2.2	2.2	0.29	0.03	20.4
85.5-88.0	5	3972	2.5	2.5	0.09	0.01	2.85
88.0-90.0	10	3973	2.0	2.0	0.18	0.01	4.68
90.0-93.1	5	3974	3.1	3.1	0.06	0.01	1.32
93.1-95.2	15	3975	2.1	2.1	0.15	0.02	8.40
95.2-97.3	15	3976	2.1	2.1	0.12	0.01	7.52
97.3-99.0	5	3977	1.9	1.9	0.15	0.01	2.66
99.0-100.5	3	3978	1.5	1.5	0.03	0.01	0.02

Lower limestone

Gray limestone - highly siliceous