

PROPERTY <u>Terrace Street</u>	Claim No. <u>8200 E</u>	Strike <u>N 20° E</u>	Lat. <u>1421.5</u>	Hole No. <u>71-133</u>
Date <u>July 12</u> 19 <u>76</u>	Section No. <u>8200 E</u>	Dip <u>80 - 15°</u>	Dep. <u>806.8</u>	Total Depth <u>120</u>
Logged By <u>C. Carlson</u>	Plan No. <u>74-A</u>	Elev. <u>5295.3</u>	Elev. <u>5295.3</u>	Purge No. <u>145</u>

[illegible]

100' IN 100' SCALE
GEOLOGICAL MAP
WHITEHORSE YUKON TERRITORY

PROPERTY <u>100' IN 100' SCALE</u>	Claim No. _____	Strike _____	Loc. _____	Map No. <u>7.5-85</u>
Date <u>July 17</u> 19 <u>74</u>	Section No. _____	Dip _____	Dop. _____	Total Depth <u>170</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>21/29</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INCO.
51.5	78	5	SULFIDE ZONE									
			- mainly limestone, few patches enclaves of quartz - 5-20% tremolite throughout									
			- py/po throughout, disseminated, usually less than 5%									
			- sl in patches or bands, less than 5 to 50% - both black and yellow.									
			- ga sometimes with sl (black variety, locally 5-10%)									
			- locally 'fracture' with ga, also trcp									
			Assay: 49.5-51.5									
			py/sl/ga	5/40	4034	2.0	2.0	0.88	0.25	0.17		
			py/sl/ga	5/40	4035	2.5	2.5	1.71	0.27	0.67		
			sl/ga/py	5/10	4036	2.0	2.0	9.94	3.90	7.68		
			sl/py/ga	2/40	4037	2.0	2.0	0.59	0.08	1.64		
			py/sl/ga	5/10	4038	2.5	2.5	0.29	0.03	0.04		
			py/sl/ga	5/10	4039	2.5	2.5	0.44	0.03	0.01		
			py/sl/ga	5/10	4040	2.0	2.0	1.55	0.57	3.96		
			py/sl/ga	5/10	4041	2.0	2.0	1.74	2.52	11.96		
			py/sl/ga	5/10	4042	2.0	2.0	2.15	4.17	11.57		

PLATE 1011100
GENERAL THE DISTRICT
WHITEHORSE YUKON TERRITORY

WHITEHOUSE YUKON TERRITORY			
PROPERTY <u>Stinson Spur</u>	Claim No. _____	Strike _____	Lot. _____
Date <u>July 17</u> 19 <u>78</u>	Section No. _____	Dip _____	Dep. _____
Logged By <u>G. Carter</u>	Plan No. _____	Level _____	Elev. _____
		MINERALIZATION	ASSAY DATA
			Hole No. <u>78-1983</u>
			Total Depth <u>128</u>
			Page No. <u>344</u>

[illegible]

PROPERTY <u>T. L. S. S. S. S.</u>	Claim No. _____	Strike _____	Lot. _____	Hold No. <u>7/10/30</u>
Date <u>July 17</u> 19 <u>77</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>175</u>
Logged By <u>C. C. Carter</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>48/10</u>

ASSAY DATA

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION					ASSAY DATA				
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	7-9	20	20	AU/AG	INSOL
			Assay: 90.3-91.7	sl/gz/p/cp	5/5/1	6050	4.1	1.1	50.6	14.5	6.48		
			91.8-93.4	sl/gz	5/1	6051	2.0	2.0	2.65	1.90	5.40		
			93.4-95.9	sl/gz	5/3	6052	2.5	2.5	5.00	5.63	5.16		
			95.9-97.9	sl/gz/pf	3/5	6053	2.0	2.0	0.29	0.08	0.12		
95.9	128	2	LOWER LIMESTONE - typical - sulfides, tremolite negligible below sulfide zone.										
128			END OF HOLE										