

D. H. MILLER
GEOLOGICAL ENGINEER
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TIMBERLA SUMMIT</u>	Claim No. <u>Engle 1</u>	Strike <u>N 25° E</u>	Lat. <u>1351.7</u>	Hole No. <u>74-1959</u>
Date <u>July 10</u> 19 <u>74</u>	Section No. <u>10400E</u>	Dip <u>-50°</u>	Dep. <u>10000</u>	Total Depth <u>178</u>
Logged By <u>G. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-15</u>	Elev. <u>5289.0</u>	Page No. <u>1/3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA					
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Fe	2154
0	12.8		OVERBURDEN								
12.8	18.8	5	SULFIDE ZONE - limestone breccia with 2-5% ga, 1-3% po.								
Assay: 12.8 - 15.8				ga / po	3.5 / 1.3	4087	3.0	3.0	5.88	4.80	1.86
15.8 - 18.8				ga / po	1.5 / 1.3	4088	3.0	3.0	1.91	2.43	0.18
18.8 - 20.8				ga / po	1	4089	2.0	2.0	0.29	0.55	0.20
18.8	45.5	2	LOWER LIMESTONE - locally broken & rusty - 24; 27-28 - calcite & fergusonite abundant throughout								
45.5	49.5	1	Gray Breccia - to 50% quartzite & tan, siliceous crystalline	po	3.5						

R.B. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TIMBER SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>7d-A39</u>
Date <u>July 18</u> 19 <u>77</u>	Section No. _____	Dip _____	Dep. _____	Total Depth _____
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE	MINERALIZATION				ASSAY DATA					
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Hg	Pb	Zn	AU/AG	INSOL
49.5	60.0	2	LOWER LIMESTONE - calcite very abundant, locally with orange rusty tint. - brecciation quite strong throughout.										
60.0	69.7	5	SULFIDE ZONE - limestone, light greenish colour due to iron-ox? - 5-25% sl. 3-5% ga, minor py, py.										
			ASSAY: 59.0-60.0	-	-	4090	1.0		0.29	0.15	0.31		
			60.0-61.8	sl/ga	5/5	4091	1.8		0.88	0.49	2.00		
			61.8-63.3	sl/ga	15/3	4092	1.5		0.83	0.44	13.49		
			63.3-64.4	sl/ga	1-3	4093	1.1						
			64.4-67.0	sl/ga	15/3	4094	2.6		1.00	1.05	10.92		
			67.0-69.7	sl/ga	15/3	4095	2.7		2.21	0.23	13.70		
			69.7-70.7	-	-	4096			0.15	0.03	0.22		
69.7	70.2	3	BLACK ARGILLITE	py	1-3								

R.S. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>75-439</u>
Date <u>July 16</u> 19 <u>78</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>178</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>343</u>

[illegible]