

D.B. WILKINSON  
CONSULTING GEOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TIMBER SUND</u>	Claim No. <u>Engle 1</u>	Strike <u>-</u>	Loc. <u>1355.3</u>	Hole No. <u>74-A</u>
Date <u>July 20</u> 19 <u>74</u>	Section No. <u>10+50E</u>	Dip <u>-90°</u>	Dep. <u>1049.5</u>	Total Depth <u>136</u>
Logged By <u>G. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-ALC</u>	Elev. <u>5291.6</u>	Page No. <u>1 of 3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	MSX Zn	AU/AG	INSOL
0	7		OVERBURDEN										
7	12.4	3	BLACK ARGILLITE - broken - foliation at 35°	py	3-5								
12.4	13.6	2	LOWER LIMESTONE										
13.6	23.3	5	SULFIDE ZONE - limestone with 5-50% sl, 0-50% ga, 0-50% fr. - fr. associated mainly with quartz veining.										
ASSAY 12.4-13.6				-	-	6101	1.2	1.2	0.21	0.05	0.04		
13.6-14.0				92/sl/14	40/5	6102	2.4	2.0	46.08	37.6	14.66		
14.0-14.9				21/sl/16	2/5/7	6103	2.2	2.2	122.50	6.30	35.0		
14.9-20.0				21/sl/16	2/1/1	6104	1.8	1.2	55.40	0.97	4.92		
20.0-21.5 (1.5)				50/sl/16	2/1/5	6105	1.3	1.2	703.92	3.08	11.28		
21.5-22.0 (0.5)				41/sl/16	6/1/6	6106	0.8	2.0	4.41	1.05	26.2		
22.0-23.3 (1.3)				21/sl/16	1/1/1	6107	1.4	2.0	1.22	11.11	10.6		

D.C. MILLER  
CONSULTING GEOLOGIST  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SLAG</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-A11</u>
Date <u>July 30</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>130</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
23.3	38	2	LOWER LIMESTONE. - typical.										
38	59.7	1	GRAY ARGILLITE - more quartzitic than usual, locally 50-100% po.  50-59.7 - mainly argillaceous	po cp	5-10 tr								
59.7	66.0	5	SULFIDE ZONE - limestone, locally siliceous, some light green colour - trem, serp? - 5-20% sl, 0-5% ga, minor po, cr.										
			ASSAY										
			50.7 - 59.7	po/cp	5-10	4109	1.0	1.0	0.97	0.48	0.77		
			59.7 - 61.1	sl/ga	5-15	4110	1.4	1.4	1.21	2.03	3.78		
			61.1 - 63.4	sl/ga	15-20	4111	2.3	2.3	1.32	3.53	10.92		
			63.4 - 65.7	sl/ga	15-20	4112	2.3	2.3	0.97	0.39	12.2		
			65.7 - 66.0	sl/ga	15-20	4113	1.0	1.0	0.91	0.25	1.59		

FILE: 44-38861-100  
CONSOLIDATED DISCUSSION  
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TUTUWA Supp</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-141</u>
Date <u>July 20</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>139</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 pr</u>

[illegible]