

R.S. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTING SILVER</u>	Claim No. <u>Engt 1</u>	Strike <u>N 70° E</u>	Lat. <u>135° 4'</u>	Hole No. <u>74-A-2</u>
Date <u>July 20</u> 19 <u>74</u>	Section No. <u>104505</u>	Dip <u>- 70°</u>	Dep. <u>1049.5</u>	Total Depth <u>100</u>
Logged By <u>G. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-A16</u>	Elev. <u>5291.6</u>	Page No. <u>1 of 2</u>

FOOTAGE				ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION				ASSAY DATA					
From	To				TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
0	5			OVERBURDEN										
5	19.7	3		BLACK ARGILLITE - 5-10 - very strongly broken. - 10-19 - less broken. foliation at 0-30° to core axis.										
19.5	44	5		SULFIDE ZONE - mainly limestone, medium gray, 5-25% sl, 0-50% gr, minor po, cp										
Assay: 16.5-19.5					po, cp	1-3	4114	1.0	1.0	0.38	0.15	0.10		
19.5-22.0					gr/sl	3/5	4115	2.5	2.5	5.35	1.63	6.96		
22.0-25.0					gr/sl	50/5	4116	5.0	2.4	44.08	46.7	15.0		
25.0-28.0					gr/sl	5/5	4117	2.5	2.3	175.24	19.6	10.44		
28.0-31.5					gr/sl	5/1	4118	2.5	1.8	8.53	0.23	12.51		
31.5-33.6					gr/sl	5/1	4119	2.5	2.1	1.56	0.50	3.16		
33.6-34.5					gr/sl	5/1	4120	2.5	2.1	2.00	1.85	6.72		
34.5-35.0					gr/sl	5/1	4121	2.5	2.1	1.17	0.45	1.23		

CONSULTING ENGINEER
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-A-32</u>
Date <u>July 20</u> 19 <u>74</u>	Section No. _____	Dip _____	Dip. _____	Total Depth <u>100</u>
Logged By <u>G. Cooper</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2</u>

[illegible]