

CAN. MINING
DEPARTMENT GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTINA SUBS.</u>	Claim No. <u>Block 4</u>	Strike <u>N 70° E</u>	Lat. <u>117° 41'</u>	Hole No. <u>74-146</u>
Date <u>June 26</u> 19 <u>74</u>	Section No. <u>2+03E</u>	Dip <u>-80°</u>	Dep. <u>896.8</u>	Total Depth <u>78</u>
Logged By <u>G. Carlson</u>	Plan No. <u>74-A</u>	Level <u>S-A2</u>	Elev. <u>5331.0</u>	Page No. <u>1</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
0	46.3	2	LIMESTONE - typical - light grey, mottled 0-11.5 - 3' recovery, highly broken, some quartz veining. 18-22 - relatively strong shearing and alignment of wh. to aggregation, 50° to core axis.										
46.3	78	1	ARGILLACEOUS LIMESTONE - skarn and limestone zone near top, but darker grey colour (1b) - 48 - light shearing at 80° to core axis. - 57-78 - mainly argillaceous unit to - pyroclastic layer fairly thick to core	po ep	1-5 to								