

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Twining Silver</u>	Claim No. <u>Twining</u>	Strike <u>N 10° E</u>	Lat. <u>105° 39'</u>	Hole No. <u>74-B2</u>
Date <u>July 10</u> 19 <u>74</u>	Section No. <u>9+75.8</u>	Dip <u>-60°</u>	Dep. <u>917.0</u>	Total Depth <u>833</u>
Logged By <u>G. Cook</u>	Plan No. <u>74-B</u>	Level <u>S-B1</u>	Elev. <u>5678.9</u> <u>5343.6</u>	Page No. <u>193</u>

[illegible]

R.P. MILLER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Tintina Sulfide</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>74-B2</u>
Date <u>July 10</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>83</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>20/3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION				ASSAY DATA					
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
437	70	S	SULFIDE ZONE / ARGILLACEOUS L.MST.										
			- low grade, patchy sphalerite at top with increasing sl + ga at base of section - minor ga locally.										
			43.7 - 52.0 - locally 50% sl, average 10%.										
			52.0 - 64.8 - very little sulfide.										
			64.8 - 65.7 - 20% ga, 20% sl, trace - abundant calcite, minor quartz veining										
			65.7 - 66.7 - 60% ga, 30% sl.										
			66.7 - 70 - argillaceous limestone with 13% sl.										
			Assay: 43.7 - 45.7	sl	25	3929	2.0	1.5	0.12	0.03	0.54		
			45.7 - 47.5	sl	20	3980	1.8	1.8	1.03	0.37	13.57		
			47.5 - 50.0	sl	5	3981	2.5	2.0	0.15	0.04	3.72		
			50.0 - 52.0	sl	5	3982	1.9	2.0	0.59	0.30	8.88		
			52.0 - 57.0	sl	40	3983	5.0	5.0	6.06	0.01	0.12		

REG. MAIL
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TURKISH SUVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>24-132</u>
Date <u>25 July 1974</u>	Section No. _____	Dip _____	Dep. _____	Total Depth _____
Logged By <u>C. Coulson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE	MINERALIZATION			ASSAY DATA						
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	$\frac{Ag}{Au}$	$\frac{Cu}{Au}$	$\frac{Fe}{Au}$	AU/AG	INCHES
			57.0-62.0	sl	tr.	3984	5.0	4.5	0.29	0.05	0.09		
			62.0-64.8	sl	3.5	3985	2.4	2.9	0.59	0.49	2.46		
			64.8-65.7	sl/gc/pf	24/30	3986	0.9	0.9	9.85	7.35	15.45		
			65.7-66.7	gc/sl	6/30	3987	1.0	1.0	197.92	44.2	19.5		
			66.7-70.0	sl	1-3	3988	3.3	3.7	0.47	0.14	1.82		
70	83		ARCELLACEOUS LIMESTONE -as above but more competent with depth, foliation at 45°(80') -calcite stringers show at least 3 preferred orientations one of which is parallel to foliation.										
83			END OF HOLE										