

U.S. MILITARY
CONSULTING CORP.
WHITEHOUSE YORK: TRINITY

PROPERTY <u>Twin Lake Summit</u>	Claim No. <u>Eagle 1</u>	Strike <u>N10°E</u>	Lat. <u>1006.3</u>	Hole No. <u>70-RS</u>
Date <u>July 12</u> 19 <u>78</u>	Section No. <u>10000</u>	Dip <u>-60°</u>	Dep. <u>1000.5</u>	Total Depth <u>127</u>
Logged By <u>B. Carlson</u>	Plan No. <u>70-B</u>	Level <u>S-732</u>	Elev. <u>5675.7</u>	Page No. <u>1</u>

MINERALIZATION		ASSAY DATA				
%Cu	%Fe	MOLY	AU/AG	INSOL		

Logged By			C.S. Carlson			ROCK CLASSIFICATION			ASSAY DATA									
FOOTAGE			Epid. Diop. Garn. Serp. Qtz/Sil. Actino Tremo. Chlo.			TYPE			%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INCOL	
From	To		CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE															
0	81.2		ARGILLACEOUS LIMESTONE.															
			0-11 - strongly broken, 1' recovery															
			11-42 - strongly broken, mainly parallel foliation (55°) light branching parallel foliation. 20% recovery.															
			42-61 - more competent, near 100% recovery, calcite stringers less than 5%															
			61-81.2 - as above but calcite stringers 10%, locally 50% -foliation and light branching strong at 55°															
81.2	105	S	SULFIDE ZONE															
			81.2-87.2 - siliceous zone (qtz) with 5% sil, stringers															

R.B. HILMER
CONSULTING GEOLOGIST
WHITEHORSE-YUKON TERRITORY

PROPERTY <u>Tintina River</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>78-135</u>
Date <u>July 12</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>127</u>
Logged By <u>R. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag Hg	Pb Pb	Zn Zn	AU/AG	INSOL.
		82.2-83.6 - 12% sl, py										
		83.6-84.6 - 20% sl, 5% py										
		84.6-90.6 - tr. sl.										
		90.6-92.1 - 30% calcite stringers with 5% sl.										
		92.1-94.6 - tr. sl. (1" seams with 75% sl), tr. ga.										
		Assay: 81.2-82.2	sl/ga	5/2	4009	1.0	1.0	1.76	1.23	2.10		
		82.2-83.6	sl, py	1-3	4010	1.2	1.1	0.59	0.38	0.57		
		83.6-84.6	sl/py	20/5	4011	1.0	1.0	0.59	0.20	12.2		
		84.6-90.6	sl	tr.	4012	6.0	6.0	0.06	0.04	0.52		
		90.6-92.1	sl	5	4013	1.5	1.5	0.65	0.35	7.44		
		92.1-94.6	sl, ga	tr.	4014	2.5	2.5	1.03	0.60	1.10		
		94.6-101.5	sl	tr.	4015	70	76.0	0.18	0.08	0.14		
94.6	127	Argillaceous limestone 101.5-105.0	sl/ga	3/1	4016	5.0	3.3	5.29	2.25	2.28		

R.B. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TINTONIA SILVER</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-B5</u>
Date <u>July 12</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>127</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 3</u>

[illegible]