

R.B. MILLER
CONSULTING GEOLOGIST
WHITEHORSE-YUKON TERRITORY

PROPERTY <u>TINTINA SILVER</u>	Claim No. <u>Page 6</u>	Strike <u>N10°E</u>	Lat. <u>1061.9</u>	Hole No. <u>74-B6</u>
Date <u>July 11</u> 19 <u>74</u>	Section No. <u>10425</u>	Dip <u>-60°</u>	Dep. <u>1026.0</u>	Total Depth <u>111</u>
Logged By <u>G. Coulson</u>	Plan No. <u>74-B</u>	Locst <u>S 8-B3</u>	Elev. <u>5662.2</u>	Page No. <u>10/3</u>

[illegible]

R.B. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Titanium Survey</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>74-B1</u>
Date <u>July 11</u> 19 <u>74</u>	Section No. _____	Dip _____	Dip. _____	Total Depth <u>111</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 3</u>

FOOTAGE			ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To			TYPE	%	SAMPLE NO.	WIDTH	RECOV.	Ag	Pb	Zn	AU/AG	INSOL
86	87.5	S	SULFIDE ZONE - argillaceous limestone with 75% white calcite stringers, 13% sl in stringers.										
			Assay: 86-87.5	sl	1-3	4071	1.5	1.5	0.32	0.19	0.88		
87.5	94		ARGILLACEOUS LIMESTONE - no evidence of sulfides.										
94	99.5	S	SULFIDE ZONE - 94-94.3 - siliceous zone with 30% ga, 10% sl, 1% cp - 94.3-99.5 - 20-50% white calcite stringers with 1-5% sl.										
			Assay: 94-94.3	gal. l. cp	3/4%	4072	0.3	0.3	74.56	37.4	22.6		
			94.3-95.5	sl	1-5	4073	2.1	2.1	0.32	0.20	1.10		
			95.5-99.5	sl	1-5	4074	2.1	2.1	0.83	0.58	1.78		

D.B. MILLER
CONSULTING BIOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>Tulahoma Survey</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>74-B6</u>
Date <u>July 11</u> 19 <u>74</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>111</u>
Logged By <u>G. Carlson</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 3</u>

[illegible]