

## CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,  
British Columbia, Can. V5B 3M1  
Ph:(604)299-2560 Fax:299-6252

## CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB  
105 COPPER RD.  
WHITEHORSE YUKON  
PROJECT : WO# 8437  
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901005B  
INVOICE # : NAL1005B  
DATE ENTERED : OCT 9, 1990  
FILE NAME : P1005B  
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	I FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	I CA	I P	PPM LA	PPM CR	I MG	PPM BA	I TI	PPM B	I AL	I NA	I SI	PPM M	PPM BE
	82654	1	27	13	26	0.1	1291	65	615	3.03	34	N/A	ND	ND	5	1	2	2	11	0.23	0.01	1	653	12.84	7	0.01	63	0.13	0.01	0.01	1	1
	82655	1	27	7	22	0.1	1196	64	405	3.28	31	N/A	ND	ND	5	1	4	2	12	0.26	0.01	1	438	13.29	3	0.01	50	0.17	0.01	0.01	1	1
	82656	1	23	7	15	0.1	674	49	624	3.18	31	N/A	ND	ND	36	1	2	2	10	0.32	0.01	1	328	10.76	3	0.01	20	0.16	0.01	0.01	1	1
	82657	1	21	13	15	0.2	683	48	795	2.90	29	N/A	ND	ND	3	1	3	2	8	0.09	0.01	1	250	9.90	4	0.01	19	0.13	0.01	0.01	1	1
	82658	1	22	13	13	0.1	567	44	689	3.07	30	N/A	ND	ND	4	1	3	2	6	0.13	0.01	1	214	10.03	3	0.01	19	0.11	0.01	0.01	1	1
	82659	1	21	13	13	0.2	395	40	499	2.94	28	N/A	ND	ND	61	1	2	2	8	0.49	0.01	1	229	9.72	3	0.01	16	0.13	0.01	0.01	1	1
	82660	1	21	13	14	0.2	436	40	544	2.78	30	N/A	ND	ND	36	1	5	2	7	0.41	0.01	1	216	9.14	4	0.01	18	0.13	0.01	0.01	1	1
	82661	1	21	12	13	0.6	434	42	395	2.65	34	N/A	ND	ND	15	1	4	2	7	0.23	0.01	1	203	8.48	4	0.01	16	0.14	0.01	0.01	1	1
	82662	1	29	15	14	0.4	741	50	614	3.00	49	N/A	ND	ND	14	1	2	2	5	0.24	0.01	1	208	9.51	5	0.01	17	0.13	0.01	0.01	1	1
	82663	1	66	16	14	0.1	1360	82	664	3.09	101	N/A	ND	ND	26	1	3	2	1	0.25	0.01	1	108	9.89	4	0.01	46	0.02	0.01	0.01	1	1
	82664	1	28	8	14	0.1	1028	58	305	2.86	88	N/A	ND	ND	10	1	5	3	1	0.11	0.01	1	118	8.10	5	0.01	21	0.01	0.01	0.01	3	1
	82665	1	27	13	17	0.1	1289	76	493	3.35	181	N/A	ND	ND	32	1	20	2	4	0.51	0.01	1	187	9.04	8	0.01	21	0.06	0.01	0.01	3	1
	82666	1	34	13	16	0.1	781	58	405	3.19	125	N/A	ND	ND	27	1	3	2	8	0.29	0.01	1	290	9.37	6	0.01	18	0.16	0.01	0.01	2	1
	82667	1	39	17	16	0.1	1192	82	909	2.96	185	N/A	ND	ND	96	2	13	2	3	1.03	0.01	1	169	10.09	9	0.01	16	0.04	0.01	0.01	3	1
	82668	1	25	15	19	0.8	1312	79	402	2.63	320	N/A	ND	ND	24	2	33	2	3	0.54	0.01	1	134	7.79	8	0.01	17	0.03	0.01	0.01	4	1
	82669	1	61	87	38	4.6	737	48	566	2.35	460	N/A	ND	ND	159	1	35	2	10	1.42	0.01	1	204	7.67	20	0.01	48	0.22	0.01	0.01	3	1
	82670	9	9	33	22	0.8	59	4	70	0.29	35	N/A	ND	ND	27	1	2	4	3	0.20	0.02	1	46	0.71	5	0.01	18	0.03	0.01	0.01	6	1
	82671	9	19	14	14	2.0	16	2	23	0.15	11	N/A	ND	ND	1	1	2	6	3	0.01	0.02	1	32	0.12	6	0.01	15	0.03	0.01	0.01	5	1
	82672	13	5	1	5	0.2	9	1	23	0.15	9	N/A	ND	ND	1	1	2	6	2	0.01	0.02	1	42	0.04	4	0.01	17	0.01	0.01	0.01	4	1
	82673	11	34	12	22	0.9	38	4	106	0.24	19	N/A	ND	ND	6	1	2	6	4	0.05	0.02	1	43	0.15	14	0.01	19	0.08	0.01	0.01	4	1
	82674	2	95	558	433	4.6	268	12	558	2.74	171	N/A	ND	ND	291	4	16	2	21	2.75	0.15	24	53	2.10	227	0.01	62	0.89	0.01	0.01	4	1
	82675	9	97	222	298	2.1	349	29	762	4.18	343	N/A	ND	ND	179	2	22	2	31	1.70	0.07	22	92	3.55	259	0.02	39	0.98	0.01	0.01	2	1
	82676	5	86	21	115	1.4	266	29	677	3.63	253	N/A	ND	ND	211	1	28	2	30	2.42	0.06	8	95	3.85	100	0.01	56	0.78	0.01	0.01	1	1
	82677	11	85	15	175	1.1	313	24	364	3.21	242	N/A	ND	ND	130	1	17	2	31	1.27	0.03	14	83	2.56	110	0.01	37	1.26	0.01	0.01	1	1
	82678	14	68	15	186	0.7	171	15	141	2.69	148	N/A	ND	ND	51	2	14	2	26	0.50	0.08	11	42	1.12	118	0.01	143	1.04	0.01	0.01	2	1
	82679	14	61	14	133	0.9	140	15	197	2.71	189	N/A	ND	ND	60	1	14	3	26	0.60	0.06	7	50	1.16	93	0.01	203	0.68	0.01	0.01	2	1
	82680	5	215	4	194	1.8	95	41	518	5.76	208	N/A	ND	ND	46	1	34	2	17	0.60	0.02	1	54	1.30	94	0.01	313	0.79	0.01	0.01	1	1
	82681	7	39	5	48	0.3	34	6	281	1.47	107	N/A	ND	ND	56	1	5	2	6	0.79	0.06	3	38	0.47	52	0.01	70	0.18	0.01	0.01	3	1
	82682	3	131	30	161	2.3	86	32	871	5.07	219	N/A	ND	ND	215	2	19	2	27	2.56	0.05	2	60	1.94	73	0.01	142	0.66	0.01	0.01	1	1
	82683	4	135	159	223	4.2	89	39	949	5.62	469	N/A	ND	ND	186	3	51	2	28	2.83	0.09	1	61	2.12	70	0.01	536	0.75	0.01	0.01	1	1
	82684	7	81	22	153	1.3	147	34	704	4.70	215	N/A	ND	ND	203	1	21	2	22	2.14	0.05	2	72	2.20	100	0.01	391	0.60	0.01	0.01	6	1
	82685	15	65	16	141	0.8	440	34	508	2.95	797	N/A	ND	ND	173	1	24	2	19	1.94	0.07	8	95	2.23	116	0.01	180	0.63	0.01	0.01	6	1
	82686	15	76	22	138	0.7	143	15	233	2.45	112	N/A	ND	ND	77	1	12	3	17	0.84	0.06	9	36	0.85	136	0.01	188	0.63	0.01	0.01	6	1
	82687	13	55	19	92	1.5	145	14	356	2.23	198	N/A	ND	ND	115	1	19	3	20	1.29	0.06	7	66	1.46	117	0.01	193	0.61	0.01	0.01	5	1
	82688	13	81	45	258	2.5	254	20	497	2.72	297	N/A	ND	ND	137	3	39	2	24	1.99	0.06	7	86	2.92	154	0.01	116	0.64	0.01	0.01	6	1
	82689	9	131	209	145	9.4	242	23	565	3.25	385	N/A	ND	ND	149	1	126	2	20	1.67	0.04	6	81	3.39	165	0.01	344	0.60	0.01	0.01	4	1
	82690	8	56	18	136	0.7	59	18	1029	4.00	102	N/A	ND	ND	184	1	9	2	21	2.07	0.19	9	42	1.57	171	0.01	89	0.33	0.01	0.01	4	1
	82691	5	202	16	78	1.3	190	18	230	3.62	116	N/A	ND	ND	56	1	13	2	26	0.41	0.23	8	36	1.04	90	0.01	164	0.67	0.01	0.01	6	1
	82692	8	59	249	105	2.6	104	6	189	0.84	63	N/A	ND	ND	41	1	10	3	13	0.32	0.03	3	68	0.79	30	0.01	20	0.45	0.01	0.01	7	1
	STD-69	4	109	95	507	4.5	4	2	62	0.75	23	N/A	ND	ND	9	3	3	4	3	0.09	0.06	6	6	0.03	169	0.01	142	0.16	0.01	0.01	15	1

CERTIFIED BY :

## CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,  
British Columbia, Can. V5B 3M1  
Ph:(604)299-2560 Fax:299-6252


## CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB  
105 COPPER RD.  
WHITEHORSE YUKON  
PROJECT : WO# 8437  
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901005B  
INVOICE # : NAL1005B  
DATE ENTERED : OCT 9, 1990  
FILE NAME : P1005B  
PAGE # : 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM NA	PPM SI	PPM W	PPM BE
	82693	4	94	126	172	4.2	71	33	575	4.85	288	N/A	ND	ND	201	2	23	2	21	2.00	0.03	1	68	1.80	45	0.01	778	0.69	0.01	0.01	3	1
	82694	8	70	20	55	0.1	51	9	245	2.02	53	N/A	ND	ND	33	1	13	4	9	0.41	0.06	8	49	0.71	22	0.01	115	0.15	0.01	0.01	2	1
	82695	13	26	8	19	0.1	40	5	125	0.39	35	N/A	ND	ND	65	1	12	5	5	0.60	0.02	1	66	0.33	16	0.01	24	0.08	0.01	0.01	4	1
	82696	1	32	18	17	0.1	802	61	748	3.03	43	N/A	ND	ND	8	1	2	2	9	0.12	0.01	1	284	8.18	7	0.01	33	0.17	0.01	0.01	1	1
	82697	12	89	77	189	2.1	215	14	365	2.97	307	N/A	ND	ND	120	3	22	2	21	1.44	0.06	8	72	1.95	139	0.01	250	0.80	0.01	0.01	2	1
	STD-B	29	134	87	141	0.9	11	2	123	0.71	29	N/A	ND	ND	15	1	2	6	9	0.51	0.04	6	45	0.24	243	0.01	35	0.24	0.01	0.01	31	1

CERTIFIED BY :



October 2, 1990

Work Order # 08437


Environmental Exploration  
100 - 204 Main St.  
Whitehorse, Yukon

File # 08437a

**Assay Certificate For Samples Provided**

Sample	ppb Au
82654	294
82655	<10
82656	<10
82657	14
82658	120
82659	23
82660	28
82661	21
82662	<10
82663	19
82664	14
82665	15
82666	<10
82667	<10
82668	25
82669	67
82670	120
82671	<10
82672	<10
82673	43
82674	168
82675	209
82676	64
82677	206
82678	29
82679	177
82680	139
82681	171
82682	143
82683	396

Au -- 15g Fire Assay/AAS



October 2, 1990

Work Order # 08407

Develgan Exploration  
17 - 204 Main St.  
Whitehorse, Yukon

File # 00487b

**Assay Certificate For Samples Provided**

Sample	ppb Au
82684	188
82685	114
82686	158
82687	166
82688	817
82689	233
82690	13
82691	132
82692	396
82693	503
82694	67
82695	241
82696	52
82697	157

Au -- 15g Fire Assay/AAS

