

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3H1
Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WD# 8448
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901006D
INVOICE # : NAL1006D
DATE ENTERED : OCT 8, 1990
FILE NAME : P1006D
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM NA	PPM SI	PPM W	PPM BE
	76301	14	76	25	218	1.1	385	24	484	3.58	500	N/A	ND	ND	155	1	47	2	16	1.02	0.05	8	91	2.84	196	0.01	166	0.50	0.01	0.01	1	1
	76302	14	73	22	186	0.4	362	26	511	3.23	384	N/A	ND	ND	212	1	27	2	14	1.65	0.07	5	76	2.53	187	0.01	211	0.49	0.01	0.01	1	1
	76303	5	55	24	55	0.1	911	58	1110	3.38	710	N/A	ND	ND	918	1	45	2	12	6.29	0.01	4	190	8.18	118	0.01	63	0.20	0.01	0.01	1	1
	76304	7	6	1	11	0.1	29	2	76	0.39	54	N/A	ND	ND	22	1	6	11	8	0.20	0.01	1	40	0.21	113	0.01	16	0.15	0.01	0.01	1	1
	76305	1	91	45	87	0.9	143	30	1002	4.81	114	N/A	ND	ND	622	1	17	2	52	4.93	0.25	47	93	3.62	529	0.10	84	1.15	0.01	0.01	1	3
	76306	10	14	75	151	0.6	145	13	363	2.07	115	N/A	ND	ND	35	1	23	15	12	0.24	0.01	8	68	1.47	68	0.01	18	0.22	0.01	0.01	3	1
	76307	6	59	149	304	1.3	214	16	463	2.18	105	N/A	ND	ND	339	2	32	6	12	2.15	0.09	23	65	1.80	86	0.01	27	0.21	0.01	0.01	3	1
	82698	11	31	21	34	0.5	45	9	277	1.45	69	N/A	ND	ND	130	1	18	11	18	1.28	0.07	12	86	1.01	173	0.02	53	0.35	0.01	0.01	1	1
	82699	13	36	100	1918	1.5	61	5	137	0.63	100	N/A	ND	ND	49	11	16	21	6	0.33	0.01	2	69	0.50	48	0.01	41	0.09	0.01	0.01	1	1
	82700	17	65	24	166	0.1	108	13	90	2.44	157	N/A	ND	ND	54	1	28	5	11	0.36	0.05	8	69	0.41	130	0.01	313	0.45	0.01	0.01	1	1
	CAVENDISH STDC	19	178	89	125	0.2	49	10	216	1.15	18	N/A	ND	ND	25	1	6	11	18	0.39	0.03	6	74	0.42	114	0.02	49	0.28	0.01	0.01	13	1
	CAVENDISH STDS	25	830	520	513	20.1	248	335	996	3.52	346	N/A	60	669	755	174	927	444	118	0.42	2.99	1136	70	0.50	261	0.14	666	1.61	0.10	0.01	316	54

CERTIFIED BY :

General Information

Work Order # 08446

Sample Information
10 - 114 Main St.
Whitehorse, Yukon

File # 08446a

Assay Certificate For Samples Provided

Sample	ppb Au
76301	64
76302	57
76303	32
76304	22
76305	34
76306	39
76307	3168
82698	14
82699	25
82700	115

Au -- 15g Fire Assay/AAS

