

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3W1
Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD WHITEHORSE
YUKON

PROJECT : W08453

TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90-1015A

INVOICE # : NAL1015A

DATE ENTERED : OCT 16, 1990

FILE NAME : P522

PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM NM	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM NA	PPM SI	PPM W	PPM BE
	76308	13	29	44	47	0.7	63	5	233	0.79	37	n/a	ND	ND	278	1	7	8	15	1.42	0.01	3	133	1.48	123	0.01	5	0.36	0.01	0.01	2	1
	76309	15	25	62	40	0.7	9	1	43	0.23	12	n/a	ND	ND	8	1	4	5	4	0.07	0.01	1	77	0.07	102	0.01	5	0.03	0.01	0.01	1	1
	76310	38	18	24	24	0.1	10	1	50	0.48	14	n/a	ND	ND	3	1	4	2	4	0.02	0.01	1	157	0.03	39	0.01	5	0.02	0.01	0.01	1	1
	76311	19	46	14	11	2.1	7	1	24	0.23	10	n/a	ND	ND	1	1	4	2	3	0.01	0.01	1	59	0.01	28	0.01	5	0.01	0.01	0.01	1	1
	76313	29	1645	402	156	51.7	15	2	35	0.37	94	n/a	ND	ND	3	4	603	2	6	0.02	0.01	1	85	0.03	87	0.01	5	0.02	0.01	0.01	1	1
	76315	19	341	471	199	9.1	47	4	131	0.56	76	n/a	ND	ND	116	9	145	2	5	0.93	0.01	2	61	1.08	30	0.01	5	0.06	0.01	0.01	2	1
	76316	3	46	62	80	0.7	694	39	1055	3.16	599	n/a	ND	ND	323	2	59	2	53	5.63	0.03	7	247	6.79	74	0.03	5	1.45	0.01	0.01	1	2
	76317	15	17	19	31	0.4	176	12	225	1.05	157	n/a	ND	ND	82	1	30	2	7	0.87	0.01	2	49	1.59	40	0.01	5	0.08	0.01	0.01	3	1
	76322	20	26	120	137	0.6	32	3	49	0.31	18	n/a	ND	ND	4	1	5	2	3	0.05	0.01	1	40	0.08	474	0.01	5	0.03	0.01	0.01	1	1
	76323	19	53	12	25	0.4	48	3	45	0.38	45	n/a	ND	ND	9	1	8	4	5	0.07	0.01	1	43	0.17	25	0.01	5	0.07	0.01	0.01	1	1
	76324	16	92	19	80	1.4	71	7	291	1.13	81	n/a	ND	ND	136	1	29	4	7	1.07	0.01	4	62	1.21	34	0.01	5	0.09	0.01	0.01	4	1
	76325	6	268	31	610	1.5	402	37	1011	6.54	189	n/a	ND	ND	91	2	40	2	21	0.86	0.01	25	68	5.03	173	0.01	5	0.45	0.01	0.01	4	1
	76326	13	288	42	1548	1.8	208	16	348	2.59	101	n/a	ND	ND	16	5	27	2	10	0.14	0.01	11	51	1.47	104	0.01	5	0.27	0.01	0.01	2	1
	76327	17	17	13	173	0.1	15	2	44	0.31	12	n/a	ND	ND	42	2	3	2	3	0.21	0.01	1	52	0.18	14	0.01	5	0.03	0.01	0.01	1	1
	76328	33	18	12	210	0.1	18	2	47	0.46	11	n/a	ND	ND	12	2	2	2	4	0.06	0.01	1	97	0.09	16	0.01	5	0.04	0.01	0.01	3	1
	76329	14	20	11	639	0.1	19	2	19	0.24	9	n/a	ND	ND	1	1	2	2	3	0.01	0.01	1	40	0.06	11	0.01	5	0.05	0.01	0.01	2	1
	76330	26	19	16	273	0.1	10	2	33	0.32	10	n/a	ND	ND	5	2	3	2	3	0.03	0.01	1	74	0.04	10	0.01	5	0.02	0.01	0.01	1	1
	76332	23	2003	3398	4564	93.9	11	3	29	0.32	48	n/a	35	ND	3	41	1167	2	3	0.01	0.01	2	53	0.02	49	0.01	16	0.05	0.01	0.01	4	1
	76334	2	146	245	1731	2.3	88	33	972	5.27	175	n/a	ND	ND	565	14	48	2	42	4.90	0.25	47	57	3.63	731	0.05	65	0.94	0.02	0.01	2	3
	76336	5	86	116	143	3.6	433	41	409	2.13	137	n/a	ND	ND	127	2	20	2	11	0.91	0.01	4	116	3.40	66	0.01	5	0.25	0.01	0.01	63	1
	76337	14	32	182	160	2.7	99	10	73	0.62	228	n/a	ND	ND	24	1	4	4	5	0.15	0.01	1	83	0.41	443	0.01	31	0.08	0.01	0.01	7	1
	76338	12	18	21	15	3.7	23	3	42	0.19	10	n/a	ND	ND	3	1	2	7	3	0.02	0.01	1	38	0.10	15	0.01	5	0.01	0.01	0.01	5	1
	76339	19	17	39	22	0.6	21	3	61	0.30	54	n/a	ND	ND	6	1	2	4	3	0.05	0.01	1	58	0.09	38	0.01	5	0.02	0.01	0.01	3	1
	76340	13	30	21	15	7.4	32	3	63	0.24	11	n/a	ND	ND	35	1	2	4	4	0.24	0.01	1	41	0.19	6	0.01	5	0.02	0.01	0.01	2	1
	76341	19	7	10	14	0.1	9	1	26	0.23	10	n/a	ND	ND	3	1	2	8	3	0.02	0.01	1	54	0.03	15	0.01	5	0.01	0.01	0.01	4	1
	76342	11	19	28	15	0.5	15	1	25	0.18	10	n/a	ND	ND	7	1	2	3	3	0.07	0.01	1	31	0.07	13	0.01	5	0.01	0.01	0.01	2	1
	76343	19	8	14	11	0.3	14	2	43	0.24	7	n/a	ND	ND	2	1	2	13	4	0.02	0.01	1	57	0.03	11	0.01	5	0.01	0.01	0.01	3	1
	76344	14	17	26	20	0.8	13	2	464	0.81	25	n/a	ND	ND	721	1	11	2	7	3.87	0.01	3	66	2.32	19	0.01	5	0.02	0.01	0.01	6	1
	76345	13	8	11	17	0.1	68	6	119	0.76	12	n/a	ND	ND	22	1	2	2	16	0.20	0.01	1	46	0.69	15	0.06	5	0.22	0.01	0.01	3	1
	76346	17	23	12	16	0.2	54	6	72	0.60	60	n/a	ND	ND	16	1	4	7	13	0.12	0.01	1	63	0.62	15	0.01	5	0.34	0.01	0.01	2	1
	76347	16	12	9	9	0.1	20	3	42	0.26	21	n/a	ND	ND	2	1	2	6	5	0.02	0.01	1	57	0.11	15	0.01	5	0.07	0.01	0.01	3	1
	76348	13	8	7	6	0.1	20	2	31	0.18	13	n/a	ND	ND	2	1	2	3	4	0.02	0.01	1	44	0.05	6	0.01	5	0.03	0.01	0.01	2	1
	76349	15	4	4	5	0.1	8	1	24	0.17	6	n/a	ND	ND	1	1	2	3	3	0.01	0.01	1	46	0.01	5	0.01	5	0.01	0.01	0.01	2	1
	76350	18	6	5	9	0.1	7	1	22	0.21	6	n/a	ND	ND	1	1	2	4	3	0.01	0.01	1	56	0.01	8	0.01	5	0.01	0.01	0.01	1	1
	76376	19	5	5	7	0.1	8	1	44	0.25	7	n/a	ND	ND	9	1	2	3	3	0.08	0.01	1	59	0.05	9	0.01	5	0.01	0.01	0.01	2	1
	76377	8	125	65	105	7.6	108	6	568	1.58	112	n/a	ND	ND	727	1	28	2	13	4.92	0.02	6	61	3.05	32	0.01	25	0.08	0.01	0.01	4	1
	76378	10	173	110	62	12.6	20	2	462	1.16	40	n/a	ND	ND	1103	1	63	2	11	6.53	0.02	5	75	4.08	23	0.01	22	0.06	0.01	0.01	4	1
	76379	11	130	461	66	9.4	23	3	180	0.62	47	n/a	ND	ND	203	2	64	2	9	1.21	0.01	2	50	0.99	20	0.01	11	0.12	0.01	0.01	5	1
	76380	10	64	47	26	3.1	484	27	356	1.51	23	n/a	ND	ND	50	1	5	2	7	0.30	0.01	1	133	4.54	36	0.01	5	0.08	0.01	0.01	5	1
	STD-69	18	237	379	461	1.2	18	3	116	0.84	184	n/a	ND	ND	16	1	2	2	13	0.61	0.02	6	37	0.29	46	0.02	8	0.20	0.01	0.01	3	1

CERTIFIED BY :

S. S. W. Reno

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3B1
Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD WHITEHORSE
YUKON

PROJECT : W08453

TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90-1015A

INVOICE # : NAL1015A

DATE ENTERED : OCT 16, 1990

FILE NAME : P522

PAGE # : 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	I FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BT	PPM V	I CA	I P	PPM LA	PPM CR	I MG	PPM BA	I TI	PPM B	I AL	I NA	I SI	PPM W	PPM BE
	76381	13	20	42	14	1.0	177	17	233	0.81	282	n/a	ND	ND	390	1	11	2	8	1.97	0.01	2	113	1.94	15	0.01	5	0.06	0.01	0.01	5	1
	76382	16	8	26	22	0.2	11	2	36	0.22	15	n/a	ND	ND	8	1	2	2	3	0.05	0.01	1	49	0.05	7	0.01	5	0.01	0.01	0.01	3	1
	76383	19	8	17	11	0.3	8	1	31	0.23	9	n/a	ND	ND	2	1	2	2	3	0.01	0.01	1	55	0.02	7	0.01	5	0.01	0.01	0.01	2	1
	76384	16	81	22	24	1.1	62	4	93	0.78	38	n/a	ND	ND	22	1	9	2	11	0.20	0.01	2	53	0.21	46	0.01	5	0.12	0.01	0.01	2	1
	76318	8	35	21	105	1.2	381	31	853	3.39	259	n/a	ND	ND	230	1	53	2	22	2.35	0.01	10	105	5.54	79	0.01	5	0.50	0.01	0.01	6	1
	STD-D	4	135	119	590	4.6	9	2	76	0.95	26	n/a	ND	ND	11	3	9	2	4	0.12	0.04	7	4	0.08	217	0.01	177	0.18	0.02	0.01	10	1
	STD-S	22	801	503	498	17.5	222	292	888	3.41	316	n/a	54	620	674	159	784	407	108	0.37	2.50	998	37	0.44	241	0.13	596	1.44	0.10	0.01	266	49

CERTIFIED BY :

W. Reed

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,

British Columbia, Can. V5B 3N1

Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WD#8430 & 8433
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90-10020
INVOICE # : NAL10020
DATE ENTERED : OCT 03, 1990
FILE NAME : F100201
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM NA	PPM SI	PPM W	PPM SE
	STD5	21	782	494	494	16.8	233	307	857	3.33	291	N/A	47	565	646	144	785	383	99	0.34	2.36	957	106	0.41	220	0.12	522	1.37	0.09	0.01	278	45
	82601	1	150	3	38	0.6	1121	62	489	3.19	25	N/A	ND	ND	25	1	3	2	27	0.66	0.09	4	381	9.66	20	0.01	25	0.32	0.01	0.01	3	2
	82602	1	45	24	44	0.3	1481	75	672	3.31	23	N/A	ND	ND	9	1	5	2	15	0.30	0.02	3	301	12.32	17	0.01	27	0.20	0.01	0.01	5	1
	82603	1	32	3	24	0.2	1524	78	718	2.98	15	N/A	ND	ND	6	1	2	2	9	0.18	0.01	2	155	11.93	10	0.01	32	0.11	0.01	0.01	3	1
	82604	1	35	2	28	0.2	1596	80	511	3.52	2	N/A	ND	ND	5	1	2	2	11	0.13	0.01	2	198	14.57	11	0.01	49	0.14	0.01	0.02	1	1
	82605	1	31	3	28	0.4	1447	72	521	3.31	8	N/A	ND	ND	6	1	2	2	9	0.25	0.01	2	160	14.05	9	0.01	22	0.15	0.01	0.02	1	1
	82606	1	28	2	20	0.2	1546	78	524	3.01	25	N/A	ND	ND	2	1	2	2	1	0.13	0.01	2	88	14.56	9	0.01	33	0.02	0.01	0.02	1	1
	82607	1	22	2	20	0.6	1077	72	403	2.58	15	N/A	ND	ND	2	1	2	2	1	0.08	0.01	2	40	10.62	7	0.01	8	0.01	0.01	0.01	1	1
	82608	1	21	3	16	0.4	698	57	421	2.77	4	N/A	ND	ND	18	1	2	2	1	0.24	0.01	2	26	9.97	7	0.01	5	0.01	0.01	0.01	1	1
	82609	1	43	2	12	0.4	790	57	470	2.66	23	N/A	ND	ND	14	2	2	5	1	0.14	0.01	2	42	8.75	8	0.01	5	0.03	0.01	0.01	1	1
	82611	1	54	2	12	0.7	561	41	311	2.68	72	N/A	ND	ND	2	1	3	2	2	0.05	0.01	3	42	8.03	5	0.01	5	0.03	0.01	0.01	1	1
	82612	1	20	1	8	0.1	678	52	187	2.41	73	N/A	ND	ND	3	2	2	4	2	0.04	0.01	2	50	6.76	7	0.01	5	0.01	0.01	0.01	1	1
	82613	1	17	1	12	0.1	757	59	324	2.71	55	N/A	ND	ND	3	1	5	8	4	0.05	0.01	2	74	6.77	8	0.01	5	0.04	0.01	0.01	1	1
	82614	2	27	9	22	0.4	755	56	488	2.55	274	N/A	ND	ND	30	1	13	9	6	0.24	0.01	2	106	7.12	11	0.01	5	0.07	0.01	0.01	1	1
	82615	7	28	16	32	1.1	801	40	495	1.95	483	N/A	ND	ND	167	1	31	9	22	1.62	0.02	7	101	3.40	39	0.01	5	0.60	0.01	0.01	2	1
	82616	7	18	12	10	0.5	54	6	54	0.29	46	N/A	ND	ND	13	1	8	13	6	0.10	0.03	2	19	0.29	8	0.01	5	0.08	0.01	0.01	1	1
	82617	8	216	16	68	10.8	371	25	678	2.69	493	N/A	ND	ND	250	1	42	3	48	2.71	0.02	9	101	3.65	49	0.02	5	1.28	0.01	0.01	1	2
	82618	9	31	3	10	1.3	34	4	73	0.26	33	N/A	ND	ND	25	1	9	2	5	0.21	0.03	2	19	0.24	14	0.01	5	0.07	0.01	0.01	1	1
	82619	7	47	22	66	0.7	183	21	473	2.73	170	N/A	ND	ND	188	1	27	2	35	1.80	0.08	16	42	2.42	150	0.03	18	0.76	0.01	0.01	1	1
	82620	7	78	12	106	1.0	234	20	618	4.62	333	N/A	ND	ND	147	1	41	6	24	1.49	0.03	13	25	3.26	90	0.01	59	0.55	0.01	0.01	1	1
	82621	7	46	16	47	0.4	28	9	113	1.61	36	N/A	ND	ND	20	1	12	3	5	0.16	0.05	9	14	0.40	22	0.01	119	0.13	0.01	0.01	1	1
	82622	7	38	18	43	0.1	29	7	106	1.43	39	N/A	ND	ND	24	1	6	6	6	0.24	0.04	6	19	0.22	31	0.01	97	0.14	0.01	0.01	1	1
	82623	9	37	12	46	0.1	35	8	160	1.50	36	N/A	ND	ND	45	1	9	3	9	0.47	0.04	7	27	0.48	46	0.01	90	0.20	0.01	0.01	1	1
	82624	12	94	18	100	3.3	139	13	243	2.39	171	N/A	ND	ND	68	1	19	6	30	0.74	0.06	7	40	1.31	60	0.01	87	0.66	0.01	0.01	2	1
	82625	15	82	8	146	1.1	249	29	512	3.74	274	N/A	ND	ND	70	1	41	8	26	0.88	0.11	9	42	1.52	85	0.01	70	0.71	0.01	0.01	1	1
	82626	4	92	6	143	0.6	106	46	900	5.60	126	N/A	ND	ND	60	1	11	7	17	0.97	0.07	4	22	1.86	68	0.01	93	0.30	0.01	0.01	1	1
	82627	6	90	21	130	0.7	127	25	573	3.77	215	N/A	ND	ND	93	1	24	5	12	1.26	0.09	4	22	1.01	59	0.01	38	0.41	0.01	0.01	1	1
	82628	4	122	13	139	0.7	111	46	1044	6.31	280	N/A	ND	ND	136	1	20	2	27	2.11	0.07	3	19	1.79	87	0.01	307	0.52	0.01	0.01	1	1
	82629	4	132	136	389	3.5	90	37	574	6.63	399	N/A	ND	ND	105	5	28	3	22	1.47	0.05	3	14	1.24	60	0.01	593	0.68	0.01	0.01	3	1
	82630	1	189	13	197	1.0	84	47	1190	6.89	120	N/A	ND	ND	123	2	13	4	28	2.07	0.10	3	19	2.39	65	0.01	38	0.25	0.01	0.01	1	1
	82631	2	140	12	111	0.1	76	46	1257	5.62	96	N/A	ND	ND	205	1	19	8	26	3.93	0.07	5	21	2.44	60	0.01	5	0.23	0.01	0.01	2	1
	82632	2	130	10	88	0.2	85	37	1158	5.42	95	N/A	ND	ND	140	1	10	5	26	2.88	0.06	3	22	2.09	45	0.01	5	0.22	0.01	0.01	3	1
	STANDARD-69	17	199	327	376	0.2	13	3	104	0.74	155	N/A	ND	ND	14	1	3	21	11	0.51	0.05	5	34	0.21	38	0.01	5	0.17	0.01	0.01	2	1

CERTIFIED BY :

W. P. Jones

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3B1
Ph: (604) 299-2560 Fax: 299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WQ#8430 & 8433
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 90-10020
INVOICE # : NAL10020
DATE ENTERED : OCT 03, 1990
FILE NAME : P100201
PAGE # : 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	I FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SP	PPM CD	PPM SB	PPM BI	PPM V	I CA	I P	PPM LA	PPM CR	I MG	PPM BA	I TI	PPM B	I AL	I NA	I SI	PPM W	PPM RE
	82633	1	169	1	134	0.1	151	50	1193	6.27	115	N/A	ND	ND	118	1	8	2	27	2.60	0.05	4	51	2.37	77	0.01	5	0.37	0.01	0.01	1	1
	82634	2	122	8	102	0.4	103	34	818	4.87	83	N/A	ND	ND	116	1	7	6	21	2.05	0.05	5	35	1.77	69	0.01	12	0.31	0.01	0.01	1	1
	82635	3	78	11	87	0.1	74	31	677	4.12	93	N/A	ND	ND	106	1	2	9	18	1.79	0.04	5	35	1.48	65	0.01	97	0.41	0.01	0.01	1	1
	82636	8	44	12	68	1.0	389	28	660	2.93	221	N/A	ND	ND	96	1	9	10	23	1.31	0.06	9	90	5.89	102	0.01	58	0.53	0.01	0.01	1	1
	82637	9	48	19	72	0.7	389	28	615	2.83	251	N/A	ND	ND	84	1	12	10	24	1.15	0.06	9	88	5.90	129	0.01	53	0.55	0.01	0.01	1	1
	82638	4	67	6	36	0.4	1028	58	480	2.94	656	N/A	ND	ND	52	1	66	11	15	0.84	0.01	3	227	9.30	35	0.01	31	0.28	0.01	0.01	1	1
	82639	3	60	2	36	1.0	1064	67	461	3.16	427	N/A	ND	ND	70	2	41	6	18	1.42	0.01	3	216	9.95	25	0.01	70	0.34	0.01	0.01	1	1
	82640	3	37	3	31	1.0	954	59	632	3.15	134	N/A	ND	ND	115	2	27	2	19	2.58	0.01	4	194	10.88	30	0.01	29	0.35	0.01	0.01	1	1
	82641	3	52	2	32	0.4	1084	63	443	3.22	794	N/A	ND	ND	71	2	75	4	18	1.19	0.01	3	176	10.70	25	0.01	5	0.32	0.01	0.01	1	1
	82642	1	26	1	26	0.2	846	56	346	3.00	261	N/A	ND	ND	13	2	30	8	15	0.22	0.01	3	149	11.03	16	0.01	5	0.25	0.01	0.01	1	1
	82643	1	35	2	29	0.1	1001	55	535	2.93	1013	N/A	ND	ND	72	2	46	2	11	0.78	0.01	1	141	11.13	22	0.01	5	0.12	0.01	0.01	1	1
	82644	1	34	3	35	0.9	554	38	590	3.17	227	N/A	ND	ND	105	1	51	2	17	1.31	0.01	2	189	10.56	20	0.01	5	0.31	0.01	0.01	5	1
	82645	1	29	2	28	0.4	654	47	618	3.05	177	N/A	ND	ND	49	1	14	10	17	0.77	0.01	2	178	10.93	18	0.01	5	0.31	0.01	0.01	3	1
	82646	1	28	1	22	0.4	596	52	565	3.24	35	N/A	ND	ND	39	1	12	2	15	0.60	0.01	2	162	9.64	13	0.01	5	0.28	0.01	0.01	1	1
	82647	1	28	1	26	0.1	690	48	489	2.86	42	N/A	ND	ND	34	1	9	2	14	0.46	0.01	2	142	9.68	18	0.01	5	0.26	0.01	0.01	2	1
	82648	1	28	8	17	0.7	657	54	552	2.98	18	N/A	ND	ND	19	1	10	2	12	0.24	0.01	2	146	7.64	10	0.01	9	0.24	0.01	0.01	2	1
	82649	1	35	1	18	0.6	610	62	542	3.38	47	N/A	ND	ND	40	1	9	2	12	0.30	0.01	2	154	9.48	12	0.01	51	0.20	0.01	0.01	2	1
	82650	1	29	2	18	0.7	610	57	497	3.19	110	N/A	ND	ND	10	1	10	3	12	0.13	0.01	1	141	9.22	10	0.01	37	0.22	0.01	0.01	1	1
	82651	1	25	4	18	0.7	839	77	576	3.12	54	N/A	ND	ND	11	1	8	2	20	0.13	0.01	2	163	8.30	9	0.01	20	0.33	0.01	0.01	3	1
	82652	1	27	1	11	0.1	725	68	512	3.11	55	N/A	ND	ND	2	1	3	2	20	0.05	0.01	1	160	7.87	8	0.01	16	0.37	0.01	0.01	1	1
	82653	1	28	2	22	0.1	1027	87	586	3.24	90	N/A	ND	ND	4	1	9	14	22	0.05	0.01	1	186	8.47	10	0.01	27	0.36	0.01	0.01	6	1
	STD-B	27	121	83	122	0.2	63	8	130	0.77	29	315	ND	ND	13	1	6	19	9	0.42	0.04	7	22	0.60	218	0.01	5	0.23	0.01	0.01	20	1

CERTIFIED BY :

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3M1
Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WO# 8437
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901005B
INVOICE # : NAL1005B
DATE ENTERED : OCT 9, 1990
FILE NAME : P1005B
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	I FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	I CA	I P	PPM LA	PPM CR	I MG	PPM BA	I TI	PPM B	I AL	I NA	I SI	PPM M	PPM BE
	82654	1	27	13	26	0.1	1291	65	615	3.03	34	N/A	ND	ND	5	1	2	2	11	0.23	0.01	1	653	12.84	7	0.01	63	0.13	0.01	0.01	1	1
	82655	1	27	7	22	0.1	1196	64	405	3.28	31	N/A	ND	ND	5	1	4	2	12	0.26	0.01	1	438	13.29	3	0.01	50	0.17	0.01	0.01	1	1
	82656	1	23	7	15	0.1	674	49	624	3.18	31	N/A	ND	ND	36	1	2	2	10	0.32	0.01	1	328	10.76	3	0.01	20	0.16	0.01	0.01	1	1
	82657	1	21	13	15	0.2	683	48	795	2.90	29	N/A	ND	ND	3	1	3	2	8	0.09	0.01	1	250	9.90	4	0.01	19	0.13	0.01	0.01	1	1
	82658	1	22	13	13	0.1	567	44	689	3.07	30	N/A	ND	ND	4	1	3	2	6	0.13	0.01	1	214	10.03	3	0.01	19	0.11	0.01	0.01	1	1
	82659	1	21	13	13	0.2	395	40	499	2.94	28	N/A	ND	ND	61	1	2	2	8	0.49	0.01	1	229	9.72	3	0.01	16	0.13	0.01	0.01	1	1
	82660	1	21	13	14	0.2	436	40	544	2.78	30	N/A	ND	ND	36	1	5	2	7	0.41	0.01	1	216	9.14	4	0.01	18	0.13	0.01	0.01	1	1
	82661	1	21	12	13	0.6	434	42	395	2.65	34	N/A	ND	ND	15	1	4	2	7	0.23	0.01	1	203	8.48	4	0.01	16	0.14	0.01	0.01	1	1
	82662	1	29	15	14	0.4	741	50	614	3.00	49	N/A	ND	ND	14	1	2	2	5	0.24	0.01	1	208	9.51	5	0.01	17	0.13	0.01	0.01	1	1
	82663	1	66	16	14	0.1	1360	82	664	3.09	101	N/A	ND	ND	26	1	3	2	1	0.25	0.01	1	108	9.89	4	0.01	46	0.02	0.01	0.01	1	1
	82664	1	28	8	14	0.1	1028	58	305	2.86	88	N/A	ND	ND	10	1	5	3	1	0.11	0.01	1	118	8.10	5	0.01	21	0.01	0.01	0.01	3	1
	82665	1	27	13	17	0.1	1289	76	493	3.35	181	N/A	ND	ND	32	1	20	2	4	0.51	0.01	1	187	9.04	8	0.01	21	0.06	0.01	0.01	3	1
	82666	1	34	13	16	0.1	781	58	405	3.19	125	N/A	ND	ND	27	1	3	2	8	0.29	0.01	1	290	9.37	6	0.01	18	0.16	0.01	0.01	2	1
	82667	1	39	17	16	0.1	1192	82	909	2.96	185	N/A	ND	ND	96	2	13	2	3	1.03	0.01	1	169	10.09	9	0.01	16	0.04	0.01	0.01	3	1
	82668	1	25	15	19	0.8	1312	79	402	2.63	320	N/A	ND	ND	24	2	33	2	3	0.54	0.01	1	134	7.79	8	0.01	17	0.03	0.01	0.01	4	1
	82669	1	61	87	38	4.6	737	48	566	2.35	460	N/A	ND	ND	159	1	35	2	10	1.42	0.01	1	204	7.67	20	0.01	48	0.22	0.01	0.01	3	1
	82670	9	9	33	22	0.8	59	4	70	0.29	35	N/A	ND	ND	27	1	2	4	3	0.20	0.02	1	46	0.71	5	0.01	18	0.03	0.01	0.01	6	1
	82671	9	19	14	14	2.0	16	2	23	0.15	11	N/A	ND	ND	1	1	2	6	3	0.01	0.02	1	32	0.12	6	0.01	15	0.03	0.01	0.01	5	1
	82672	13	5	1	5	0.2	9	1	23	0.15	9	N/A	ND	ND	1	1	2	6	2	0.01	0.02	1	42	0.04	4	0.01	17	0.01	0.01	0.01	4	1
	82673	11	34	12	22	0.9	38	4	106	0.24	19	N/A	ND	ND	6	1	2	6	4	0.05	0.02	1	43	0.15	14	0.01	19	0.08	0.01	0.01	4	1
	82674	2	95	558	433	4.6	268	12	558	2.74	171	N/A	ND	ND	291	4	16	2	21	2.75	0.15	24	53	2.10	227	0.01	62	0.89	0.01	0.01	4	1
	82675	9	97	222	298	2.1	349	29	762	4.18	343	N/A	ND	ND	179	2	22	2	31	1.70	0.07	22	92	3.55	259	0.02	39	0.98	0.01	0.01	2	1
	82676	5	86	21	115	1.4	266	29	677	3.63	253	N/A	ND	ND	211	1	28	2	30	2.42	0.06	8	95	3.85	100	0.01	56	0.78	0.01	0.01	1	1
	82677	11	85	15	175	1.1	313	24	364	3.21	242	N/A	ND	ND	130	1	17	2	31	1.27	0.03	14	83	2.56	110	0.01	37	1.26	0.01	0.01	1	1
	82678	14	68	15	186	0.7	171	15	141	2.69	148	N/A	ND	ND	51	2	14	2	26	0.50	0.08	11	42	1.12	118	0.01	143	1.04	0.01	0.01	2	1
	82679	14	61	14	133	0.9	140	15	197	2.71	189	N/A	ND	ND	60	1	14	3	26	0.60	0.06	7	50	1.16	93	0.01	203	0.68	0.01	0.01	2	1
	82680	5	215	4	194	1.8	95	41	518	5.76	208	N/A	ND	ND	46	1	34	2	17	0.60	0.02	1	54	1.30	94	0.01	313	0.79	0.01	0.01	1	1
	82681	7	39	5	48	0.3	34	6	281	1.47	107	N/A	ND	ND	56	1	5	2	6	0.79	0.06	3	38	0.47	52	0.01	70	0.18	0.01	0.01	3	1
	82682	3	131	30	161	2.3	86	32	871	5.07	219	N/A	ND	ND	215	2	19	2	27	2.56	0.05	2	60	1.94	73	0.01	142	0.66	0.01	0.01	1	1
	82683	4	135	159	223	4.2	89	39	949	5.62	469	N/A	ND	ND	186	3	51	2	28	2.83	0.09	1	61	2.12	70	0.01	536	0.75	0.01	0.01	1	1
	82684	7	81	22	153	1.3	147	34	704	4.70	215	N/A	ND	ND	203	1	21	2	22	2.14	0.05	2	72	2.20	100	0.01	391	0.60	0.01	0.01	6	1
	82685	15	65	16	141	0.8	440	34	508	2.95	797	N/A	ND	ND	173	1	24	2	19	1.94	0.07	8	95	2.23	116	0.01	180	0.63	0.01	0.01	6	1
	82686	15	76	22	138	0.7	143	15	233	2.45	112	N/A	ND	ND	77	1	12	3	17	0.84	0.06	9	36	0.85	136	0.01	188	0.63	0.01	0.01	6	1
	82687	13	55	19	92	1.5	145	14	356	2.23	198	N/A	ND	ND	115	1	19	3	20	1.29	0.06	7	66	1.46	117	0.01	193	0.61	0.01	0.01	5	1
	82688	13	81	45	258	2.5	254	20	497	2.72	297	N/A	ND	ND	137	3	39	2	24	1.99	0.06	7	86	2.92	154	0.01	116	0.64	0.01	0.01	6	1
	82689	9	131	209	145	9.4	242	23	565	3.25	385	N/A	ND	ND	149	1	126	2	20	1.67	0.04	6	81	3.39	165	0.01	344	0.60	0.01	0.01	4	1
	82690	8	56	18	136	0.7	59	18	1029	4.00	102	N/A	ND	ND	184	1	9	2	21	2.07	0.19	9	42	1.57	171	0.01	89	0.33	0.01	0.01	4	1
	82691	5	202	16	78	1.3	190	18	230	3.62	116	N/A	ND	ND	56	1	13	2	26	0.41	0.23	8	36	1.04	90	0.01	164	0.67	0.01	0.01	6	1
	82692	8	59	249	105	2.6	104	6	189	0.84	63	N/A	ND	ND	41	1	10	3	13	0.32	0.03	3	68	0.79	30	0.01	20	0.45	0.01	0.01	7	1
	STD-69	4	109	95	507	4.5	4	2	62	0.75	23	N/A	ND	ND	9	3	3	4	3	0.09	0.06	6	6	0.03	169	0.01	142	0.16	0.01	0.01	15	1

CERTIFIED BY :

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3M1
Ph:(604)299-2560 Fax:299-6252


CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WO# 8437
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901005B
INVOICE # : NAL1005B
DATE ENTERED : OCT 9, 1990
FILE NAME : P1005B
PAGE # : 2

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	PPM FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	PPM CA	PPM P	PPM LA	PPM CR	PPM MG	PPM BA	PPM TI	PPM B	PPM AL	PPM NA	PPM SI	PPM W	PPM BE
	82693	4	94	126	172	4.2	71	33	575	4.85	288	N/A	ND	ND	201	2	23	2	21	2.00	0.03	1	68	1.80	45	0.01	778	0.69	0.01	0.01	3	1
	82694	8	70	20	55	0.1	51	9	245	2.02	53	N/A	ND	ND	33	1	13	4	9	0.41	0.06	8	49	0.71	22	0.01	115	0.15	0.01	0.01	2	1
	82695	13	26	8	19	0.1	40	5	125	0.39	35	N/A	ND	ND	65	1	12	5	5	0.60	0.02	1	66	0.33	16	0.01	24	0.08	0.01	0.01	4	1
	82696	1	32	18	17	0.1	802	61	748	3.03	43	N/A	ND	ND	8	1	2	2	9	0.12	0.01	1	284	8.18	7	0.01	33	0.17	0.01	0.01	1	1
	82697	12	89	77	189	2.1	215	14	365	2.97	307	N/A	ND	ND	120	3	22	2	21	1.44	0.06	8	72	1.95	139	0.01	250	0.80	0.01	0.01	2	1
	STD-B	29	134	87	141	0.9	11	2	123	0.71	29	N/A	ND	ND	15	1	2	6	9	0.51	0.04	6	45	0.24	243	0.01	35	0.24	0.01	0.01	31	1

CERTIFIED BY :



DUNVEGAN EXPLORATION LTD.

TOG PROPERTY
1990
DIAMOND DILL PROGRAM

ICP ANALYSIS CERTIFICATES

Appendix 5

CAVENDISH ANALYTICAL LABORATORY LTD.

2225 S. Springer Ave., Burnaby,
British Columbia, Can. V5B 3H1
Ph:(604)299-2560 Fax:299-6252

CERTIFICATE OF ANALYSIS

TO : NORTHERN ANALYTICAL LAB
105 COPPER RD.
WHITEHORSE YUKON
PROJECT : WD# 8448
TYPE OF ANALYSIS : ICP

CERTIFICATE # : 901006D
INVOICE # : NAL1006D
DATE ENTERED : OCT 8, 1990
FILE NAME : P1006D
PAGE # : 1

PRE FIX	SAMPLE NAME	PPM MO	PPM CU	PPM PB	PPM ZN	PPM AG	PPM NI	PPM CO	PPM MN	I FE	PPM AS	PPM U	PPM AU	PPM HG	PPM SR	PPM CD	PPM SB	PPM BI	PPM V	I CA	I P	PPM LA	PPM CR	I MG	PPM BA	I TI	PPM B	I AL	I NA	I SI	PPM W	PPM BE
	76301	14	76	25	218	1.1	385	24	484	3.58	500	N/A	ND	ND	155	1	47	2	16	1.02	0.05	8	91	2.84	196	0.01	166	0.50	0.01	0.01	1	1
	76302	14	73	22	186	0.4	362	26	511	3.23	384	N/A	ND	ND	212	1	27	2	14	1.65	0.07	5	76	2.53	187	0.01	211	0.49	0.01	0.01	1	1
	76303	5	55	24	55	0.1	911	58	1110	3.38	710	N/A	ND	ND	918	1	45	2	12	6.29	0.01	4	190	8.18	118	0.01	63	0.20	0.01	0.01	1	1
	76304	7	6	1	11	0.1	29	2	76	0.39	54	N/A	ND	ND	22	1	6	11	8	0.20	0.01	1	40	0.21	113	0.01	16	0.15	0.01	0.01	1	1
	76305	1	91	45	87	0.9	143	30	1002	4.81	114	N/A	ND	ND	622	1	17	2	52	4.93	0.25	47	93	3.62	529	0.10	84	1.15	0.01	0.01	1	3
	76306	10	14	75	151	0.6	145	13	363	2.07	115	N/A	ND	ND	35	1	23	15	12	0.24	0.01	8	68	1.47	68	0.01	18	0.22	0.01	0.01	3	1
	76307	6	59	149	304	1.3	214	16	463	2.18	105	N/A	ND	ND	339	2	32	6	12	2.15	0.09	23	65	1.80	86	0.01	27	0.21	0.01	0.01	3	1
	82698	11	31	21	34	0.5	45	9	277	1.45	69	N/A	ND	ND	130	1	18	11	18	1.28	0.07	12	86	1.01	173	0.02	53	0.35	0.01	0.01	1	1
	82699	13	36	100	1918	1.5	61	5	137	0.63	100	N/A	ND	ND	49	11	16	21	6	0.33	0.01	2	69	0.50	48	0.01	41	0.09	0.01	0.01	1	1
	82700	17	65	24	166	0.1	108	13	90	2.44	157	N/A	ND	ND	54	1	28	5	11	0.36	0.05	8	69	0.41	130	0.01	313	0.45	0.01	0.01	1	1
	CAVENDISH STDC	19	178	89	125	0.2	49	10	216	1.15	18	N/A	ND	ND	25	1	6	11	18	0.39	0.03	6	74	0.42	114	0.02	49	0.28	0.01	0.01	13	1
	CAVENDISH STDS	25	830	520	513	20.1	248	335	996	3.52	346	N/A	60	669	755	174	927	444	118	0.42	2.99	1136	70	0.50	261	0.14	666	1.61	0.10	0.01	316	54

CERTIFIED BY :

Order # 41120

Work Order # 08446


Sample Information
10 - 114 Main St.
Whitehorse, Yukon

File # 08446a

Assay Certificate For Samples Provided

Sample	ppb Au
76301	64
76302	57
76303	32
76304	22
76305	34
76306	39
76307	3168
82698	14
82699	25
82700	115

Au -- 15g Fire Assay/AAS



Whitehorse, Yukon

Work Order # 8488

Canvax Exploration
1000 10th Main St.
Whitehorse, Yukon

File # 964502

Assay Certificate For Samples Provided

Sample ppb Au

76306	127
76308	40
76310	148
76311	51
76316	98
76317	36
76318	41
76322	24
76323	29
76324	59
76325	41
76326	90
76327	45
76328	35
76329	59
76336	275
76337	89
76338	44
76339	40
76340	97
76341	37
76342	14
76343	67
76344	94
76345	27
76346	23
76347	24
76348	34
76349	18
76350	14

Au -- 15g Fire Assay/AAS

