

Drill Hole Record



Property Tum Property District Hole No. T83-1

Commenced Location Tests at Hor. Comp.

Completed Core Size Corr. Dip Vert. Comp.

Co-ordinates True Brg. Logged by

Objective Overall recovery 40-489 ft. = 76% % Recov. Date

From To		Description												Sample No.	Length	Claim	T Brg.	Collar Dip	Elev.	Length	Hole No.	Sheet
Feet		Runs and Recoveries												Analysis								
From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%								
0	40(?)	Overburden			98	102	4	2.0	50	133.5	134.5	1	0.8	80								
40(?)	44	4	1	25	102	104	2	2.0	100	134.5	137	2.5	1.9	76								
44	53	9	2	22	104	108	4	3.0	75	137	139	2	1.5	75								
53	57	4	0.8	20	108	110	2	1.0	50	139	142	3	1.3	43								
57	59	2	1.5	75	110	112	2	1.1	55	142	144	2	1.4	70								
59	63	4	0.7	17.5	112	115	3	2.5	83	144	146	2	1.2	60								
63	67	4	1.5	37.5	115	117	2	0.6	30	146	147	1	1.0	100								
67	71	4	3.5	87.5	117	118	1	0.9	90	147	149	2	1.2	60								
71	75	4	3.2	80	118	119	1	0.8	80	149	151	2	1.3	65								
75	76.5	1.5	1.3	87	119	120	1	0.8	80	151	152	1	0.8	80								
76.5	78	1.5	1.2	80	120	122	2	1.6	80	152	153	1	1.0	100								
78	80	2	1.7	85	122	123.5	1.5	1.4	93	153	155	2	1.5	75								
80	83	3	2.3	77	123.5	124.5	1.0	1.0	100	155	157	2	1.4	70								
83	85	2	1.8	90	124.5	126	1.5	1.2	80	157	158	1	0.9	90								
85	87	2	1.4	70	126	127.5	1.5	1.4	93	158	161	3	2.5	83								
87	90	3	1.5	50	127.5	128	0.5	0.5	100	161	162	1	1.0	100								
90	94	4	3.5	95	128	129	1	0.9	90	162	163	1	0.9	90								
94	96	2	1	50	129	131.5	2.4	2.1	84	163	164.5	1.5	1.5	100								
96	98	2	1.2	60	131.5	133.5	2.0	2.0	100	164.5	166	1	1.0	100								

21/1/83

Drill Hole Record



Property		Tum Property		District		Hole No. T83-1	
Commenced		Location		Tests at		Hor. Comp.	
Completed		Core Size		Corr. Dip		Vert. Comp.	
Co-ordinates		True Brg.		Logged by			
Objective		% Recov.		Date			

From		To		Description		Sample No.	Length	Analysis												
Feet:		Runs and Recoveries																		
From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%						
166	167.5	1.5	1.5	100	215	216.5	1.5	1.4	93	259.5	260	6.5	0.4	80						
167.5	169	1.5	1.5	100	216.5	219	2.5	2.3	92	260	261	1	1	100						
169	172	3	2.9	97	219	221	2	1.1	80	261	263	2	1.9	95						
172	177	5	4.9	98	221	224	3	2.2	73	263	265.5	2.5	2.2	88						
177	180	3	2.9	97	224	226	2	1.1	55	265.5	267	1.5	1.5	100						
180	183	3	3.0	100	226	227	1	0.9	90	267	268	1	1	100						
183	187	4	4.0	100	227	237	10	1.2	12	268	273	5	1.4	28						
187	191	4	3.8	95	237	238	1	1	100	273	274	1	0.3	30						
191	193	2	2.0	100	238	240	2	2	100	274	276	2	1.3	65						
193	195	2	1.9	95	240	242	2	1.1	55	276	277.5	1.5	1.4	93						
195	197	2	2.0	100	242	243	1	0.9	90	277.5	283	5.5	4.8	87						
197	198.5	1.5	1.5	100	243	244	1	1	100	283	298.5	9.5	9.5	100						
198.5	201	2.5	2.2	88	244	246	2	2	100	298.5	302	9.5	9.5	100						
201	293.5	2.5	2.3	92	246	247	1	0.6	60	302	304.5	2.5	1.4	56						
203.5	207	3.5	3.0	86	247	249	2	2	100	304.5	306.5	2	1.1	55						
207	208	1	1	100	249	252	3	2.5	83	306.5	310	3.5	3.2	91						
208	210	2	1.9	95	252	254.2	2.5	2.3	92	310	312	2	1.9	95						
210	212.5	2.5	2.2	88	254.2	258	3.5	2.0	57	312	314	2	2.0	100						
212.5	215	2.5	2.4	96	258	259.5	1.5	1.4	93	314	317.5	3.5	3.2	91						

Handwritten signature

Drill Hole Record



Property Tum Property District Hole No. T83-1

Commenced Location Tests at Hor. Comp.

Completed Core Size Corr. Dip Vert. Comp.

Co-ordinates True Brg. Logged by

Objective % Recov. Date

From To		Description													Sample No.	Length	Analysis					
Feet		Runs and Recoveries																				
From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%	From	To	Length (ft)	Recovery	%								
317.5	321	3.5	2.1	60	368	369	1	1	100	418	420	2	1.9	95								
321	325.5	4.5	4.4	98	369	373	4	3.7	93	420	421	1	0.4	40								
325.5	335	9.5	9.4	99	373	377	4	4	100	421	423	2	0.4	20								
335.5	337.5	2	1.2	60	377	380.5	3.5	3.5	100	423	427	4	3	75								
227.5	339.5	2	1.1	55	380.5	383	2.5	2.2	88	427	432	5	4	80								
339.5	341	1.5	1.1	73	383	384.5	1.5	1.2	80	432	438	6	5	83								
341	343	2	1.0	50	384.5	387	2.5	2.2	88	438	439	1	0.8	80								
343	345	2	1.7	85	387	289	1	1.9	95	439	441	2	1.5	75								
345	347.5	2.5	2.1	84	389	391	2	2.0	100	441	444	3	2.5	83								
347.5	349.5	2.0	2.0	100	391	393.5	2.5	2.1	84	444	445.5	1.5	1.5	100								
349.5	250.5	1	0.8	80	393.5	396.5	3.0	3.0	100	445.5	447	1.5	1	67								
350.5	353	2.5	2.0	80	396.5	400	3.5	1.2	34	447	449	2	1.5	75								
353	355	2	1.8	90	400	401	1	0.8	80	449	450.5	1.5	1.3	87								
355	358	3	1.2	40	401	404	3	1.3	43	450.5	453.5	3.0	1.6	53								
358	360	2	2	100	404	407	3	2.8	93	453.5	457	3.5	1.2	34								
360	363	3	2.1	70	407	410	3	3	100	457	461	4	3.1	78								
363	364.5	1.5	1.2	80	410	414	4	3	75	461	463.5	2.5	2.5	100								
364.5	367.4	3.0	2.8	87	414	417	3	2.3	77	463.5	466.5	3.0	3.0	100								
367.5	368	0.5	0.5	100	417	418	3	0.5	25	466.5	468.5	2.0	2.0	100								

W. J. Smith

Scale

Colour Plot
& Dips

Drill Hole Record



Property Tum Property District Hole No. T83-1

Commenced Location Tests at Hor. Comp.

Completed Core Size Corr. Dip Vert. Comp.

Co-ordinates True Brg. Logged by

Objective % Recov. Date

		Description													Sample No.	Length	Analysis						
From	To																						
Feet		Runs and Recoveries																					
		Length	Recovery	%			Length	Recovery	%			Length	Recovery	%									
From	To	(ft)			From	To	(ft)			From	To	(ft)											
468.5	469.5	1.0	0.9	90																			
469.5	470.5	1.0	1.0	100																			
470.5	472.5	2.0	1.3	65																			
472.5	475	2.5	0.9	36																			
475	477	2	1.2	60																			
477	479	2	1.2	60																			
479	481	2	1.5	75																			
481	481.5	0.5	0.5	100																			
481.5	485.5	4.0	3.7	93																			
485.5	488.5	3.0	2.0	67																			
488.5	489	0.5	0.3	60																			