

Report on Wellgreen Platinum's Sampling Program from the Bostock Core Library

Wellgreen Property

MINFILE 115G 024

Submitted on behalf of:

Wellgreen Platinum Ltd.

420-1090 W Georgia St.

Vancouver, BC

V6E 3V7

Kelly Bateman, G.I.T

kbateman@wellgreenplatinum.com

604-569-3690 ext. 109

February 27th, 2014

Purpose

In November of 2013, Wellgreen Platinum was granted access to the Bostock Core Library in order to complete a relogging and re-assaying program on the historic Wellgreen core from 1987-1988. The purpose of the Bostock Core Library Wellgreen Property relogging and resampling program was twofold: to reassign more modern rock codes to the core in order to simplify section interpretation and secondly to move this core out of the historic category and include it as a more significant part of our resource.

The 2013 summer program up at Wellgreen included diamond and RC drilling but a major component was a relogging and resampling program of the 1987-1988 core stored on site and at the Bostock Core Library. By inserting blanks, duplicates and standards into the sample stream of the samples taken of the historic core; the results are no longer considered historic and will add much value to our resource. It will also allow us to confirm assay results from 1987 and 1988 and ensure that the methods used then are generating similar values to those we are receiving today.

Because the Wellgreen Property has an extensive history, the many generations of geologists have over the years generated a database of 65 rock codes. Our relogging program of the 21,000m of historic core (some stored at the Wellgreen Property and some in the Bostock Core Library) was undertaken in order to reduce the number of rock codes and simplify section interpretation. This relogging program was a necessity, as post 2012 season section interpretation proved very difficult due to changes in nomenclature and even interpretation of different rock types within the deposit. It has been integral to relog these holes in order to complete sections accurately and work these new interpretations into our model to gain a better understanding of the deposit.

Summary

The Wellgreen Property is located in southwestern Yukon, within the Kluane Mountain Range. This property is host to the Quill Creek and Linda Creek Ultramafic Intrusive complexes and occur in the north-central portion of the Kluane Mafic-Ultramafic Belt.

The Wellgreen Property which is flanked by the Arch to the West and the Burwash to the East has been the source of much exploration over the last 50 years. It was discovered in 1952 by prospectors, and was quickly optioned to Hudson Yukon Mining Co. Ltd; a subsidiary of Hudson Bay Exploration and Development Company Limited. It is a platinum group metal (PGM)-rich Ni-Cu deposit. It was mined primarily for nickel and copper in 1972 and 1973 through an underground operation. The Wellgreen mine produced a total of 171,652 tons with assay results of 2.23% Ni, 1.39% Cu, 0.065 opt Pt and 0.073% cobalt. A combination of failing metal prices, dilution from poor ground conditions and erratic sulphide lens distribution caused the mine to cease production and close in 1973. Since mine closure, Chevron Minerals, All- North Resources, Northern Platinum and Coronation Minerals Inc. have all continually explored the Wellgreen property further. It has demonstrated that there are areas of massive sulphides with high base metal and precious metal content in the Quill Creek Complex and surrounding area. The Arch and Burwash properties occur along strike and therefore have the potential to host similar enriched ultramafic intrusions. Prophecy Platinum Corp. currently owns 100% of the Wellgreen Property.

Location and Access

The Wellgreen Property is located in southwestern Yukon, 14 km southwest of Quill Creek Road (km 1788) on the Alaska Highway at latitude 61°30' N, longitude 139°36' E and 61°28' N, longitude 139°25' W on NTS Map 115G/06. The claims and leases are accessible via a two-wheel drive road about 14 km in length, formerly used for ore haulage. The total road distance from Whitehorse to the area is 317 kilometres. The nearest airport is located at Burwash Landing, approximately 30km East of Quill Creek Road.





Figure 1: Wellgreen Property Leases and Claims

The Wellgreen Property is a part of the Kluane Ultramafic belt and falls within the larger Wrangellia Terrane that runs from Vancouver Island to central Alaska (Figure 2). The Kluane belt is bounded on the northeast by the Denali fault and on the southwest by the Duke River Fault that roughly parallels the Denali. This terrane is an oceanic plateau primarily comprised of late Paleozoic to Triassic volcanic and sedimentary rocks that are overlain by Jurassic-Cretaceous sedimentary assemblages. Upper Triassic amygdaloidal volcanic rocks cap this sequence. Mafic to ultramafic rocks also occur in the upper portion of the Permian sections and in the Triassic flows. This entire sequence is heavily folded and faulted making stratigraphic thicknesses extremely difficult to determine.



Regional Stratigraphy

The main stratigraphic units in the region include the Skolai Assemblage, the Nikolai Formation, the Kluane Mafic-Ultramafic Suite and the Maple Creek Gabbro. These are the rocks that are exposed and important on both the Arch and Burwash Properties. They are outlined in order from oldest to youngest rocks and are pictured in Figure 3.




Figure 3: Wrangellia General Stratigraphy (Yukon Geologic Survey, 2005)

The Skolai Assemblage represents the oldest exposed bedrock in the project area. It is Pennsylvanian to Permian in age, approximately 1000 m thick on average and is separated into the Lower Station Creek Formation and the Upper Hasen Creek Formation.

The *Station Creek Formation* is Pennsylvanian in age, and is composed of basaltic as well as andesitic volcanic flows that grade into fine to medium grained tuff and sandstones as one moves up-section. Pyroclastic breccia and limestone are locally present in this formation, and are discontinuous.

The *Hasen Creek Formation* begins where pyroclastic deposition of the Station Creek Formation is no longer apparent. It is early Permian in age and attains a maximum thickness of 800m. It is often further subdivided into two members.

A fine-grained lower member is composed of grey to black phyllite, cherty argillite and siltstone. The upper member is limestone dominated but hosts a variety of textures from shaley to massive but is generally buff in colour and bioclastic. There are discontinuous beds of reddish brown conglomerate, massive greywacke and sandstone dispersed in these limestone units.

The *Nikolai Formation* is a Middle to Late Triassic sequence of basalt flows that contain minor zones of interbedded limestone and is capped by a limestone unit. The Nikolai rocks lie unconformably on top of the Skolai Assemblage, or more specifically the Hasen Creek Formation. The flows are thin, vesicular to amygdaloidal and in places locally hematitic which indicates either a shallow water or subaerial depositional environment.

The *Kluane Mafic-Ultramafic Suite* is volumetrically important in the Kluane Range. It likely acted as a subvolcanic feeder to the basalts of the Nikolai Formation. These mafic-ultramafic intrusions occur preferentially along the contact between the Station Creek and Hasen Creek Formations and are sill-like in nature. This complex consists of strongly serpentized dunite, peridotite and a marginal gabbro unit along the contact with the footwall rocks. This discontinuous and often thin zone of gabbro occurs at the base of the sill. It is in these gabbro and pyroxenite phases that there is sulphide mineralization, both heavy disseminated and massive lenses. These zones are rich in copper, nickel and PGE (platinum group elements).

Mineral constituents in these ultramafic rocks include olivine, clinopyroxene, orthopyroxene, biotite, plagioclase, amphibole and minor magnetite. The gabbro phases consist of clinopyroxene, biotite, plagioclase, minor olivine and amphibole. The gabbro phases are generally compact and massive whereas the dunite and peridotite display cumulate textures.

The *Maple Creek Gabbro* is also thought to have been a feeder for the Nikolai Assemblage volcanic rocks due to precise age dating as well as mineralogy. This gabbro can be found in hypabyssal stocks, sills and dykes that appear to be approximately coeval with the Kluane Mafic-Ultramafic suite rocks, however cross-cutting relationships have been observed.

Method

Samples were only taken from core if there was ½ core or more remaining in the box in order to comply with Bostock Core Library requirements. Sample request forms indicating exactly what intervals of each hole we requested to sample, were submitted to the YGS to either Mike Wark or Derek Torgerson and once approved, were sent to the core saw and sampled. These sample request forms are attached to this report in Appendix I. They were selected based mainly on lithology as the program was looking at resampling and relogging the ultramafic units in order to consolidate certain lithologies.

Samples were taken mainly of dunites, peridotites, clinopyroxenites, gabbros, massive sulphides and some sediment or volcanic rocks that occurred within 3-5m of the ultramafic body. Sample intervals remained inside of a given lithology; therefore the previous sample would end when the lithology changed. Dykes with no mineralization or calc-silicate inclusions that were >3m were included in the ultramafic samples as they have little effect on the assay results. When within a unit, maximum sample lengths were 3m. Sample intervals taken from the Wellgreen core stored at the YGS are attached to this report in Appendix I.

All samples were sent to ACME labs and were analyzed using 3B02 lead collection Fire Assay for Au, Pt, Pd and Rh (qualitative) as well as 7TD2 (36 element total digestion with ICEP finish). More information on these analytical methods can be found on the ACME website here:

http://www.acmelab.com/pdfs/Acme_Price_Brochure.pdf

Conclusions

At the end of this program at the Bostock core library, we had resampled 2,468.52m of core and relogged 3,522.63m of core from 31 holes. We sent 933 samples to ACME labs.

This core from the Bostock Core Library was integral to our remodeling efforts and complementary to the rest of the program at the Wellgreen site. The assays were received January 2014 and the certificates are attached to this report in Appendix II. We found that it was quite difficult to compare the assay from 1987-1988 to 2013 primarily due to difference in sample lengths. In order to best compare assay results, the sample lengths should be identical. Because this core is old and has been handled so many times we did not have as much confidence in the accuracy of our measurements as they did when the core was logged and sampled first time. Also, historically there were many samples measuring 0.1m. To simply reproduce historic results is not cost effective as our standard sample length is 3m.

All pulps and rejects were returned to the YGS on February 13th, 2014 and will be stored there. All core that was examined, logged and re-sampled was returned to the H.S. Bostock Core Library.

APPENDIX I
SAMPLE REQUEST FORMS SUBMITTED TO YGS

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 28-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-068

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1555161		
6.05	9.05	3.00	1555162		
9.05	12.05	3.00	1555163		
12.05	15.05	3.00	1555164		
15.05	18.05	3.00	1555165		
18.05	20.94	2.89	1555166		
20.94	27.04	6.10	1555167		ENTIRE BOX SAMPLED
27.04	30.04	3.00	1555168		
30.04	33.04	3.00	1555169		
33.04	36.04	3.00	1555170		
36.04	37.14	1.10	1555171		
37.14	40.54	3.40	1555172		
40.54	43.54	3.00	1555173		
43.54	46.54	3.00	1555174		
			1555175		STANDARD - WPR-1A
46.54	49.93	3.39	1555176		
49.93	52.93	3.00	1555177		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 2-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-086

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1555330		
			1555331		BLANK
6.05	9.05	3.00	1555332		
9.05	12.05	3.00	1555333		
12.05	15.05	3.00	1555334		
15.05	18.05	3.00	1555335		
18.05	21.05	3.00	1555336		
21.05	24.05	3.00	1555337		
24.05	27.05	3.00	1555338		
27.05	30.05	3.00	1555339		
30.05	33.05	3.00	1555340		
33.05	36.05	3.00	1555341		
36.05	39.4	3.35	1555342		
39.4	42.4	3.00	1555343		
42.4	45.35	2.95	1555344		
45.35	48.35	3.00	1555345		
48.35	50.44	2.09	1555346		
50.44	53.44	3.00	1555347		
53.44	56.44	3.00	1555348		
56.44	59.75	3.31	1555349		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 25th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-087

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
134	137	3.00	1555099		
			1555100		STANDARD - WPR-1A
137	140	3.00	1555101		
140	142.2	2.20	1555102		
142.2	145.39	3.19	1555103		
146.18	149.18	3.00	1555104		
149.18	152.18	3.00	1555105		
152.18	155.18	3.00	1555106		
155.18	157.88	2.70	1555107		
159.72	162.72	3.00	1555108		
162.72	165.81	3.09	1555109		
165.81	168.81	3.00	1555110		
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 16-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-500

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
			1462750		STANDARD -WMG-1A
			1462751		BLANK
68.5	71.5	3.00	1462752		
71.5	74.5	3.00	1462753		
74.5	77.35	2.85	1462754		
77.35	80.35	3.00	1462755		
80.35	83.35	3.00	1462756		
83.35	86.35	3.00	1462757		
86.35	89.35	3.00	1462758		
89.35	90.11	0.76	1462759		
90.11	93.11	3.00	1462760		
93.11	96.11	3.00	1462761		
96.11	98.76	2.65	1462762		
98.76	101.76	3.00	1462763		
101.76	104.76	3.00	1462764		
104.76	107.76	3.00	1462765		
107.76	110.76	3.00	1462766		
110.76	114	3.24	1462767		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 31-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-491

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
109.22	112.22	3.00	1555269		DUPLICATE
112.22	115.22	3.00	1555270		
			1555271		BLANK
115.22	118.22	3.00	1555272		
118.22	121.22	3.00	1555273		
121.22	124.22	3.00	1555274		
			1555275		STANDARD - WPR-1A
124.22	127.22	3.00	1555276		
127.22	130.22	3.00	1555277		
130.22	133.22	3.00	1555278		
133.22	136.22	3.00	1555279		
136.22	139.22	3.00	1555280		
139.22	142.22	3.00	1555281		
142.22	145.22	3.00	1555282		
145.22	146.9	1.68	1555283		EOH
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 14-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-514

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
183.42	186.42	3.00	1462646		
186.42	188.43	2.01	1462647		
188.43	190.42	1.99	1462648		
190.42	193.42	3.00	1462649		
			1462650		STANDARD - WGB-1
193.42	194.46	1.04	1462651		
194.46	197.51	3.05	1462652		
197.51	200.51	3.00	1462653		
200.51	203.51	3.00	1462654		
203.51	206.51	3.00	1462655		
206.51	209.51	3.00	1462656		
209.51	212.51	3.00	1462657		
212.51	215.51	3.00	1462658		
215.51	218.51	3.00	1462659		DUPLICATE
218.51	221.51	3.00	1462660		
			1462661		BLANK
221.51	224.51	3.00	1462662		
224.51	227.51	3.00	1462663		
227.51	230.51	3.00	1462664		
230.51	233.51	3.00	1462665		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 5-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-075

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
13.22	16.22	3.00	1555410		
16.22	19.22	3.00	1555411		
19.22	22.22	3.00	1555412		
22.22	25.22	3.00	1555413		
25.22	28.22	3.00	1555414		
28.22	31.22	3.00	1555415		
31.22	34.22	3.00	1555416		
34.22	38.71	4.49	1555417		
38.71	41.71	3.00	1555418		
41.71	43.8	2.09	1555419		DUPLICATE
49.15	50.29	1.14	1555420		
			1555421		BLANK
50.29	53.29	3.00	1555422		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 28-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-072

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
4.88	7.88	3.00	1555178		
7.88	10.88	3.00	1555179		DUPLICATE
10.88	13.88	3.00	1555180		
			1555181		BLANK
13.88	16.88	3.00	1555182		
16.88	19.88	3.00	1555183		
19.88	22.88	3.00	1555184		
22.88	25.88	3.00	1555185		
25.88	28.88	3.00	1555186		
28.88	32.36	3.48	1555187		
32.36	35.05	2.69	1555188		
35.05	38.85	3.80	1555189		
38.85	41.85	3.00	1555190		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman

File YGS-HSBSV-2013-09

Company Prophecy Platinum

Minfile 115G 024

Date Sample November 10th, 2013

DDH ID WS87-089

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
8.23	11.23	3.00	1462529		
11.23	14.23	3.00	1462530		
14.23	17.23	3.00	1462531		
17.23	18.71	1.48	1462532		
18.71	21.71	3.00	1462533		
EOH					

Analytical Lab ACME Laboratories

Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)

Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 11-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-088

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1462534		
6.05	9.05	3.00	1462535		
9.05	12.05	3.00	1462536		
12.05	15.05	3.00	1462537		
15.05	18.05	3.00	1462538		
18.05	20.32	2.27	1462539		DUPLICATE
20.32	23.32	3.00	1462540		
			1462541		BLANK
23.32	26.32	3.00	1462542		
26.32	29.32	3.00	1462543		
29.32	32.32	3.00	1462544		
32.32	34.13	1.81	1462545		
34.13	37.13	3.00	1462546		
37.13	40.13	3.00	1462547		
40.13	42.2	2.07	1462548		
42.2	45.2	3.00	1462549		
			1462550		STANDARD- WPR-1A
45.2	48.2	3.00	1462551		
48.2	51.2	3.00	1462552		
51.2	54.2	3.00	1462553		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 4-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-074

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
45.72	47.55	1.83	1555394		
47.55	50.55	3.00	1555395		
50.55	53.55	3.00	1555396		
53.55	56.55	3.00	1555397		
56.55	59.55	3.00	1555398		
59.55	61.87	2.32	1555399		
			1555400		STANDARD-WPR-1A
61.87	64.87	3.00	1555401		
64.87	67.87	3.00	1555402		
67.87	70.87	3.00	1555403		
70.87	73.87	3.00	1555404		
73.87	76.87	3.00	1555405		
76.87	80.65	3.78	1555406		
80.65	81.8	1.15	1555407		
81.8	83.8	2.00	1555408		
83.8	86.3	2.50	1555409		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 11-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-088

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
111.2	114.2	3.00	1462574		
			1462575		STANDARD -WPR-1
114.2	117.2	3.00	1462576		
117.2	119.17	1.97	1462577		
119.17	122.17	3.00	1462578		
122.17	125.17	3.00	1462579		
125.17	127.4	2.23	1462580		
127.4	130.4	3.00	1462581		
130.4	133.4	3.00	1462582		
133.4	135.75	2.35	1462583		
135.75	138.08	2.33	1462584		
138.08	140.65	2.57	1462585		
140.65	143.65	3.00	1462586		
143.65	145.9	2.25	1462587		
145.9	148.93	3.03	1462588		
150	153	3.00	1462589		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 7-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-090

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
4.32	7.32	3.00	1555473		
7.32	10.32	3.00	1555474		
			1555475		STANDARD
10.32	13.32	3.00	1555476		
13.32	16.32	3.00	1555477		
16.32	19.32	3.00	1555478		
19.32	22.32	3.00	1555479		DUPLICATE
22.32	25.32	3.00	1555480		
			1555481		BLANK
25.32	28.32	3.00	1555482		
28.32	31.32	3.00	1555483		
31.32	34.32	3.00	1555484		
34.32	37.32	3.00	1555485		
37.32	40.32	3.00	1555486		
40.32	43.32	3.00	1555487		
43.32	46.32	3.00	1555488		
46.32	49.32	3.00	1555489		
49.32	52.32	3.00	1555490		
52.32	55.32	3.00	1555491		
55.32	58.32	3.00	1555492		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 13-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-065

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
2.44	5.44	3.00	1462628		
5.44	8.44	3.00	1462629		DUPLICATE
8.44	11.44	3.00	1462630		
			1462631		BLANK
11.44	14.44	3.00	1462632		
14.44	17.44	3.00	1462633		
17.44	19.51	2.07	1462634		
19.51	20.76	1.25	1462635		
20.76	23.21	2.45	1462636		
23.21	23.47	0.26	1462637		
30.78	33.78	3.00	1462638		
33.78	36.78	3.00	1462639		
36.78	39.78	3.00	1462640		
39.78	43.65	3.87	1462641		
69.5	72.28	2.78	1462642		
93.6	94.5	0.90	1462643		
94.5	95.31	0.81	1462644		
104.1	107.1	3.00	1462645		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
55	58	3.00	1462610		
58	61	3.00	1462611		
61	64	3.00	1462612		
64	67	3.00	1462613		
67	70	3.00	1462614		
70	73.24	3.24	1462615		
73.24	76.24	3.00	1462616		
76.24	78.24	2.00	1462617		
78.24	81.7	3.46	1462618		
81.7	84.7	3.00	1462619		
84.7	87.7	3.00	1462620		
87.7	89.76	2.06	1462621		
89.76	92.76	3.00	1462622		
92.76	95.76	3.00	1462623		
95.76	99.5	3.74	1462624		
			1462625		STANDARD - WMS-1A
99.5	103.18	3.68	1462626		
103.18	105.18	2.00	1462627		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 31-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-491

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
5.68	8.68	3.00	1555229		
8.68	8.71	0.03	1555230		
8.71	9.66	0.95	1555231		
9.66	11.39	1.73	1555232		
11.39	11.69	0.30	1555233		
11.69	13.29	1.60	1555234		
13.29	16.29	3.00	1555235		
16.29	19.41	3.12	1555236		
19.41	23.36	3.95	1555237		
23.36	26.93	3.57	1555238		
26.93	29.93	3.00	1555239		DUPLICATE
29.93	32.93	3.00	1555240		
			1555241		BLANK
32.93	35.93	3.00	1555242		
35.93	38.1	2.17	1555243		
38.1	39	0.90	1555244		
39	43.47	4.47	1555245		
43.47	46.47	3.00	1555246		
46.47	49.47	3.00	1555247		
49.47	52.7	3.23	1555248		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 25th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-087

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
69	72	3.00	1555079		
72	75	3.00	1555080		
75	76.2	1.20	1555081		
76.6	77.57	0.97	1555082		
78.12	81.12	3.00	1555083		
81.12	84.12	3.00	1555084		
84.12	87.12	3.00	1555085		
87.12	90.12	3.00	1555086		
90.12	93.12	3.00	1555087		
93.12	96.62	3.50	1555088		
107.9	110.9	3.00	1555089		DUPLICATE
110.9	113.9	3.00	1555090		
			1555091		BLANK
113.9	116.9	3.00	1555092		
116.9	119.9	3.00	1555093		
119.9	122.9	3.00	1555094		
122.9	125.9	3.00	1555095		
125.9	128.9	3.00	1555096		
128.9	131.1	2.20	1555097		
131.1	134	2.90	1555098		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 24th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-502

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
120.1	123.1	3.00	1555041		
123.1	126.1	3.00	1555042		
126.1	129.1	3.00	1555043		
129.1	132.1	3.00	1555044		
132.1	135.1	3.00	1555045		
135.1	138.1	3.00	1555046		
138.1	141.1	3.00	1555047		
141.1	144.1	3.00	1555048		
144.1	147.1	3.00	1555049		
		0.00	1555050		STANDARD - WPR-1A
147.1	150.1	3.00	1555051		
150.1	153.1	3.00	1555052		
153.1	156.1	3.00	1555053		
156.1	159.1	3.00	1555054		
159.1	162.1	3.00	1555055		
162.1	165.1	3.00	1555056		
165.1	168.1	3.00	1555057		
168.1	170.69	2.59	1555058		EOH

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 26th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-094

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
17.42	20.42	3.00	1555111		
20.42	23.42	3.00	1555112		
23.42	26.42	3.00	1555113		
26.42	29.42	3.00	1555114		
29.42	32.42	3.00	1555115		
32.42	35.42	3.00	1555116		
35.42	38.42	3.00	1555117		
38.42	41.42	3.00	1555118		
41.42	44.42	3.00	1555119		DUPLICATE
44.42	47.42	3.00	1555120		
		0.00	1555121		BLANK
47.42	50.42	3.00	1555122		
50.42	53.42	3.00	1555123		
53.42	56.42	3.00	1555124		
			1555125		STANDARD - WPR-1A
56.42	59.42	3.00	1555126		
59.42	62.42	3.00	1555127		
62.42	65.42	3.00	1555128		
65.42	68.42	3.00	1555129		
68.42	71.42	3.00	1555130		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 1-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-077

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
48.64	51.64	3.00	1555304		
51.64	54.5	2.86	1555305		
54.5	57.5	3.00	1555306		
57.5	60.35	2.85	1555307		
60.35	63.35	3.00	1555308		
63.35	65.84	2.49	1555309		
65.84	68.4	2.56	1555310		
68.4	69.6	1.20	1555311		
69.6	71.93	2.33	1555312		
71.93	74.46	2.53	1555313		
74.46	75.3	0.84	1555314		
75.3	78.3	3.00	1555315		
78.3	81.3	3.00	1555316		
81.3	84.26	2.96	1555317		
84.26	89	4.74	1555318		
89	92	3.00	1555319		
92	95	3.00	1555320		
95	98	3.00	1555321		
98	101	3.00	1555322		
101	104	3.00	1555323		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 31-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-491

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
52.7	56.14	3.44	1555249		
		0.00	1555250		STANDARD - WPR-1A
56.14	59.14	3.00	1555251		
59.14	62.14	3.00	1555252		
62.14	65.14	3.00	1555253		
65.14	67.22	2.08	1555254		
67.22	70.22	3.00	1555255		
70.22	73.22	3.00	1555256		
73.22	76.22	3.00	1555257		
76.22	79.22	3.00	1555258		
79.22	82.22	3.00	1555259		
82.22	85.22	3.00	1555260		
85.22	88.22	3.00	1555261		
88.22	91.22	3.00	1555262		
91.22	94.22	3.00	1555263		
94.22	97.22	3.00	1555264		
97.22	100.22	3.00	1555265		
100.22	103.22	3.00	1555266		
103.22	106.22	3.00	1555267		
106.22	109.22	3.00	1555268		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 27-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-070

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
6.1	9.1	3.00	1555141		
9.1	12.1	3.00	1555142		
12.1	15.1	3.00	1555143		
15.1	18.1	3.00	1555144		
18.1	21.1	3.00	1555145		
21.1	24.1	3.00	1555146		
24.1	27.1	3.00	1555147		
27.1	30.1	3.00	1555148		
30.1	33.1	3.00	1555149		DUPLICATE
			1555150		STANDARD-
			1555151		BLANK
33.1	36.1	3.00	1555152		
36.1	39.1	3.00	1555153		
39.1	42.1	3.00	1555154		
42.1	45.1	3.00	1555155		
45.1	48.1	3.00	1555156		
48.1	51.1	3.00	1555157		
51.1	52.2	1.10	1555158		
52.2	56	3.80	1555159		
56	59	3.00	1555160		

EOH

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 22-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-485

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
172.56	175.56	3.00	1462929		DUPLICATE
175.56	178.56	3.00	1492930		
			1462931		BLANK
178.56	181.56	3.00	1462932		
181.56	184.56	3.00	1462933		
184.56	185.93	1.37	1462934		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 6-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-073

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
9.1	12.1	3.00	1555423		
12.1	15.1	3.00	1555424		
			1555425		STANDARD - WPR-1A
15.1	18.1	3.00	1555426		
18.1	21.1	3.00	1555427		
21.1	23.04	1.94	1555428		
23.04	27.43	4.39	1555429		
27.43	28.9	1.47	1555430		
28.9	31.9	3.00	1555431		
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
52.68	55.68	3.00	1462824		
			1462825		STANDARD - WMG-1A
55.68	59.44	3.76	1462826		
59.44	62.44	3.00	1462827		
62.44	65.44	3.00	1462828		
65.44	68.83	3.39	1462829		
68.83	71.83	3.00	1462830		
71.83	74.83	3.00	1462831		
74.83	77.83	3.00	1462832		
77.83	80.47	2.64	1462833		
80.47	84.38	3.91	1462834		
84.38	87.38	3.00	1462835		
87.38	90.38	3.00	1462836		
90.38	93.38	3.00	1462837		
93.38	95.4	2.02	1462838		
95.4	98.4	3.00	1462839		DUPLICATE
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 7-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-090

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
112.32	115.32	3.00	1462513		
115.32	118.61	3.29	1462514		
118.61	121.01	2.40	1462515		
121.01	124.01	3.00	1462516		
153.15	158	4.85	1462517		
158	159.72	1.72	1462518		
159.72	162.72	3.00	1462519		
162.72	164.6	1.88	1462520		
164.6	166.46	1.86	1462521		
166.46	166.84	0.38	1462522		
166.84	169.84	3.00	1462523		
169.84	172.84	3.00	1462524		
			1462525		STANDARD - WBG-1
172.84	175.84	3.00	1462526		
175.84	178.84	3.00	1462527		
178.84	181.84	3.00	1462528		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 7-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-090

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
58.32	61.32	3.00	1555493		
61.32	64.32	3.00	1555494		
64.32	67.32	3.00	1555495		
67.32	70.32	3.00	1555496		
70.32	73.32	3.00	1555497		
73.32	76.32	3.00	1555498		
76.32	79.32	3.00	1555499		
			1555500		STANDARD - WPR-1A
79.32	82.32	3.00	1462501		
82.32	85.32	3.00	1462502		
85.32	88.32	3.00	1462503		
88.32	91.32	3.00	1462504		
91.32	94.32	3.00	1462505		
94.32	97.32	3.00	1462506		
97.32	100.32	3.00	1462507		
100.32	103.32	3.00	1462508		
103.32	106.32	3.00	1462509		DUPLICATE
106.32	109.32	3.00	1462510		
			1462511		BLANK
109.32	112.32	3.00	1462512		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 26th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-094

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
71.42	74.42	3.00	1555131		
74.42	77.42	3.00	1555132		
77.42	83.42	6.00	1555133		
			1555134		NO SAMPLE- SAMPLING ERR
83.42	86.56	3.14	1555135		
89	92	3.00	1555136		
92	95	3.00	1555137		
95	98	3.00	1555138		
98	101	3.00	1555139		
101	104.55	3.55	1555140		
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 25th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-087

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
17.53	20.53	3.00	1555059		
20.53	23.53	3.00	1555060		
			1555061		BLANK
23.53	26.53	3.00	1555062		
26.53	29.53	3.00	1555063		
29.53	31.9	2.37	1555064		
31.9	34.9	3.00	1555065		
34.9	37.9	3.00	1555066		
37.9	39.2	1.30	1555067		
39.7	42.2	2.50	1555068		
42.2	45.2	3.00	1555069		
45.2	47.15	1.95	1555070		
49.22	51.2	1.98	1555071		
51.2	54.2	3.00	1555072		
54.2	57.6	3.40	1555073		
57.6	60.35	2.75	1555074		
			1555075		STANDARD - WMG-1A
60.35	62.5	2.15	1555076		
62.5	65.55	3.05	1555077		
66	69	3.00	1555078		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 21-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-100

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.35	6.35	3.00	1462840		
			1462841		BLANK
6.35	9.35	3.00	1462842		
9.35	12.35	3.00	1462843		
12.35	15.35	3.00	1462844		
15.35	18.35	3.00	1462845		
18.35	21.35	3.00	1462846		
21.35	24.35	3.00	1462847		
24.35	27.35	3.00	1462848		
27.35	30.35	3.00	1462849		
			1462850		STANDARD -WPR-1A
30.35	33.35	3.00	1462851		
33.35	36.35	3.00	1462852		
36.35	39.35	3.00	1462853		
39.35	42.35	3.00	1462854		
42.35	45.35	3.00	1462855		
45.35	48.35	3.00	1462856		
48.35	51.35	3.00	1462857		
51.35	54.35	3.00	1462858		
54.35	57.35	3.00	1462859		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 30-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS88-139

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
		0.00	1555211		BLANK
61.27	64.27	3.00	1555212		
64.27	67.27	3.00	1555213		
67.27	70.27	3.00	1555214		
70.27	73.27	3.00	1555215		
73.27	76.27	3.00	1555216		
76.27	79.27	3.00	1555217		
79.27	82.27	3.00	1555218		
82.27	85.27	3.00	1555219		
85.27	88.27	3.00	1555220		
88.27	91.27	3.00	1555221		
91.27	94.27	3.00	1555222		
94.27	97.27	3.00	1555223		
97.27	100.27	3.00	1555224		
			1555225		STANDARD - WPR-1A
100.27	103.27	3.00	1555226		
103.27	106.27	3.00	1555227		
106.27	109.23	2.96	1555228		
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 30-Oct-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS88-139

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
4.27	7.27	3.00	1555191		
7.27	10.27	3.00	1555192		
10.27	13.27	3.00	1555193		
13.27	16.27	3.00	1555194		
16.27	19.27	3.00	1555195		
19.27	22.27	3.00	1555196		
22.27	25.27	3.00	1555197		
25.27	28.27	3.00	1555198		
28.27	31.27	3.00	1555199		
			1555200		STANDARD - WPR-1A
31.27	34.27	3.00	1555201		
34.27	37.27	3.00	1555202		
37.27	40.27	3.00	1555203		
40.27	43.27	3.00	1555204		
43.27	46.27	3.00	1555205		
46.27	49.27	3.00	1555206		
49.27	52.27	3.00	1555207		
52.27	55.27	3.00	1555208		
55.27	58.27	3.00	1555209		DUPLICATE
58.27	61.27	3.00	1555210		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 17-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-064

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
2.13	5.13	3.00	1462768		
5.13	8.13	3.00	1462769		
8.13	11.13	3.00	1462770		
11.13	12.62	1.49	1462771		
12.62	15.62	3.00	1462772		
15.62	18.62	3.00	1462773		
18.62	21.62	3.00	1462774		
			1462775		STANDARD -WMG-1A
21.62	24.62	3.00	1462776		
24.62	27.62	3.00	1462777		
27.62	30.62	3.00	1462778		
30.62	34.75	4.13	1462779		DUPLICATE
34.75	37.66	2.91	1462780		
			1462781		BLANK
37.66	40.66	3.00	1462782		
40.66	43.66	3.00	1462783		
43.66	46.66	3.00	1462784		
46.66	51.03	4.37	1462785		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 22-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-485

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
121.33	124.33	3.00	1462909		
124.33	127.33	3.00	1462910		
127.33	130.33	3.00	1462911		
130.33	133.33	3.00	1462912		
133.33	136.33	3.00	1462913		
136.33	139.33	3.00	1462914		
139.33	142.33	3.00	1462915		
142.33	145.33	3.00	1462916		
145.33	148.33	3.00	1462917		
148.33	151.33	3.00	1462918		
151.33	154.33	3.00	1462919		
154.33	158.4	4.07	1462920		
158.4	159.32	0.92	1462921		
159.32	160	0.68	1462922		
160	162.45	2.45	1462923		
162.45	163.05	0.60	1462924		
			1462925		STANDARD - WMS-1A
163.05	166.05	3.00	1462926		
166.05	169.05	3.00	1462927		
169.05	172.56	3.51	1462928		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 21-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-100

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
57.35	60.35	3.00	1462860		
60.35	63.35	3.00	1462861		
63.35	66.35	3.00	1462862		
66.35	69.35	3.00	1462863		
69.35	73.78	4.43	1462864		
73.78	75.29	1.51	1462865		
75.29	78.29	3.00	1462866		
78.29	82.54	4.25	1462867		
82.54	85.54	3.00	1462868		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman

File YGS-HSBSV-2013-09

Company	Prophecy Platinum
---------	-------------------

Minfile 115G 024

Date Sampled 1-Nov-13

DDH ID WS87-077

[illegible]

Analytical Lab ACME Laboratories

Analytical Method	3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
-------------------	---

7TD2 (36 element total digestion with ICEP finish)

Material Returned

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 4-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-074

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1555374		
			1555375		STANDARD -WGB-1
6.05	9.05	3.00	1555376		
9.05	10.51	1.46	1555377		
10.51	11.32	0.81	1555378		
11.32	13.44	2.12	1555379		
13.44	14.61	1.17	1555380		
14.61	16.6	1.99	1555381		
16.6	17.69	1.09	1555382		
17.69	18.11	0.42	1555383		
18.11	21.04	2.93	1555384		
21.04	21.91	0.87	1555385		
21.91	25.91	4.00	1555386		
25.91	28.91	3.00	1555387		
28.91	31.91	3.00	1555388		
31.91	34.91	3.00	1555389		DUPLICATE
34.91	38.56	3.65	1555390		
			1555391		BLANK
38.56	41.56	3.00	1555392		
41.56	43	1.44	1555393		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 22-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-485

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
12.45	15.45	3.00	1462869		DUPLICATE
15.45	18.45	3.00	1462870		
			1462871		BLANK
18.45	21.45	3.00	1462872		
21.45	24.45	3.00	1462873		
24.45	27.45	3.00	1462874		
			1462875		STANDARD - WMG-1A
27.45	30.45	3.00	1462876		
30.45	32.8	2.35	1462877		
32.8	33.8	1.00	1462878		
33.8	36.8	3.00	1462879		
36.8	38.95	2.15	1462880		
38.95	42.95	4.00	1462881		
42.95	45.3	2.35	1462882		
45.3	48.3	3.00	1462883		
48.3	50.85	2.55	1462884		
50.85	53.3	2.45	1462885		
61.69	64.69	3.00	1462886		
64.69	66.2	1.51	1462887		
66.2	69.2	3.00	1462888		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-081

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1462804		
6.05	9.05	3.00	1462805		
9.05	12.05	3.00	1462806		
12.05	15.05	3.00	1462807		
15.05	18.05	3.00	1462808		
18.05	21.05	3.00	1462809		DUPLICATE
21.05	24.05	3.00	1462810		
			1462811		BLANK
24.05	27.05	3.00	1462812		
27.05	30.05	3.00	1462813		
30.05	32	1.95	1462814		
32	34.14	2.14	1462815		
34.14	34.95	0.81	1462816		
34.95	35.77	0.82	1462817		
35.77	38.4	2.63	1462818		
38.4	41.4	3.00	1462819		
41.4	44.81	3.41	1462820		
44.81	47.81	3.00	1462821		
47.81	49.68	1.87	1462822		
49.68	52.68	3.00	1462823		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 1-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-077

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1555284		
6.05	9.05	3.00	1555285		
9.05	12.05	3.00	1555286		
12.05	15.05	3.00	1555287		
15.05	18.05	3.00	1555288		
18.05	21.05	3.00	1555289		
21.05	24.05	3.00	1555290		
24.05	27.13	3.08	1555291		
27.13	28.04	0.91	1555292		
28.04	29.06	1.02	1555293		
29.06	29.35	0.29	1555294		
29.35	32.65	3.30	1555295		
32.65	33.94	1.29	1555296		
33.94	36.94	3.00	1555297		
36.94	40.84	3.90	1555298		
40.84	42.35	1.51	1555299		DUPLICATE
			1555300		STANDARD - WPR-1A
			1555301		BLANK
42.35	45.36	3.01	1555302		
45.36	48.64	3.28	1555303		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 7-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-091

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
57.73	60.06	2.33	1555466		
60.06	63.06	3.00	1555467		
63.06	66.06	3.00	1555468		
66.06	69.06	3.00	1555469		
69.06	73.7	4.64	1555470		
73.7	75.4	1.70	1555471		
76.81	79.81	3.00	1555472		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 15-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-510

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
201.85	204.85	3.00	1462723		
204.85	208.98	4.13	1462724		
			1462725		STANDARD - WPR-1A
208.98	211.98	3.00	1462726		
211.98	214.98	3.00	1462727		
214.98	217.98	3.00	1462728		
217.98	221.59	3.61	1462729		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 20-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-505

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
0	7.8	7.80	1462788		
7.8	10.8	3.00	1462789		
10.8	13.8	3.00	1462790		
13.8	16.8	3.00	1462791		
16.8	19.8	3.00	1462792		
19.8	22.8	3.00	1462793		
22.8	25.8	3.00	1462794		
25.8	28.8	3.00	1462795		
28.8	31.8	3.00	1462796		
31.8	34.8	3.00	1462797		
34.8	37.8	3.00	1462798		
37.8	40.8	3.00	1462799		
			1462800		STANDARD - WPR-1A
40.8	43.8	3.00	1462801		
43.8	46.8	3.00	1462802		
46.8	49.68	2.88	1462803		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 15-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-510

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
152.04	155.04	3.00	1462703		
155.04	155.6	0.56	1462704		
155.6	158.6	3.00	1462705		
158.6	160.03	1.43	1462706		
160.03	163.03	3.00	1462707		
163.03	166.03	3.00	1462708		
166.03	168.18	2.15	1462709		
168.18	171.18	3.00	1462710		
171.18	173.18	2.00	1462711		
173.18	174.85	1.67	1462712		
174.85	177.85	3.00	1462713		
177.85	180.85	3.00	1462714		
180.85	183.85	3.00	1462715		
183.85	186.85	3.00	1462716		
186.85	189.85	3.00	1462717		
189.85	192.85	3.00	1462718		
192.85	195.85	3.00	1462719		DUPLICATE
195.85	198.85	3.00	1462720		
			1462721		BLANK
198.85	201.85	3.00	1462722		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 16-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-500

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
0	8.4	8.40	1462730		
11.54	14.54	3.00	1462731		
14.54	17.54	3.00	1462732		
17.54	20.54	3.00	1462733		
20.54	23.54	3.00	1462734		
23.54	26.1	2.56	1462735		
26.1	29.1	3.00	1462736		
29.1	32.1	3.00	1462737		
32.1	35.1	3.00	1462738		
35.1	38.1	3.00	1462739		
38.1	41.1	3.00	1462740		
41.1	44.1	3.00	1462741		
44.1	47.1	3.00	1462742		
47.1	50.5	3.40	1462743		
50.5	53.5	3.00	1462744		
53.5	56.5	3.00	1462745		
56.5	59.5	3.00	1462746		
59.5	62.5	3.00	1462747		
62.5	65.5	3.00	1462748		
65.5	68.5	3.00	1462749		DUPLICATE

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 22-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-485

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
69.2	72.2	3.00	1462889		
72.2	74.1	1.90	1462890		
74.1	77.1	3.00	1462891		
77.1	80.1	3.00	1462892		
80.1	82.66	2.56	1462893		
82.66	85.66	3.00	1462894		
85.66	88.75	3.09	1462895		
88.75	91.75	3.00	1462896		
91.75	94.75	3.00	1462897		
94.75	96.81	2.06	1462898		
96.81	99.81	3.00	1462899		DUPLICATE
			1462900		STANDARD - WPR-1A
			1462901		BLANK
99.81	102.81	3.00	1462902		
102.81	105.81	3.00	1462903		
105.81	108.81	3.00	1462904		
108.81	111.81	3.00	1462905		
111.81	115.33	3.52	1462906		
115.33	118.33	3.00	1462907		
118.33	121.33	3.00	1462908		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
Company Prophecy Platinum
Date Sampled 2-Nov-13

File YGS-HSBSV-2013-09
Minfile 115G 024
DDH ID WS87-086

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
			1555350		STANDARD - WMG-1A
59.75	62.75	3.00	1555351		
62.75	66.75	4.00	1555352		
69.7	72.7	3.00	1555353		
EOH					

Analytical Lab ACME Laboratories
Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 7-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-091

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1555446		
6.05	9.05	3.00	1555447		
9.05	12.05	3.00	1555448		
12.05	15.05	3.00	1555449		DUPLICATE
			1555450		STANDARD - WPR-1A
			1555451		BLANK
15.05	18.05	3.00	1555452		
18.05	21.05	3.00	1555453		
21.05	24.05	3.00	1555454		
24.05	27.05	3.00	1555455		
27.05	30.05	3.00	1555456		
30.05	33.05	3.00	1555457		
33.05	36.05	3.00	1555458		
36.05	39.05	3.00	1555459		
39.05	42.05	3.00	1555460		
42.05	45.05	3.00	1555461		
45.05	48.05	3.00	1555462		
48.05	51.73	3.68	1555463		
51.73	54.73	3.00	1555464		
54.73	57.73	3.00	1555465		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 24th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-502

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
67.8	70.8	3.00	1555021		
70.8	73.8	3.00	1555022		
73.8	76.8	3.00	1555023		
76.8	79.8	3.00	1555024		
		STANDARD	1555025		WPR-1A
79.8	82.8	3.00	1555026		
82.8	85.8	3.00	1555027		
85.8	88.8	3.00	1555028		
88.8	91.8	3.00	1555029		
91.8	94.8	3.00	1555030		
		BLANK	1555031		
94.8	97.8	3.00	1555032		
97.8	100.8	3.00	1555033		
100.8	103.8	3.00	1555034		
103.8	106.8	3.00	1555035		
106.8	108.1	1.30	1555036		
108.1	111.1	3.00	1555037		
111.1	114.1	3.00	1555038		
114.1	117.1	3.00	1555039		
117.1	120.1	3.00	1555040		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 11-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-066

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
2.44	5.44	3.00	1462590		
5.44	8.44	3.00	1462591		
8.44	11.44	3.00	1462592		
11.44	14.44	3.00	1462593		
14.44	17.44	3.00	1462594		
17.44	20.44	3.00	1462595		
20.44	23.44	3.00	1462596		
23.44	26.44	3.00	1462597		
26.44	29.44	3.00	1462598		
29.44	32.44	3.00	1462599		DUPLICATE
			1462600		STANDARD - WPR-1A
			1462601		BLANK
32.44	35.44	3.00	1462602		
35.44	38.44	3.00	1462603		
38.44	41.44	3.00	1462604		
41.44	44.44	3.00	1462605		
44.44	47.44	3.00	1462606		
47.44	50.44	3.00	1462607		
50.44	53.3	2.86	1462608		
53.3	55	1.70	1462609		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 14-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-514

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
290.51	293.51	3.00	1462686		
293.51	296.51	3.00	1462687		
296.51	299.51	3.00	1462688		
299.51	302.51	3.00	1462689		DUPLICATE
302.51	305.51	3.00	1462690		
			1462691		BLANK
305.51	308.51	3.00	1462692		
308.51	311.51	3.00	1462693		
311.51	314.51	3.00	1462694		
314.51	317.51	3.00	1462695		
317.51	320.51	3.00	1462696		
320.51	323.51	3.00	1462697		
323.51	326.51	3.00	1462698		
326.51	329.51	3.00	1462699		
			1462700		STANDARD -WPR-1A
329.51	332.51	3.00	1462701		
332.51	336.19	3.68	1462702		
EOH					

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 3-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-093

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
9.45	12.45	3.00	1555354		
12.45	15.45	3.00	1555355		
15.45	18.45	3.00	1555356		
18.45	21.45	3.00	1555357		
21.45	24.45	3.00	1555358		
24.45	27.45	3.00	1555359		DUPLICATE
27.45	30.45	3.00	1555360		
			1555361		BLANK
30.45	33.45	3.00	1555362		
33.45	36.45	3.00	1555363		
36.45	40.39	3.94	1555364		
40.39	43.39	3.00	1555365		
43.39	46.39	3.00	1555366		
46.39	49.39	3.00	1555367		
49.39	52.78	3.39	1555368		
52.78	55.78	3.00	1555369		
55.78	58.78	3.00	1555370		
58.78	61.78	3.00	1555371		
61.78	64.78	3.00	1555372		
64.78	70.1	5.32	1555373		EOH

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 14-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-514

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
233.51	236.51	3.00	1462666		
236.51	239.51	3.00	1462667		
239.51	242.51	3.00	1462668		
242.51	245.51	3.00	1462669		
245.51	248.51	3.00	1462670		
248.51	251.51	3.00	1462671		
251.51	254.51	3.00	1462672		
254.51	257.51	3.00	1462673		
257.51	260.51	3.00	1462674		
			1462675		STANDARD-WPR-1A
260.51	263.51	3.00	1462676		
263.51	266.51	3.00	1462677		
266.51	269.51	3.00	1462678		
269.51	272.51	3.00	1462679		
272.51	275.51	3.00	1462680		
275.51	278.51	3.00	1462681		
278.51	281.51	3.00	1462682		
281.51	284.51	3.00	1462683		
284.51	287.51	3.00	1462684		
287.51	290.51	3.00	1462685		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman

File YGS-HSBSV-2013-09

Company Prophecy Platinum

Minfile 115G 024

Date Sampled 20-Nov-13

DDH ID WS87-061

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
50.6	53.6	3.00	1462786		
53.6	56.6	3.00	1462787		
EOH					

Analytical Lab ACME Laboratories

Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)

Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 11-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-088

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	6.05	3.00	1462534		
6.05	9.05	3.00	1462535		
9.05	12.05	3.00	1462536		
12.05	15.05	3.00	1462537		
15.05	18.05	3.00	1462538		
18.05	20.32	2.27	1462539		DUPLICATE
20.32	23.32	3.00	1462540		
			1462541		BLANK
23.32	26.32	3.00	1462542		
26.32	29.32	3.00	1462543		
29.32	32.32	3.00	1462544		
32.32	34.13	1.81	1462545		
34.13	37.13	3.00	1462546		
37.13	40.13	3.00	1462547		
40.13	42.2	2.07	1462548		
42.2	45.2	3.00	1462549		
			1462550		STANDARD- WPR-1A
45.2	48.2	3.00	1462551		
48.2	51.2	3.00	1462552		
51.2	54.2	3.00	1462553		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sample October 24th, 2013

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WU88-502

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
8.1	11.1	3.00	1555001		
11.1	14.1	3.00	1555002		
14.1	17.1	3.00	1555003		
17.1	20.73	3.63	1555004		
20.73	24.52	3.79	1555005		
24.52	25.8	1.28	1555006		
25.8	28.8	3.00	1555007		
28.8	31.8	3.00	1555008		
31.8	34.8	3.00	1555009		
34.8	37.8	3.00	1555010		
37.8	40.8	3.00	1555011		
40.8	43.8	3.00	1555012		
43.8	46.8	3.00	1555013		
46.8	49.8	3.00	1555014		
49.8	52.8	3.00	1555015		
52.8	55.8	3.00	1555016		
55.8	58.8	3.00	1555017		
58.8	61.8	3.00	1555018		
61.8	64.8	3.00	1555019		
64.8	67.8	3.00	1555020		

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

H.S. Bostock Core Sampling Request

Sampled By: Kelly Bateman
 Company Prophecy Platinum
 Date Sampled 6-Nov-13

File YGS-HSBSV-2013-09
 Minfile 115G 024
 DDH ID WS87-076

From (m)	To (m)	Intvl (m)	Sample ID	Permit	Purpose
3.05	3.54	0.49	1555432		
4.88	5.3	0.42	1555433		
6.1	8.23	2.13	1555434		
10	10.67	0.67	1555435		
11.55	14.55	3.00	1555436		
14.55	17.55	3.00	1555437		
17.55	19.45	1.90	1555438		
19.45	20.55	1.10	1555439		
21.34	21.6	0.26	1555440		
22.2	22.87	0.67	1555441		
23.63	27.16	3.53	1555442		
27.16	29.35	2.19	1555443		
29.87	33.25	3.38	1555444		
39.95	42.95	3.00	1555445		
	EOH				

Analytical Lab ACME Laboratories
 Analytical Method 3B02 lead collection fire assay for Au, Pt, Pt and Rh (qualitative)
7TD2 (36 element total digestion with ICEP finish)
 Material Returned _____

Note: All material must be returned to YGS. Analytical results will be open to the public after confidentiality period.

APPENDIX II
ASSAY CERTIFICATES

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 20, 2013
Report Date: January 09, 2014
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI13000565.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 53

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	48	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	2	Split samples by riffle splitter			WHI
3B	53	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	53	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000565.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	3B Pt ppb 3	3B Pd ppb 2	3B Rh ppb 5	7TD Mo % 0.001	7TD Cu % 0.001	7TD Pb % 0.02	7TD Zn % 0.01	7TD Ag gm/t 2	7TD Ni % 0.001	7TD Co % 0.001	7TD Mn % 0.01	7TD Fe % 0.01	7TD As % 0.02	7TD Sr % 0.01	7TD Cd % 0.001	7TD Sb % 0.01	7TD Bi % 0.01	7TD Ca % 0.01
1462700	Rock Pulp	0.06	43	457	635	<5	<0.001	0.306	<0.02	0.02	<2	0.441	0.022	0.14	11.36	<0.02	<0.01	<0.001	<0.01	<0.01	2.46
1462701	Drill Core	2.62	72	202	261	6	<0.001	0.120	<0.02	<0.01	<2	0.301	0.017	0.12	9.86	<0.02	<0.01	<0.001	<0.01	<0.01	0.42
1462702	Drill Core	7.76	54	132	152	<5	<0.001	0.064	<0.02	<0.01	<2	0.161	0.009	0.21	8.35	<0.02	0.01	<0.001	<0.01	<0.01	6.84
1462703	Drill Core	4.60	4	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.24	4.71	<0.02	0.01	<0.001	<0.01	<0.01	13.04
1462704	Drill Core	1.46	<2	<3	3	<5	<0.001	0.005	<0.02	<0.01	<2	0.002	<0.001	0.21	11.12	<0.02	<0.01	<0.001	<0.01	<0.01	21.48
1462705	Drill Core	6.47	3	6	6	<5	0.002	0.007	<0.02	<0.01	<2	0.005	0.001	0.09	3.11	<0.02	0.02	<0.001	<0.01	<0.01	9.14
1462706	Drill Core	2.67	6	<3	4	<5	0.002	0.028	<0.02	<0.01	<2	0.003	0.002	0.09	3.11	<0.02	0.03	<0.001	<0.01	<0.01	8.75
1462707	Drill Core	4.52	6	28	8	<5	<0.001	0.047	<0.02	<0.01	<2	0.045	0.007	0.17	8.30	<0.02	0.02	<0.001	<0.01	<0.01	6.58
1462708	Drill Core	3.51	20	76	32	<5	<0.001	0.074	<0.02	<0.01	<2	0.037	0.007	0.15	7.94	<0.02	0.02	<0.001	<0.01	<0.01	8.02
1462709	Drill Core	3.11	83	382	197	<5	<0.001	0.337	<0.02	<0.01	<2	0.053	0.005	0.10	6.59	<0.02	0.02	<0.001	<0.01	<0.01	8.59
1462710	Drill Core	3.94	4	16	22	<5	<0.001	0.027	<0.02	<0.01	<2	0.006	0.002	0.13	7.23	<0.02	0.02	<0.001	<0.01	<0.01	7.97
1462711	Drill Core	2.71	161	401	217	<5	<0.001	0.228	<0.02	<0.01	2	0.039	0.005	0.14	8.67	<0.02	0.02	<0.001	<0.01	<0.01	7.27
1462712	Drill Core	2.11	285	634	291	<5	<0.001	0.366	<0.02	<0.01	5	0.075	0.008	0.16	7.96	<0.02	<0.01	<0.001	<0.01	<0.01	8.76
1462713	Drill Core	4.31	269	965	603	<5	<0.001	0.575	<0.02	0.01	4	0.194	0.013	0.16	10.91	<0.02	<0.01	<0.001	<0.01	<0.01	7.40
1462714	Drill Core	3.45	364	1462	663	<5	<0.001	0.747	<0.02	0.01	3	0.295	0.020	0.16	13.59	<0.02	<0.01	<0.001	<0.01	<0.01	4.84
1462715	Drill Core	2.97	334	1228	719	<5	<0.001	0.641	<0.02	0.01	3	0.277	0.020	0.15	11.92	<0.02	<0.01	<0.001	<0.01	<0.01	7.11
1462716	Drill Core	4.00	279	796	494	<5	<0.001	0.516	<0.02	0.01	3	0.193	0.017	0.15	10.46	<0.02	<0.01	<0.001	<0.01	<0.01	9.62
1462717	Drill Core	3.83	141	601	489	<5	<0.001	0.387	<0.02	0.01	4	0.332	0.020	0.15	11.43	<0.02	<0.01	<0.001	<0.01	<0.01	7.56
1462718	Drill Core	3.09	153	596	458	<5	<0.001	0.355	<0.02	0.01	4	0.330	0.020	0.16	11.53	<0.02	0.01	<0.001	<0.01	<0.01	6.57
1462719A	Drill Core	2.75	111	537	336	<5	<0.001	0.304	<0.02	<0.01	3	0.247	0.017	0.16	11.10	<0.02	<0.01	<0.001	<0.01	<0.01	4.80
1462719B	Drill Core		102	551	347	<5	<0.001	0.305	<0.02	<0.01	3	0.251	0.017	0.16	11.04	<0.02	<0.01	<0.001	<0.01	<0.01	4.79
1462720	Drill Core	3.29	134	545	406	<5	<0.001	0.345	<0.02	<0.01	2	0.316	0.020	0.14	11.70	<0.02	<0.01	<0.001	<0.01	<0.01	2.29
1462721	Rock	0.49	2	<3	3	<5	<0.001	0.003	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.50	<0.02	<0.01	<0.001	<0.01	<0.01	21.34
1462722	Drill Core	3.42	112	555	396	<5	<0.001	0.327	<0.02	0.01	3	0.326	0.022	0.16	12.24	<0.02	<0.01	<0.001	<0.01	<0.01	1.55
1462723	Drill Core	2.96	102	608	399	<5	<0.001	0.355	<0.02	<0.01	2	0.317	0.021	0.15	11.94	<0.02	<0.01	<0.001	<0.01	<0.01	2.05
1462724	Drill Core	4.08	153	611	381	<5	<0.001	0.359	<0.02	<0.01	3	0.321	0.021	0.14	12.00	<0.02	<0.01	<0.001	<0.01	<0.01	2.16
1462725	Rock Pulp	0.06	74	458	633	<5	<0.001	0.306	<0.02	0.02	<2	0.440	0.021	0.14	11.30	<0.02	<0.01	<0.001	<0.01	<0.01	2.44
1462726	Drill Core	2.69	125	340	317	<5	<0.001	0.304	<0.02	<0.01	<2	0.327	0.021	0.13	11.10	<0.02	<0.01	<0.001	<0.01	<0.01	1.99
1462727	Drill Core	2.65	39	402	432	<5	<0.001	0.423	<0.02	<0.01	<2	0.376	0.023	0.12	11.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.17
1462728	Drill Core	2.54	213	387	405	<5	<0.001	0.476	<0.02	<0.01	<2	0.369	0.021	0.14	10.56	<0.02	<0.01	<0.001	<0.01	<0.01	1.25

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000565.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462700 Rock Pulp	0.04	0.200	15.49	2.66	0.05	0.16	<0.01	1.37
1462701 Drill Core	0.02	0.284	20.55	0.98	<0.01	0.07	<0.01	0.69
1462702 Drill Core	0.04	0.172	11.69	3.11	0.75	0.29	<0.01	0.44
1462703 Drill Core	0.05	0.003	0.79	6.48	3.13	0.20	<0.01	0.11
1462704 Drill Core	0.06	0.004	0.82	4.97	0.08	0.16	<0.01	0.38
1462705 Drill Core	0.07	0.005	1.49	7.97	3.04	2.27	<0.01	0.06
1462706 Drill Core	0.05	0.002	1.52	7.25	3.36	1.34	<0.01	0.05
1462707 Drill Core	0.04	0.078	8.99	4.45	0.11	0.08	<0.01	0.06
1462708 Drill Core	0.04	0.076	8.42	4.46	0.02	0.18	<0.01	0.09
1462709 Drill Core	0.04	0.053	8.11	4.62	0.21	1.12	<0.01	0.37
1462710 Drill Core	0.04	0.008	3.71	5.31	0.63	1.02	<0.01	0.06
1462711 Drill Core	0.04	0.029	4.68	5.93	0.40	1.25	<0.01	0.34
1462712 Drill Core	0.02	0.078	10.26	3.30	0.13	0.14	<0.01	0.43
1462713 Drill Core	0.03	0.117	11.89	2.54	0.06	0.06	<0.01	1.16
1462714 Drill Core	0.03	0.110	13.08	2.58	0.06	0.06	<0.01	2.19
1462715 Drill Core	0.02	0.110	12.97	2.21	0.05	0.07	<0.01	1.94
1462716 Drill Core	0.02	0.121	11.69	2.26	0.03	0.04	<0.01	1.17
1462717 Drill Core	0.03	0.103	12.03	3.20	0.04	0.03	<0.01	2.01
1462718 Drill Core	0.03	0.115	13.47	2.77	0.05	0.07	<0.01	2.51
1462719A Drill Core	0.03	0.133	13.91	3.00	0.06	0.06	<0.01	1.53
1462719B Drill Core	0.03	0.136	13.96	2.98	0.06	0.06	<0.01	1.50
1462720 Drill Core	0.02	0.155	16.64	1.96	0.03	0.05	<0.01	1.22
1462721 Rock	0.02	<0.001	12.43	0.04	<0.01	0.01	<0.01	<0.05
1462722 Drill Core	0.02	0.173	17.27	1.99	0.03	0.06	<0.01	1.33
1462723 Drill Core	0.02	0.161	17.03	2.02	0.03	0.05	<0.01	1.24
1462724 Drill Core	0.02	0.175	17.03	1.88	0.04	0.08	<0.01	1.38
1462725 Rock Pulp	0.03	0.197	15.30	2.68	0.05	0.16	<0.01	1.32
1462726 Drill Core	0.02	0.225	18.75	1.22	0.02	0.07	<0.01	1.25
1462727 Drill Core	0.02	0.254	20.04	0.92	<0.01	0.13	<0.01	1.38
1462728 Drill Core	0.02	0.221	19.35	1.42	0.01	0.09	<0.01	1.30

CERTIFICATE OF ANALYSIS

WHI13000565.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462729	Drill Core	1.26	28	278	296	<5	<0.001	0.256	<0.02	<0.01	<2	0.336	0.022	0.12	11.52	<0.02	<0.01	<0.001	<0.01	<0.01
1462730	Drill Core	14.10	10	5	6	<5	<0.001	0.010	<0.02	<0.01	<2	0.006	0.001	0.08	5.29	<0.02	0.02	<0.001	<0.01	<0.01
1462731	Drill Core	3.96	120	639	368	<5	<0.001	0.692	<0.02	<0.01	2	0.711	0.045	0.13	16.44	<0.02	<0.01	<0.001	<0.01	<0.01
1462732	Drill Core	4.45	91	712	385	<5	<0.001	0.513	<0.02	0.01	4	0.446	0.028	0.16	14.54	<0.02	<0.01	<0.001	<0.01	<0.01
1462733	Drill Core	3.94	23	377	223	<5	<0.001	0.255	<0.02	<0.01	<2	0.194	0.015	0.13	9.98	<0.02	<0.01	<0.001	<0.01	<0.01
1462734	Drill Core	4.01	126	261	139	<5	<0.001	0.315	<0.02	<0.01	<2	0.207	0.016	0.12	10.32	<0.02	<0.01	<0.001	<0.01	<0.01
1462735	Drill Core	3.56	83	307	269	<5	<0.001	0.573	<0.02	<0.01	<2	0.500	0.030	0.14	13.93	<0.02	<0.01	<0.001	<0.01	<0.01
1462736	Drill Core	3.45	209	829	1439	<5	<0.001	1.681	<0.02	0.01	4	1.415	0.063	0.13	19.85	<0.02	<0.01	<0.001	<0.01	<0.01
1462737	Drill Core	3.70	62	208	104	<5	<0.001	0.204	<0.02	0.01	2	0.186	0.016	0.17	10.76	<0.02	<0.01	<0.001	<0.01	<0.01
1462738	Drill Core	3.66	117	480	425	<5	<0.001	0.369	<0.02	<0.01	2	0.478	0.025	0.14	12.69	<0.02	<0.01	<0.001	<0.01	<0.01
1462739	Drill Core	3.08	123	466	367	<5	<0.001	0.357	<0.02	<0.01	<2	0.355	0.021	0.15	11.86	<0.02	<0.01	<0.001	<0.01	<0.01
1462740	Drill Core	3.82	94	434	335	<5	<0.001	0.284	<0.02	<0.01	2	0.328	0.020	0.16	11.93	<0.02	<0.01	<0.001	<0.01	<0.01
1462741	Drill Core	3.38	90	429	307	<5	<0.001	0.287	<0.02	<0.01	<2	0.277	0.018	0.15	11.18	<0.02	<0.01	<0.001	<0.01	<0.01
1462742	Drill Core	2.00	97	439	296	5	<0.001	0.274	<0.02	<0.01	2	0.271	0.018	0.16	11.06	<0.02	<0.01	<0.001	<0.01	<0.01
1462743	Drill Core	2.90	174	434	227	7	<0.001	0.279	<0.02	<0.01	<2	0.218	0.017	0.13	10.94	<0.02	<0.01	<0.001	<0.01	<0.01
1462744	Drill Core	4.16	167	793	487	17	<0.001	0.691	<0.02	0.01	4	0.335	0.021	0.21	13.61	<0.02	<0.01	<0.001	<0.01	<0.01
1462745	Drill Core	3.42	123	619	383	8	<0.001	0.613	<0.02	<0.01	4	0.256	0.017	0.21	11.24	<0.02	<0.01	<0.001	<0.01	<0.01
1462746	Drill Core	2.37	138	677	361	<5	<0.001	0.508	<0.02	<0.01	3	0.250	0.017	0.20	11.42	<0.02	<0.01	<0.001	<0.01	<0.01
1462747	Drill Core	2.55	439	877	449	11	<0.001	0.617	<0.02	0.01	4	0.297	0.019	0.18	12.02	<0.02	<0.01	<0.001	<0.01	<0.01
1462748	Drill Core	4.11	49	560	308	8	<0.001	0.499	<0.02	<0.01	3	0.202	0.013	0.13	9.13	<0.02	<0.01	<0.001	<0.01	<0.01
1462749A	Drill Core	3.91	42	571	304	16	<0.001	0.415	<0.02	<0.01	<2	0.262	0.016	0.11	9.38	<0.02	<0.01	<0.001	<0.01	<0.01
1462749B	Drill Core		32	579	308	7	<0.001	0.430	<0.02	<0.01	2	0.275	0.018	0.11	9.57	<0.02	<0.01	<0.001	<0.01	<0.01
1462750	Rock Pulp	0.06	45	893	468	<5	<0.001	0.712	<0.02	<0.01	3	0.248	0.019	0.12	12.58	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000565.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1462729	Drill Core	0.02	0.262	19.68	0.93	0.01	0.13	<0.01
1462730	Drill Core	0.10	0.006	1.41	7.30	1.12	3.75	<0.01
1462731	Drill Core	0.07	0.042	4.52	4.01	0.07	0.02	<0.01
1462732	Drill Core	0.05	0.063	7.77	4.17	0.10	0.11	<0.01
1462733	Drill Core	0.03	0.067	8.90	4.43	0.12	0.06	<0.01
1462734	Drill Core	0.03	0.063	8.81	4.55	0.12	0.12	<0.01
1462735	Drill Core	0.02	0.072	9.06	3.94	0.10	0.03	<0.01
1462736	Drill Core	0.04	0.097	10.69	2.69	0.04	0.11	<0.01
1462737	Drill Core	0.02	0.152	16.09	2.58	0.05	0.20	<0.01
1462738	Drill Core	0.02	0.158	15.54	2.42	0.05	0.26	<0.01
1462739	Drill Core	0.02	0.151	15.48	2.45	0.05	0.21	<0.01
1462740	Drill Core	0.02	0.165	16.11	2.46	0.04	0.22	<0.01
1462741	Drill Core	0.02	0.164	16.29	2.45	0.04	0.20	<0.01
1462742	Drill Core	0.03	0.149	15.93	2.44	0.04	0.19	<0.01
1462743	Drill Core	0.03	0.141	13.38	3.21	0.06	0.05	<0.01
1462744	Drill Core	0.03	0.087	8.00	4.24	0.10	0.01	<0.01
1462745	Drill Core	0.03	0.087	7.35	4.11	0.11	0.02	<0.01
1462746	Drill Core	0.03	0.090	8.09	3.88	0.12	0.02	<0.01
1462747	Drill Core	0.04	0.072	8.28	4.40	0.11	0.02	<0.01
1462748	Drill Core	0.04	0.063	7.22	4.75	0.11	0.01	<0.01
1462749A	Drill Core	0.02	0.087	8.61	3.85	0.13	<0.01	<0.01
1462749B	Drill Core	0.02	0.089	8.67	3.87	0.13	0.01	<0.01
1462750	Rock Pulp	0.07	0.047	7.48	4.91	0.11	0.11	<0.01

QUALITY CONTROL REPORT

WHI13000565.1

	Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1462726	Drill Core	2.69	125	340	317	<5	<0.001	0.304	<0.02	<0.01	<2	0.327	0.021	0.13	11.10	<0.02	<0.01	<0.001	<0.01	<0.01	1.99
REP 1462726	QC						<0.001	0.312	<0.02	<0.01	<2	0.330	0.021	0.13	11.14	<0.02	<0.01	<0.001	<0.01	<0.01	1.95
1462735	Drill Core	3.56	83	307	269	<5	<0.001	0.573	<0.02	<0.01	<2	0.500	0.030	0.14	13.93	<0.02	<0.01	<0.001	<0.01	<0.01	8.17
REP 1462735	QC		106	306	265	<5															
1462749A	Drill Core	3.91	42	571	304	16	<0.001	0.415	<0.02	<0.01	<2	0.262	0.016	0.11	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	11.83
REP 1462749A	QC						<0.001	0.409	<0.02	<0.01	<2	0.256	0.016	0.11	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	11.28
REP 1462701	QC		102	208	273	<5															
REP 1462735	QC		73	323	279	<5															
REP 1462750	QC		53	937	500	<5															
Core Reject Duplicates																					
1462709	Drill Core	3.11	83	382	197	<5	<0.001	0.337	<0.02	<0.01	<2	0.053	0.005	0.10	6.59	<0.02	0.02	<0.001	<0.01	<0.01	8.59
DUP 1462709	QC		66	395	185	<5	<0.001	0.326	<0.02	<0.01	<2	0.053	0.006	0.10	6.55	<0.02	0.02	<0.001	<0.01	<0.01	8.52
1462746	Drill Core	2.37	138	677	361	<5	<0.001	0.508	<0.02	<0.01	3	0.250	0.017	0.20	11.42	<0.02	<0.01	<0.001	<0.01	<0.01	10.72
DUP 1462746	QC		117	834	371	<5	<0.001	0.531	<0.02	<0.01	3	0.259	0.017	0.19	11.45	<0.02	<0.01	<0.001	<0.01	<0.01	10.58
Reference Materials																					
STD AMIS256	Standard		354	5004	2479	<5															
STD AMIS256	Standard		381	4978	2522	<5															
STD AMIS256	Standard		343	5084	2557	37															
STD AMIS256	Standard		325	5015	2412	48															
STD CDN-ME-14	Standard						0.001	1.291	0.51	3.25	46	0.002	0.017	0.09	18.37	<0.02	<0.01	0.009	<0.01	0.01	0.77
STD CDN-ME-9	Standard						<0.001	0.668	<0.02	0.01	3	0.983	0.017	0.12	14.08	<0.02	0.03	<0.001	<0.01	<0.01	4.29
STD CDN-ME-14	Standard						0.002	1.235	0.50	3.14	44	0.002	0.017	0.08	17.43	<0.02	<0.01	0.009	<0.01	0.01	0.65
STD CDN-ME-9	Standard						<0.001	0.663	<0.02	0.01	4	0.923	0.017	0.12	13.78	<0.02	0.03	<0.001	<0.01	<0.01	4.13
STD CDN-PGMS-23	Standard		523	493	2192	<5															
STD CDN-PGMS-23	Standard		468	453	2016	<5															
STD CDN-PGMS-23	Standard		525	456	2040	<5															
STD CDN-PGMS-23	Standard		526	503	2160	<5															
STD AMIS256 Expected			340	4860	2500	41															

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000565.1

		Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Analyte	P	Cr	Mg	Al	Na	K	W
		Unit	%	%	%	%	%	%	%
		MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1462726	Drill Core		0.02	0.225	18.75	1.22	0.02	0.07	<0.01
REP 1462726	QC		0.02	0.226	18.77	1.21	0.02	0.07	<0.01
1462735	Drill Core		0.02	0.072	9.06	3.94	0.10	0.03	<0.01
REP 1462735	QC								
1462749A	Drill Core		0.02	0.087	8.61	3.85	0.13	<0.01	<0.01
REP 1462749A	QC		0.03	0.083	8.49	3.85	0.13	<0.01	<0.01
REP 1462701	QC								
REP 1462735	QC								
REP 1462750	QC								
Core Reject Duplicates									
1462709	Drill Core		0.04	0.053	8.11	4.62	0.21	1.12	<0.01
DUP 1462709	QC		0.04	0.054	8.08	4.59	0.21	1.11	<0.01
1462746	Drill Core		0.03	0.090	8.09	3.88	0.12	0.02	<0.01
DUP 1462746	QC		0.03	0.092	8.13	3.79	0.11	0.02	<0.01
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard		0.02	0.001	1.33	4.56	0.53	1.71	0.02
STD CDN-ME-9	Standard		0.06	0.028	4.21	6.75	1.92	0.63	<0.01
STD CDN-ME-14	Standard		0.02	0.004	1.24	3.22	0.53	1.73	<0.01
STD CDN-ME-9	Standard		0.07	0.027	4.07	6.57	1.85	0.74	<0.01
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									

QUALITY CONTROL REPORT

WHI13000565.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		3	<3	3	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	2.47	<0.02	0.07	<0.001	<0.01	<0.01	2.22
G1-WHI	Prep Blank		<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.39	<0.02	0.07	<0.001	<0.01	<0.01	2.08

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000565.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.07	0.002	0.60	6.97	2.70	2.83	<0.01	<0.05
G1-WHI	Prep Blank	0.08	0.001	0.56	6.48	2.68	2.77	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 18, 2013
Report Date: January 10, 2014
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000564.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 133

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	124	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	4	Split samples by riffle splitter			WHI
3B	133	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	133	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462571	Rock	0.99	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.44	<0.02	<0.01	<0.001	<0.01	<0.01
1462572	Drill Core	3.69	13	170	282	<5	<0.001	0.119	<0.02	<0.01	<2	0.274	0.015	0.13	9.02	<0.02	<0.01	<0.001	<0.01	<0.01
1462573	Drill Core	3.12	22	294	449	<5	<0.001	0.181	<0.02	<0.01	<2	0.312	0.016	0.12	9.38	<0.02	<0.01	<0.001	<0.01	<0.01
1462574	Drill Core	3.47	47	239	375	<5	<0.001	0.182	<0.02	<0.01	<2	0.308	0.016	0.12	10.00	<0.02	<0.01	<0.001	<0.01	<0.01
1462575	Rock Pulp	0.05	55	464	647	<5	<0.001	0.298	<0.02	0.01	<2	0.441	0.021	0.14	11.06	<0.02	<0.01	<0.001	<0.01	<0.01
1462576	Drill Core	3.19	64	352	532	<5	<0.001	0.269	<0.02	<0.01	<2	0.389	0.018	0.12	10.14	<0.02	<0.01	<0.001	<0.01	<0.01
1462577	Drill Core	2.65	113	421	648	<5	<0.001	0.357	<0.02	<0.01	<2	0.449	0.019	0.13	10.53	<0.02	<0.01	<0.001	<0.01	<0.01
1462578	Drill Core	3.12	52	400	585	<5	<0.001	0.286	<0.02	<0.01	<2	0.418	0.017	0.13	10.26	<0.02	<0.01	<0.001	<0.01	<0.01
1462579	Drill Core	3.38	78	502	632	<5	<0.001	0.264	<0.02	<0.01	<2	0.413	0.017	0.14	9.95	<0.02	<0.01	<0.001	<0.01	<0.01
1462580	Drill Core	2.24	264	398	374	<5	<0.001	0.206	<0.02	<0.01	<2	0.300	0.015	0.13	9.67	<0.02	<0.01	<0.001	<0.01	<0.01
1462581	Drill Core	3.92	108	214	154	<5	<0.001	0.146	<0.02	<0.01	<2	0.125	0.007	0.08	5.37	<0.02	0.01	<0.001	<0.01	<0.01
1462582	Drill Core	4.21	26	326	281	<5	<0.001	0.284	<0.02	<0.01	<2	0.211	0.012	0.08	7.22	<0.02	0.02	<0.001	<0.01	<0.01
1462583	Drill Core	3.73	65	301	342	<5	<0.001	0.724	<0.02	<0.01	2	0.361	0.021	0.17	13.35	<0.02	0.03	<0.001	<0.01	<0.01
1462584	Drill Core	2.78	68	527	475	<5	<0.001	0.273	<0.02	<0.01	<2	0.336	0.015	0.14	9.61	<0.02	<0.01	<0.001	<0.01	<0.01
1462585	Drill Core	3.24	152	567	601	<5	<0.001	0.315	<0.02	<0.01	2	0.450	0.020	0.12	11.28	<0.02	<0.01	<0.001	<0.01	<0.01
1462586	Drill Core	3.60	54	365	367	<5	<0.001	0.194	<0.02	<0.01	<2	0.271	0.011	0.16	9.98	<0.02	<0.01	<0.001	<0.01	<0.01
1462587	Drill Core	2.77	249	384	400	<5	<0.001	0.226	<0.02	<0.01	<2	0.295	0.015	0.13	9.77	<0.02	<0.01	<0.001	<0.01	<0.01
1462588	Drill Core	3.65	77	161	160	<5	<0.001	0.089	<0.02	<0.01	<2	0.143	0.009	0.14	8.68	<0.02	<0.01	<0.001	<0.01	<0.01
1462589	Drill Core	3.87	10	38	20	<5	<0.001	0.004	<0.02	<0.01	<2	0.012	0.001	0.05	4.64	<0.02	0.02	<0.001	<0.01	<0.01
1462590	Drill Core	0.61	20	150	220	<5	<0.001	0.048	<0.02	<0.01	<2	0.268	0.014	0.11	9.22	<0.02	<0.01	<0.001	<0.01	<0.01
1462591	Drill Core	1.45	19	111	169	<5	<0.001	0.069	<0.02	<0.01	<2	0.245	0.015	0.10	8.88	<0.02	<0.01	<0.001	<0.01	<0.01
1462592	Drill Core	0.06	23	165	253	<5	<0.001	0.088	<0.02	<0.01	<2	0.312	0.016	0.10	9.32	<0.02	<0.01	<0.001	<0.01	<0.01
1462593	Drill Core	0.06	34	218	317	<5	<0.001	0.087	<0.02	<0.01	<2	0.341	0.016	0.11	9.07	<0.02	<0.01	<0.001	<0.01	<0.01
1462594	Drill Core	0.06	37	232	342	<5	<0.001	0.128	<0.02	<0.01	<2	0.367	0.015	0.12	8.53	<0.02	<0.01	<0.001	<0.01	<0.01
1462595	Drill Core	0.06	60	266	387	<5	<0.001	0.146	<0.02	<0.01	<2	0.373	0.016	0.12	8.91	<0.02	<0.01	<0.001	<0.01	<0.01
1462596	Drill Core	0.06	31	233	354	<5	<0.001	0.147	<0.02	<0.01	<2	0.381	0.017	0.11	9.50	<0.02	<0.01	<0.001	<0.01	<0.01
1462597	Drill Core	0.06	38	328	449	<5	<0.001	0.170	<0.02	<0.01	<2	0.397	0.017	0.12	9.25	<0.02	<0.01	<0.001	<0.01	<0.01
1462598	Drill Core	0.06	34	275	409	<5	<0.001	0.164	<0.02	<0.01	<2	0.391	0.017	0.10	9.34	<0.02	<0.01	<0.001	<0.01	<0.01
1462599A	Drill Core	0.06	46	269	351	<5	<0.001	0.163	<0.02	<0.01	<2	0.388	0.017	0.11	9.40	<0.02	<0.01	<0.001	<0.01	<0.01
1462599B	Drill Core	0.06	49	235	317	<5	<0.001	0.160	<0.02	<0.01	<2	0.380	0.017	0.10	9.18	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 10, 2014

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462571	Rock	0.05	<0.001	12.40	0.07	<0.01	0.03	<0.01	<0.05
1462572	Drill Core	0.02	0.237	19.35	1.60	0.02	0.32	<0.01	0.41
1462573	Drill Core	0.02	0.243	19.17	1.51	0.02	0.24	<0.01	0.65
1462574	Drill Core	0.02	0.248	18.93	1.64	0.02	0.23	<0.01	0.59
1462575	Rock Pulp	0.03	0.193	15.44	2.60	0.04	0.16	<0.01	1.21
1462576	Drill Core	0.02	0.252	18.61	1.79	0.02	0.26	<0.01	0.91
1462577	Drill Core	0.02	0.247	17.64	1.88	0.03	0.21	<0.01	1.08
1462578	Drill Core	0.02	0.213	17.16	2.12	0.03	0.15	<0.01	0.92
1462579	Drill Core	0.02	0.177	16.24	2.36	0.03	0.15	<0.01	1.06
1462580	Drill Core	0.03	0.153	13.84	2.80	0.06	0.07	<0.01	1.01
1462581	Drill Core	0.03	0.045	4.78	6.12	0.38	0.81	<0.01	0.44
1462582	Drill Core	0.03	0.018	3.85	6.57	1.08	0.85	<0.01	1.40
1462583	Drill Core	0.03	0.021	3.18	3.66	0.10	0.98	<0.01	2.95
1462584	Drill Core	0.03	0.110	11.63	3.91	0.12	0.29	<0.01	1.10
1462585	Drill Core	0.03	0.148	13.92	2.86	0.07	0.07	<0.01	1.79
1462586	Drill Core	0.11	0.100	12.16	4.90	0.08	0.04	<0.01	0.35
1462587	Drill Core	0.03	0.141	12.93	3.61	0.12	0.08	<0.01	0.87
1462588	Drill Core	0.04	0.111	11.84	4.57	0.15	0.22	<0.01	0.21
1462589	Drill Core	0.10	0.008	1.91	8.10	2.97	1.37	<0.01	<0.05
1462590	Drill Core	0.01	0.250	20.36	1.40	<0.01	0.02	<0.01	0.17
1462591	Drill Core	0.01	0.257	21.08	1.10	<0.01	0.01	<0.01	0.15
1462592	Drill Core	0.01	0.276	21.39	1.14	<0.01	0.01	<0.01	0.25
1462593	Drill Core	0.01	0.252	20.86	1.15	<0.01	0.02	<0.01	0.22
1462594	Drill Core	0.01	0.219	20.19	1.23	0.01	0.02	<0.01	0.44
1462595	Drill Core	0.02	0.207	19.61	1.32	<0.01	0.03	<0.01	0.35
1462596	Drill Core	0.01	0.226	20.43	1.25	<0.01	0.02	<0.01	0.46
1462597	Drill Core	0.01	0.301	20.28	1.22	0.01	0.03	<0.01	0.44
1462598	Drill Core	0.01	0.228	20.25	1.29	<0.01	0.03	<0.01	0.39
1462599A	Drill Core	0.01	0.235	20.38	1.41	0.03	0.03	<0.01	0.13
1462599B	Drill Core	0.01	0.233	20.19	1.39	0.03	0.03	<0.01	0.13

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462600	Rock Pulp	0.06	55	452	644	<5	<0.001	0.300	<0.02	0.01	<2	0.444	0.020	0.14	11.26	<0.02	<0.01	<0.001	<0.01	<0.01
1462601	Rock	0.06	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.02	0.44	<0.02	<0.01	<0.001	<0.01	<0.01
1462602	Drill Core	0.06	50	365	545	<5	<0.001	0.220	<0.02	<0.01	<2	0.431	0.017	0.10	9.69	<0.02	<0.01	<0.001	<0.01	<0.01
1462603	Drill Core	0.06	52	397	611	<5	<0.001	0.289	<0.02	<0.01	<2	0.452	0.018	0.09	9.46	<0.02	<0.01	<0.001	<0.01	<0.01
1462604	Drill Core	0.06	28	237	352	<5	<0.001	0.109	<0.02	<0.01	<2	0.337	0.015	0.10	8.78	<0.02	<0.01	<0.001	<0.01	<0.01
1462605	Drill Core	0.06	27	199	296	<5	<0.001	0.120	<0.02	<0.01	<2	0.320	0.015	0.11	8.88	<0.02	<0.01	<0.001	<0.01	<0.01
1462606	Drill Core	0.06	30	209	317	<5	<0.001	0.114	<0.02	0.01	<2	0.313	0.016	0.11	8.81	<0.02	<0.01	<0.001	<0.01	<0.01
1462607	Drill Core	0.06	29	240	360	<5	<0.001	0.159	<0.02	<0.01	<2	0.339	0.017	0.11	9.61	<0.02	<0.01	<0.001	<0.01	<0.01
1462608	Drill Core	0.06	26	227	325	<5	<0.001	0.141	<0.02	<0.01	<2	0.337	0.017	0.11	9.10	<0.02	<0.01	<0.001	<0.01	<0.01
1462609	Drill Core	0.06	47	23	41	<5	<0.001	0.012	<0.02	<0.01	<2	0.029	0.004	0.16	5.60	<0.02	<0.01	<0.001	<0.01	<0.01
1462610	Drill Core	0.06	57	190	288	5	<0.001	0.107	<0.02	<0.01	<2	0.294	0.015	0.11	8.76	<0.02	<0.01	<0.001	<0.01	<0.01
1462611	Drill Core	0.06	15	142	222	<5	<0.001	0.092	<0.02	<0.01	<2	0.287	0.016	0.11	9.13	<0.02	<0.01	<0.001	<0.01	<0.01
1462612	Drill Core	0.06	22	135	203	<5	<0.001	0.085	<0.02	<0.01	<2	0.268	0.015	0.11	8.85	<0.02	<0.01	<0.001	<0.01	<0.01
1462613	Drill Core	0.06	19	131	194	<5	<0.001	0.080	<0.02	<0.01	<2	0.222	0.012	0.12	8.10	<0.02	<0.01	<0.001	<0.01	<0.01
1462614	Drill Core	0.06	29	220	341	<5	<0.001	0.144	<0.02	<0.01	<2	0.320	0.015	0.11	8.93	<0.02	<0.01	<0.001	<0.01	<0.01
1462615	Drill Core	4.52	59	529	525	<5	<0.001	0.248	<0.02	<0.01	<2	0.353	0.017	0.11	10.30	<0.02	<0.01	<0.001	<0.01	<0.01
1462616	Drill Core	4.52	11	273	265	<5	<0.001	0.123	<0.02	<0.01	<2	0.178	0.008	0.10	5.59	<0.02	<0.01	<0.001	<0.01	<0.01
1462617	Drill Core	4.52	4	224	265	<5	<0.001	0.054	<0.02	<0.01	<2	0.121	0.008	0.12	7.86	<0.02	<0.01	<0.001	<0.01	<0.01
1462618	Drill Core	4.52	21	5	25	<5	<0.001	0.019	<0.02	<0.01	<2	0.013	0.005	0.19	9.56	<0.02	<0.01	<0.001	<0.01	<0.01
1462619	Drill Core	4.52	14	6	23	<5	<0.001	0.019	<0.02	<0.01	<2	0.011	0.005	0.16	9.12	<0.02	0.03	<0.001	<0.01	<0.01
1462620	Drill Core	4.01	2	5	22	<5	<0.001	0.019	<0.02	<0.01	<2	0.008	0.005	0.16	9.26	<0.02	0.04	<0.001	<0.01	<0.01
1462621	Drill Core	1.89	13	4	20	<5	<0.001	0.019	<0.02	<0.01	<2	0.006	0.005	0.15	8.73	0.03	0.04	<0.001	<0.01	<0.01
1462622	Drill Core	3.07	6	370	317	<5	<0.001	0.360	<0.02	<0.01	<2	0.235	0.014	0.13	8.42	<0.02	<0.01	<0.001	<0.01	<0.01
1462623	Drill Core	3.15	26	202	132	<5	<0.001	0.205	<0.02	<0.01	<2	0.135	0.013	0.11	8.64	<0.02	<0.01	<0.001	<0.01	<0.01
1462624	Drill Core	3.73	105	374	203	<5	<0.001	0.440	<0.02	<0.01	2	0.196	0.016	0.12	9.99	<0.02	<0.01	<0.001	<0.01	<0.01
1462625	Rock Pulp	0.06	311	1933	1469	<5	<0.001	1.436	<0.02	0.01	3	3.092	0.155	0.07	46.42	<0.02	<0.01	<0.001	<0.01	<0.01
1462626	Drill Core	4.10	156	1403	934	<5	<0.001	1.582	<0.02	<0.01	4	1.445	0.086	0.06	29.46	<0.02	0.01	<0.001	<0.01	<0.01
1462627	Drill Core	2.34	14	47	42	<5	<0.001	0.074	<0.02	<0.01	<2	0.031	0.002	0.05	4.86	<0.02	0.03	<0.001	<0.01	<0.01
1462628	Drill Core	2.45	170	702	480	<5	<0.001	0.353	<0.02	<0.01	<2	0.356	0.021	0.17	12.09	<0.02	<0.01	<0.001	<0.01	<0.01
1462629A	Drill Core	2.37	136	683	447	<5	<0.001	0.371	<0.02	<0.01	2	0.373	0.022	0.16	12.69	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 10, 2014

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462600	Rock Pulp	0.03	0.167	15.72	2.66	0.04	0.16	<0.01	1.29
1462601	Rock	0.03	0.002	12.76	0.06	<0.01	0.02	<0.01	<0.05
1462602	Drill Core	0.01	0.221	19.88	1.38	0.02	0.02	<0.01	0.40
1462603	Drill Core	0.01	0.242	19.45	1.17	<0.01	0.02	<0.01	0.30
1462604	Drill Core	0.01	0.260	19.17	1.49	0.05	0.03	<0.01	<0.05
1462605	Drill Core	0.02	0.254	19.29	1.43	0.02	0.02	<0.01	0.25
1462606	Drill Core	0.01	0.238	18.80	1.39	0.01	0.03	<0.01	0.21
1462607	Drill Core	0.02	0.269	19.28	1.36	0.02	0.02	<0.01	0.58
1462608	Drill Core	0.02	0.278	19.23	1.43	0.01	0.02	<0.01	0.38
1462609	Drill Core	0.03	0.034	5.84	4.59	0.03	<0.01	<0.01	<0.05
1462610	Drill Core	0.02	0.244	18.59	1.28	0.01	<0.01	<0.01	0.28
1462611	Drill Core	0.02	0.304	19.81	1.29	<0.01	0.01	<0.01	0.25
1462612	Drill Core	0.02	0.295	19.76	1.32	<0.01	0.01	<0.01	0.25
1462613	Drill Core	0.02	0.219	16.87	2.04	0.02	0.01	<0.01	0.18
1462614	Drill Core	0.02	0.233	17.35	1.83	0.02	0.03	<0.01	0.34
1462615	Drill Core	0.02	0.214	16.89	1.95	0.04	0.07	<0.01	0.20
1462616	Drill Core	0.02	0.039	7.26	2.83	0.17	0.01	<0.01	0.18
1462617	Drill Core	0.05	0.019	4.73	5.13	0.12	0.01	<0.01	0.30
1462618	Drill Core	0.06	0.009	3.50	8.14	0.06	0.19	<0.01	<0.05
1462619	Drill Core	0.06	0.010	3.55	7.33	1.78	1.32	<0.01	<0.05
1462620	Drill Core	0.06	0.009	3.61	7.06	1.74	1.25	<0.01	<0.05
1462621	Drill Core	0.06	0.009	3.37	7.17	1.49	1.17	<0.01	0.15
1462622	Drill Core	0.03	0.044	7.55	4.46	0.22	0.13	<0.01	0.99
1462623	Drill Core	0.04	0.047	8.66	4.23	0.18	0.10	<0.01	1.41
1462624	Drill Core	0.03	0.044	6.88	4.40	0.23	0.24	<0.01	2.20
1462625	Rock Pulp	0.02	0.010	0.35	1.41	0.04	0.12	<0.01	23.87
1462626	Drill Core	0.04	0.027	1.76	3.73	0.96	0.82	<0.01	10.25
1462627	Drill Core	0.09	0.005	1.63	7.31	3.50	1.91	<0.01	0.26
1462628	Drill Core	0.02	0.149	16.35	2.36	0.04	0.08	<0.01	1.28
1462629A	Drill Core	0.02	0.147	16.00	2.24	0.04	0.08	<0.01	1.58

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462629B	Drill Core		159	692	471	<5	<0.001	0.374	<0.02	<0.01	<2	0.379	0.023	0.16	12.77	<0.02	<0.01	<0.001	<0.01	<0.01
1462630	Drill Core	3.13	228	684	473	<5	<0.001	0.378	<0.02	<0.01	<2	0.325	0.021	0.15	12.13	<0.02	<0.01	<0.001	<0.01	<0.01
1462631	Rock	0.91	<2	4	3	<5	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.46	<0.02	<0.01	<0.001	<0.01	<0.01
1462632	Drill Core	3.81	167	740	452	<5	<0.001	0.316	<0.02	<0.01	<2	0.320	0.019	0.12	10.29	<0.02	<0.01	<0.001	<0.01	<0.01
1462633	Drill Core	3.72	187	841	549	<5	<0.001	0.431	<0.02	<0.01	3	0.427	0.024	0.15	12.57	<0.02	<0.01	<0.001	<0.01	<0.01
1462634	Drill Core	2.60	234	867	577	<5	<0.001	0.444	<0.02	0.01	4	0.375	0.022	0.15	12.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462635	Drill Core	1.07	2	14	17	<5	<0.001	0.032	<0.02	<0.01	<2	0.020	0.005	0.13	6.81	<0.02	<0.01	<0.001	<0.01	<0.01
1462636	Drill Core	3.03	254	949	562	<5	<0.001	0.462	<0.02	<0.01	4	0.343	0.022	0.15	12.60	<0.02	<0.01	<0.001	<0.01	<0.01
1462637	Drill Core	0.95	187	708	495	<5	<0.001	0.433	<0.02	<0.01	3	0.252	0.015	0.15	9.25	<0.02	<0.01	<0.001	<0.01	<0.01
1462638	Drill Core	4.02	36	403	416	<5	<0.001	0.349	<0.02	<0.01	3	0.269	0.013	0.12	8.04	<0.02	<0.01	<0.001	<0.01	<0.01
1462639	Drill Core	3.63	41	441	444	<5	<0.001	0.350	<0.02	<0.01	3	0.285	0.013	0.14	8.05	<0.02	<0.01	<0.001	<0.01	<0.01
1462640	Drill Core	3.33	15	819	615	12	<0.001	0.522	<0.02	0.01	3	0.440	0.020	0.12	9.23	<0.02	0.02	<0.001	<0.01	<0.01
1462641	Drill Core	5.15	12	355	202	<5	<0.001	0.259	<0.02	<0.01	<2	0.140	0.008	0.10	5.88	<0.02	<0.01	<0.001	<0.01	<0.01
1462642	Drill Core	2.65	31	393	208	<5	<0.001	0.294	<0.02	<0.01	<2	0.168	0.011	0.12	7.93	<0.02	0.01	<0.001	<0.01	<0.01
1462643	Drill Core	0.95	519	1827	895	37	<0.001	1.200	<0.02	<0.01	4	0.939	0.068	0.06	23.36	<0.02	0.05	<0.001	<0.01	<0.01
1462644	Drill Core	1.00	11	7	5	<5	<0.001	0.006	<0.02	<0.01	<2	0.007	0.001	0.04	4.27	<0.02	0.04	<0.001	<0.01	<0.01
1462645	Drill Core	4.94	6	<3	4	<5	<0.001	0.008	<0.02	0.01	<2	0.020	0.001	0.05	4.41	<0.02	0.02	<0.001	<0.01	<0.01
1462646	Drill Core	4.79	40	41	38	<5	<0.001	0.026	<0.02	0.03	<2	0.017	0.002	0.06	3.64	0.09	0.02	<0.001	<0.01	<0.01
1462647	Drill Core	3.06	139	1310	1618	27	<0.001	1.363	<0.02	0.02	5	1.801	0.082	0.07	23.97	0.05	0.02	<0.001	<0.01	<0.01
1462648	Drill Core	2.38	68	756	786	<5	<0.001	0.728	<0.02	0.01	2	0.729	0.037	0.10	16.33	<0.02	0.02	<0.001	<0.01	<0.01
1462649	Drill Core	2.67	15	17	26	<5	<0.001	0.024	<0.02	0.03	<2	0.010	0.003	0.17	8.20	<0.02	0.03	<0.001	<0.01	<0.01
1462650	Rock Pulp	0.06	12	26	23	<5	<0.001	0.010	<0.02	<0.01	<2	0.008	0.002	0.11	4.52	<0.02	0.01	<0.001	<0.01	<0.01
1462651	Drill Core	2.17	36	94	67	<5	<0.001	0.088	<0.02	0.01	<2	0.037	0.004	0.22	9.20	<0.02	0.04	<0.001	<0.01	<0.01
1462652	Drill Core	4.22	129	568	308	<5	<0.001	0.465	<0.02	0.01	2	0.211	0.015	0.17	9.22	<0.02	<0.01	<0.001	<0.01	<0.01
1462653	Drill Core	2.38	127	314	461	<5	<0.001	0.231	<0.02	<0.01	<2	0.401	0.019	0.12	10.04	<0.02	<0.01	<0.001	<0.01	<0.01
1462654	Drill Core	2.09	50	277	460	<5	<0.001	0.176	<0.02	<0.01	<2	0.400	0.018	0.13	10.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462655	Drill Core	3.17	22	175	263	<5	<0.001	0.159	<0.02	<0.01	<2	0.272	0.016	0.12	9.26	<0.02	<0.01	<0.001	<0.01	<0.01
1462656	Drill Core	2.68	28	304	509	<5	<0.001	0.204	<0.02	<0.01	<2	0.404	0.019	0.12	10.42	<0.02	<0.01	<0.001	<0.01	<0.01
1462657	Drill Core	3.32	20	213	349	<5	<0.001	0.158	<0.02	<0.01	<2	0.351	0.018	0.12	10.18	<0.02	<0.01	<0.001	<0.01	<0.01
1462658	Drill Core	3.62	27	223	354	<5	<0.001	0.149	<0.02	<0.01	<2	0.340	0.018	0.12	10.04	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 10, 2014

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462629B	Drill Core	0.02	0.140	16.12	2.24	0.03	0.08	<0.01	1.54
1462630	Drill Core	0.02	0.139	14.88	2.39	0.04	0.08	<0.01	1.71
1462631	Rock	0.02	<0.001	12.32	0.03	<0.01	0.02	<0.01	<0.05
1462632	Drill Core	0.01	0.092	12.40	1.96	0.04	0.09	<0.01	1.60
1462633	Drill Core	0.02	0.102	14.54	2.51	0.06	0.17	<0.01	2.52
1462634	Drill Core	0.02	0.106	14.61	2.58	0.06	0.18	<0.01	2.29
1462635	Drill Core	0.03	0.032	5.50	7.52	0.06	0.01	<0.01	0.06
1462636	Drill Core	0.03	0.106	14.34	2.59	0.06	0.17	<0.01	2.18
1462637	Drill Core	0.03	0.097	11.22	3.67	0.11	0.06	<0.01	1.21
1462638	Drill Core	0.04	0.075	7.27	4.45	0.10	0.58	<0.01	1.30
1462639	Drill Core	0.03	0.091	7.28	3.84	0.11	<0.01	<0.01	1.20
1462640	Drill Core	0.02	0.041	4.54	4.63	0.07	<0.01	<0.01	1.89
1462641	Drill Core	0.03	0.036	4.49	6.14	0.07	<0.01	<0.01	0.66
1462642	Drill Core	0.05	0.040	7.13	5.89	1.28	1.09	<0.01	1.01
1462643	Drill Core	0.03	0.036	2.45	3.72	0.72	1.11	<0.01	9.19
1462644	Drill Core	0.16	0.005	1.46	6.67	2.61	1.14	<0.01	0.09
1462645	Drill Core	0.07	0.004	1.58	7.23	2.85	1.21	<0.01	<0.05
1462646	Drill Core	0.06	0.002	1.21	5.83	3.51	0.45	<0.01	0.32
1462647	Drill Core	0.04	0.009	1.06	3.85	1.22	0.94	<0.01	8.00
1462648	Drill Core	0.05	0.008	2.04	5.09	1.89	1.16	<0.01	5.45
1462649	Drill Core	0.06	0.009	3.31	6.84	1.35	1.10	<0.01	0.06
1462650	Rock Pulp	0.04	0.024	5.72	5.75	1.63	0.80	<0.01	<0.05
1462651	Drill Core	0.06	0.015	4.32	6.37	0.09	0.12	<0.01	0.12
1462652	Drill Core	0.03	0.090	8.68	3.75	0.12	<0.01	<0.01	0.73
1462653	Drill Core	0.02	0.284	18.68	1.34	0.02	0.07	<0.01	1.01
1462654	Drill Core	0.01	0.308	19.95	1.17	0.01	0.07	<0.01	0.82
1462655	Drill Core	0.01	0.309	19.82	1.24	0.02	0.15	<0.01	0.66
1462656	Drill Core	0.01	0.322	19.99	1.17	0.01	0.15	<0.01	0.86
1462657	Drill Core	0.01	0.314	20.24	1.13	0.01	0.11	<0.01	0.82
1462658	Drill Core	0.01	0.316	20.35	1.06	<0.01	0.12	<0.01	0.81

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462659A	Drill Core	2.95	23	375	617	<5	<0.001	0.238	<0.02	<0.01	<2	0.473	0.020	0.12	11.13	<0.02	<0.01	<0.001	<0.01	<0.01	0.54
1462659B	Drill Core		23	354	590	<5	<0.001	0.249	<0.02	<0.01	<2	0.484	0.021	0.12	11.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.57
1462660	Drill Core	2.59	32	267	406	<5	<0.001	0.146	<0.02	<0.01	<2	0.323	0.017	0.11	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	0.81
1462661	Rock	0.79	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.46	<0.02	<0.01	<0.001	<0.01	<0.01	21.62
1462662	Drill Core	3.10	52	214	353	<5	<0.001	0.153	<0.02	<0.01	<2	0.353	0.017	0.11	9.81	<0.02	<0.01	<0.001	<0.01	<0.01	0.70
1462663	Drill Core	3.02	26	169	271	<5	<0.001	0.129	<0.02	<0.01	<2	0.313	0.017	0.11	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.70
1462664	Drill Core	3.40	22	97	152	<5	<0.001	0.079	<0.02	<0.01	<2	0.171	0.011	0.14	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	9.10
1462665	Drill Core	3.61	15	135	213	<5	<0.001	0.099	<0.02	<0.01	<2	0.252	0.015	0.13	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	1.88
1462666	Drill Core	4.01	16	156	238	<5	<0.001	0.071	<0.02	<0.01	<2	0.287	0.016	0.13	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.90
1462667	Drill Core	3.53	27	157	287	<5	<0.001	0.056	<0.02	<0.01	<2	0.279	0.014	0.13	9.43	<0.02	<0.01	<0.001	<0.01	<0.01	3.52
1462668	Drill Core	2.55	23	169	265	<5	<0.001	0.118	<0.02	<0.01	<2	0.301	0.017	0.12	9.71	<0.02	<0.01	<0.001	<0.01	<0.01	0.30
1462669	Drill Core	2.92	28	138	215	<5	<0.001	0.058	<0.02	<0.01	<2	0.266	0.015	0.12	10.43	<0.02	<0.01	<0.001	<0.01	<0.01	1.70
1462670	Drill Core	7.49	17	32	51	<5	<0.001	0.016	<0.02	<0.01	<2	0.034	0.005	0.14	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	16.63
1462671	Drill Core	8.83	12	27	40	<5	<0.001	0.031	<0.02	<0.01	<2	0.023	0.004	0.13	6.78	<0.02	<0.01	<0.001	<0.01	<0.01	20.25
1462672	Drill Core	3.35	26	140	221	<5	<0.001	0.093	<0.02	<0.01	<2	0.262	0.016	0.13	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	1.44
1462673	Drill Core	3.45	29	166	259	<5	<0.001	0.078	<0.02	<0.01	<2	0.288	0.016	0.12	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.28
1462674	Drill Core	4.05	13	145	248	<5	<0.001	0.073	<0.02	<0.01	<2	0.279	0.015	0.13	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.47
1462675	Rock Pulp	0.06	49	459	636	<5	<0.001	0.294	<0.02	0.02	<2	0.428	0.020	0.14	10.99	<0.02	<0.01	<0.001	<0.01	<0.01	2.45
1462676	Drill Core	3.78	11	167	279	<5	<0.001	0.071	<0.02	<0.01	<2	0.302	0.016	0.13	9.39	<0.02	<0.01	<0.001	<0.01	<0.01	0.87
1462677	Drill Core	4.98	13	76	118	<5	<0.001	0.040	<0.02	<0.01	<2	0.130	0.008	0.13	7.01	<0.02	<0.01	<0.001	<0.01	<0.01	10.40
1462678	Drill Core	6.67	13	44	76	<5	<0.001	0.022	<0.02	<0.01	<2	0.070	0.006	0.15	6.87	<0.02	<0.01	<0.001	<0.01	<0.01	13.86
1462679	Drill Core	4.74	26	107	158	<5	<0.001	0.059	<0.02	<0.01	<2	0.166	0.011	0.13	8.55	<0.02	<0.01	<0.001	<0.01	<0.01	6.43
1462680	Drill Core	4.40	23	87	151	<5	<0.001	0.059	<0.02	<0.01	<2	0.142	0.010	0.14	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	8.62
1462681	Drill Core	3.31	17	169	262	<5	<0.001	0.077	<0.02	<0.01	<2	0.266	0.015	0.12	8.87	<0.02	<0.01	<0.001	<0.01	<0.01	0.51
1462682	Drill Core	3.17	46	182	299	<5	<0.001	0.103	<0.02	<0.01	<2	0.309	0.016	0.13	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	0.36
1462683	Drill Core	3.02	41	175	251	<5	<0.001	0.097	<0.02	<0.01	<2	0.268	0.015	0.12	9.32	<0.02	<0.01	<0.001	<0.01	<0.01	0.41
1462684	Drill Core	2.96	9	193	286	<5	<0.001	0.073	<0.02	<0.01	<2	0.277	0.015	0.12	9.41	<0.02	<0.01	<0.001	<0.01	<0.01	0.67
1462685	Drill Core	3.46	10	206	298	<5	<0.001	0.123	<0.02	<0.01	<2	0.282	0.016	0.13	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.47
1462686	Drill Core	3.20	10	239	372	<5	<0.001	0.101	<0.02	<0.01	<2	0.320	0.017	0.11	9.73	<0.02	<0.01	<0.001	<0.01	<0.01	0.29
1462687	Drill Core	3.18	10	214	264	<5	<0.001	0.089	<0.02	<0.01	<2	0.309	0.017	0.11	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.28

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 10, 2014

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462659A	Drill Core	0.02	0.322	19.66	0.96	0.01	0.10	<0.01	0.94
1462659B	Drill Core	0.02	0.323	19.67	0.98	<0.01	0.10	<0.01	0.96
1462660	Drill Core	0.01	0.295	20.45	0.98	<0.01	0.13	<0.01	0.72
1462661	Rock	0.02	<0.001	12.36	0.06	<0.01	0.02	<0.01	<0.05
1462662	Drill Core	0.01	0.322	19.98	1.22	0.01	0.15	<0.01	0.77
1462663	Drill Core	0.01	0.331	20.24	1.17	0.01	0.14	<0.01	0.74
1462664	Drill Core	0.02	0.205	13.25	2.99	0.02	0.08	<0.01	0.43
1462665	Drill Core	0.02	0.315	19.19	1.63	0.02	0.13	<0.01	0.56
1462666	Drill Core	0.01	0.340	19.85	1.19	0.01	0.14	<0.01	0.61
1462667	Drill Core	0.02	0.306	17.33	1.46	0.01	0.15	<0.01	0.54
1462668	Drill Core	0.01	0.357	20.52	1.09	<0.01	0.12	<0.01	0.71
1462669	Drill Core	0.02	0.329	19.04	1.14	<0.01	0.13	<0.01	0.58
1462670	Drill Core	0.03	0.047	5.70	5.62	0.02	0.02	<0.01	0.10
1462671	Drill Core	0.03	0.032	4.54	5.21	0.02	<0.01	<0.01	0.08
1462672	Drill Core	0.01	0.334	19.59	1.38	<0.01	0.07	<0.01	0.61
1462673	Drill Core	<0.01	0.305	20.05	1.05	<0.01	0.07	<0.01	0.62
1462674	Drill Core	0.01	0.292	19.74	1.22	<0.01	0.08	<0.01	0.58
1462675	Rock Pulp	0.03	0.207	15.10	2.53	0.05	0.16	<0.01	1.16
1462676	Drill Core	0.01	0.298	19.76	1.22	<0.01	0.07	<0.01	0.60
1462677	Drill Core	0.02	0.172	11.45	3.01	0.02	0.04	<0.01	0.30
1462678	Drill Core	0.02	0.099	7.99	3.20	0.03	0.03	<0.01	0.23
1462679	Drill Core	0.02	0.208	13.64	2.86	0.03	0.05	<0.01	0.36
1462680	Drill Core	0.02	0.180	12.30	3.11	0.03	0.04	<0.01	0.37
1462681	Drill Core	<0.01	0.287	19.89	1.15	0.02	0.04	<0.01	0.53
1462682	Drill Core	0.01	0.311	20.34	1.04	0.01	0.04	<0.01	0.68
1462683	Drill Core	0.01	0.293	20.29	1.04	0.01	0.06	<0.01	0.58
1462684	Drill Core	<0.01	0.284	19.79	0.98	0.02	0.04	<0.01	0.67
1462685	Drill Core	0.01	0.273	19.80	0.94	0.02	0.04	<0.01	0.75
1462686	Drill Core	<0.01	0.292	20.23	0.93	0.01	0.04	<0.01	0.76
1462687	Drill Core	<0.01	0.309	19.97	0.98	0.01	0.02	<0.01	0.65

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 10, 2014

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462688	Drill Core	3.25	16	237	312	<5	<0.001	0.138	<0.02	<0.01	<2	0.295	0.016	0.12	9.39	<0.02	<0.01	<0.001	<0.01	<0.01	1.10
1462689A	Drill Core	3.43	17	226	351	<5	<0.001	0.139	<0.02	<0.01	<2	0.308	0.017	0.12	9.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.56
1462689B	Drill Core		19	223	333	<5	<0.001	0.134	<0.02	<0.01	<2	0.299	0.016	0.12	9.37	<0.02	<0.01	<0.001	<0.01	<0.01	0.57
1462690	Drill Core	2.97	75	272	319	<5	<0.001	0.092	<0.02	<0.01	<2	0.290	0.016	0.13	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	1.63
1462691	Rock	0.81	<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.02	0.47	<0.02	<0.01	<0.001	<0.01	<0.01	21.53
1462692	Drill Core	2.96	20	194	258	6	<0.001	0.110	<0.02	<0.01	<2	0.273	0.015	0.11	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	0.93
1462693	Drill Core	3.19	15	153	253	<5	<0.001	0.107	<0.02	<0.01	<2	0.281	0.015	0.11	9.14	<0.02	<0.01	<0.001	<0.01	<0.01	0.75
1462694	Drill Core	3.15	11	186	295	<5	<0.001	0.061	<0.02	<0.01	<2	0.295	0.015	0.12	9.62	<0.02	<0.01	<0.001	<0.01	<0.01	0.46
1462695	Drill Core	2.37	22	175	285	<5	<0.001	0.094	<0.02	<0.01	<2	0.280	0.015	0.12	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	1.63
1462696	Drill Core	2.24	46	183	252	<5	<0.001	0.110	<0.02	<0.01	<2	0.283	0.014	0.11	8.28	<0.02	<0.01	<0.001	<0.01	<0.01	2.25
1462697	Drill Core	2.38	342	157	202	5	<0.001	0.059	<0.02	<0.01	<2	0.240	0.013	0.12	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	4.40
1462698	Drill Core	2.65	25	206	228	<5	<0.001	0.074	<0.02	<0.01	<2	0.221	0.014	0.12	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	3.47
1462699	Drill Core	1.70	20	164	214	<5	<0.001	0.072	<0.02	<0.01	<2	0.225	0.013	0.13	8.68	<0.02	<0.01	<0.001	<0.01	<0.01	4.59

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 10, 2014

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000564.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1462688	Drill Core	0.01	0.279	19.61	0.92	0.01	0.02	<0.01
1462689A	Drill Core	<0.01	0.287	19.93	1.05	0.01	0.17	<0.01
1462689B	Drill Core	<0.01	0.270	19.55	1.08	<0.01	0.07	<0.01
1462690	Drill Core	0.03	0.256	18.81	1.53	0.01	0.15	<0.01
1462691	Rock	0.02	0.002	11.63	0.05	<0.01	0.02	<0.01
1462692	Drill Core	<0.01	0.284	19.83	0.99	<0.01	0.04	<0.01
1462693	Drill Core	<0.01	0.304	20.04	1.04	<0.01	0.05	<0.01
1462694	Drill Core	<0.01	0.309	19.87	0.96	<0.01	0.04	<0.01
1462695	Drill Core	<0.01	0.265	19.64	1.25	<0.01	0.03	<0.01
1462696	Drill Core	<0.01	0.264	19.35	0.95	<0.01	0.04	<0.01
1462697	Drill Core	<0.01	0.273	18.61	0.86	<0.01	0.05	<0.01
1462698	Drill Core	0.01	0.244	18.03	1.53	<0.01	0.05	<0.01
1462699	Drill Core	0.01	0.213	17.04	2.24	<0.01	0.04	<0.01

QUALITY CONTROL REPORT

WHI13000564.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1462591	Drill Core	1.45	19	111	169	<5	<0.001	0.069	<0.02	<0.01	<2	0.245	0.015	0.10	8.88	<0.02	<0.01	<0.001	<0.01	<0.01	0.24
REP 1462591	QC						<0.001	0.069	<0.02	<0.01	<2	0.255	0.015	0.10	9.23	<0.02	<0.01	<0.001	<0.01	<0.01	0.25
1462600	Rock Pulp	0.06	55	452	644	<5	<0.001	0.300	<0.02	0.01	<2	0.444	0.020	0.14	11.26	<0.02	<0.01	<0.001	<0.01	<0.01	2.52
REP 1462600	QC		74	474	666	<5															
REP 1462635	QC		2	11	14	<5															
1462659B	Drill Core		23	354	590	<5	<0.001	0.249	<0.02	<0.01	<2	0.484	0.021	0.12	11.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.57
REP 1462659B	QC						<0.001	0.244	<0.02	<0.01	<2	0.478	0.020	0.12	11.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.57
1462669	Drill Core	2.92	28	138	215	<5	<0.001	0.058	<0.02	<0.01	<2	0.266	0.015	0.12	10.43	<0.02	<0.01	<0.001	<0.01	<0.01	1.70
REP 1462669	QC		22	142	217	<5															
1462681	Drill Core	3.31	17	169	262	<5	<0.001	0.077	<0.02	<0.01	<2	0.266	0.015	0.12	8.87	<0.02	<0.01	<0.001	<0.01	<0.01	0.51
REP 1462681	QC						<0.001	0.077	<0.02	<0.01	<2	0.263	0.015	0.12	8.88	<0.02	<0.01	<0.001	<0.01	<0.01	0.52
REP 1462626	QC						<0.001	1.592	<0.02	0.01	2	1.411	0.085	0.07	29.53	<0.02	0.01	<0.001	<0.01	<0.01	2.56
Core Reject Duplicates																					
1462635	Drill Core	1.07	2	14	17	<5	<0.001	0.032	<0.02	<0.01	<2	0.020	0.005	0.13	6.81	<0.02	<0.01	<0.001	<0.01	<0.01	13.96
DUP 1462635	QC		4	13	17	<5	<0.001	0.030	<0.02	<0.01	<2	0.018	0.005	0.13	6.73	<0.02	<0.01	<0.001	<0.01	<0.01	13.84
1462672	Drill Core	3.35	26	140	221	<5	<0.001	0.093	<0.02	<0.01	<2	0.262	0.016	0.13	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	1.44
DUP 1462672	QC		22	129	208	<5	<0.001	0.092	<0.02	<0.01	<2	0.252	0.015	0.12	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	1.39
Reference Materials																					
STD AMIS256	Standard		354	5004	2479	<5															
STD AMIS256	Standard		344	5091	2605	7															
STD AMIS256	Standard		325	5015	2412	48															
STD CDN-ME-14	Standard						0.001	1.219	0.50	3.07	46	0.002	0.017	0.09	17.89	<0.02	<0.01	0.009	<0.01	0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.642	<0.02	0.01	3	0.912	0.016	0.12	13.80	<0.02	0.03	<0.001	<0.01	<0.01	4.22
STD CDN-ME-14	Standard						0.002	1.238	0.50	3.16	44	0.002	0.017	0.09	17.62	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.659	<0.02	0.01	3	0.893	0.016	0.12	13.93	<0.02	0.03	<0.001	<0.01	<0.01	4.22
STD CDN-ME-14	Standard						0.001	1.222	0.49	3.05	47	0.002	0.018	0.09	18.01	<0.02	<0.01	0.010	<0.01	<0.01	0.70
STD CDN-ME-9	Standard						<0.001	0.668	<0.02	0.01	4	0.978	0.017	0.12	13.92	<0.02	0.03	<0.001	<0.01	<0.01	4.08
STD CDN-ME-14	Standard						0.002	1.259	0.46	3.05	45	<0.001	0.017	0.09	17.82	<0.02	<0.01	0.009	<0.01	0.01	0.73

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 10, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000564.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte		P	Cr	Mg	Al	Na	K	W	S
Unit		%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1462591	Drill Core	0.01	0.257	21.08	1.10	<0.01	0.01	<0.01	0.15
REP 1462591	QC	0.01	0.267	21.22	1.11	<0.01	0.02	<0.01	0.14
1462600	Rock Pulp	0.03	0.167	15.72	2.66	0.04	0.16	<0.01	1.29
REP 1462600	QC								
REP 1462635	QC								
1462659B	Drill Core	0.02	0.323	19.67	0.98	<0.01	0.10	<0.01	0.96
REP 1462659B	QC	0.02	0.321	19.87	0.98	<0.01	0.10	<0.01	0.95
1462669	Drill Core	0.02	0.329	19.04	1.14	<0.01	0.13	<0.01	0.58
REP 1462669	QC								
1462681	Drill Core	<0.01	0.287	19.89	1.15	0.02	0.04	<0.01	0.53
REP 1462681	QC	<0.01	0.296	19.82	1.15	0.02	0.05	<0.01	0.53
REP 1462626	QC	0.04	0.025	1.84	3.88	1.03	0.83	<0.01	14.71
Core Reject Duplicates									
1462635	Drill Core	0.03	0.032	5.50	7.52	0.06	0.01	<0.01	0.06
DUP 1462635	QC	0.03	0.028	5.35	7.42	0.05	<0.01	<0.01	0.05
1462672	Drill Core	0.01	0.334	19.59	1.38	<0.01	0.07	<0.01	0.61
DUP 1462672	QC	0.01	0.289	19.47	1.33	<0.01	0.07	<0.01	0.54
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.01	0.002	1.27	4.44	0.50	1.57	0.02	16.91
STD CDN-ME-9	Standard	0.06	0.027	4.17	6.67	1.84	0.63	<0.01	2.56
STD CDN-ME-14	Standard	0.02	0.001	1.29	4.32	0.52	1.65	<0.01	15.76
STD CDN-ME-9	Standard	0.06	0.031	4.03	6.58	1.77	0.63	<0.01	2.59
STD CDN-ME-14	Standard	0.02	0.003	1.29	4.13	0.53	1.39	<0.01	16.73
STD CDN-ME-9	Standard	0.06	0.030	4.07	6.53	1.82	0.80	<0.01	2.63
STD CDN-ME-14	Standard	0.02	0.002	1.27	4.25	0.55	1.77	<0.01	16.85

QUALITY CONTROL REPORT

WHI13000564.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-ME-14	Standard						0.001	1.224	0.49	3.10	44	0.002	0.017	0.09	17.81	<0.02	<0.01	0.009	<0.01	<0.01	0.74
STD CDN-ME-9	Standard						<0.001	0.666	<0.02	<0.01	4	0.989	0.017	0.11	13.86	<0.02	0.03	<0.001	<0.01	<0.01	4.10
STD CDN-PGMS-23	Standard		523	493	2192	<5															
STD CDN-PGMS-23	Standard		513	482	2150	<5															
STD CDN-PGMS-23	Standard		523	464	2172	<5															
STD CDN-PGMS-23	Standard		525	456	2040	<5															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.21	<0.02	0.07	<0.001	<0.01	<0.01	2.36
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.34	<0.02	0.07	<0.001	<0.01	<0.01	2.51

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 10, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000564.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-ME-14	Standard	0.01	0.003	1.25	4.33	0.52	1.70	<0.01	15.93
STD CDN-ME-9	Standard	0.07	0.028	3.98	6.52	1.83	0.62	<0.01	2.70
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.07	0.001	0.62	7.71	2.60	1.32	<0.01	0.05
G1-WHI	Prep Blank	0.07	0.002	0.67	7.60	2.65	1.36	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 04, 2013
Report Date: January 09, 2014
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000544.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 131

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	4	Split samples by riffle splitter			WHI
3B	131	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	131	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method	Analyte	Unit	MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD			
					Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
					kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
					0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555135	Drill Core	4.46	56	625	359	<5	<0.001	0.146	<0.02	<0.01	<2	0.418	0.019	0.14	11.64	<0.02	<0.01	<0.001	<0.01	<0.01	1.24			
1555136	Drill Core	2.98	38	328	439	<5	<0.001	0.195	<0.02	<0.01	<2	0.373	0.018	0.14	10.90	<0.02	<0.01	<0.001	<0.01	<0.01	2.50			
1555137	Drill Core	3.69	37	273	319	<5	<0.001	0.203	<0.02	<0.01	<2	0.306	0.019	0.15	11.21	<0.02	<0.01	<0.001	<0.01	<0.01	2.18			
1555138	Drill Core	3.78	45	266	281	6	<0.001	0.207	<0.02	<0.01	<2	0.284	0.019	0.16	11.73	<0.02	<0.01	<0.001	<0.01	<0.01	1.94			
1555139	Drill Core	3.55	27	80	64	<5	<0.001	0.128	<0.02	<0.01	<2	0.175	0.016	0.15	11.09	<0.02	<0.01	<0.001	<0.01	<0.01	1.67			
1555140	Drill Core	3.83	12	70	54	<5	<0.001	0.115	<0.02	<0.01	<2	0.158	0.015	0.15	10.82	<0.02	<0.01	<0.001	<0.01	<0.01	2.83			
1555141	Drill Core	2.93	16	120	186	<5	<0.001	0.085	<0.02	<0.01	<2	0.234	0.013	0.14	9.16	<0.02	<0.01	<0.001	<0.01	<0.01	2.07			
1555142	Drill Core	3.32	10	135	213	<5	<0.001	0.088	<0.02	<0.01	<2	0.239	0.013	0.14	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	2.18			
1555143	Drill Core	2.45	27	184	293	<5	<0.001	0.129	<0.02	<0.01	<2	0.276	0.014	0.14	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	2.01			
1555144	Drill Core	2.95	22	114	181	<5	<0.001	0.076	<0.02	<0.01	<2	0.246	0.013	0.14	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	2.15			
1555145	Drill Core	2.93	23	129	199	<5	<0.001	0.099	<0.02	<0.01	<2	0.245	0.013	0.14	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	1.86			
1555146	Drill Core	3.04	19	141	217	<5	<0.001	0.094	<0.02	<0.01	<2	0.231	0.013	0.14	9.11	<0.02	<0.01	<0.001	<0.01	<0.01	1.87			
1555147	Drill Core	3.33	17	121	164	<5	<0.001	0.070	<0.02	<0.01	<2	0.195	0.012	0.14	8.87	<0.02	<0.01	<0.001	<0.01	<0.01	3.90			
1555148	Drill Core	2.52	11	116	151	<5	<0.001	0.073	<0.02	<0.01	<2	0.187	0.011	0.14	8.30	<0.02	<0.01	<0.001	<0.01	<0.01	4.31			
1555149A	Drill Core	2.74	26	154	208	<5	<0.001	0.104	<0.02	<0.01	<2	0.227	0.012	0.13	8.02	<0.02	<0.01	<0.001	<0.01	<0.01	6.34			
1555149B	Drill Core		35	171	226	<5	<0.001	0.106	<0.02	<0.01	<2	0.229	0.012	0.13	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	6.26			
1555150	Rock Pulp	0.07	49	457	648	13	<0.001	0.299	<0.02	0.01	<2	0.439	0.020	0.14	11.00	<0.02	<0.01	<0.001	<0.01	<0.01	2.49			
1555151	Rock	1.08	19	130	174	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.44	<0.02	<0.01	<0.001	<0.01	<0.01	20.58			
1555152	Drill Core	3.03	3	<3	3	<5	<0.001	0.076	<0.02	<0.01	<2	0.203	0.011	0.12	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	8.34			
1555153	Drill Core	2.94	14	132	208	<5	<0.001	0.063	<0.02	<0.01	<2	0.245	0.012	0.13	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	3.12			
1555154	Drill Core	3.07	8	119	188	<5	<0.001	0.067	<0.02	<0.01	<2	0.228	0.012	0.13	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	2.67			
1555155	Drill Core	3.25	14	122	178	<5	<0.001	0.070	<0.02	<0.01	<2	0.194	0.011	0.13	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	2.81			
1555156	Drill Core	2.79	12	111	148	<5	<0.001	0.074	<0.02	<0.01	<2	0.201	0.011	0.13	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	1.81			
1555157	Drill Core	3.29	14	122	170	<5	<0.001	0.070	<0.02	<0.01	<2	0.181	0.009	0.11	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	6.49			
1555158	Drill Core	2.79	12	100	101	<5	<0.001	0.057	<0.02	<0.01	<2	0.191	0.010	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	5.20			
1555159	Drill Core	2.53	20	119	131	<5	<0.001	0.033	<0.02	<0.01	<2	0.189	0.010	0.13	7.41	<0.02	0.02	<0.001	<0.01	<0.01	7.61			
1555160	Drill Core	6.01	3	<3	4	<5	<0.001	<0.001	<0.02	<0.01	<2	0.022	<0.001	0.02	0.86	<0.02	<0.01	<0.001	<0.01	<0.01	2.33			
1555161	Drill Core	2.39	33	180	251	<5	<0.001	0.134	<0.02	<0.01	<2	0.286	0.012	0.14	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	3.03			
1555162	Drill Core	1.57	50	331	511	<5	<0.001	0.234	<0.02	<0.01	<2	0.397	0.015	0.11	10.42	<0.02	<0.01	<0.001	<0.01	<0.01	1.44			
1555163	Drill Core	1.52	22	386	547	8	<0.001	0.247	<0.02	<0.01	<2	0.394	0.015	0.13	9.96	<0.02	<0.01	<0.001	<0.01	<0.01	3.87			

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555135	Drill Core	0.01	0.321	19.21	1.29	0.01	0.19	<0.01	0.69
1555136	Drill Core	0.01	0.313	18.35	1.30	0.01	0.22	<0.01	1.01
1555137	Drill Core	0.01	0.220	18.02	1.28	<0.01	0.10	<0.01	0.97
1555138	Drill Core	0.02	0.109	17.88	1.32	0.01	0.18	<0.01	0.97
1555139	Drill Core	0.02	0.230	17.67	1.98	0.03	0.23	<0.01	0.78
1555140	Drill Core	0.02	0.220	16.76	2.25	0.03	0.19	<0.01	0.94
1555141	Drill Core	0.02	0.289	18.50	2.08	0.03	0.11	<0.01	0.13
1555142	Drill Core	0.02	0.307	18.42	2.06	0.03	0.11	<0.01	0.13
1555143	Drill Core	0.02	0.306	17.79	2.04	0.04	0.12	<0.01	0.13
1555144	Drill Core	0.02	0.312	18.53	2.03	0.03	0.11	<0.01	0.13
1555145	Drill Core	0.02	0.283	18.56	1.97	0.03	0.12	<0.01	0.24
1555146	Drill Core	0.02	0.287	18.37	2.10	0.03	0.15	<0.01	0.23
1555147	Drill Core	0.02	0.296	16.69	2.14	0.03	0.10	<0.01	0.06
1555148	Drill Core	0.02	0.247	16.52	2.24	0.03	0.10	<0.01	0.08
1555149A	Drill Core	0.02	0.269	15.09	2.05	0.04	0.12	<0.01	0.19
1555149B	Drill Core	0.02	0.276	15.29	2.07	0.04	0.12	<0.01	0.19
1555150	Rock Pulp	0.03	0.235	15.56	2.64	0.04	0.16	<0.01	1.19
1555151	Rock	0.01	0.001	12.32	0.16	<0.01	0.05	<0.01	<0.05
1555152	Drill Core	0.02	0.262	14.02	1.97	0.03	0.11	<0.01	0.19
1555153	Drill Core	0.02	0.285	17.90	2.10	0.02	0.12	<0.01	0.06
1555154	Drill Core	0.02	0.282	17.34	2.11	0.02	0.12	<0.01	<0.05
1555155	Drill Core	0.02	0.256	16.94	2.19	0.03	0.15	<0.01	<0.05
1555156	Drill Core	0.02	0.268	17.10	2.27	0.05	0.18	<0.01	0.09
1555157	Drill Core	0.03	0.186	13.62	2.74	0.04	0.09	<0.01	<0.05
1555158	Drill Core	0.04	0.206	14.05	3.08	0.05	0.10	<0.01	<0.05
1555159	Drill Core	0.02	0.234	11.97	2.39	0.04	0.28	<0.01	<0.05
1555160	Drill Core	0.02	0.003	0.27	3.96	4.17	1.01	<0.01	<0.05
1555161	Drill Core	0.03	0.219	15.19	2.59	0.03	0.08	<0.01	0.07
1555162	Drill Core	0.02	0.240	15.14	2.97	0.03	0.08	<0.01	0.10
1555163	Drill Core	0.02	0.242	14.41	2.67	0.06	0.05	<0.01	0.09

CERTIFICATE OF ANALYSIS

WHI13000544.1

Method Analyte Unit MDL		WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555164	Drill Core	2.10	57	391	586	16	<0.001	0.235	<0.02	<0.01	<2	0.395	0.015	0.14	10.22	<0.02	<0.01	<0.001	<0.01	<0.01	3.30
1555165	Drill Core	0.92	55	322	442	<5	<0.001	0.181	<0.02	<0.01	<2	0.323	0.013	0.13	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	3.18
1555166	Drill Core	0.48	32	289	401	6	<0.001	0.174	<0.02	0.01	<2	0.320	0.012	0.14	9.83	<0.02	<0.01	<0.001	<0.01	<0.01	2.77
1555167	Drill Core	3.00	50	352	546	<5	<0.001	0.233	<0.02	<0.01	<2	0.371	0.015	0.13	9.48	0.05	0.01	<0.001	<0.01	<0.01	3.32
1555168	Drill Core	2.50	23	291	360	<5	<0.001	0.241	<0.02	<0.01	<2	0.481	0.017	0.12	10.04	0.03	0.01	<0.001	<0.01	<0.01	3.73
1555169	Drill Core	3.08	54	273	407	15	<0.001	0.186	<0.02	0.01	<2	0.317	0.015	0.14	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	1.74
1555170	Drill Core	2.66	39	288	394	<5	<0.001	0.183	<0.02	0.01	<2	0.338	0.013	0.14	9.92	<0.02	<0.01	<0.001	<0.01	<0.01	2.36
1555171	Drill Core	0.60	23	218	236	<5	<0.001	0.116	<0.02	<0.01	<2	0.218	0.010	0.14	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	3.38
1555172	Drill Core	4.07	33	273	292	<5	<0.001	0.109	<0.02	<0.01	<2	0.206	0.010	0.13	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	5.42
1555173	Drill Core	2.13	28	189	222	<5	<0.001	0.096	<0.02	<0.01	<2	0.226	0.011	0.12	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	3.28
1555174	Drill Core	3.24	30	176	220	<5	<0.001	0.101	<0.02	<0.01	<2	0.199	0.009	0.13	8.29	<0.02	0.01	<0.001	<0.01	<0.01	5.95
1555175	Rock Pulp	0.07	54	452	639	<5	<0.001	0.308	<0.02	0.02	<2	0.461	0.021	0.15	11.70	<0.02	<0.01	<0.001	<0.01	<0.01	2.58
1555176	Drill Core	4.12	19	177	212	<5	<0.001	0.073	<0.02	<0.01	<2	0.158	0.008	0.12	6.78	0.04	0.03	<0.001	<0.01	<0.01	10.48
1555177	Drill Core	5.73	8	57	71	<5	<0.001	0.035	<0.02	<0.01	<2	0.047	0.002	0.05	3.16	0.03	0.02	<0.001	<0.01	<0.01	4.90
1555178	Drill Core	2.41	18	166	257	16	<0.001	0.130	<0.02	<0.01	<2	0.297	0.014	0.12	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	3.15
1555179A	Drill Core	2.26	8	101	146	<5	<0.001	0.111	<0.02	<0.01	<2	0.278	0.013	0.12	9.06	<0.02	<0.01	<0.001	<0.01	<0.01	2.65
1555179B	Drill Core		9	112	163	<5	<0.001	0.110	<0.02	<0.01	<2	0.278	0.013	0.12	9.00	<0.02	<0.01	<0.001	<0.01	<0.01	2.65
1555180	Drill Core	1.53	52	160	246	<5	<0.001	0.103	<0.02	<0.01	<2	0.284	0.013	0.12	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	2.43
1555181	Rock	1.64	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.45	<0.02	<0.01	<0.001	<0.01	<0.01	20.16
1555182	Drill Core	1.68	21	149	245	<5	<0.001	0.123	<0.02	<0.01	<2	0.283	0.013	0.13	9.18	<0.02	<0.01	<0.001	<0.01	<0.01	2.34
1555183	Drill Core	1.42	14	124	191	<5	<0.001	0.158	<0.02	<0.01	<2	0.308	0.014	0.11	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	2.18
1555184	Drill Core	1.04	13	131	216	<5	<0.001	0.104	<0.02	<0.01	<2	0.185	0.010	0.12	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	7.46
1555185	Drill Core	1.00	12	143	230	<5	<0.001	0.101	<0.02	<0.01	<2	0.277	0.012	0.12	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	2.25
1555186	Drill Core	0.52	21	193	303	<5	<0.001	0.133	<0.02	<0.01	<2	0.326	0.013	0.12	9.01	<0.02	<0.01	<0.001	<0.01	<0.01	3.92
1555187	Drill Core	1.91	16	121	195	<5	<0.001	0.111	<0.02	<0.01	<2	0.270	0.012	0.11	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	2.63
1555188	Drill Core	2.10	7	104	157	<5	<0.001	0.059	<0.02	<0.01	<2	0.172	0.008	0.13	8.04	<0.02	0.01	<0.001	<0.01	<0.01	6.72
1555189	Drill Core	2.98	54	185	252	<5	<0.001	0.131	<0.02	0.01	<2	0.221	0.011	0.11	8.13	0.02	0.02	<0.001	<0.01	<0.01	7.15
1555190	Drill Core	4.47	5	5	12	<5	<0.001	0.007	<0.02	0.03	<2	0.008	0.002	0.06	3.75	<0.02	0.04	<0.001	<0.01	<0.01	5.22
1555191	Drill Core	6.49	36	197	268	<5	<0.001	0.103	<0.02	<0.01	<2	0.291	0.016	0.12	9.12	<0.02	<0.01	<0.001	<0.01	<0.01	0.28
1555192	Drill Core	3.09	37	193	303	<5	<0.001	0.113	<0.02	<0.01	<2	0.337	0.017	0.10	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.10

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555164	Drill Core	0.03	0.235	14.60	2.88	0.11	0.12	<0.01	0.19
1555165	Drill Core	0.03	0.222	13.96	2.94	0.07	0.15	<0.01	0.15
1555166	Drill Core	0.03	0.234	14.01	3.57	0.11	0.12	<0.01	<0.05
1555167	Drill Core	0.02	0.306	13.39	2.51	0.03	0.03	<0.01	0.12
1555168	Drill Core	0.02	0.235	14.38	2.55	0.02	0.03	<0.01	<0.05
1555169	Drill Core	0.02	0.246	14.82	2.58	0.08	0.23	<0.01	0.25
1555170	Drill Core	0.03	0.226	15.15	2.97	0.12	0.26	<0.01	0.14
1555171	Drill Core	0.03	0.190	14.66	3.26	0.18	0.39	<0.01	0.16
1555172	Drill Core	0.03	0.159	12.84	3.70	0.23	0.17	<0.01	0.10
1555173	Drill Core	0.03	0.245	14.63	2.98	0.13	0.17	<0.01	<0.05
1555174	Drill Core	0.03	0.207	12.83	2.97	0.08	0.14	<0.01	<0.05
1555175	Rock Pulp	0.03	0.236	16.06	2.71	0.04	0.17	<0.01	1.12
1555176	Drill Core	0.02	0.164	9.44	2.99	0.01	0.17	<0.01	0.09
1555177	Drill Core	0.04	0.031	1.79	6.69	3.13	1.11	<0.01	0.06
1555178	Drill Core	0.02	0.246	17.35	2.35	0.04	0.07	<0.01	0.24
1555179A	Drill Core	0.02	0.240	17.16	2.41	0.05	0.08	<0.01	0.17
1555179B	Drill Core	0.02	0.241	17.25	2.41	0.04	0.08	<0.01	0.18
1555180	Drill Core	0.02	0.242	17.56	2.47	0.05	0.08	<0.01	0.17
1555181	Rock	0.01	<0.001	12.21	0.06	<0.01	0.02	<0.01	<0.05
1555182	Drill Core	0.02	0.240	17.34	2.49	0.05	0.11	<0.01	0.26
1555183	Drill Core	0.02	0.254	16.75	2.36	0.05	0.12	<0.01	0.21
1555184	Drill Core	0.02	0.175	11.75	3.05	0.07	0.07	<0.01	0.26
1555185	Drill Core	0.02	0.251	17.23	2.39	0.04	0.07	<0.01	0.20
1555186	Drill Core	0.02	0.245	16.46	2.42	0.04	0.07	<0.01	0.25
1555187	Drill Core	0.02	0.259	15.94	2.73	0.05	0.06	<0.01	0.13
1555188	Drill Core	0.03	0.137	12.47	3.43	0.10	0.03	<0.01	<0.05
1555189	Drill Core	0.02	0.197	11.64	2.73	0.10	0.07	<0.01	0.60
1555190	Drill Core	0.07	0.007	1.72	7.71	3.55	2.30	<0.01	0.26
1555191	Drill Core	<0.01	0.322	22.03	0.77	<0.01	<0.01	<0.01	0.22
1555192	Drill Core	<0.01	0.370	22.39	0.72	<0.01	<0.01	<0.01	0.29

CERTIFICATE OF ANALYSIS

WHI13000544.1

Method Analyte Unit MDL		WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555193	Drill Core	7.08	36	220	330	<5	<0.001	0.112	<0.02	<0.01	<2	0.359	0.018	0.10	9.39	<0.02	<0.01	<0.001	<0.01	<0.01	0.07
1555194	Drill Core	7.44	30	249	369	<5	<0.001	0.126	<0.02	<0.01	<2	0.386	0.017	0.11	9.43	<0.02	<0.01	<0.001	<0.01	<0.01	0.48
1555195	Drill Core	6.61	23	203	281	<5	<0.001	0.113	<0.02	0.02	<2	0.318	0.016	0.11	9.39	<0.02	<0.01	<0.001	<0.01	<0.01	0.19
1555196	Drill Core	2.03	25	168	215	<5	<0.001	0.088	<0.02	<0.01	<2	0.263	0.015	0.11	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	0.20
1555197	Drill Core	4.70	33	58	87	<5	<0.001	0.050	<0.02	<0.01	<2	0.104	0.007	0.14	8.88	<0.02	<0.01	<0.001	<0.01	<0.01	10.46
1555198	Drill Core	5.02	7	67	89	<5	<0.001	0.036	<0.02	<0.01	<2	0.091	0.007	0.14	8.11	<0.02	<0.01	<0.001	<0.01	<0.01	11.39
1555199	Drill Core	3.40	33	195	273	<5	<0.001	0.106	<0.02	<0.01	<2	0.315	0.016	0.11	8.73	<0.02	<0.01	<0.001	<0.01	<0.01	0.12
1555200	Rock Pulp	0.06	54	471	643	<5	<0.001	0.303	<0.02	0.01	<2	0.446	0.020	0.14	11.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.53
1555201	Drill Core	4.07	42	196	278	<5	<0.001	0.110	<0.02	<0.01	<2	0.308	0.016	0.12	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.19
1555202	Drill Core	4.46	45	282	454	<5	<0.001	0.183	<0.02	<0.01	<2	0.403	0.018	0.11	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	0.12
1555203	Drill Core	4.62	37	276	438	<5	<0.001	0.146	<0.02	<0.01	<2	0.381	0.017	0.11	9.49	<0.02	<0.01	<0.001	<0.01	<0.01	0.26
1555204	Drill Core	2.96	29	230	368	<5	<0.001	0.133	<0.02	<0.01	<2	0.367	0.017	0.11	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	0.19
1555205	Drill Core	1.61	9	55	89	<5	<0.001	0.030	<0.02	<0.01	<2	0.088	0.006	0.13	6.35	<0.02	<0.01	<0.001	<0.01	<0.01	12.37
1555206	Drill Core	1.33	25	80	135	<5	<0.001	0.038	<0.02	<0.01	<2	0.131	0.008	0.12	8.25	<0.02	<0.01	<0.001	<0.01	<0.01	8.37
1555207	Drill Core	3.10	18	183	287	<5	<0.001	0.083	<0.02	<0.01	<2	0.316	0.016	0.10	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	0.89
1555208	Drill Core	0.82	12	128	174	<5	<0.001	0.030	<0.02	<0.01	<2	0.247	0.015	0.12	9.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.18
1555209A	Drill Core	2.84	17	175	265	<5	<0.001	0.075	<0.02	<0.01	<2	0.320	0.017	0.11	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	0.24
1555209B	Drill Core		15	181	270	<5	<0.001	0.075	<0.02	<0.01	<2	0.319	0.016	0.11	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.24
1555210	Drill Core	4.64	19	142	233	<5	<0.001	0.088	<0.02	<0.01	<2	0.266	0.015	0.12	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	0.59
1555211	Rock	1.28	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.41	<0.02	<0.01	<0.001	<0.01	<0.01	20.05
1555212	Drill Core	2.92	26	194	283	<5	<0.001	0.099	<0.02	<0.01	<2	0.311	0.017	0.11	9.79	<0.02	<0.01	<0.001	<0.01	<0.01	0.10
1555213	Drill Core	2.56	22	167	208	<5	<0.001	0.093	<0.02	<0.01	<2	0.256	0.014	0.13	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	2.82
1555214	Drill Core	7.40	7	42	65	<5	<0.001	0.029	<0.02	<0.01	<2	0.082	0.006	0.14	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	14.07
1555215	Drill Core	3.88	17	218	322	<5	<0.001	0.131	<0.02	<0.01	<2	0.330	0.017	0.11	9.69	<0.02	<0.01	<0.001	<0.01	<0.01	0.21
1555216	Drill Core	3.26	20	208	287	<5	<0.001	0.127	<0.02	<0.01	<2	0.332	0.018	0.11	9.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.36
1555217	Drill Core	3.38	28	274	376	<5	<0.001	0.184	<0.02	<0.01	<2	0.370	0.017	0.11	9.32	<0.02	<0.01	<0.001	<0.01	<0.01	0.56
1555218	Drill Core	3.05	33	324	419	<5	<0.001	0.148	<0.02	<0.01	<2	0.379	0.017	0.11	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	0.71
1555219	Drill Core	4.40	23	228	313	<5	<0.001	0.145	<0.02	<0.01	<2	0.311	0.015	0.12	8.81	<0.02	<0.01	<0.001	<0.01	<0.01	1.13
1555220	Drill Core	4.27	39	382	453	<5	<0.001	0.173	<0.02	<0.01	<2	0.396	0.018	0.12	9.69	<0.02	<0.01	<0.001	<0.01	<0.01	0.65
1555221	Drill Core	5.69	38	367	412	<5	<0.001	0.150	<0.02	<0.01	<2	0.358	0.017	0.12	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.72

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555193 Drill Core	<0.01	0.349	21.43	0.74	<0.01	<0.01	<0.01	0.42
1555194 Drill Core	<0.01	0.375	21.05	0.79	<0.01	<0.01	<0.01	0.43
1555195 Drill Core	<0.01	0.321	21.83	0.76	0.04	<0.01	<0.01	0.34
1555196 Drill Core	<0.01	0.321	21.62	0.93	<0.01	<0.01	<0.01	0.26
1555197 Drill Core	0.07	0.118	10.29	5.29	<0.01	<0.01	<0.01	0.11
1555198 Drill Core	0.06	0.106	9.15	5.04	<0.01	<0.01	<0.01	0.20
1555199 Drill Core	<0.01	0.323	20.68	0.82	<0.01	0.02	<0.01	0.59
1555200 Rock Pulp	0.03	0.228	15.83	2.68	0.04	0.16	<0.01	1.21
1555201 Drill Core	<0.01	0.329	21.78	0.88	0.04	0.04	<0.01	0.46
1555202 Drill Core	<0.01	0.274	20.67	0.80	<0.01	0.01	<0.01	0.41
1555203 Drill Core	<0.01	0.258	20.49	0.80	<0.01	0.02	<0.01	0.48
1555204 Drill Core	<0.01	0.287	20.61	0.83	<0.01	0.01	<0.01	0.55
1555205 Drill Core	0.03	0.081	8.24	4.94	0.04	0.01	<0.01	0.19
1555206 Drill Core	0.05	0.103	10.80	4.70	<0.01	0.01	<0.01	0.31
1555207 Drill Core	<0.01	0.293	19.68	0.95	<0.01	0.01	<0.01	0.64
1555208 Drill Core	0.01	0.290	20.30	0.91	<0.01	0.02	<0.01	0.33
1555209A Drill Core	<0.01	0.270	20.39	0.87	<0.01	0.01	<0.01	0.60
1555209B Drill Core	<0.01	0.280	20.31	0.87	<0.01	0.01	<0.01	0.61
1555210 Drill Core	0.01	0.241	19.84	0.97	<0.01	0.02	<0.01	0.55
1555211 Rock	0.02	0.002	11.96	0.11	<0.01	0.06	<0.01	<0.05
1555212 Drill Core	<0.01	0.281	20.33	0.97	<0.01	0.01	<0.01	0.57
1555213 Drill Core	0.02	0.225	17.64	1.88	<0.01	0.01	<0.01	0.51
1555214 Drill Core	0.05	0.095	8.47	4.13	<0.01	<0.01	<0.01	0.17
1555215 Drill Core	<0.01	0.253	19.80	0.97	<0.01	0.01	<0.01	0.62
1555216 Drill Core	<0.01	0.271	19.64	1.02	<0.01	0.01	<0.01	0.58
1555217 Drill Core	0.01	0.233	19.70	1.03	<0.01	0.02	<0.01	0.70
1555218 Drill Core	<0.01	0.259	19.46	1.03	<0.01	0.02	<0.01	0.72
1555219 Drill Core	<0.01	0.220	19.31	1.04	<0.01	0.02	<0.01	0.64
1555220 Drill Core	0.01	0.246	19.91	1.05	<0.01	0.02	<0.01	0.72
1555221 Drill Core	0.01	0.215	19.63	1.08	<0.01	0.02	<0.01	0.77

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555222	Drill Core	4.59	33	369	395	<5	<0.001	0.118	<0.02	<0.01	<2	0.326	0.017	0.12	9.64	<0.02	<0.01	<0.001	<0.01	<0.01	0.96
1555223	Drill Core	4.97	53	433	441	<5	<0.001	0.159	<0.02	<0.01	<2	0.343	0.017	0.12	9.81	<0.02	<0.01	<0.001	<0.01	<0.01	0.62
1555224	Drill Core	5.37	78	460	464	<5	<0.001	0.148	<0.02	<0.01	<2	0.347	0.017	0.12	9.82	<0.02	<0.01	<0.001	<0.01	<0.01	0.78
1555225	Rock Pulp	0.06	52	451	629	<5	<0.001	0.293	<0.02	0.01	<2	0.435	0.021	0.14	11.03	<0.02	<0.01	<0.001	<0.01	<0.01	2.38
1555226	Drill Core	4.62	41	309	293	<5	<0.001	0.084	<0.02	<0.01	<2	0.263	0.015	0.12	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	0.54
1555227	Drill Core	4.80	32	261	217	<5	<0.001	0.095	<0.02	<0.01	<2	0.241	0.015	0.13	9.37	<0.02	<0.01	<0.001	<0.01	<0.01	0.58
1555228	Drill Core	6.95	15	192	168	<5	<0.001	0.056	<0.02	<0.01	<2	0.196	0.012	0.13	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	4.55
1555229	Drill Core	5.69	4	4	4	<5	<0.001	0.005	<0.02	<0.01	<2	0.004	<0.001	0.06	5.03	<0.02	0.01	<0.001	<0.01	<0.01	1.36
1555230	Drill Core	0.33	680	978	821	<5	0.004	2.566	<0.02	0.01	7	0.230	0.009	0.45	13.76	<0.02	0.01	<0.001	<0.01	<0.01	15.43
1555231	Drill Core	2.06	287	1847	228	<5	<0.001	0.269	<0.02	<0.01	<2	0.040	0.001	0.12	4.26	<0.02	0.02	<0.001	<0.01	<0.01	5.73
1555232	Drill Core	2.32	360	1429	1070	8	<0.001	1.974	<0.02	0.01	6	0.717	0.039	0.06	19.38	<0.02	0.03	<0.001	<0.01	<0.01	7.61
1555233	Drill Core	0.58	50	225	395	<5	<0.001	0.550	<0.02	<0.01	<2	0.080	0.005	0.04	8.19	<0.02	0.03	<0.001	<0.01	<0.01	4.19
1555234	Drill Core	2.13	131	1705	1074	<5	<0.001	2.401	<0.02	0.01	6	0.573	0.032	0.09	19.01	<0.02	0.04	<0.001	<0.01	<0.01	7.84
1555235	Drill Core	2.44	15	38	221	<5	<0.001	0.028	<0.02	<0.01	<2	0.034	0.007	0.02	1.77	<0.02	0.02	<0.001	<0.01	<0.01	1.40
1555236	Drill Core	3.22	5	<3	2	<5	<0.001	0.008	<0.02	<0.01	<2	0.002	<0.001	0.02	1.26	<0.02	0.02	<0.001	<0.01	<0.01	1.47
1555237	Drill Core	4.84	54	426	227	<5	<0.001	0.363	<0.02	<0.01	2	0.187	0.014	0.14	8.26	0.05	0.01	<0.001	<0.01	<0.01	10.01
1555238	Drill Core	4.64	14	10	8	<5	<0.001	0.013	<0.02	<0.01	<2	0.006	<0.001	0.02	1.48	<0.02	0.02	<0.001	<0.01	<0.01	1.67
1555239B	Drill Core		52	552	325	<5	<0.001	0.441	<0.02	<0.01	3	0.162	0.011	0.14	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	9.13
1555239A	Drill Core	3.43	44	569	328	<5	<0.001	0.437	<0.02	<0.01	3	0.162	0.011	0.14	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	9.23
1555240	Drill Core	2.54	60	813	430	<5	<0.001	0.525	<0.02	<0.01	3	0.412	0.024	0.18	12.59	<0.02	<0.01	<0.001	<0.01	<0.01	8.60
1555241	Rock	0.69	<2	3	3	<5	<0.001	0.002	<0.02	<0.01	<2	0.002	<0.001	0.02	0.52	<0.02	<0.01	<0.001	<0.01	<0.01	20.37
1555242	Drill Core	5.58	64	381	206	<5	<0.001	0.257	<0.02	<0.01	<2	0.158	0.012	0.14	8.56	<0.02	0.01	<0.001	<0.01	<0.01	8.82
1555243	Drill Core	3.01	163	1020	514	<5	<0.001	0.933	<0.02	0.02	8	0.505	0.025	0.16	12.80	<0.02	<0.01	<0.001	<0.01	<0.01	9.91
1555244	Drill Core	0.74	10	5	4	<5	<0.001	0.011	<0.02	<0.01	<2	0.006	<0.001	0.19	6.33	<0.02	0.01	<0.001	<0.01	<0.01	13.66
1555245	Drill Core	5.75	35	426	348	<5	<0.001	0.338	<0.02	<0.01	<2	0.306	0.013	0.14	8.36	<0.02	<0.01	<0.001	<0.01	<0.01	11.76
1555246	Drill Core	3.20	2	5	26	<5	<0.001	0.018	<0.02	<0.01	<2	0.008	0.002	0.17	9.18	<0.02	0.04	<0.001	<0.01	<0.01	8.25
1555247	Drill Core	3.06	4	6	24	<5	<0.001	0.020	<0.02	<0.01	<2	0.006	0.002	0.16	9.06	<0.02	0.04	<0.001	<0.01	<0.01	6.92
1555248	Drill Core	3.66	5	6	25	<5	<0.001	0.023	<0.02	<0.01	<2	0.007	0.002	0.16	9.44	<0.02	0.06	<0.001	<0.01	<0.01	7.33
1555249	Drill Core	4.47	87	296	308	<5	<0.001	0.217	<0.02	0.01	4	0.243	0.013	0.13	9.85	<0.02	<0.01	0.001	<0.01	<0.01	8.79
1555250	Rock Pulp	0.06	62	456	645	<5	<0.001	0.307	<0.02	0.01	<2	0.455	0.021	0.14	11.40	<0.02	<0.01	<0.001	<0.01	<0.01	2.53

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555222	Drill Core	0.01	0.232	19.26	1.23	<0.01	0.02	<0.01	0.45
1555223	Drill Core	0.01	0.219	19.52	1.24	<0.01	0.02	<0.01	0.51
1555224	Drill Core	<0.01	0.228	19.27	1.21	<0.01	0.02	<0.01	0.50
1555225	Rock Pulp	0.03	0.179	14.85	2.52	0.04	0.15	<0.01	1.36
1555226	Drill Core	<0.01	0.223	19.52	1.20	<0.01	0.02	<0.01	0.32
1555227	Drill Core	0.01	0.229	19.54	1.25	<0.01	0.02	<0.01	0.36
1555228	Drill Core	0.03	0.201	16.35	2.23	<0.01	0.02	<0.01	0.28
1555229	Drill Core	0.09	0.006	1.72	7.34	2.19	1.72	<0.01	<0.05
1555230	Drill Core	0.18	0.003	1.11	4.72	0.25	0.25	<0.01	3.51
1555231	Drill Core	0.10	0.002	1.48	8.36	3.00	1.54	<0.01	0.41
1555232	Drill Core	0.06	0.007	1.14	5.05	1.11	1.37	<0.01	6.16
1555233	Drill Core	0.09	0.007	1.44	7.31	2.30	3.54	<0.01	1.10
1555234	Drill Core	0.05	0.019	2.34	5.14	0.45	1.15	<0.01	6.31
1555235	Drill Core	0.03	0.003	0.46	4.92	4.70	0.86	<0.01	0.34
1555236	Drill Core	0.03	0.002	0.45	4.52	4.87	0.86	<0.01	<0.05
1555237	Drill Core	0.02	0.074	7.67	4.27	0.30	0.80	<0.01	0.70
1555238	Drill Core	0.03	0.004	0.62	5.10	4.83	1.09	<0.01	0.09
1555239B	Drill Core	0.03	0.053	7.11	5.72	0.70	0.68	<0.01	1.11
1555239A	Drill Core	0.03	0.053	7.06	5.69	0.70	0.66	<0.01	1.22
1555240	Drill Core	0.02	0.072	7.84	4.58	0.10	0.30	<0.01	3.00
1555241	Rock	0.01	<0.001	12.43	0.13	0.01	0.03	<0.01	<0.05
1555242	Drill Core	0.07	0.054	7.47	5.64	0.27	0.83	<0.01	1.05
1555243	Drill Core	0.05	0.036	8.84	3.27	0.11	0.02	<0.01	3.90
1555244	Drill Core	0.26	0.004	5.17	8.64	0.08	0.08	<0.01	<0.05
1555245	Drill Core	0.04	0.045	8.23	4.07	0.16	0.06	<0.01	0.80
1555246	Drill Core	0.06	0.006	3.74	6.81	1.32	1.14	<0.01	<0.05
1555247	Drill Core	0.06	0.007	3.58	7.41	2.06	1.49	<0.01	<0.05
1555248	Drill Core	0.06	0.007	3.61	7.25	1.47	1.59	<0.01	<0.05
1555249	Drill Core	0.04	0.081	9.82	3.83	0.16	0.32	<0.01	1.02
1555250	Rock Pulp	0.03	0.205	15.86	2.72	0.04	0.16	<0.01	1.27

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555251	Drill Core	3.47	173	475	395	<5	<0.001	0.367	<0.02	<0.01	2	0.295	0.019	0.13	11.65	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
1555252	Drill Core	3.48	89	439	330	<5	<0.001	0.234	<0.02	<0.01	<2	0.287	0.018	0.15	11.31	<0.02	<0.01	<0.001	<0.01	<0.01	1.93
1555253	Drill Core	4.47	123	529	355	<5	<0.001	0.260	<0.02	<0.01	<2	0.290	0.017	0.13	10.40	<0.02	<0.01	<0.001	<0.01	<0.01	3.34
1555254	Drill Core	1.09	108	370	184	<5	<0.001	0.208	<0.02	<0.01	<2	0.187	0.016	0.15	10.11	<0.02	<0.01	<0.001	<0.01	<0.01	3.07
1555255	Drill Core	3.37	114	359	331	<5	<0.001	0.234	<0.02	<0.01	<2	0.278	0.017	0.12	9.70	<0.02	<0.01	<0.001	<0.01	<0.01	5.43
1555256	Drill Core	3.14	62	304	391	<5	<0.001	0.214	<0.02	<0.01	<2	0.343	0.017	0.12	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	1.16
1555257	Drill Core	3.02	39	235	330	<5	<0.001	0.168	<0.02	<0.01	<2	0.312	0.015	0.12	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	0.50
1555258	Drill Core	4.68	24	158	244	<5	<0.001	0.078	<0.02	<0.01	<2	0.222	0.011	0.14	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	3.82
1555259	Drill Core	5.09	80	182	295	<5	<0.001	0.118	<0.02	<0.01	<2	0.304	0.016	0.11	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	0.61
1555260	Drill Core	3.23	29	249	315	<5	<0.001	0.117	<0.02	<0.01	<2	0.337	0.017	0.11	10.17	<0.02	<0.01	<0.001	<0.01	<0.01	1.23
1555261	Drill Core	4.33	18	209	251	<5	<0.001	0.090	<0.02	<0.01	<2	0.264	0.014	0.13	8.64	<0.02	<0.01	<0.001	<0.01	<0.01	2.27

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000544.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1555251	Drill Core	0.02	0.139	15.85	2.03	0.09	0.17	<0.01
1555252	Drill Core	0.02	0.166	17.48	2.29	0.06	0.19	<0.01
1555253	Drill Core	0.02	0.163	16.92	1.95	0.03	0.15	<0.01
1555254	Drill Core	0.02	0.150	16.79	1.96	0.05	0.15	<0.01
1555255	Drill Core	0.01	0.163	16.03	1.25	0.02	0.02	<0.01
1555256	Drill Core	0.01	0.204	20.07	1.16	0.02	0.02	<0.01
1555257	Drill Core	<0.01	0.258	21.30	1.09	<0.01	0.02	<0.01
1555258	Drill Core	0.06	0.199	18.24	2.15	0.02	0.02	<0.01
1555259	Drill Core	0.01	0.285	20.82	0.98	<0.01	0.03	<0.01
1555260	Drill Core	0.02	0.299	20.52	1.02	<0.01	0.02	<0.01
1555261	Drill Core	0.04	0.246	19.69	1.78	<0.01	<0.01	<0.01

QUALITY CONTROL REPORT

WHI13000544.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1555155	Drill Core	3.25	14	122	178	<5	<0.001	0.070	<0.02	<0.01	<2	0.194	0.011	0.13	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	2.81
REP 1555155	QC						<0.001	0.071	<0.02	<0.01	<2	0.195	0.011	0.13	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	2.80
1555157	Drill Core	3.29	14	122	170	<5	<0.001	0.070	<0.02	<0.01	<2	0.181	0.009	0.11	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	6.49
REP 1555157	QC		18	147	202	<5															
1555170	Drill Core	2.66	39	288	394	<5	<0.001	0.183	<0.02	0.01	<2	0.338	0.013	0.14	9.92	<0.02	<0.01	<0.001	<0.01	<0.01	2.36
REP 1555170	QC		39	293	405	<5															
1555189	Drill Core	2.98	54	185	252	<5	<0.001	0.131	<0.02	0.01	<2	0.221	0.011	0.11	8.13	0.02	0.02	<0.001	<0.01	<0.01	7.15
REP 1555189	QC						<0.001	0.129	<0.02	0.01	<2	0.219	0.011	0.11	8.07	0.02	0.02	<0.001	<0.01	<0.01	7.10
1555202	Drill Core	4.46	45	282	454	<5	<0.001	0.183	<0.02	<0.01	<2	0.403	0.018	0.11	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	0.12
REP 1555202	QC						<0.001	0.183	<0.02	<0.01	<2	0.406	0.018	0.11	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.11
1555204	Drill Core	2.96	29	230	368	<5	<0.001	0.133	<0.02	<0.01	<2	0.367	0.017	0.11	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	0.19
REP 1555204	QC		30	215	368	<5															
1555237	Drill Core	4.84	54	426	227	<5	<0.001	0.363	<0.02	<0.01	2	0.187	0.014	0.14	8.26	0.05	0.01	<0.001	<0.01	<0.01	10.01
REP 1555237	QC						<0.001	0.364	<0.02	<0.01	2	0.189	0.013	0.14	8.28	0.05	0.01	<0.001	<0.01	<0.01	10.20
1555239B	Drill Core		52	552	325	<5	<0.001	0.441	<0.02	<0.01	3	0.162	0.011	0.14	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	9.13
REP 1555239B	QC		42	519	314	<5															
Core Reject Duplicates																					
1555171	Drill Core	0.60	23	218	236	<5	<0.001	0.116	<0.02	<0.01	<2	0.218	0.010	0.14	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	3.38
DUP 1555171	QC		27	189	211	<5	<0.001	0.117	<0.02	<0.01	<2	0.218	0.010	0.14	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	3.37
1555247	Drill Core	3.06	4	6	24	<5	<0.001	0.020	<0.02	<0.01	<2	0.006	0.002	0.16	9.06	<0.02	0.04	<0.001	<0.01	<0.01	6.92
DUP 1555247	QC		11	<3	24	<5	<0.001	0.020	<0.02	<0.01	<2	0.006	0.002	0.16	9.36	<0.02	0.04	<0.001	<0.01	<0.01	6.38
Reference Materials																					
STD AMIS256	Standard		390	5163	2595	5															
STD AMIS256	Standard		326	5010	2497	66															
STD AMIS256	Standard		332	5113	2551	104															
STD AMIS256	Standard		342	5049	2511	38															
STD CDN-ME-14	Standard						0.001	1.263	0.51	3.17	46	0.002	0.017	0.09	18.04	<0.02	<0.01	0.009	<0.01	0.01	0.74
STD CDN-ME-9	Standard						<0.001	0.650	<0.02	0.01	3	0.919	0.016	0.12	13.84	<0.02	0.03	<0.001	<0.01	<0.01	4.24

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000544.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1555155	Drill Core	0.02	0.256	16.94	2.19	0.03	0.15	<0.01	<0.05
REP 1555155	QC	0.02	0.262	16.89	2.21	0.04	0.15	<0.01	<0.05
1555157	Drill Core	0.03	0.186	13.62	2.74	0.04	0.09	<0.01	<0.05
REP 1555157	QC								
1555170	Drill Core	0.03	0.226	15.15	2.97	0.12	0.26	<0.01	0.14
REP 1555170	QC								
1555189	Drill Core	0.02	0.197	11.64	2.73	0.10	0.07	<0.01	0.60
REP 1555189	QC	0.02	0.199	11.54	2.72	0.10	0.07	<0.01	0.59
1555202	Drill Core	<0.01	0.274	20.67	0.80	<0.01	0.01	<0.01	0.41
REP 1555202	QC	<0.01	0.286	20.71	0.80	<0.01	0.01	<0.01	0.51
1555204	Drill Core	<0.01	0.287	20.61	0.83	<0.01	0.01	<0.01	0.55
REP 1555204	QC								
1555237	Drill Core	0.02	0.074	7.67	4.27	0.30	0.80	<0.01	0.70
REP 1555237	QC	0.02	0.075	7.78	4.28	0.30	0.67	<0.01	0.83
1555239B	Drill Core	0.03	0.053	7.11	5.72	0.70	0.68	<0.01	1.11
REP 1555239B	QC								
Core Reject Duplicates									
1555171	Drill Core	0.03	0.190	14.66	3.26	0.18	0.39	<0.01	0.16
DUP 1555171	QC	0.03	0.193	14.70	3.28	0.18	0.39	<0.01	0.18
1555247	Drill Core	0.06	0.007	3.58	7.41	2.06	1.49	<0.01	<0.05
DUP 1555247	QC	0.06	0.007	3.63	7.39	2.07	1.34	<0.01	<0.05
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.002	1.27	4.11	0.58	1.72	<0.01	16.42
STD CDN-ME-9	Standard	0.06	0.030	4.18	6.74	1.93	0.64	<0.01	2.44

QUALITY CONTROL REPORT

WHI13000544.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-ME-14	Standard					0.001	1.267	0.48	3.17	45	0.001	0.017	0.09	18.23	<0.02	<0.01	0.010	<0.01	0.01	0.76	
STD CDN-ME-9	Standard					<0.001	0.647	<0.02	0.01	4	0.910	0.015	0.12	13.63	<0.02	0.03	<0.001	<0.01	<0.01	4.24	
STD CDN-ME-14	Standard					0.001	1.238	0.47	3.19	45	0.002	0.017	0.09	17.91	<0.02	<0.01	0.010	<0.01	<0.01	0.75	
STD CDN-ME-9	Standard					<0.001	0.635	<0.02	0.01	3	0.918	0.016	0.12	13.59	<0.02	0.03	<0.001	<0.01	<0.01	4.07	
STD CDN-ME-14	Standard					0.001	1.276	0.49	3.18	45	0.002	0.017	0.09	17.90	<0.02	<0.01	0.009	<0.01	0.01	0.76	
STD CDN-ME-9	Standard					<0.001	0.664	<0.02	0.01	3	0.941	0.016	0.12	14.15	<0.02	0.03	<0.001	<0.01	<0.01	4.36	
STD CDN-PGMS-23	Standard		514	485	2174	<5															
STD CDN-PGMS-23	Standard		522	481	2117	<5															
STD CDN-PGMS-23	Standard		548	488	2132	7															
STD CDN-PGMS-23	Standard		494	452	2097	<5															
STD CDN-PGMS-23	Standard		507	444	2057	<5															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected							1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74	
STD CDN-ME-9 Expected							0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22	
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		3	<3	<2	<5															
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.25	<0.02	0.07	<0.001	<0.01	<0.01	2.23
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.07	<0.02	0.07	<0.001	<0.01	<0.01	2.23

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000544.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-ME-14	Standard	0.02	0.002	1.28	4.44	0.57	1.69	<0.01	15.01
STD CDN-ME-9	Standard	0.06	0.032	4.14	6.74	1.91	0.62	<0.01	2.41
STD CDN-ME-14	Standard	0.02	0.002	1.23	4.26	0.51	1.63	<0.01	16.55
STD CDN-ME-9	Standard	0.06	0.028	3.93	6.37	1.72	0.60	<0.01	2.82
STD CDN-ME-14	Standard	0.02	<0.001	1.29	4.52	0.57	2.01	<0.01	16.14
STD CDN-ME-9	Standard	0.06	0.029	4.14	6.94	1.98	0.88	<0.01	2.58
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.07	0.002	0.57	6.42	2.65	2.02	<0.01	<0.05
G1-WHI	Prep Blank	0.07	0.002	0.54	6.63	2.81	2.12	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 13, 2013
Report Date: January 09, 2014
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000561.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 149

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	139	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	5	Split samples by riffle splitter			WHI
3B	149	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	149	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1555427	Drill Core	3.07	24	287	343	<5	<0.001	0.023	<0.02	<0.01	<2	0.290	0.011	0.13	8.57	<0.02	<0.01	<0.001	<0.01	<0.01
1555428	Drill Core	1.70	6	338	406	7	<0.001	0.059	<0.02	<0.01	<2	0.320	0.012	0.14	9.00	<0.02	<0.01	<0.001	<0.01	<0.01
1555429	Drill Core	4.41	15	142	115	<5	<0.001	0.021	<0.02	<0.01	<2	0.107	0.006	0.15	7.47	<0.02	<0.01	<0.001	<0.01	<0.01
1555430	Drill Core	3.09	90	283	265	<5	<0.001	0.177	<0.02	<0.01	<2	0.308	0.017	0.14	9.54	<0.02	<0.01	<0.001	<0.01	<0.01
1555431	Drill Core	4.07	6	38	48	<5	<0.001	0.012	<0.02	<0.01	<2	0.036	0.002	0.05	2.87	<0.02	0.02	<0.001	<0.01	<0.01
1555432	Drill Core	0.60	35	190	291	<5	<0.001	0.090	<0.02	<0.01	<2	0.283	0.013	0.14	8.20	<0.02	<0.01	<0.001	<0.01	<0.01
1555433	Drill Core	0.46	24	287	433	<5	<0.001	0.171	<0.02	<0.01	<2	0.394	0.016	0.12	9.49	<0.02	<0.01	<0.001	<0.01	<0.01
1555434	Drill Core	1.88	15	186	280	<5	<0.001	0.135	<0.02	<0.01	<2	0.312	0.014	0.12	9.19	<0.02	<0.01	<0.001	<0.01	<0.01
1555435	Drill Core	0.51	27	199	284	7	<0.001	0.057	<0.02	<0.01	<2	0.231	0.011	0.13	8.53	<0.02	<0.01	<0.001	<0.01	<0.01
1555436	Drill Core	3.29	22	200	324	8	<0.001	0.110	<0.02	<0.01	<2	0.299	0.014	0.13	9.12	<0.02	<0.01	<0.001	<0.01	<0.01
1555437	Drill Core	3.97	38	248	373	6	<0.001	0.158	<0.02	<0.01	<2	0.302	0.016	0.14	9.74	<0.02	<0.01	<0.001	<0.01	<0.01
1555438	Drill Core	1.91	17	199	330	<5	<0.001	0.151	<0.02	<0.01	<2	0.282	0.015	0.11	9.38	<0.02	<0.01	<0.001	<0.01	<0.01
1555439	Drill Core	1.49	8	139	181	<5	<0.001	0.076	<0.02	<0.01	<2	0.214	0.012	0.12	8.36	0.07	0.01	<0.001	<0.01	<0.01
1555440	Drill Core	0.49	11	292	334	<5	<0.001	0.055	<0.02	<0.01	<2	0.396	0.014	0.11	8.74	<0.02	0.02	<0.001	<0.01	<0.01
1555441	Drill Core	0.89	24	480	632	6	<0.001	0.079	<0.02	<0.01	<2	0.524	0.017	0.11	9.54	<0.02	<0.01	<0.001	<0.01	<0.01
1555442	Drill Core	3.12	39	534	377	<5	<0.001	0.161	<0.02	<0.01	<2	0.326	0.013	0.13	8.82	<0.02	<0.01	<0.001	<0.01	<0.01
1555443	Drill Core	3.38	6	615	865	9	<0.001	0.073	<0.02	<0.01	<2	0.570	0.016	0.15	11.11	<0.02	<0.01	<0.001	<0.01	<0.01
1555444	Drill Core	4.16	18	471	615	15	<0.001	0.116	<0.02	<0.01	<2	0.433	0.018	0.15	11.17	<0.02	<0.01	<0.001	<0.01	<0.01
1555445	Drill Core	4.10	22	5	5	<5	<0.001	0.007	<0.02	0.02	<2	0.039	<0.001	0.03	1.13	0.07	0.02	<0.001	<0.01	<0.01
1555446	Drill Core	1.34	11	175	264	<5	<0.001	0.087	<0.02	<0.01	<2	0.294	0.014	0.14	9.11	<0.02	<0.01	<0.001	<0.01	<0.01
1555447	Drill Core	0.91	29	189	305	<5	<0.001	0.107	<0.02	<0.01	<2	0.320	0.015	0.13	9.33	<0.02	<0.01	<0.001	<0.01	<0.01
1555448	Drill Core	1.30	16	284	411	5	<0.001	0.153	<0.02	<0.01	2	0.407	0.017	0.14	9.52	<0.02	<0.01	<0.001	<0.01	<0.01
1555449A	Drill Core	2.51	11	187	252	<5	<0.001	0.065	<0.02	<0.01	<2	0.274	0.013	0.14	8.54	<0.02	<0.01	<0.001	<0.01	<0.01
1555449B	Drill Core		36	177	238	<5	<0.001	0.065	<0.02	<0.01	<2	0.271	0.013	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01
1555450	Rock Pulp	0.05	40	449	623	13	<0.001	0.295	<0.02	0.01	<2	0.432	0.020	0.14	10.95	<0.02	<0.01	<0.001	<0.01	<0.01
1555451	Rock	0.87	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.49	<0.02	<0.01	<0.001	<0.01	<0.01
1555452	Drill Core	2.82	30	130	169	<5	<0.001	0.045	<0.02	<0.01	<2	0.230	0.012	0.14	8.38	<0.02	<0.01	<0.001	<0.01	<0.01
1555453	Drill Core	3.06	5	77	98	<5	<0.001	0.016	<0.02	<0.01	<2	0.182	0.010	0.14	8.14	<0.02	<0.01	<0.001	<0.01	<0.01
1555454	Drill Core	3.46	35	256	365	5	<0.001	0.086	<0.02	<0.01	<2	0.311	0.013	0.15	8.69	<0.02	<0.01	<0.001	<0.01	<0.01
1555455	Drill Core	2.84	31	248	336	7	<0.001	0.091	<0.02	<0.01	<2	0.306	0.013	0.14	8.77	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W
		%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01
1555427	Drill Core	0.01	0.191	14.99	2.86	0.06	0.18	<0.01
1555428	Drill Core	0.02	0.178	13.87	3.15	0.10	0.17	<0.01
1555429	Drill Core	0.03	0.108	11.02	4.13	0.24	0.21	<0.01
1555430	Drill Core	0.03	0.104	10.43	4.19	0.26	0.24	<0.01
1555431	Drill Core	0.06	0.016	1.48	6.52	2.79	1.16	<0.01
1555432	Drill Core	0.02	0.225	15.75	2.09	0.25	0.06	<0.01
1555433	Drill Core	0.02	0.236	17.32	2.01	0.02	0.08	<0.01
1555434	Drill Core	0.02	0.236	17.21	1.99	0.02	0.12	<0.01
1555435	Drill Core	0.02	0.239	17.41	1.80	0.03	0.09	<0.01
1555436	Drill Core	0.02	0.230	17.70	1.77	0.03	0.11	<0.01
1555437	Drill Core	0.02	0.224	17.83	1.77	0.02	0.11	<0.01
1555438	Drill Core	0.02	0.248	17.13	1.81	0.02	0.08	<0.01
1555439	Drill Core	0.02	0.206	14.61	2.45	0.02	0.02	<0.01
1555440	Drill Core	<0.01	0.160	12.27	3.20	0.02	0.05	<0.01
1555441	Drill Core	0.02	0.164	12.30	3.30	0.03	0.08	<0.01
1555442	Drill Core	0.02	0.169	12.73	3.01	0.05	0.19	<0.01
1555443	Drill Core	<0.01	0.222	13.65	2.49	0.04	0.19	<0.01
1555444	Drill Core	0.02	0.196	14.06	2.55	0.09	0.10	<0.01
1555445	Drill Core	0.04	0.004	0.48	5.96	5.33	0.80	<0.01
1555446	Drill Core	0.02	0.238	17.21	2.22	0.06	0.07	<0.01
1555447	Drill Core	0.02	0.212	17.04	2.16	0.05	0.04	<0.01
1555448	Drill Core	0.02	0.238	16.74	2.15	0.06	0.06	<0.01
1555449A	Drill Core	0.02	0.214	16.82	2.20	0.07	0.05	<0.01
1555449B	Drill Core	0.02	0.228	16.88	2.22	0.07	0.06	<0.01
1555450	Rock Pulp	0.03	0.199	14.90	2.61	0.04	0.16	<0.01
1555451	Rock	0.02	<0.001	12.04	0.06	<0.01	0.03	<0.01
1555452	Drill Core	0.02	0.220	16.81	2.39	0.07	0.10	<0.01
1555453	Drill Core	0.02	0.205	16.77	2.40	0.06	0.11	<0.01
1555454	Drill Core	0.02	0.236	16.25	2.24	0.05	0.06	<0.01
1555455	Drill Core	0.02	0.211	16.75	2.16	0.06	0.06	<0.01

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555456	Drill Core	3.72	12	267	378	<5	<0.001	0.142	<0.02	<0.01	<2	0.288	0.013	0.14	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	4.55
1555457	Drill Core	3.00	27	333	471	<5	<0.001	0.149	<0.02	<0.01	3	0.347	0.014	0.14	8.21	<0.02	<0.01	<0.001	<0.01	<0.01	4.85
1555458	Drill Core	3.57	15	204	289	<5	<0.001	0.087	<0.02	<0.01	3	0.282	0.012	0.13	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	2.65
1555459	Drill Core	3.09	14	127	169	<5	<0.001	0.039	<0.02	<0.01	<2	0.223	0.011	0.14	7.60	<0.02	<0.01	<0.001	<0.01	<0.01	4.41
1555460	Drill Core	3.65	16	127	174	7	<0.001	0.058	<0.02	0.01	<2	0.242	0.012	0.16	8.45	<0.02	<0.01	<0.001	<0.01	<0.01	2.02
1555461	Drill Core	2.88	10	70	98	<5	<0.001	0.027	<0.02	<0.01	<2	0.192	0.011	0.15	8.29	<0.02	<0.01	<0.001	<0.01	<0.01	3.19
1555462	Drill Core	2.12	7	90	137	5	<0.001	0.033	<0.02	<0.01	<2	0.193	0.011	0.15	8.38	<0.02	<0.01	<0.001	<0.01	<0.01	3.21
1555463	Drill Core	2.38	12	47	67	<5	<0.001	0.023	<0.02	0.01	<2	0.138	0.010	0.16	8.46	<0.02	<0.01	<0.001	<0.01	<0.01	4.73
1555464	Drill Core	2.53	8	35	45	<5	<0.001	0.020	<0.02	0.01	<2	0.120	0.009	0.16	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	5.12
1555465	Drill Core	2.22	8	52	91	<5	<0.001	0.030	<0.02	0.01	<2	0.136	0.009	0.15	8.49	<0.02	<0.01	<0.001	<0.01	<0.01	5.40
1555466	Drill Core	2.68	29	94	160	<5	<0.001	0.061	<0.02	0.01	<2	0.166	0.009	0.17	8.46	<0.02	<0.01	<0.001	<0.01	<0.01	5.33
1555467	Drill Core	3.48	7	86	139	<5	<0.001	0.050	<0.02	0.01	<2	0.160	0.010	0.18	9.07	<0.02	<0.01	<0.001	<0.01	<0.01	4.73
1555468	Drill Core	3.85	10	210	339	<5	<0.001	0.103	<0.02	0.01	<2	0.245	0.012	0.16	9.43	<0.02	<0.01	<0.001	<0.01	<0.01	3.88
1555469	Drill Core	3.46	20	143	238	<5	<0.001	0.090	<0.02	0.01	<2	0.236	0.012	0.15	9.28	<0.02	<0.01	<0.001	<0.01	<0.01	3.21
1555470	Drill Core	2.95	15	138	217	<5	<0.001	0.078	<0.02	0.01	<2	0.209	0.012	0.15	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	3.57
1555471	Drill Core	1.34	33	274	479	29	<0.001	0.212	<0.02	0.01	<2	0.567	0.023	0.12	11.53	<0.02	<0.01	<0.001	<0.01	<0.01	4.95
1555472	Drill Core	3.45	9	5	5	<5	<0.001	<0.001	<0.02	<0.01	4	0.053	0.002	0.03	4.60	<0.02	0.01	<0.001	<0.01	<0.01	1.18
1555473	Drill Core	5.41	39	263	407	10	<0.001	0.132	<0.02	<0.01	<2	0.403	0.017	0.09	9.12	<0.02	<0.01	<0.001	<0.01	<0.01	0.21
1555474	Drill Core	5.00	24	146	235	<5	<0.001	0.092	<0.02	<0.01	<2	0.305	0.016	0.10	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	1.10
1555475	Rock Pulp	0.06	43	418	603	<5	<0.001	0.303	<0.02	0.01	<2	0.449	0.021	0.14	11.26	<0.02	<0.01	<0.001	<0.01	<0.01	2.49
1555476	Drill Core	5.88	31	146	244	<5	<0.001	0.123	<0.02	<0.01	<2	0.305	0.016	0.11	8.76	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
1555477	Drill Core	3.66	31	158	252	<5	<0.001	0.104	<0.02	<0.01	<2	0.280	0.015	0.15	8.21	<0.02	<0.01	<0.001	<0.01	<0.01	3.98
1555478	Drill Core	5.07	31	153	246	<5	<0.001	0.094	<0.02	<0.01	<2	0.284	0.017	0.11	9.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.60
1555479A	Drill Core	5.46	23	148	240	<5	<0.001	0.110	<0.02	<0.01	<2	0.306	0.017	0.10	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	0.49
1555479B	Drill Core		31	186	292	<5	<0.001	0.113	<0.02	<0.01	<2	0.313	0.017	0.11	9.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.50
1555480	Drill Core	5.30	26	245	405	<5	<0.001	0.074	<0.02	<0.01	<2	0.371	0.018	0.13	9.53	<0.02	<0.01	<0.001	<0.01	<0.01	0.77
1555481	Drill Core	0.86	<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.02	0.41	<0.02	<0.01	<0.001	<0.01	<0.01	20.47
1555482	Drill Core	3.85	9	92	140	<5	<0.001	0.036	<0.02	<0.01	<2	0.148	0.009	0.17	6.51	<0.02	<0.01	<0.001	<0.01	<0.01	9.86
1555483	Drill Core	6.97	16	137	140	<5	<0.001	0.043	<0.02	<0.01	<2	0.231	0.014	0.12	8.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.21
1555484	Drill Core	7.72	<2	10	7	<5	<0.001	0.009	<0.02	<0.01	<2	0.006	0.003	0.14	5.61	<0.02	<0.01	<0.001	<0.01	<0.01	19.99

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555456	Drill Core	0.02	0.230	16.00	2.04	0.06	0.05	<0.01	0.63
1555457	Drill Core	0.02	0.237	15.55	2.02	0.06	0.06	<0.01	0.53
1555458	Drill Core	0.02	0.224	17.23	2.26	0.07	0.05	<0.01	0.35
1555459	Drill Core	0.02	0.231	16.68	2.16	0.08	0.12	<0.01	0.21
1555460	Drill Core	0.02	0.212	17.96	2.43	0.08	0.13	<0.01	0.27
1555461	Drill Core	0.02	0.192	17.14	2.58	0.09	0.10	<0.01	0.15
1555462	Drill Core	0.02	0.173	16.33	2.64	0.09	0.11	<0.01	0.19
1555463	Drill Core	0.03	0.166	14.62	3.42	0.15	0.08	<0.01	0.14
1555464	Drill Core	0.03	0.154	13.61	3.95	0.14	0.11	<0.01	0.12
1555465	Drill Core	0.03	0.145	13.15	3.91	0.18	0.08	<0.01	0.16
1555466	Drill Core	0.03	0.132	12.90	4.06	0.24	0.10	<0.01	0.26
1555467	Drill Core	0.03	0.152	13.52	4.05	0.21	0.08	<0.01	0.34
1555468	Drill Core	0.03	0.170	14.66	3.55	0.13	0.07	<0.01	0.45
1555469	Drill Core	0.03	0.190	14.96	3.34	0.17	0.07	<0.01	0.34
1555470	Drill Core	0.03	0.188	14.77	3.51	0.18	0.08	<0.01	0.33
1555471	Drill Core	0.03	0.166	12.08	3.32	0.10	0.04	<0.01	2.15
1555472	Drill Core	0.08	0.007	1.30	7.52	3.91	1.35	<0.01	<0.05
1555473	Drill Core	<0.01	0.265	21.82	0.74	<0.01	<0.01	<0.01	0.13
1555474	Drill Core	<0.01	0.251	21.58	0.71	<0.01	<0.01	<0.01	0.12
1555475	Rock Pulp	0.03	0.181	15.58	2.64	0.04	0.16	<0.01	1.28
1555476	Drill Core	<0.01	0.280	20.22	0.70	0.02	0.02	<0.01	0.13
1555477	Drill Core	<0.01	0.270	19.70	0.62	<0.01	<0.01	<0.01	0.10
1555478	Drill Core	<0.01	0.292	21.36	0.71	<0.01	<0.01	<0.01	0.13
1555479A	Drill Core	<0.01	0.312	21.08	0.70	<0.01	<0.01	<0.01	0.15
1555479B	Drill Core	<0.01	0.316	21.26	0.70	<0.01	<0.01	<0.01	0.14
1555480	Drill Core	0.01	0.302	20.86	1.01	0.03	<0.01	<0.01	0.12
1555481	Drill Core	0.01	0.002	12.23	0.06	<0.01	0.02	<0.01	<0.05
1555482	Drill Core	0.02	0.149	14.08	2.74	<0.01	<0.01	<0.01	0.10
1555483	Drill Core	<0.01	0.229	20.30	1.06	<0.01	0.02	<0.01	0.15
1555484	Drill Core	0.04	0.011	3.78	6.22	<0.01	<0.01	<0.01	<0.05

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555485	Drill Core	7.21	13	120	170	<5	<0.001	0.049	<0.02	<0.01	<2	0.250	0.014	0.11	8.28	<0.02	<0.01	<0.001	<0.01	<0.01	1.27
1555486	Drill Core	5.67	16	199	326	<5	<0.001	0.122	<0.02	<0.01	<2	0.329	0.016	0.10	9.01	<0.02	<0.01	<0.001	<0.01	<0.01	0.52
1555487	Drill Core	7.28	11	115	192	<5	<0.001	0.081	<0.02	<0.01	<2	0.261	0.015	0.09	8.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.47
1555488	Drill Core	6.41	11	164	269	<5	<0.001	0.123	<0.02	<0.01	<2	0.310	0.016	0.09	8.75	<0.02	<0.01	<0.001	<0.01	<0.01	0.63
1555489	Drill Core	7.08	45	228	316	<5	<0.001	0.117	<0.02	<0.01	<2	0.335	0.016	0.11	8.69	<0.02	<0.01	<0.001	<0.01	<0.01	0.76
1555490	Drill Core	6.97	15	177	257	<5	<0.001	0.086	<0.02	<0.01	<2	0.275	0.014	0.10	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	1.01
1555491	Drill Core	7.42	9	57	73	<5	<0.001	0.035	<0.02	0.01	<2	0.074	0.005	0.13	6.14	<0.02	<0.01	<0.001	<0.01	<0.01	15.51
1555492	Drill Core	8.79	2	11	9	<5	<0.001	0.006	<0.02	<0.01	<2	0.007	0.003	0.13	5.62	<0.02	0.01	<0.001	<0.01	<0.01	18.78
1555493	Drill Core	8.35	<2	8	8	<5	<0.001	0.010	<0.02	<0.01	<2	0.008	0.003	0.13	6.18	<0.02	0.01	<0.001	<0.01	<0.01	17.17
1555494	Drill Core	8.40	10	12	13	<5	<0.001	0.013	<0.02	<0.01	<2	0.013	0.003	0.16	5.64	<0.02	<0.01	<0.001	<0.01	<0.01	17.75
1555495	Drill Core	6.61	24	138	162	<5	<0.001	0.060	<0.02	<0.01	<2	0.212	0.012	0.11	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	3.27
1555496	Drill Core	7.11	21	165	188	<5	<0.001	0.078	<0.02	<0.01	<2	0.238	0.013	0.11	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	1.57
1555497	Drill Core	6.95	23	148	209	<5	<0.001	0.087	<0.02	<0.01	<2	0.245	0.014	0.12	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.92
1555498	Drill Core	7.13	24	124	157	<5	<0.001	0.066	<0.02	<0.01	<2	0.199	0.011	0.11	7.09	<0.02	0.03	<0.001	<0.01	<0.01	8.79
1555499	Drill Core	6.22	23	150	187	<5	<0.001	0.088	<0.02	<0.01	<2	0.199	0.012	0.11	7.23	<0.02	0.02	<0.001	<0.01	<0.01	7.66
1555500	Rock Pulp	0.06	51	445	633	7	<0.001	0.300	<0.02	0.02	<2	0.442	0.021	0.14	11.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.49
1462501	Drill Core	7.31	38	199	265	<5	<0.001	0.117	<0.02	<0.01	<2	0.270	0.015	0.12	9.26	<0.02	<0.01	<0.001	<0.01	<0.01	0.63
1462502	Drill Core	6.17	30	200	308	<5	<0.001	0.140	<0.02	<0.01	<2	0.281	0.015	0.13	9.13	<0.02	<0.01	<0.001	<0.01	<0.01	1.87
1462503	Drill Core	5.42	42	217	319	<5	<0.001	0.141	<0.02	<0.01	2	0.308	0.016	0.12	9.45	<0.02	<0.01	<0.001	<0.01	<0.01	0.58
1462504	Drill Core	8.38	58	338	550	<5	<0.001	0.229	<0.02	<0.01	3	0.432	0.018	0.13	10.07	<0.02	<0.01	<0.001	<0.01	<0.01	0.46
1462505	Drill Core	6.81	56	317	506	<5	<0.001	0.196	<0.02	<0.01	<2	0.388	0.017	0.13	9.73	<0.02	<0.01	<0.001	<0.01	<0.01	0.55
1462506	Drill Core	6.58	39	168	289	<5	<0.001	0.118	<0.02	<0.01	<2	0.361	0.016	0.13	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	0.55
1462507	Drill Core	6.79	15	123	184	<5	<0.001	0.077	<0.02	<0.01	<2	0.248	0.013	0.13	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	1.29
1462508	Drill Core	6.28	28	142	219	<5	<0.001	0.104	<0.02	<0.01	<2	0.292	0.015	0.13	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	0.67
1462509A	Drill Core	7.70	20	103	148	<5	<0.001	0.069	<0.02	<0.01	<2	0.158	0.010	0.13	7.95	<0.02	<0.01	<0.001	<0.01	<0.01	4.97
1462509B	Drill Core		24	102	144	<5	<0.001	0.070	<0.02	<0.01	<2	0.161	0.011	0.13	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	4.94
1462510	Drill Core	7.37	24	150	210	<5	<0.001	0.109	<0.02	<0.01	<2	0.212	0.013	0.12	9.13	<0.02	<0.01	<0.001	<0.01	<0.01	2.22
1462511	Rock	0.70	5	7	3	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01	20.72
1462512	Drill Core	5.23	38	186	255	6	<0.001	0.119	<0.02	<0.01	<2	0.251	0.015	0.13	9.53	<0.02	<0.01	<0.001	<0.01	<0.01	1.22
1462513	Drill Core	7.56	40	130	173	<5	<0.001	0.193	<0.02	0.01	<2	0.242	0.018	0.13	11.00	<0.02	<0.01	<0.001	<0.01	<0.01	0.43

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555485	Drill Core	0.01	0.282	21.50	1.19	<0.01	0.03	<0.01	0.20
1555486	Drill Core	<0.01	0.282	21.36	0.83	<0.01	0.02	<0.01	0.28
1555487	Drill Core	<0.01	0.292	21.14	0.83	<0.01	0.03	<0.01	0.24
1555488	Drill Core	<0.01	0.278	20.66	0.78	<0.01	0.03	<0.01	0.38
1555489	Drill Core	<0.01	0.261	19.96	0.80	<0.01	0.04	<0.01	0.36
1555490	Drill Core	<0.01	0.249	19.94	0.81	<0.01	0.03	<0.01	0.25
1555491	Drill Core	0.03	0.071	7.51	5.02	<0.01	0.25	<0.01	0.13
1555492	Drill Core	0.03	0.012	3.96	6.47	0.04	0.37	<0.01	<0.05
1555493	Drill Core	0.04	0.013	3.91	7.26	0.02	0.37	<0.01	<0.05
1555494	Drill Core	0.04	0.025	4.53	6.28	0.02	0.24	<0.01	0.07
1555495	Drill Core	0.01	0.298	18.19	1.26	<0.01	0.06	<0.01	0.38
1555496	Drill Core	0.01	0.254	19.98	1.21	<0.01	0.06	<0.01	0.42
1555497	Drill Core	0.01	0.278	20.39	1.23	<0.01	0.06	<0.01	0.39
1555498	Drill Core	<0.01	0.264	15.40	1.04	<0.01	0.03	<0.01	0.38
1555499	Drill Core	<0.01	0.251	15.50	1.09	<0.01	0.07	<0.01	0.44
1555500	Rock Pulp	0.03	0.213	15.53	2.63	0.04	0.16	<0.01	1.23
1462501	Drill Core	0.02	0.278	19.91	1.34	<0.01	0.11	<0.01	0.57
1462502	Drill Core	0.01	0.259	18.95	1.32	<0.01	0.08	<0.01	0.72
1462503	Drill Core	0.01	0.263	19.20	1.36	<0.01	0.09	<0.01	0.69
1462504	Drill Core	0.01	0.258	19.47	1.31	<0.01	0.10	<0.01	1.17
1462505	Drill Core	0.01	0.252	19.37	1.39	<0.01	0.09	<0.01	0.93
1462506	Drill Core	0.02	0.234	19.67	1.49	<0.01	0.07	<0.01	0.67
1462507	Drill Core	0.01	0.244	19.27	1.48	<0.01	0.08	<0.01	0.36
1462508	Drill Core	0.02	0.256	19.61	1.48	<0.01	0.08	<0.01	0.45
1462509A	Drill Core	0.02	0.180	14.72	2.98	0.03	0.08	<0.01	0.29
1462509B	Drill Core	0.02	0.182	14.97	2.96	0.03	0.08	<0.01	0.27
1462510	Drill Core	0.01	0.218	17.58	2.48	0.02	0.06	<0.01	0.42
1462511	Rock	0.01	0.003	12.10	0.06	<0.01	0.02	<0.01	<0.05
1462512	Drill Core	0.03	0.231	18.37	1.59	<0.01	0.06	<0.01	0.52
1462513	Drill Core	0.02	0.235	19.10	1.14	<0.01	0.05	<0.01	0.99

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462514	Drill Core	6.98	105	87	91	<5	<0.001	0.171	<0.02	<0.01	<2	0.190	0.018	0.12	10.95	<0.02	<0.01	<0.001	<0.01	<0.01	1.59
1462515	Drill Core	4.38	9	14	10	<5	<0.001	0.015	<0.02	<0.01	<2	0.024	0.004	0.17	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	8.88
1462516	Drill Core	6.91	3	11	22	<5	<0.001	0.019	<0.02	<0.01	<2	0.011	0.003	0.16	8.59	<0.02	0.02	<0.001	<0.01	<0.01	10.21
1462517	Drill Core	3.38	5	102	64	<5	<0.001	0.094	<0.02	<0.01	<2	0.027	0.004	0.14	9.07	<0.02	0.04	<0.001	<0.01	<0.01	5.67
1462518	Drill Core	2.82	11	233	137	6	<0.001	0.167	<0.02	<0.01	<2	0.114	0.010	0.12	9.32	<0.02	<0.01	<0.001	<0.01	<0.01	6.66
1462519	Drill Core	3.18	96	580	277	7	<0.001	0.458	<0.02	<0.01	2	0.185	0.020	0.13	9.91	<0.02	0.02	<0.001	<0.01	<0.01	8.93
1462520	Drill Core	1.24	125	524	318	<5	<0.001	0.386	<0.02	<0.01	<2	0.107	0.011	0.14	8.36	<0.02	0.02	<0.001	<0.01	<0.01	10.95
1462521	Drill Core	2.61	283	1571	1236	28	<0.001	0.833	<0.02	<0.01	2	0.950	0.059	0.07	30.55	<0.02	0.03	<0.001	<0.01	<0.01	5.73
1462522	Drill Core	1.20	170	655	720	6	<0.001	0.820	<0.02	<0.01	3	0.320	0.035	0.08	11.42	0.24	0.03	<0.001	<0.01	<0.01	7.57
1462523	Drill Core	1.91	26	231	137	<5	<0.001	0.149	<0.02	<0.01	<2	0.071	0.005	0.11	6.93	0.09	0.03	<0.001	<0.01	<0.01	8.41
1462524	Drill Core	2.56	9	4	4	<5	<0.001	0.006	<0.02	<0.01	<2	0.003	<0.001	0.07	4.08	0.04	0.03	<0.001	<0.01	<0.01	5.53
1462525	Rock Pulp	0.06	3	7	13	<5	<0.001	0.010	<0.02	<0.01	<2	0.007	0.002	0.10	4.30	<0.02	0.01	<0.001	<0.01	<0.01	11.38
1462526	Drill Core	2.25	17	<3	2	<5	<0.001	0.005	<0.02	<0.01	<2	0.004	<0.001	0.08	4.89	0.08	0.05	<0.001	<0.01	<0.01	4.87
1462527	Drill Core	1.69	170	24	16	<5	<0.001	0.023	<0.02	<0.01	<2	0.012	0.001	0.09	5.34	0.54	0.02	<0.001	<0.01	<0.01	5.60
1462528	Drill Core	2.22	243	20	23	<5	<0.001	0.006	<0.02	<0.01	<2	0.017	0.002	0.07	4.76	0.52	0.02	<0.001	<0.01	<0.01	4.70
1462529	Drill Core	4.00	19	30	18	<5	<0.001	0.398	<0.02	<0.01	3	0.186	0.014	0.15	9.55	0.06	<0.01	<0.001	<0.01	<0.01	10.74
1462530	Drill Core	3.96	9	10	8	<5	<0.001	0.055	<0.02	<0.01	<2	0.067	0.004	0.12	5.67	0.06	<0.01	<0.001	<0.01	<0.01	13.44
1462531	Drill Core	3.79	3	7	7	<5	<0.001	0.031	<0.02	<0.01	<2	0.064	0.005	0.09	6.90	0.03	<0.01	<0.001	<0.01	<0.01	7.18
1462532	Drill Core	2.02	2	3	5	<5	<0.001	0.008	<0.02	<0.01	<2	0.041	0.003	0.09	6.52	<0.02	<0.01	<0.001	<0.01	<0.01	7.95
1462533	Drill Core	7.09	3	<3	2	<5	<0.001	0.019	<0.02	<0.01	<2	0.009	<0.001	0.06	2.54	<0.02	0.02	<0.001	<0.01	<0.01	7.52
1462534	Drill Core	4.57	25	224	375	<5	<0.001	0.089	<0.02	<0.01	<2	0.350	0.015	0.13	8.33	<0.02	<0.01	<0.001	<0.01	<0.01	3.85
1462535	Drill Core	4.93	20	117	204	<5	<0.001	0.077	<0.02	<0.01	<2	0.267	0.016	0.10	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1462536	Drill Core	6.28	28	156	269	<5	<0.001	0.098	<0.02	<0.01	<2	0.313	0.016	0.09	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	0.17
1462537	Drill Core	6.10	36	144	252	<5	<0.001	0.100	<0.02	<0.01	<2	0.266	0.016	0.09	8.95	<0.02	<0.01	<0.001	<0.01	<0.01	0.23
1462538	Drill Core	5.55	36	208	350	<5	<0.001	0.348	0.02	0.01	<2	0.328	0.017	0.10	9.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.15
1462539A	Drill Core	4.92	24	203	324	8	<0.001	0.120	<0.02	<0.01	<2	0.295	0.014	0.15	8.53	<0.02	<0.01	<0.001	<0.01	<0.01	3.34
1462539B	Drill Core		24	195	313	8	<0.001	0.123	<0.02	<0.01	<2	0.292	0.015	0.15	8.49	<0.02	<0.01	<0.001	<0.01	<0.01	3.45
1462540	Drill Core	7.46	4	9	29	<5	<0.001	0.025	<0.02	<0.01	<2	0.013	0.002	0.15	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	14.77
1462541	Rock	0.67	<2	<3	2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.45	<0.02	<0.01	<0.001	<0.01	<0.01	20.85
1462542	Drill Core	9.10	2	13	31	<5	<0.001	0.020	<0.02	<0.01	<2	0.015	0.003	0.16	9.06	<0.02	0.01	<0.001	<0.01	<0.01	13.70

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462514	Drill Core	0.01	0.102	17.00	1.39	0.01	0.03	<0.01	1.07
1462515	Drill Core	0.04	0.026	9.46	5.70	0.03	0.26	<0.01	<0.05
1462516	Drill Core	0.06	0.013	4.43	6.56	0.80	0.80	<0.01	<0.05
1462517	Drill Core	0.06	0.020	5.05	7.09	1.49	1.06	<0.01	0.18
1462518	Drill Core	0.05	0.065	8.50	5.46	0.25	0.61	<0.01	0.57
1462519	Drill Core	0.07	0.033	5.57	4.77	0.16	0.82	<0.01	2.39
1462520	Drill Core	0.02	0.050	6.02	4.16	0.12	0.51	<0.01	0.64
1462521	Drill Core	0.05	0.011	1.74	3.55	0.26	0.63	<0.01	6.91
1462522	Drill Core	0.28	0.009	2.15	5.81	2.46	1.10	<0.01	2.91
1462523	Drill Core	0.02	0.026	3.64	5.76	1.46	1.33	<0.01	0.55
1462524	Drill Core	0.07	0.006	1.88	6.35	1.90	1.37	<0.01	0.09
1462525	Rock Pulp	0.03	0.020	5.71	5.83	1.65	0.77	<0.01	<0.05
1462526	Drill Core	0.13	0.006	2.38	6.89	0.21	1.28	<0.01	0.11
1462527	Drill Core	0.11	0.008	2.42	6.59	0.55	1.42	<0.01	0.33
1462528	Drill Core	0.09	0.007	1.84	6.73	0.86	1.43	<0.01	0.40
1462529	Drill Core	0.04	0.057	7.48	5.06	0.29	0.08	<0.01	0.95
1462530	Drill Core	0.03	0.036	6.87	5.73	0.29	0.26	<0.01	0.08
1462531	Drill Core	0.04	0.063	9.06	5.28	0.57	0.83	<0.01	0.09
1462532	Drill Core	0.04	0.064	9.39	5.21	0.45	0.99	<0.01	<0.05
1462533	Drill Core	0.10	0.007	2.42	8.81	4.04	0.59	<0.01	<0.05
1462534	Drill Core	0.01	0.247	19.02	1.72	<0.01	<0.01	<0.01	0.27
1462535	Drill Core	<0.01	0.321	21.45	0.72	<0.01	<0.01	<0.01	0.22
1462536	Drill Core	<0.01	0.314	21.48	0.76	<0.01	<0.01	<0.01	0.16
1462537	Drill Core	<0.01	0.311	21.03	0.71	<0.01	<0.01	<0.01	0.11
1462538	Drill Core	<0.01	0.325	20.88	0.70	<0.01	<0.01	<0.01	0.19
1462539A	Drill Core	0.01	0.256	17.81	1.62	<0.01	<0.01	<0.01	0.30
1462539B	Drill Core	0.01	0.258	17.77	1.62	<0.01	<0.01	<0.01	0.30
1462540	Drill Core	0.06	0.013	3.69	6.29	0.07	0.06	<0.01	<0.05
1462541	Rock	0.01	0.002	12.42	0.08	<0.01	0.03	<0.01	<0.05
1462542	Drill Core	0.06	0.014	3.95	7.20	0.06	0.19	<0.01	<0.05

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462543	Drill Core	6.91	2	6	22	<5	<0.001	0.018	<0.02	<0.01	<2	0.006	0.002	0.15	8.91	<0.02	<0.01	<0.001	<0.01	<0.01
1462544	Drill Core	7.28	2	5	22	<5	<0.001	0.020	<0.02	<0.01	<2	0.006	0.002	0.15	8.72	<0.02	<0.01	<0.001	<0.01	<0.01
1462545	Drill Core	2.33	3	5	21	<5	<0.001	0.022	<0.02	<0.01	<2	0.006	0.002	0.13	8.19	<0.02	<0.01	<0.001	<0.01	<0.01
1462546	Drill Core	2.91	12	163	250	<5	<0.001	0.116	<0.02	<0.01	<2	0.276	0.014	0.09	7.90	<0.02	<0.01	<0.001	<0.01	<0.01
1462547	Drill Core	3.12	50	98	159	<5	<0.001	0.105	<0.02	<0.01	<2	0.262	0.014	0.10	7.76	<0.02	<0.01	<0.001	<0.01	<0.01
1462548	Drill Core	2.71	15	112	184	<5	<0.001	0.094	<0.02	<0.01	<2	0.275	0.014	0.09	7.57	<0.02	<0.01	<0.001	<0.01	<0.01
1462549	Drill Core	3.66	26	200	296	6	<0.001	0.119	<0.02	<0.01	<2	0.334	0.015	0.11	8.82	<0.02	<0.01	<0.001	<0.01	<0.01
1462550	Rock Pulp	0.06	55	459	645	<5	<0.001	0.304	<0.02	0.02	<2	0.451	0.021	0.14	11.41	<0.02	<0.01	<0.001	<0.01	<0.01
1462551	Drill Core	2.73	28	215	310	<5	<0.001	0.074	<0.02	<0.01	<2	0.316	0.015	0.11	9.22	<0.02	<0.01	<0.001	<0.01	<0.01
1462552	Drill Core	3.31	90	186	260	<5	<0.001	0.091	<0.02	<0.01	<2	0.293	0.015	0.11	8.93	<0.02	<0.01	<0.001	<0.01	<0.01
1462553	Drill Core	3.40	33	237	348	7	<0.001	0.158	<0.02	<0.01	<2	0.351	0.016	0.09	9.35	<0.02	<0.01	<0.001	<0.01	<0.01
1462554	Drill Core	4.11	38	263	419	12	<0.001	0.153	<0.02	<0.01	<2	0.362	0.018	0.09	9.28	<0.02	<0.01	<0.001	<0.01	<0.01
1462555	Drill Core	2.61	21	188	294	7	<0.001	0.111	<0.02	<0.01	<2	0.310	0.017	0.12	9.31	<0.02	<0.01	<0.001	<0.01	<0.01
1462556	Drill Core	2.79	37	148	220	<5	<0.001	0.109	<0.02	<0.01	<2	0.270	0.015	0.12	8.95	<0.02	<0.01	<0.001	<0.01	<0.01
1462557	Drill Core	3.09	21	149	192	<5	<0.001	0.087	<0.02	<0.01	<2	0.250	0.014	0.13	9.01	<0.02	<0.01	<0.001	<0.01	<0.01
1462558	Drill Core	2.63	20	145	211	7	<0.001	0.096	<0.02	<0.01	<2	0.248	0.015	0.12	9.08	<0.02	<0.01	<0.001	<0.01	<0.01
1462559	Drill Core	3.26	59	230	362	8	<0.001	0.163	<0.02	<0.01	<2	0.344	0.017	0.13	9.65	<0.02	<0.01	<0.001	<0.01	<0.01
1462560	Drill Core	2.60	23	194	298	8	<0.001	0.136	<0.02	<0.01	<2	0.305	0.015	0.11	9.13	<0.02	<0.01	<0.001	<0.01	<0.01
1462561	Drill Core	4.16	42	171	211	<5	<0.001	0.085	<0.02	<0.01	<2	0.245	0.013	0.12	8.60	<0.02	<0.01	<0.001	<0.01	<0.01
1462562	Drill Core	2.00	25	160	210	<5	<0.001	0.078	<0.02	<0.01	<2	0.243	0.014	0.13	9.02	<0.02	<0.01	<0.001	<0.01	<0.01
1462563	Drill Core	2.94	29	167	250	<5	<0.001	0.105	<0.02	<0.01	<2	0.280	0.015	0.13	9.32	<0.02	<0.01	<0.001	<0.01	<0.01
1462564	Drill Core	2.89	23	170	254	<5	<0.001	0.108	<0.02	<0.01	<2	0.265	0.015	0.12	8.91	<0.02	<0.01	<0.001	<0.01	<0.01
1462565	Drill Core	3.05	25	164	254	<5	<0.001	0.112	<0.02	<0.01	<2	0.276	0.015	0.13	9.17	<0.02	<0.01	<0.001	<0.01	<0.01
1462566	Drill Core	3.41	26	176	279	<5	<0.001	0.114	<0.02	<0.01	<2	0.260	0.013	0.12	8.33	<0.02	<0.01	<0.001	<0.01	<0.01
1462567	Drill Core	3.37	63	161	261	<5	<0.001	0.105	<0.02	<0.01	<2	0.272	0.014	0.13	9.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462568	Drill Core	2.76	27	162	273	<5	<0.001	0.110	<0.02	<0.01	<2	0.285	0.015	0.13	9.07	<0.02	<0.01	<0.001	<0.01	<0.01
1462569A	Drill Core	2.79	20	200	354	<5	<0.001	0.154	<0.02	<0.01	<2	0.333	0.016	0.13	9.61	<0.02	<0.01	<0.001	<0.01	<0.01
1462569B	Drill Core		18	198	346	<5	<0.001	0.154	<0.02	<0.01	<2	0.330	0.016	0.12	9.50	<0.02	<0.01	<0.001	<0.01	<0.01
1462570	Drill Core	2.96	23	262	425	<5	<0.001	0.172	<0.02	<0.01	<2	0.367	0.016	0.13	9.79	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000561.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1462543	Drill Core	0.06	0.008	3.54	7.03	0.05	0.38	<0.01
1462544	Drill Core	0.06	0.007	3.55	6.90	0.05	0.41	<0.01
1462545	Drill Core	0.05	0.008	3.38	7.34	0.05	0.27	<0.01
1462546	Drill Core	0.01	0.258	17.69	1.01	0.02	0.02	<0.01
1462547	Drill Core	<0.01	0.274	18.78	0.76	0.02	<0.01	<0.01
1462548	Drill Core	<0.01	0.268	18.60	0.79	0.02	0.01	<0.01
1462549	Drill Core	0.01	0.264	20.22	0.91	<0.01	0.02	<0.01
1462550	Rock Pulp	0.03	0.213	15.85	2.68	0.04	0.16	<0.01
1462551	Drill Core	0.05	0.268	20.07	0.90	<0.01	<0.01	<0.01
1462552	Drill Core	0.01	0.279	20.82	0.87	<0.01	0.01	<0.01
1462553	Drill Core	0.01	0.303	20.91	1.00	<0.01	0.06	<0.01
1462554	Drill Core	0.01	0.306	21.06	1.06	<0.01	0.03	<0.01
1462555	Drill Core	0.01	0.282	20.51	1.11	<0.01	0.05	<0.01
1462556	Drill Core	0.01	0.280	19.93	1.25	<0.01	0.05	<0.01
1462557	Drill Core	0.01	0.273	20.03	1.31	<0.01	0.05	<0.01
1462558	Drill Core	0.01	0.297	20.58	1.39	0.02	0.08	<0.01
1462559	Drill Core	0.02	0.275	20.04	1.24	<0.01	0.08	<0.01
1462560	Drill Core	0.01	0.276	19.91	1.33	0.01	0.08	<0.01
1462561	Drill Core	0.01	0.255	19.10	1.52	0.02	0.10	<0.01
1462562	Drill Core	0.01	0.267	19.59	1.55	0.02	0.15	<0.01
1462563	Drill Core	0.01	0.266	19.49	1.53	0.02	0.13	<0.01
1462564	Drill Core	0.01	0.246	19.33	1.58	0.02	0.10	<0.01
1462565	Drill Core	0.02	0.237	18.72	1.61	0.02	0.10	<0.01
1462566	Drill Core	0.02	0.188	15.95	2.51	0.02	0.09	<0.01
1462567	Drill Core	0.02	0.250	18.97	1.58	0.02	0.15	<0.01
1462568	Drill Core	0.01	0.241	19.10	1.59	0.02	0.09	<0.01
1462569A	Drill Core	0.01	0.254	19.20	1.65	0.02	0.14	<0.01
1462569B	Drill Core	0.02	0.239	19.08	1.63	0.02	0.14	<0.01
1462570	Drill Core	0.02	0.235	18.91	1.58	0.02	0.22	<0.01

QUALITY CONTROL REPORT

WHI13000561.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1555433	Drill Core	0.46	24	287	433	<5	<0.001	0.171	<0.02	<0.01	<2	0.394	0.016	0.12	9.49	<0.02	<0.01	<0.001	<0.01	<0.01	1.51
REP 1555433	QC						<0.001	0.167	<0.02	<0.01	<2	0.376	0.016	0.12	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	1.48
1555467	Drill Core	3.48	7	86	139	<5	<0.001	0.050	<0.02	0.01	<2	0.160	0.010	0.18	9.07	<0.02	<0.01	<0.001	<0.01	<0.01	4.73
REP 1555467	QC						<0.001	0.050	<0.02	0.01	<2	0.163	0.009	0.18	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	4.77
1462501	Drill Core	7.31	38	199	265	<5	<0.001	0.117	<0.02	<0.01	<2	0.270	0.015	0.12	9.26	<0.02	<0.01	<0.001	<0.01	<0.01	0.63
REP 1462501	QC						<0.001	0.117	<0.02	<0.01	<2	0.270	0.015	0.13	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.64
1462517	Drill Core	3.38	5	102	64	<5	<0.001	0.094	<0.02	<0.01	<2	0.027	0.004	0.14	9.07	<0.02	0.04	<0.001	<0.01	<0.01	5.67
REP 1462517	QC		6	97	65	<5															
1462532	Drill Core	2.02	2	3	5	<5	<0.001	0.008	<0.02	<0.01	<2	0.041	0.003	0.09	6.52	<0.02	<0.01	<0.001	<0.01	<0.01	7.95
REP 1462532	QC		3	4	7	<5															
1462535	Drill Core	4.93	20	117	204	<5	<0.001	0.077	<0.02	<0.01	<2	0.267	0.016	0.10	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
REP 1462535	QC						<0.001	0.078	<0.02	<0.01	<2	0.271	0.016	0.10	9.01	<0.02	<0.01	<0.001	<0.01	<0.01	0.04
REP 1555483	QC		13	127	127	<5															
Core Reject Duplicates																					
1555457	Drill Core	3.00	27	333	471	<5	<0.001	0.149	<0.02	<0.01	3	0.347	0.014	0.14	8.21	<0.02	<0.01	<0.001	<0.01	<0.01	4.85
DUP 1555457	QC		30	314	461	8	<0.001	0.150	<0.02	<0.01	3	0.352	0.014	0.14	8.29	<0.02	<0.01	<0.001	<0.01	<0.01	4.91
1555494	Drill Core	8.40	10	12	13	<5	<0.001	0.013	<0.02	<0.01	<2	0.013	0.003	0.16	5.64	<0.02	<0.01	<0.001	<0.01	<0.01	17.75
DUP 1555494	QC		10	14	12	<5	<0.001	0.013	<0.02	<0.01	<2	0.013	0.003	0.16	5.71	<0.02	<0.01	<0.001	<0.01	<0.01	19.07
1462531	Drill Core	3.79	3	7	7	<5	<0.001	0.031	<0.02	<0.01	<2	0.064	0.005	0.09	6.90	0.03	<0.01	<0.001	<0.01	<0.01	7.18
DUP 1462531	QC		<2	7	7	<5	<0.001	0.031	<0.02	<0.01	<2	0.063	0.005	0.09	7.04	0.03	<0.01	<0.001	<0.01	<0.01	7.68
1462568	Drill Core	2.76	27	162	273	<5	<0.001	0.110	<0.02	<0.01	<2	0.285	0.015	0.13	9.07	<0.02	<0.01	<0.001	<0.01	<0.01	1.13
DUP 1462568	QC		30	167	276	<5	<0.001	0.108	<0.02	<0.01	<2	0.283	0.014	0.13	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	1.14
Reference Materials																					
STD AMIS256	Standard		360	5120	2591	32															
STD AMIS256	Standard		318	4846	2443	29															
STD AMIS256	Standard		325	4748	2418	23															
STD AMIS256	Standard		330	4934	2475	43															
STD AMIS256	Standard		325	5015	2412	48															

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000561.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte		P	Cr	Mg	Al	Na	K	W	S
Unit		%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1555433	Drill Core	0.02	0.236	17.32	2.01	0.02	0.08	<0.01	0.33
REP 1555433	QC	0.01	0.244	16.98	1.98	0.02	0.08	<0.01	0.33
1555467	Drill Core	0.03	0.152	13.52	4.05	0.21	0.08	<0.01	0.34
REP 1555467	QC	0.04	0.149	13.72	4.04	0.21	0.08	<0.01	0.32
1462501	Drill Core	0.02	0.278	19.91	1.34	<0.01	0.11	<0.01	0.57
REP 1462501	QC	0.02	0.269	19.82	1.36	<0.01	0.12	<0.01	0.58
1462517	Drill Core	0.06	0.020	5.05	7.09	1.49	1.06	<0.01	0.18
REP 1462517	QC								
1462532	Drill Core	0.04	0.064	9.39	5.21	0.45	0.99	<0.01	<0.05
REP 1462532	QC								
1462535	Drill Core	<0.01	0.321	21.45	0.72	<0.01	<0.01	<0.01	0.22
REP 1462535	QC	<0.01	0.326	21.63	0.73	<0.01	<0.01	<0.01	0.22
REP 1555483	QC								
Core Reject Duplicates									
1555457	Drill Core	0.02	0.237	15.55	2.02	0.06	0.06	<0.01	0.53
DUP 1555457	QC	0.02	0.242	15.77	2.04	0.06	0.06	<0.01	0.54
1555494	Drill Core	0.04	0.025	4.53	6.28	0.02	0.24	<0.01	0.07
DUP 1555494	QC	0.04	0.025	4.55	6.24	0.02	0.24	<0.01	<0.05
1462531	Drill Core	0.04	0.063	9.06	5.28	0.57	0.83	<0.01	0.09
DUP 1462531	QC	0.04	0.063	9.19	5.29	0.57	0.82	<0.01	0.08
1462568	Drill Core	0.01	0.241	19.10	1.59	0.02	0.09	<0.01	0.54
DUP 1462568	QC	0.01	0.257	19.14	1.61	0.02	0.09	<0.01	0.53
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								

QUALITY CONTROL REPORT

WHI13000561.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD AMIS256	Standard		347	4925	2404	45															
STD CDN-ME-14	Standard						0.001	1.224	0.50	3.13	44	0.002	0.017	0.09	17.91	<0.02	<0.01	0.009	<0.01	0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.649	<0.02	0.01	3	0.931	0.016	0.12	14.06	<0.02	0.03	<0.001	<0.01	<0.01	4.24
STD CDN-ME-14	Standard						0.001	1.244	0.52	3.11	45	0.002	0.017	0.09	18.04	<0.02	<0.01	0.009	<0.01	0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.654	<0.02	0.01	4	0.920	0.016	0.12	13.88	<0.02	0.03	<0.001	<0.01	<0.01	4.25
STD CDN-ME-14	Standard						0.002	1.242	0.48	3.11	43	0.002	0.017	0.09	17.86	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.668	<0.02	0.01	3	0.927	0.016	0.12	13.67	<0.02	0.03	<0.001	<0.01	<0.01	4.15
STD CDN-ME-14	Standard						0.001	1.268	0.50	3.18	45	0.002	0.017	0.09	18.31	<0.02	<0.01	0.009	<0.01	0.01	0.76
STD CDN-ME-9	Standard						<0.001	0.656	<0.02	0.01	4	0.935	0.016	0.12	13.99	<0.02	0.03	<0.001	<0.01	<0.01	4.27
STD CDN-ME-14	Standard						0.002	1.233	0.49	3.12	45	0.002	0.017	0.09	17.89	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.657	<0.02	0.01	3	0.909	0.016	0.12	13.63	<0.02	0.03	<0.001	<0.01	<0.01	4.16
STD CDN-PGMS-23	Standard		522	462	2115	<5															
STD CDN-PGMS-23	Standard		494	470	2098	<5															
STD CDN-PGMS-23	Standard		500	521	2163	<5															
STD CDN-PGMS-23	Standard		490	498	2234	12															
STD CDN-PGMS-23	Standard		525	456	2040	<5															
STD CDN-PGMS-23	Standard		536	473	2160	7															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		<2	3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	3	3	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000561.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.003	1.29	4.45	0.50	1.69	0.02	16.08
STD CDN-ME-9	Standard	0.06	0.029	4.25	6.85	1.90	0.63	<0.01	2.62
STD CDN-ME-14	Standard	0.02	0.003	1.28	4.41	0.50	1.68	0.02	15.32
STD CDN-ME-9	Standard	0.06	0.031	4.18	6.74	1.88	0.63	<0.01	2.48
STD CDN-ME-14	Standard	0.02	0.003	1.28	4.36	0.52	1.65	<0.01	15.88
STD CDN-ME-9	Standard	0.06	0.029	3.97	6.59	1.83	0.64	<0.01	2.58
STD CDN-ME-14	Standard	0.02	0.003	1.29	4.45	0.51	1.68	0.02	16.35
STD CDN-ME-9	Standard	0.06	0.029	4.24	6.75	1.88	0.63	<0.01	2.53
STD CDN-ME-14	Standard	0.02	0.004	1.28	4.28	0.52	1.65	<0.01	15.91
STD CDN-ME-9	Standard	0.06	0.029	4.01	6.50	1.76	0.62	<0.01	2.60
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	0.002	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	0.002	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05

QUALITY CONTROL REPORT

WHI13000561.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
Prep Wash																					
G1-WHI	Prep Blank		<2	5	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.51	<0.02	0.07	<0.001	<0.01	<0.01	2.39
G1-WHI	Prep Blank		<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.08	2.47	<0.02	0.08	<0.001	<0.01	<0.01	2.53

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000561.1

		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	0.002	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.08	0.002	0.58	7.47	2.56	1.48	<0.01	0.05
G1-WHI	Prep Blank	0.08	<0.001	0.59	7.63	2.69	1.77	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: October 30, 2013
Report Date: January 09, 2014
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI13000537.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 137

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	128	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	4	Split samples by riffle splitter			WHI
3B	137	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	137	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method	Analyte	Unit	MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD			
					Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
					kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
					0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555001	Drill Core	4.52	11	559	78	<5	<0.001	0.160	<0.02	<0.01	<2	0.041	0.003	0.04	2.68	<0.02	0.01	<0.001	<0.01	<0.01	3.24			
1555002	Drill Core	2.93	37	276	214	<5	<0.001	0.443	<0.02	<0.01	<2	0.346	0.018	0.06	8.11	<0.02	0.01	<0.001	<0.01	<0.01	8.76			
1555003	Drill Core	3.09	8	80	42	<5	<0.001	0.164	<0.02	<0.01	<2	0.047	0.005	0.10	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	11.69			
1555004	Drill Core	4.16	6	97	45	<5	<0.001	0.132	<0.02	<0.01	<2	0.069	0.009	0.12	9.29	<0.02	0.01	<0.001	<0.01	<0.01	8.88			
1555005	Drill Core	3.37	4	119	59	<5	<0.001	0.113	<0.02	<0.01	<2	0.041	0.005	0.09	5.02	<0.02	0.12	<0.001	<0.01	<0.01	15.95			
1555006	Drill Core	1.48	12	130	54	<5	<0.001	0.068	<0.02	<0.01	<2	0.076	0.010	0.09	7.99	<0.02	<0.01	<0.001	<0.01	<0.01	8.05			
1555007	Drill Core	0.71	17	186	93	<5	<0.001	0.144	<0.02	<0.01	<2	0.158	0.014	0.13	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	6.38			
1555008	Drill Core	1.82	20	134	67	<5	<0.001	0.212	<0.02	0.01	<2	0.217	0.021	0.17	12.90	<0.02	<0.01	<0.001	<0.01	<0.01	2.67			
1555009	Drill Core	2.71	41	199	103	<5	<0.001	0.167	<0.02	0.01	<2	0.195	0.017	0.17	11.74	<0.02	<0.01	<0.001	<0.01	<0.01	2.59			
1555010	Drill Core	1.36	17	228	110	<5	<0.001	0.254	<0.02	0.01	<2	0.287	0.023	0.17	12.71	<0.02	<0.01	<0.001	<0.01	<0.01	2.52			
1555011	Drill Core	1.47	21	278	105	<5	<0.001	0.230	<0.02	<0.01	<2	0.267	0.022	0.16	11.97	<0.02	<0.01	<0.001	<0.01	<0.01	3.27			
1555012	Drill Core	1.35	23	268	110	<5	<0.001	0.257	<0.02	0.01	<2	0.271	0.022	0.16	11.87	<0.02	<0.01	<0.001	<0.01	<0.01	2.91			
1555013	Drill Core	1.08	79	460	394	<5	<0.001	0.383	<0.02	<0.01	<2	0.449	0.025	0.15	13.04	<0.02	<0.01	<0.001	<0.01	<0.01	3.29			
1555014	Drill Core	1.52	86	461	412	<5	<0.001	0.453	<0.02	0.01	<2	0.333	0.021	0.15	11.49	<0.02	<0.01	<0.001	<0.01	<0.01	3.07			
1555015	Drill Core	1.47	31	432	495	17	<0.001	0.292	<0.02	<0.01	<2	0.468	0.026	0.14	13.02	<0.02	<0.01	<0.001	<0.01	<0.01	2.81			
1555016	Drill Core	2.48	30	440	564	27	<0.001	0.227	<0.02	<0.01	<2	0.490	0.025	0.16	11.82	<0.02	<0.01	<0.001	<0.01	<0.01	3.86			
1555017	Drill Core	2.47	117	440	517	<5	<0.001	0.306	<0.02	0.01	<2	0.395	0.021	0.16	11.71	<0.02	<0.01	<0.001	<0.01	<0.01	2.77			
1555018	Drill Core	2.58	101	432	428	<5	<0.001	0.318	<0.02	<0.01	<2	0.347	0.022	0.16	11.52	<0.02	<0.01	<0.001	<0.01	<0.01	3.17			
1555019	Drill Core	2.97	55	328	273	<5	<0.001	0.200	<0.02	<0.01	<2	0.288	0.019	0.15	10.05	<0.02	0.01	<0.001	<0.01	<0.01	10.22			
1555020	Drill Core	2.90	83	334	248	<5	<0.001	0.228	<0.02	<0.01	<2	0.237	0.016	0.15	10.01	<0.02	<0.01	<0.001	<0.01	<0.01	5.50			
1555021	Drill Core	3.01	65	416	327	6	<0.001	0.203	<0.02	<0.01	<2	0.292	0.020	0.14	11.54	<0.02	<0.01	<0.001	<0.01	<0.01	3.03			
1555022	Drill Core	2.08	106	420	279	12	<0.001	0.240	<0.02	0.01	<2	0.250	0.016	0.16	10.03	<0.02	<0.01	<0.001	<0.01	<0.01	3.97			
1555023	Drill Core	2.71	113	492	393	<5	<0.001	0.293	<0.02	<0.01	<2	0.314	0.020	0.16	11.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.45			
1555024	Drill Core	2.81	23	82	56	<5	<0.001	0.049	<0.02	<0.01	<2	0.058	0.007	0.15	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	12.84			
1555025	Rock Pulp	0.07	52	448	624	8	<0.001	0.300	<0.02	0.01	<2	0.455	0.021	0.14	11.30	<0.02	<0.01	<0.001	<0.01	<0.01	2.47			
1555026	Drill Core	3.01	52	368	322	<5	<0.001	0.189	<0.02	<0.01	<2	0.289	0.019	0.15	10.49	<0.02	<0.01	<0.001	<0.01	<0.01	3.01			
1555027	Drill Core	3.14	54	251	145	<5	<0.001	0.127	<0.02	<0.01	<2	0.163	0.014	0.15	9.95	<0.02	<0.01	<0.001	<0.01	<0.01	2.20			
1555028	Drill Core	3.35	59	305	161	<5	<0.001	0.153	<0.02	<0.01	<2	0.178	0.016	0.16	10.10	<0.02	<0.01	<0.001	<0.01	<0.01	2.34			
1555029A	Drill Core	3.29	124	494	284	<5	<0.001	0.284	<0.02	<0.01	<2	0.247	0.019	0.14	10.63	<0.02	<0.01	<0.001	<0.01	<0.01	2.45			
1555029B	Drill Core		107	500	280	<5	<0.001	0.284	<0.02	<0.01	<2	0.242	0.019	0.14	10.60	<0.02	<0.01	<0.001	<0.01	<0.01	2.42			

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W
		%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01
1555001	Drill Core	0.03	0.004	0.97	5.47	4.32	0.46	<0.01
1555002	Drill Core	0.03	0.032	3.43	4.93	1.65	1.07	<0.01
1555003	Drill Core	0.02	0.032	5.31	4.69	0.66	1.01	<0.01
1555004	Drill Core	0.03	0.065	8.70	4.15	0.37	0.70	<0.01
1555005	Drill Core	0.02	0.016	5.88	4.50	0.08	0.36	<0.01
1555006	Drill Core	0.03	0.118	9.69	4.06	0.48	0.06	<0.01
1555007	Drill Core	0.03	0.154	12.73	3.04	0.10	0.17	<0.01
1555008	Drill Core	0.02	0.153	14.23	2.50	0.07	0.33	<0.01
1555009	Drill Core	0.02	0.173	15.05	2.74	0.06	0.50	<0.01
1555010	Drill Core	0.03	0.159	14.79	2.45	0.05	0.61	<0.01
1555011	Drill Core	0.03	0.169	14.65	2.54	0.05	0.25	<0.01
1555012	Drill Core	0.03	0.164	14.93	2.55	0.06	0.26	<0.01
1555013	Drill Core	0.02	0.167	14.43	2.29	0.05	0.17	<0.01
1555014	Drill Core	0.02	0.166	15.14	2.46	0.06	0.28	<0.01
1555015	Drill Core	0.02	0.155	15.21	2.28	0.06	0.20	<0.01
1555016	Drill Core	0.02	0.156	14.59	2.19	0.06	0.26	<0.01
1555017	Drill Core	0.02	0.172	15.32	2.39	0.07	0.29	<0.01
1555018	Drill Core	0.02	0.158	15.56	2.25	0.06	0.40	<0.01
1555019	Drill Core	0.02	0.162	12.34	1.94	0.03	0.13	<0.01
1555020	Drill Core	0.02	0.159	14.85	2.09	0.05	0.53	<0.01
1555021	Drill Core	0.02	0.160	15.62	2.23	0.05	0.24	<0.01
1555022	Drill Core	0.03	0.146	14.89	2.68	0.07	0.29	<0.01
1555023	Drill Core	0.02	0.168	15.69	2.22	0.05	0.38	<0.01
1555024	Drill Core	0.02	0.069	8.35	5.70	0.04	0.08	<0.01
1555025	Rock Pulp	0.03	0.190	15.23	2.61	0.05	0.17	<0.01
1555026	Drill Core	0.02	0.185	16.17	2.13	0.04	0.21	<0.01
1555027	Drill Core	0.02	0.183	17.04	2.26	0.04	0.49	<0.01
1555028	Drill Core	0.02	0.174	17.13	2.15	0.03	0.35	<0.01
1555029A	Drill Core	0.02	0.165	17.01	1.82	0.03	0.23	<0.01
1555029B	Drill Core	0.02	0.160	17.01	1.83	0.03	0.25	<0.01

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	3B Pt ppb 3	3B Pd ppb 2	3B Rh ppb 5	7TD Mo % 0.001	7TD Cu % 0.001	7TD Pb % 0.02	7TD Zn % 0.01	7TD Ag gm/t 2	7TD Ni % 0.001	7TD Co % 0.001	7TD Mn % 0.01	7TD Fe % 0.01	7TD As % 0.02	7TD Sr % 0.01	7TD Cd % 0.001	7TD Sb % 0.01	7TD Bi % 0.01	7TD Ca % 0.01
1555030	Drill Core	3.50	75	147	76	<5	<0.001	0.112	<0.02	<0.01	<2	0.123	0.015	0.15	9.98	<0.02	<0.01	<0.001	<0.01	<0.01	2.40
1555031	Rock	1.09	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.46	<0.02	<0.01	<0.001	<0.01	<0.01	21.01
1555032	Drill Core	3.48	24	119	106	<5	<0.001	0.060	<0.02	<0.01	<2	0.162	0.015	0.14	10.47	<0.02	<0.01	<0.001	<0.01	<0.01	2.70
1555033	Drill Core	4.20	24	121	107	<5	<0.001	0.062	<0.02	<0.01	<2	0.141	0.015	0.13	11.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.75
1555034	Drill Core	5.88	65	217	105	<5	<0.001	0.096	<0.02	<0.01	<2	0.146	0.015	0.13	9.62	<0.02	<0.01	<0.001	<0.01	<0.01	2.44
1555035	Drill Core	6.30	56	250	94	<5	<0.001	0.108	<0.02	<0.01	<2	0.126	0.014	0.15	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	2.67
1555036	Drill Core	3.31	37	224	117	<5	<0.001	0.145	<0.02	<0.01	<2	0.166	0.016	0.14	10.42	<0.02	<0.01	<0.001	<0.01	<0.01	2.01
1555037	Drill Core	6.58	14	166	75	<5	<0.001	0.027	<0.02	<0.01	<2	0.152	0.014	0.13	9.75	<0.02	<0.01	<0.001	<0.01	<0.01	1.48
1555038	Drill Core	5.57	51	275	135	<5	<0.001	0.115	<0.02	<0.01	<2	0.166	0.015	0.13	10.46	<0.02	<0.01	<0.001	<0.01	<0.01	1.37
1555039	Drill Core	7.35	71	255	138	<5	<0.001	0.122	<0.02	<0.01	<2	0.152	0.015	0.14	10.22	<0.02	<0.01	<0.001	<0.01	<0.01	1.46
1555040	Drill Core	6.42	58	301	169	<5	<0.001	0.150	<0.02	<0.01	<2	0.164	0.016	0.13	10.41	<0.02	<0.01	<0.001	<0.01	<0.01	0.93
1555041	Drill Core	6.59	55	631	361	<5	<0.001	0.145	<0.02	<0.01	<2	0.238	0.018	0.13	11.48	<0.02	<0.01	<0.001	<0.01	<0.01	1.00
1555042	Drill Core	6.62	115	174	80	<5	<0.001	0.112	<0.02	<0.01	<2	0.098	0.013	0.10	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
1555043	Drill Core	6.48	46	61	47	<5	<0.001	0.062	<0.02	<0.01	<2	0.031	0.004	0.14	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	12.46
1555044	Drill Core	7.86	14	31	35	<5	<0.001	0.035	<0.02	<0.01	<2	0.020	0.003	0.15	8.33	<0.02	<0.01	<0.001	<0.01	<0.01	13.12
1555045	Drill Core	4.45	66	284	164	5	<0.001	0.243	<0.02	<0.01	<2	0.154	0.016	0.14	10.44	<0.02	<0.01	<0.001	<0.01	<0.01	1.13
1555046	Drill Core	5.56	18	421	149	<5	<0.001	0.044	<0.02	<0.01	<2	0.296	0.016	0.12	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.50
1555047	Drill Core	6.20	53	432	110	<5	<0.001	0.140	<0.02	<0.01	<2	0.315	0.018	0.12	10.55	<0.02	<0.01	<0.001	<0.01	<0.01	0.24
1555048	Drill Core	6.47	25	342	88	<5	<0.001	0.096	<0.02	<0.01	<2	0.266	0.016	0.13	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	0.97
1555049	Drill Core	6.79	29	286	81	<5	<0.001	0.087	<0.02	<0.01	<2	0.235	0.015	0.12	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	0.60
1555050	Rock Pulp	0.06	47	451	643	7	<0.001	0.290	<0.02	0.01	<2	0.412	0.019	0.13	10.87	<0.02	<0.01	<0.001	<0.01	<0.01	2.33
1555051	Drill Core	8.10	102	319	92	<5	<0.001	0.116	<0.02	<0.01	<2	0.253	0.016	0.13	9.10	<0.02	<0.01	<0.001	<0.01	<0.01	0.49
1555052	Drill Core	6.87	82	401	136	<5	<0.001	0.160	<0.02	<0.01	<2	0.284	0.016	0.12	8.96	<0.02	<0.01	<0.001	<0.01	<0.01	1.36
1555053	Drill Core	7.28	49	315	100	<5	<0.001	0.173	<0.02	<0.01	<2	0.236	0.015	0.10	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	0.62
1555054	Drill Core	8.31	30	236	84	<5	<0.001	0.147	<0.02	<0.01	<2	0.187	0.013	0.13	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	4.88
1555055	Drill Core	7.02	49	280	119	<5	<0.001	0.144	<0.02	<0.01	<2	0.205	0.014	0.13	8.21	<0.02	<0.01	<0.001	<0.01	<0.01	3.03
1555056	Drill Core	6.66	34	267	174	<5	<0.001	0.121	<0.02	<0.01	<2	0.238	0.014	0.11	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	0.93
1555057	Drill Core	5.60	51	341	222	<5	<0.001	0.121	<0.02	<0.01	<2	0.277	0.015	0.11	8.65	<0.02	<0.01	<0.001	<0.01	<0.01	1.12
1555058	Drill Core	4.47	42	243	135	<5	<0.001	0.076	<0.02	<0.01	<2	0.225	0.014	0.12	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	0.61
1555059A	Drill Core	2.14	27	413	152	<5	<0.001	0.227	<0.02	<0.01	<2	0.200	0.012	0.08	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	10.54

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555030 Drill Core	0.02	0.169	17.15	1.99	0.04	0.22	<0.01	0.49
1555031 Rock	0.01	<0.001	12.17	0.06	<0.01	0.08	<0.01	<0.05
1555032 Drill Core	0.01	0.167	16.70	1.72	0.03	0.40	<0.01	0.54
1555033 Drill Core	0.01	0.171	16.88	1.91	0.02	0.32	<0.01	0.49
1555034 Drill Core	<0.01	0.167	16.66	1.82	0.02	0.24	<0.01	0.42
1555035 Drill Core	0.01	0.148	16.43	1.92	0.02	0.15	<0.01	0.49
1555036 Drill Core	0.02	0.160	16.83	1.59	0.01	0.23	<0.01	0.70
1555037 Drill Core	0.01	0.164	17.96	1.49	0.01	0.34	<0.01	0.34
1555038 Drill Core	<0.01	0.166	17.84	1.51	0.01	0.25	<0.01	0.59
1555039 Drill Core	0.01	0.161	18.28	1.30	0.01	0.26	<0.01	0.57
1555040 Drill Core	<0.01	0.168	18.42	1.22	<0.01	0.17	<0.01	0.70
1555041 Drill Core	0.02	0.173	18.15	1.06	<0.01	0.12	<0.01	0.72
1555042 Drill Core	0.03	0.167	16.08	1.40	<0.01	0.13	<0.01	0.42
1555043 Drill Core	0.05	0.041	6.11	5.31	0.03	0.05	<0.01	0.11
1555044 Drill Core	0.05	0.028	4.94	6.20	0.02	0.02	<0.01	0.07
1555045 Drill Core	0.01	0.175	18.07	1.36	<0.01	0.14	<0.01	0.66
1555046 Drill Core	<0.01	0.256	19.37	1.00	<0.01	0.07	<0.01	0.57
1555047 Drill Core	<0.01	0.268	19.78	0.91	<0.01	0.07	<0.01	0.79
1555048 Drill Core	<0.01	0.225	19.22	1.12	<0.01	0.10	<0.01	0.61
1555049 Drill Core	<0.01	0.235	19.35	0.96	<0.01	0.13	<0.01	0.59
1555050 Rock Pulp	0.03	0.189	14.49	2.52	0.04	0.16	<0.01	1.17
1555051 Drill Core	<0.01	0.244	19.70	0.99	<0.01	0.13	<0.01	0.59
1555052 Drill Core	0.01	0.229	19.39	1.00	<0.01	0.11	<0.01	0.68
1555053 Drill Core	<0.01	0.241	19.92	0.95	<0.01	0.09	<0.01	0.58
1555054 Drill Core	0.05	0.204	16.46	2.21	<0.01	0.09	<0.01	0.50
1555055 Drill Core	0.02	0.193	17.59	1.74	<0.01	0.07	<0.01	0.55
1555056 Drill Core	0.01	0.242	19.29	1.08	<0.01	0.12	<0.01	0.45
1555057 Drill Core	0.01	0.238	19.23	1.06	<0.01	0.14	<0.01	0.45
1555058 Drill Core	<0.01	0.233	19.80	1.05	<0.01	0.15	<0.01	0.32
1555059A Drill Core	<0.01	0.061	8.32	4.40	0.18	0.10	<0.01	0.91

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1555059B	Drill Core		22	351	148	<5	<0.001	0.217	<0.02	<0.01	<2	0.200	0.012	0.08	7.22	<0.02	<0.01	<0.001	<0.01	<0.01
1555060	Drill Core	3.74	4	19	15	<5	<0.001	0.060	<0.02	<0.01	<2	0.162	0.009	0.08	6.68	<0.02	<0.01	<0.001	<0.01	<0.01
1555061	Rock	1.05	2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.44	<0.02	<0.01	<0.001	<0.01	<0.01
1555062	Drill Core	3.68	22	34	26	<5	<0.001	0.223	<0.02	<0.01	<2	0.282	0.014	0.08	8.27	<0.02	<0.01	<0.001	<0.01	<0.01
1555063	Drill Core	3.51	26	17	13	<5	<0.001	0.243	<0.02	<0.01	<2	0.093	0.006	0.11	6.57	<0.02	<0.01	<0.001	<0.01	<0.01
1555064	Drill Core	2.71	41	10	14	<5	<0.001	0.282	<0.02	<0.01	<2	0.073	0.007	0.12	5.12	<0.02	<0.01	<0.001	<0.01	<0.01
1555065	Drill Core	4.72	3	<3	<2	<5	<0.001	0.007	<0.02	<0.01	<2	0.008	<0.001	0.05	1.74	<0.02	0.01	<0.001	<0.01	<0.01
1555066	Drill Core	6.96	4	<3	2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.007	<0.001	0.04	1.21	<0.02	0.02	<0.001	<0.01	<0.01
1555067	Drill Core	3.49	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.008	<0.001	0.03	1.38	<0.02	0.02	<0.001	<0.01	<0.01
1555068	Drill Core	3.93	56	161	73	<5	<0.001	0.144	<0.02	<0.01	<2	0.153	0.010	0.12	8.50	<0.02	<0.01	<0.001	<0.01	<0.01
1555069	Drill Core	4.05	63	195	61	<5	<0.001	0.276	<0.02	<0.01	<2	0.194	0.013	0.11	8.53	<0.02	<0.01	<0.001	<0.01	<0.01
1555070	Drill Core	2.29	30	88	30	<5	<0.001	0.068	<0.02	<0.01	<2	0.101	0.009	0.11	7.37	<0.02	<0.01	<0.001	<0.01	<0.01
1555071	Drill Core	1.90	11	249	112	<5	<0.001	0.477	<0.02	<0.01	<2	0.224	0.018	0.14	11.25	<0.02	<0.01	<0.001	<0.01	<0.01
1555072	Drill Core	3.26	10	183	92	<5	<0.001	0.316	<0.02	<0.01	<2	0.139	0.012	0.14	8.62	<0.02	0.01	<0.001	<0.01	<0.01
1555073	Drill Core	4.41	161	303	164	<5	<0.001	0.279	<0.02	<0.01	<2	0.155	0.014	0.15	10.18	<0.02	<0.01	<0.001	<0.01	<0.01
1555074	Drill Core	2.79	13	22	22	<5	<0.001	0.016	<0.02	<0.01	<2	0.012	0.003	0.14	6.82	<0.02	0.02	<0.001	<0.01	<0.01
1555075	Rock Pulp	0.07	52	960	496	10	<0.001	0.709	<0.02	<0.01	3	0.253	0.019	0.12	12.81	<0.02	<0.01	<0.001	<0.01	<0.01
1555076	Drill Core	2.58	55	151	87	<5	<0.001	0.239	<0.02	<0.01	<2	0.065	0.008	0.13	8.27	<0.02	0.01	<0.001	<0.01	<0.01
1555077	Drill Core	3.44	118	511	256	<5	<0.001	0.456	<0.02	<0.01	<2	0.273	0.024	0.15	13.40	<0.02	<0.01	<0.001	<0.01	<0.01
1555078	Drill Core	3.88	185	511	265	<5	<0.001	0.488	<0.02	<0.01	2	0.177	0.018	0.17	12.15	<0.02	<0.01	<0.001	<0.01	<0.01
1555079	Drill Core	2.49	150	497	278	<5	<0.001	0.509	<0.02	<0.01	<2	0.309	0.024	0.15	13.16	<0.02	<0.01	<0.001	<0.01	<0.01
1555080	Drill Core	2.49	328	627	310	<5	<0.001	0.521	<0.02	<0.01	<2	0.264	0.019	0.14	12.33	<0.02	<0.01	<0.001	<0.01	<0.01
1555081	Drill Core	1.38	739	931	300	19	<0.001	1.463	<0.02	0.01	3	0.356	0.032	0.16	15.87	<0.02	<0.01	<0.001	<0.01	<0.01
1555082	Drill Core	2.07	861	738	485	<5	<0.001	2.089	<0.02	0.01	4	0.513	0.041	0.13	18.46	<0.02	<0.01	<0.001	<0.01	<0.01
1555083	Drill Core	3.15	317	792	392	<5	<0.001	0.615	<0.02	<0.01	<2	0.154	0.014	0.15	11.55	<0.02	<0.01	<0.001	<0.01	<0.01
1555084	Drill Core	3.50	191	647	318	<5	<0.001	0.461	<0.02	<0.01	<2	0.130	0.013	0.16	10.81	<0.02	<0.01	<0.001	<0.01	<0.01
1555085	Drill Core	2.89	165	449	205	<5	<0.001	0.333	<0.02	<0.01	<2	0.168	0.016	0.18	11.74	<0.02	<0.01	<0.001	<0.01	<0.01
1555086	Drill Core	2.58	181	427	218	<5	<0.001	0.383	<0.02	<0.01	2	0.181	0.018	0.19	12.16	<0.02	<0.01	<0.001	<0.01	<0.01
1555087	Drill Core	3.32	369	813	389	<5	<0.001	0.535	<0.02	<0.01	3	0.142	0.014	0.20	11.34	<0.02	<0.01	<0.001	<0.01	<0.01
1555088	Drill Core	3.79	874	1868	1020	<5	<0.001	1.121	<0.02	<0.01	7	0.207	0.016	0.17	11.63	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555059B Drill Core	<0.01	0.060	8.34	4.47	0.18	0.10	<0.01	0.90
1555060 Drill Core	<0.01	0.069	9.84	4.47	0.23	0.05	<0.01	0.55
1555061 Rock	0.01	<0.001	11.83	0.22	<0.01	0.02	<0.01	<0.05
1555062 Drill Core	0.02	0.068	9.82	4.06	0.20	0.08	<0.01	1.18
1555063 Drill Core	0.05	0.048	7.70	5.14	0.55	0.78	<0.01	0.41
1555064 Drill Core	0.06	0.018	4.26	5.79	1.09	0.27	<0.01	0.42
1555065 Drill Core	0.12	0.002	2.60	8.27	3.51	0.32	<0.01	<0.05
1555066 Drill Core	0.11	0.002	2.18	8.44	4.40	0.38	<0.01	<0.05
1555067 Drill Core	0.11	0.002	2.14	8.10	5.36	0.53	<0.01	<0.05
1555068 Drill Core	0.02	0.076	10.07	4.10	0.19	0.28	<0.01	0.70
1555069 Drill Core	<0.01	0.092	11.73	3.62	0.12	0.10	<0.01	1.16
1555070 Drill Core	<0.01	0.085	12.38	3.36	0.11	0.09	<0.01	0.57
1555071 Drill Core	0.02	0.081	9.83	4.27	0.09	0.52	<0.01	1.58
1555072 Drill Core	0.03	0.042	7.06	5.23	0.10	1.22	<0.01	1.02
1555073 Drill Core	0.02	0.084	9.60	3.85	0.14	0.39	<0.01	1.06
1555074 Drill Core	0.05	0.010	5.65	7.35	0.28	1.31	<0.01	0.08
1555075 Rock Pulp	0.08	0.046	7.57	4.65	0.10	0.11	<0.01	2.21
1555076 Drill Core	0.04	0.035	7.16	5.90	0.20	1.20	<0.01	0.41
1555077 Drill Core	0.02	0.112	13.03	2.94	0.09	0.21	<0.01	2.15
1555078 Drill Core	0.03	0.127	14.13	2.73	0.06	0.23	<0.01	1.08
1555079 Drill Core	0.02	0.119	14.76	2.40	0.05	0.12	<0.01	1.92
1555080 Drill Core	0.03	0.127	14.99	2.09	0.05	0.17	<0.01	1.51
1555081 Drill Core	0.04	0.130	13.63	2.19	0.04	0.27	<0.01	2.59
1555082 Drill Core	0.04	0.111	13.07	1.83	0.03	0.19	<0.01	3.54
1555083 Drill Core	0.03	0.122	13.38	2.88	0.07	0.22	<0.01	0.86
1555084 Drill Core	0.03	0.099	12.93	3.63	0.06	0.15	<0.01	0.70
1555085 Drill Core	0.02	0.111	13.98	3.36	0.05	0.14	<0.01	1.03
1555086 Drill Core	0.02	0.126	14.15	2.70	0.05	0.21	<0.01	0.97
1555087 Drill Core	0.03	0.121	14.31	2.84	0.05	0.26	<0.01	0.69
1555088 Drill Core	0.03	0.117	13.72	2.65	0.05	0.16	<0.01	1.43

CERTIFICATE OF ANALYSIS

WHI13000537.1

Method Analyte Unit MDL		WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555089A	Drill Core	3.01	239	649	330	<5	<0.001	0.571	<0.02	<0.01	5	0.193	0.018	0.17	12.59	<0.02	<0.01	<0.001	<0.01	<0.01	2.90
1555089B	Drill Core		259	673	348	<5	<0.001	0.566	<0.02	<0.01	5	0.194	0.018	0.17	12.63	<0.02	<0.01	<0.001	<0.01	<0.01	2.89
1555090	Drill Core	2.80	284	858	414	5	<0.001	0.601	<0.02	<0.01	7	0.203	0.019	0.17	12.98	<0.02	<0.01	<0.001	<0.01	<0.01	2.22
1555091	Rock	1.11	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.42	<0.02	<0.01	<0.001	<0.01	<0.01	21.46
1555092	Drill Core	2.68	215	709	344	<5	<0.001	0.553	<0.02	<0.01	5	0.214	0.019	0.16	13.28	<0.02	<0.01	<0.001	<0.01	<0.01	2.45
1555093	Drill Core	3.36	243	897	464	<5	<0.001	0.636	<0.02	<0.01	7	0.250	0.021	0.18	13.96	<0.02	<0.01	<0.001	<0.01	<0.01	2.34
1555094	Drill Core	3.43	489	1065	564	7	<0.001	0.756	<0.02	<0.01	6	0.329	0.026	0.15	14.80	<0.02	<0.01	<0.001	<0.01	<0.01	2.07
1555095	Drill Core	3.52	224	1028	499	9	<0.001	0.718	<0.02	<0.01	4	0.306	0.026	0.15	15.63	<0.02	<0.01	<0.001	<0.01	<0.01	1.37
1555096	Drill Core	3.14	295	1055	553	9	<0.001	0.764	<0.02	<0.01	4	0.273	0.022	0.16	13.84	<0.02	<0.01	<0.001	<0.01	<0.01	3.33
1555097	Drill Core	2.94	486	1951	995	6	<0.001	0.883	<0.02	<0.01	4	0.282	0.022	0.17	13.75	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
1555098	Drill Core	3.59	217	516	230	<5	<0.001	0.544	<0.02	<0.01	5	0.138	0.010	0.21	7.52	<0.02	<0.01	<0.001	<0.01	<0.01	11.30
1555099	Drill Core	3.20	526	1819	939	5	<0.001	1.123	<0.02	0.01	11	0.270	0.022	0.17	14.50	<0.02	<0.01	<0.001	<0.01	<0.01	1.98
1555100	Rock Pulp	0.06	48	466	634	<5	<0.001	0.305	<0.02	<0.01	<2	0.441	0.021	0.14	11.37	<0.02	<0.01	<0.001	<0.01	<0.01	2.43
1555101	Drill Core	2.83	253	1069	491	5	<0.001	0.820	<0.02	<0.01	9	0.259	0.022	0.19	14.63	<0.02	<0.01	<0.001	<0.01	<0.01	1.76
1555102	Drill Core	2.33	112	306	133	<5	<0.001	0.337	<0.02	0.01	5	0.169	0.017	0.18	11.76	<0.02	<0.01	<0.001	<0.01	<0.01	3.34
1555103	Drill Core	4.31	32	21	12	<5	<0.001	0.067	<0.02	0.01	<2	0.066	0.010	0.19	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	5.14
1555104	Drill Core	2.34	64	130	79	<5	<0.001	0.285	<0.02	0.01	3	0.136	0.014	0.17	10.26	<0.02	<0.01	<0.001	<0.01	<0.01	5.15
1555105	Drill Core	2.11	35	123	49	<5	<0.001	0.308	<0.02	<0.01	3	0.132	0.013	0.20	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	6.25
1555106	Drill Core	1.98	54	128	64	<5	<0.001	0.470	<0.02	<0.01	3	0.306	0.018	0.17	12.16	<0.02	<0.01	<0.001	<0.01	<0.01	6.95
1555107	Drill Core	1.45	9	49	20	<5	<0.001	0.116	<0.02	<0.01	<2	0.098	0.010	0.16	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	6.95
1555108	Drill Core	1.77	84	218	73	<5	<0.001	0.319	<0.02	<0.01	3	0.137	0.009	0.15	8.64	0.03	0.02	<0.001	<0.01	<0.01	7.48
1555109	Drill Core	2.22	34	72	34	<5	<0.001	0.064	<0.02	<0.01	<2	0.045	0.005	0.15	6.52	0.02	0.02	<0.001	<0.01	<0.01	7.05
1555110	Drill Core	4.16	5	9	14	<5	<0.001	0.008	<0.02	<0.01	<2	0.006	0.003	0.13	6.45	<0.02	0.02	<0.001	<0.01	<0.01	6.35
1555111	Drill Core	5.81	8	5	23	<5	<0.001	0.020	<0.02	<0.01	<2	0.005	0.005	0.16	9.23	<0.02	0.04	<0.001	<0.01	<0.01	8.41
1555112	Drill Core	6.98	33	264	348	<5	<0.001	0.158	<0.02	<0.01	<2	0.363	0.017	0.11	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	0.47
1555113	Drill Core	5.84	40	249	348	<5	<0.001	0.128	<0.02	<0.01	<2	0.324	0.016	0.11	8.64	<0.02	<0.01	<0.001	<0.01	<0.01	0.22
1555114	Drill Core	6.27	32	243	305	<5	<0.001	0.110	<0.02	<0.01	<2	0.300	0.015	0.12	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	0.60
1555115	Drill Core	7.00	14	173	219	<5	<0.001	0.049	<0.02	<0.01	<2	0.253	0.013	0.12	7.67	<0.02	<0.01	<0.001	<0.01	<0.01	2.09
1555116	Drill Core	6.20	33	229	341	<5	<0.001	0.135	<0.02	<0.01	<2	0.316	0.016	0.10	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	0.52
1555117	Drill Core	7.31	27	190	281	<5	<0.001	0.116	<0.02	<0.01	<2	0.275	0.014	0.12	8.40	<0.02	<0.01	<0.001	<0.01	<0.01	2.11

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555089A	Drill Core	0.02	0.137	14.53	2.35	0.04	0.20	<0.01	1.62
1555089B	Drill Core	0.02	0.132	14.41	2.34	0.04	0.20	<0.01	1.69
1555090	Drill Core	0.02	0.134	15.18	2.12	0.04	0.20	<0.01	1.52
1555091	Rock	0.02	<0.001	12.40	0.06	<0.01	0.03	<0.01	<0.05
1555092	Drill Core	0.02	0.131	15.10	2.04	0.03	0.18	<0.01	1.56
1555093	Drill Core	0.02	0.127	14.72	2.22	0.04	0.17	<0.01	1.86
1555094	Drill Core	0.02	0.133	14.57	1.79	0.03	0.13	<0.01	2.54
1555095	Drill Core	0.02	0.139	15.28	1.74	0.03	0.17	<0.01	2.52
1555096	Drill Core	0.02	0.131	13.62	2.38	0.04	0.14	<0.01	1.91
1555097	Drill Core	0.03	0.130	13.80	2.41	0.04	0.22	<0.01	1.94
1555098	Drill Core	0.03	0.088	10.10	3.47	0.11	<0.01	<0.01	0.58
1555099	Drill Core	0.02	0.138	14.71	2.06	0.05	0.18	<0.01	2.20
1555100	Rock Pulp	0.03	0.197	15.42	2.59	0.04	0.16	<0.01	1.24
1555101	Drill Core	0.02	0.146	15.02	2.06	0.06	0.18	<0.01	1.97
1555102	Drill Core	0.03	0.135	13.78	2.06	0.06	0.07	<0.01	1.17
1555103	Drill Core	0.03	0.093	11.56	3.56	0.09	0.03	<0.01	0.15
1555104	Drill Core	0.03	0.102	11.46	3.30	0.10	0.04	<0.01	0.97
1555105	Drill Core	0.03	0.081	10.53	4.51	0.26	0.16	<0.01	0.71
1555106	Drill Core	0.04	0.060	8.11	4.75	0.56	0.54	<0.01	2.01
1555107	Drill Core	0.03	0.083	10.62	4.11	0.10	0.10	<0.01	0.48
1555108	Drill Core	0.05	0.053	6.10	5.44	1.10	1.48	<0.01	1.09
1555109	Drill Core	0.09	0.037	4.54	6.52	2.84	1.09	<0.01	0.25
1555110	Drill Core	0.07	0.013	3.72	7.42	2.80	1.65	<0.01	<0.05
1555111	Drill Core	0.07	0.007	3.42	6.90	1.40	1.33	<0.01	<0.05
1555112	Drill Core	0.01	0.281	19.31	0.94	<0.01	0.02	<0.01	0.20
1555113	Drill Core	0.01	0.251	19.60	0.94	<0.01	0.02	<0.01	0.25
1555114	Drill Core	0.01	0.260	19.03	1.11	0.01	0.03	<0.01	0.18
1555115	Drill Core	0.01	0.215	18.06	1.23	<0.01	0.02	<0.01	0.12
1555116	Drill Core	0.01	0.247	19.55	1.10	<0.01	0.02	<0.01	0.38
1555117	Drill Core	0.01	0.211	18.60	1.20	<0.01	0.02	<0.01	0.27

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1555118	Drill Core	7.04	16	148	200	<5	<0.001	0.076	<0.02	<0.01	<2	0.244	0.013	0.11	8.43	<0.02	<0.01	<0.001	<0.01	<0.01
1555119A	Drill Core	6.11	26	212	271	<5	<0.001	0.100	<0.02	<0.01	<2	0.287	0.015	0.11	8.90	<0.02	<0.01	<0.001	<0.01	<0.01
1555119B	Drill Core		25	205	270	<5	<0.001	0.102	<0.02	<0.01	<2	0.286	0.015	0.11	8.84	<0.02	<0.01	<0.001	<0.01	<0.01
1555120	Drill Core	6.80	37	153	212	<5	<0.001	0.082	<0.02	<0.01	<2	0.251	0.015	0.11	9.00	<0.02	<0.01	<0.001	<0.01	<0.01
1555121	Rock	1.13	<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.50	<0.02	<0.01	<0.001	<0.01	<0.01
1555122	Drill Core	5.99	17	139	197	<5	<0.001	0.066	<0.02	<0.01	<2	0.233	0.014	0.12	8.76	<0.02	<0.01	<0.001	<0.01	<0.01
1555123	Drill Core	7.20	20	132	170	<5	<0.001	0.069	<0.02	<0.01	<2	0.237	0.014	0.12	8.97	<0.02	<0.01	<0.001	<0.01	<0.01
1555124	Drill Core	6.37	22	169	204	<5	<0.001	0.067	<0.02	<0.01	<2	0.242	0.014	0.12	8.87	<0.02	<0.01	<0.001	<0.01	<0.01
1555125	Rock Pulp	0.06	87	447	628	<5	<0.001	0.296	<0.02	0.01	<2	0.429	0.021	0.14	11.10	<0.02	<0.01	<0.001	<0.01	<0.01
1555126	Drill Core	5.41	34	166	207	7	<0.001	0.070	<0.02	<0.01	<2	0.241	0.014	0.12	9.07	<0.02	<0.01	<0.001	<0.01	<0.01
1555127	Drill Core	6.02	24	179	219	8	<0.001	0.076	<0.02	<0.01	<2	0.245	0.014	0.12	8.92	<0.02	<0.01	<0.001	<0.01	<0.01
1555128	Drill Core	4.40	32	189	249	9	<0.001	0.102	<0.02	<0.01	<2	0.244	0.015	0.12	9.24	<0.02	<0.01	<0.001	<0.01	<0.01
1555129	Drill Core	3.98	37	180	263	7	<0.001	0.111	<0.02	<0.01	<2	0.269	0.015	0.12	9.45	<0.02	<0.01	<0.001	<0.01	<0.01
1555130	Drill Core	3.18	37	264	422	<5	<0.001	0.203	<0.02	<0.01	<2	0.356	0.017	0.12	9.63	<0.02	<0.01	<0.001	<0.01	<0.01
1555131	Drill Core	3.99	41	349	559	<5	<0.001	0.121	<0.02	<0.01	<2	0.390	0.017	0.12	10.36	<0.02	<0.01	<0.001	<0.01	<0.01
1555132	Drill Core	4.14	137	292	479	<5	<0.001	0.226	<0.02	<0.01	<2	0.377	0.018	0.12	9.99	<0.02	<0.01	<0.001	<0.01	<0.01
1555133	Drill Core	6.52	423	226	246	<5	<0.001	0.117	<0.02	<0.01	<2	0.292	0.015	0.12	9.37	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000537.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.05
1555118	Drill Core	0.02	0.241	18.70	1.32	<0.01	0.21	<0.01
1555119A	Drill Core	0.02	0.249	18.93	1.18	<0.01	0.05	<0.01
1555119B	Drill Core	0.02	0.240	18.88	1.18	<0.01	0.05	<0.01
1555120	Drill Core	0.01	0.243	18.97	1.27	<0.01	0.05	<0.01
1555121	Rock	0.02	0.004	11.81	0.04	<0.01	0.02	<0.01
1555122	Drill Core	0.02	0.237	18.63	1.27	<0.01	0.06	<0.01
1555123	Drill Core	0.02	0.243	19.15	1.34	<0.01	0.07	<0.01
1555124	Drill Core	0.02	0.238	18.77	1.46	0.01	0.10	<0.01
1555125	Rock Pulp	0.03	0.174	14.86	2.61	0.04	0.16	<0.01
1555126	Drill Core	0.02	0.225	18.34	1.47	0.01	0.10	<0.01
1555127	Drill Core	0.02	0.228	18.39	1.40	<0.01	0.11	<0.01
1555128	Drill Core	0.02	0.226	18.61	1.56	0.01	0.13	<0.01
1555129	Drill Core	0.02	0.233	18.45	1.50	0.01	0.15	<0.01
1555130	Drill Core	0.02	0.230	18.27	1.49	0.01	0.14	<0.01
1555131	Drill Core	0.01	0.240	18.32	1.26	<0.01	0.19	<0.01
1555132	Drill Core	0.01	0.239	18.54	1.30	0.01	0.17	<0.01
1555133	Drill Core	0.02	0.226	17.83	1.59	0.03	0.18	<0.01

QUALITY CONTROL REPORT

WHI13000537.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1555023	Drill Core	2.71	113	492	393	<5	<0.001	0.293	<0.02	<0.01	<2	0.314	0.020	0.16	11.19	<0.02	<0.01	<0.001	<0.01	<0.01	2.45
REP 1555023	QC		126	489	380	<5															
1555029A	Drill Core	3.29	124	494	284	<5	<0.001	0.284	<0.02	<0.01	<2	0.247	0.019	0.14	10.63	<0.02	<0.01	<0.001	<0.01	<0.01	2.45
REP 1555029A	QC						<0.001	0.282	<0.02	<0.01	<2	0.247	0.018	0.14	10.63	<0.02	<0.01	<0.001	<0.01	<0.01	2.42
1555049	Drill Core	6.79	29	286	81	<5	<0.001	0.087	<0.02	<0.01	<2	0.235	0.015	0.12	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	0.60
REP 1555049	QC						<0.001	0.092	<0.02	<0.01	<2	0.253	0.016	0.13	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.64
1555058	Drill Core	4.47	42	243	135	<5	<0.001	0.076	<0.02	<0.01	<2	0.225	0.014	0.12	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	0.61
REP 1555058	QC		39	240	136	<5															
1555059A	Drill Core	2.14	27	413	152	<5	<0.001	0.227	<0.02	<0.01	<2	0.200	0.012	0.08	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	10.54
REP 1555059A	QC						<0.001	0.226	<0.02	<0.01	<2	0.203	0.012	0.08	7.28	<0.02	<0.01	<0.001	<0.01	<0.01	10.53
1555091	Rock	1.11	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.42	<0.02	<0.01	<0.001	<0.01	<0.01	21.46
REP 1555091	QC		<2	<3	<2	<5															
1555095	Drill Core	3.52	224	1028	499	9	<0.001	0.718	<0.02	<0.01	4	0.306	0.026	0.15	15.63	<0.02	<0.01	<0.001	<0.01	<0.01	1.37
REP 1555095	QC		224	1044	490	8															
1555097	Drill Core	2.94	486	1951	995	6	<0.001	0.883	<0.02	<0.01	4	0.282	0.022	0.17	13.75	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
REP 1555097	QC						<0.001	0.871	<0.02	<0.01	4	0.278	0.021	0.17	13.99	<0.02	<0.01	<0.001	<0.01	<0.01	2.94
1555124	Drill Core	6.37	22	169	204	<5	<0.001	0.067	<0.02	<0.01	<2	0.242	0.014	0.12	8.87	<0.02	<0.01	<0.001	<0.01	<0.01	1.12
REP 1555124	QC		21	162	193	<5															
1555129	Drill Core	3.98	37	180	263	7	<0.001	0.111	<0.02	<0.01	<2	0.269	0.015	0.12	9.45	<0.02	<0.01	<0.001	<0.01	<0.01	1.15
REP 1555129	QC						<0.001	0.111	<0.02	<0.01	<2	0.266	0.015	0.12	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	1.14
Core Reject Duplicates																					
1555061	Rock	1.05	2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.44	<0.02	<0.01	<0.001	<0.01	<0.01	20.42
DUP 1555061	QC		10	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01	20.36
1555098	Drill Core	3.59	217	516	230	<5	<0.001	0.544	<0.02	<0.01	5	0.138	0.010	0.21	7.52	<0.02	<0.01	<0.001	<0.01	<0.01	11.30
DUP 1555098	QC		237	494	215	<5	<0.001	0.533	<0.02	<0.01	5	0.141	0.010	0.20	7.49	<0.02	<0.01	<0.001	<0.01	<0.01	11.03
Reference Materials																					
STD AMIS256	Standard		344	5170	2588	43															
STD AMIS256	Standard		364	5085	2599	<5															

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000537.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1555023	Drill Core	0.02	0.168	15.69	2.22	0.05	0.38	<0.01	1.37
REP 1555023	QC								
1555029A	Drill Core	0.02	0.165	17.01	1.82	0.03	0.23	<0.01	1.05
REP 1555029A	QC	0.02	0.161	16.95	1.83	0.03	0.25	<0.01	1.06
1555049	Drill Core	<0.01	0.235	19.35	0.96	<0.01	0.13	<0.01	0.59
REP 1555049	QC	0.01	0.232	19.86	1.02	<0.01	0.31	<0.01	0.59
1555058	Drill Core	<0.01	0.233	19.80	1.05	<0.01	0.15	<0.01	0.32
REP 1555058	QC								
1555059A	Drill Core	<0.01	0.061	8.32	4.40	0.18	0.10	<0.01	0.91
REP 1555059A	QC	<0.01	0.062	8.34	4.47	0.18	0.10	<0.01	0.93
1555091	Rock	0.02	<0.001	12.40	0.06	<0.01	0.03	<0.01	<0.05
REP 1555091	QC								
1555095	Drill Core	0.02	0.139	15.28	1.74	0.03	0.17	<0.01	2.52
REP 1555095	QC								
1555097	Drill Core	0.03	0.130	13.80	2.41	0.04	0.22	<0.01	1.94
REP 1555097	QC	0.03	0.134	13.81	2.46	0.05	0.22	<0.01	1.85
1555124	Drill Core	0.02	0.238	18.77	1.46	0.01	0.10	<0.01	0.19
REP 1555124	QC								
1555129	Drill Core	0.02	0.233	18.45	1.50	0.01	0.15	<0.01	0.53
REP 1555129	QC	0.02	0.233	18.29	1.50	0.01	0.15	<0.01	0.53
Core Reject Duplicates									
1555061	Rock	0.01	<0.001	11.83	0.22	<0.01	0.02	<0.01	<0.05
DUP 1555061	QC	0.01	<0.001	11.81	0.07	<0.01	0.02	<0.01	<0.05
1555098	Drill Core	0.03	0.088	10.10	3.47	0.11	<0.01	<0.01	0.58
DUP 1555098	QC	0.03	0.084	10.04	3.43	0.11	<0.01	<0.01	0.57
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								

QUALITY CONTROL REPORT

WHI13000537.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-ME-14	Standard						0.001	1.238	0.49	3.11	43	0.002	0.018	0.09	17.73	<0.02	<0.01	0.009	<0.01	<0.01	0.74
STD CDN-ME-9	Standard						<0.001	0.649	<0.02	0.01	3	0.896	0.017	0.12	13.41	<0.02	0.03	<0.001	<0.01	<0.01	4.12
STD CDN-ME-14	Standard						0.001	1.249	0.50	3.21	48	0.001	0.017	0.09	18.37	<0.02	<0.01	0.010	<0.01	<0.01	0.71
STD CDN-ME-9	Standard						<0.001	0.650	<0.02	<0.01	4	0.957	0.016	0.12	13.89	<0.02	0.03	<0.001	<0.01	<0.01	4.10
STD CDN-ME-14	Standard						0.002	1.210	0.47	3.04	43	<0.001	0.017	0.09	17.40	<0.02	<0.01	0.009	<0.01	0.01	0.70
STD CDN-ME-9	Standard						<0.001	0.627	<0.02	0.01	3	0.856	0.016	0.12	13.12	<0.02	0.03	<0.001	<0.01	<0.01	3.97
STD CDN-ME-14	Standard						0.002	1.264	0.51	3.14	45	0.002	0.018	0.09	17.62	<0.02	<0.01	0.009	<0.01	0.01	0.68
STD CDN-ME-9	Standard						<0.001	0.656	<0.02	0.01	3	0.909	0.017	0.12	13.67	<0.02	0.03	<0.001	<0.01	<0.01	4.15
STD CDN-ME-14	Standard						0.002	1.193	0.46	2.99	45	0.002	0.016	0.08	17.42	<0.02	<0.01	0.009	<0.01	<0.01	0.72
STD CDN-ME-9	Standard						<0.001	0.644	<0.02	<0.01	4	0.870	0.015	0.12	13.37	<0.02	0.03	<0.001	<0.01	<0.01	3.99
STD CDN-PGMS-23	Standard		493	460	2096	<5															
STD CDN-PGMS-23	Standard		469	427	1982	<5															
STD CDN-PGMS-23	Standard		483	441	2005	<5															
STD CDN-PGMS-23	Standard		489	473	2130	10															
STD CDN-PGMS-23	Standard		587	490	2175	<5															
STD CDN-PGMS-23	Standard		535	463	2134	9															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000537.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-ME-14	Standard	0.02	<0.001	1.26	4.29	0.52	1.67	<0.01	15.42
STD CDN-ME-9	Standard	0.06	0.028	3.89	6.52	1.77	0.64	<0.01	2.56
STD CDN-ME-14	Standard	0.01	0.002	1.25	4.34	0.53	1.74	<0.01	16.21
STD CDN-ME-9	Standard	0.06	0.028	3.97	6.52	1.78	0.65	<0.01	2.57
STD CDN-ME-14	Standard	0.02	0.004	1.25	4.02	0.54	1.71	<0.01	15.47
STD CDN-ME-9	Standard	0.07	0.026	3.81	6.45	1.85	0.62	<0.01	2.37
STD CDN-ME-14	Standard	0.02	0.002	1.25	3.51	0.54	1.95	<0.01	15.66
STD CDN-ME-9	Standard	0.07	0.025	3.96	6.67	1.91	0.64	<0.01	2.58
STD CDN-ME-14	Standard	0.01	0.002	1.22	4.17	0.51	1.65	<0.01	15.78
STD CDN-ME-9	Standard	0.06	0.026	3.80	6.34	1.75	0.62	<0.01	2.46
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	0.05	<0.01	<0.01	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI13000537.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.08	2.29	<0.02	0.07	<0.001	<0.01	<0.01	2.17
G1-WHI	Prep Blank		<2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.20	<0.02	0.07	<0.001	<0.01	<0.01	2.06

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000537.1

		7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W
		%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01
		0.05						
Prep Wash								
G1-WHI	Prep Blank	0.07	<0.001	0.50	5.58	2.68	2.81	<0.01
G1-WHI	Prep Blank	0.07	<0.001	0.50	5.60	2.67	2.05	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 12, 2013
Report Date: January 09, 2014
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000558.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 80

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	73	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	3	Split samples by riffle splitter			WHI
3B	80	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	80	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000558.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555350	Rock Pulp	0.06	70	922	479	<5	<0.001	0.713	<0.02	0.01	3	0.250	0.019	0.12	12.83	<0.02	<0.01	<0.001	<0.01	<0.01	10.12
1555351	Drill Core	3.45	10	339	300	<5	<0.001	0.112	<0.02	<0.01	<2	0.228	0.010	0.13	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	5.16
1555352	Drill Core	5.06	9	289	289	<5	<0.001	0.101	<0.02	<0.01	<2	0.289	0.011	0.12	8.42	<0.02	0.02	<0.001	<0.01	<0.01	5.16
1555353	Drill Core	4.05	4	20	13	<5	<0.001	0.014	<0.02	<0.01	<2	0.009	<0.001	0.04	2.47	<0.02	0.02	<0.001	<0.01	<0.01	2.41
1555354	Drill Core	2.39	38	88	131	<5	<0.001	0.041	<0.02	<0.01	<2	0.173	0.011	0.14	9.47	<0.02	<0.01	<0.001	<0.01	<0.01	4.59
1555355	Drill Core	4.17	21	178	283	<5	<0.001	0.115	<0.02	<0.01	<2	0.250	0.013	0.12	9.61	<0.02	<0.01	<0.001	<0.01	<0.01	4.50
1555356	Drill Core	2.15	9	155	224	<5	<0.001	0.082	<0.02	<0.01	<2	0.202	0.010	0.13	8.09	<0.02	0.01	<0.001	<0.01	<0.01	6.69
1555357	Drill Core	2.35	70	199	321	<5	<0.001	0.117	<0.02	<0.01	<2	0.255	0.013	0.14	9.66	<0.02	<0.01	<0.001	<0.01	<0.01	4.94
1555358	Drill Core	1.48	72	185	307	<5	<0.001	0.154	<0.02	<0.01	<2	0.292	0.013	0.12	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	5.19
1555359A	Drill Core	4.53	49	233	316	<5	<0.001	0.087	<0.02	<0.01	<2	0.220	0.011	0.13	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	5.63
1555359B	Drill Core		23	222	326	<5	<0.001	0.088	<0.02	<0.01	<2	0.218	0.011	0.13	8.80	<0.02	<0.01	<0.001	<0.01	<0.01	5.62
1555360	Drill Core	5.14	26	170	250	<5	<0.001	0.088	<0.02	0.01	<2	0.180	0.009	0.16	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	5.45
1555361	Rock	0.96	3	<3	<2	<5	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.48	<0.02	<0.01	<0.001	<0.01	<0.01	22.07
1555362	Drill Core	4.19	16	158	239	<5	<0.001	0.102	<0.02	<0.01	<2	0.192	0.010	0.14	8.75	<0.02	<0.01	<0.001	<0.01	<0.01	5.09
1555363	Drill Core	2.16	69	222	289	<5	<0.001	0.133	<0.02	<0.01	<2	0.225	0.010	0.15	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	4.91
1555364	Drill Core	4.30	31	224	301	<5	<0.001	0.125	<0.02	<0.01	<2	0.247	0.013	0.13	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	4.89
1555365	Drill Core	3.74	24	276	354	<5	<0.001	0.125	<0.02	<0.01	<2	0.255	0.015	0.12	10.23	<0.02	<0.01	<0.001	<0.01	<0.01	4.02
1555366	Drill Core	3.86	21	276	366	<5	<0.001	0.166	<0.02	<0.01	<2	0.288	0.016	0.13	11.01	<0.02	<0.01	<0.001	<0.01	<0.01	3.16
1555367	Drill Core	3.65	42	124	172	<5	<0.001	0.067	<0.02	0.01	<2	0.203	0.012	0.15	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	3.84
1555368	Drill Core	3.82	20	132	169	<5	<0.001	0.083	<0.02	<0.01	<2	0.199	0.012	0.15	9.56	<0.02	<0.01	<0.001	<0.01	<0.01	3.84
1555369	Drill Core	5.05	19	122	189	<5	<0.001	0.045	<0.02	<0.01	<2	0.195	0.010	0.13	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	5.52
1555370	Drill Core	2.52	28	127	193	<5	<0.001	0.087	<0.02	<0.01	<2	0.183	0.010	0.13	9.02	<0.02	<0.01	<0.001	<0.01	<0.01	6.23
1555371	Drill Core	1.96	23	185	287	<5	<0.001	0.094	<0.02	<0.01	<2	0.238	0.012	0.13	9.23	<0.02	<0.01	<0.001	<0.01	<0.01	5.68
1555372	Drill Core	2.98	12	149	227	<5	<0.001	0.075	<0.02	<0.01	<2	0.198	0.011	0.13	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	5.10
1555373	Drill Core	1.75	21	245	381	<5	<0.001	0.179	<0.02	<0.01	<2	0.267	0.014	0.15	10.34	<0.02	<0.01	<0.001	<0.01	<0.01	5.04
1555374	Drill Core	2.77	3	4	5	<5	<0.001	0.012	<0.02	<0.01	<2	0.017	0.004	0.13	8.50	<0.02	0.03	<0.001	<0.01	<0.01	7.19
1555375	Rock Pulp	0.06	5	4	13	<5	<0.001	0.010	<0.02	<0.01	<2	0.007	0.001	0.10	4.32	<0.02	0.01	<0.001	<0.01	<0.01	11.26
1555376	Drill Core	1.55	6	<3	6	<5	<0.001	0.010	<0.02	0.02	<2	0.015	0.003	0.14	8.38	<0.02	<0.01	<0.001	<0.01	<0.01	12.27
1555377	Drill Core	1.69	6	5	5	<5	<0.001	0.009	<0.02	<0.01	<2	0.024	0.004	0.16	7.21	<0.02	<0.01	<0.001	<0.01	<0.01	15.38
1555378	Drill Core	0.57	40	290	158	<5	<0.001	0.128	<0.02	<0.01	<2	0.184	0.016	0.09	8.92	0.03	<0.01	<0.001	<0.01	<0.01	7.79

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000558.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555350 Rock Pulp	0.07	0.043	7.42	4.73	0.10	0.15	<0.01	3.03
1555351 Drill Core	0.04	0.109	11.73	3.92	0.12	0.71	<0.01	0.53
1555352 Drill Core	0.04	0.097	9.26	4.83	0.57	0.95	<0.01	0.91
1555353 Drill Core	0.06	0.004	0.96	4.75	4.42	1.10	<0.01	0.08
1555354 Drill Core	0.03	0.177	13.68	3.81	0.32	0.27	<0.01	0.14
1555355 Drill Core	0.03	0.192	13.76	3.25	0.42	0.18	<0.01	0.80
1555356 Drill Core	0.03	0.163	13.12	3.29	0.11	0.05	<0.01	0.57
1555357 Drill Core	0.04	0.178	13.38	3.65	0.20	0.09	<0.01	0.49
1555358 Drill Core	0.04	0.172	13.31	3.59	0.27	0.08	<0.01	0.47
1555359A Drill Core	0.04	0.163	12.82	3.71	0.27	0.09	<0.01	0.30
1555359B Drill Core	0.03	0.157	12.76	3.70	0.27	0.06	<0.01	0.31
1555360 Drill Core	0.04	0.154	13.30	4.36	0.13	0.05	<0.01	0.16
1555361 Rock	0.02	0.001	12.14	0.07	<0.01	0.09	<0.01	<0.05
1555362 Drill Core	0.04	0.228	12.90	3.93	0.21	0.10	<0.01	0.23
1555363 Drill Core	0.04	0.178	13.15	3.94	0.23	0.08	<0.01	0.36
1555364 Drill Core	0.03	0.234	14.02	3.00	0.23	0.12	<0.01	0.65
1555365 Drill Core	0.03	0.231	14.42	2.73	0.31	0.14	<0.01	0.66
1555366 Drill Core	0.03	0.229	14.50	2.96	0.32	0.17	<0.01	0.59
1555367 Drill Core	0.03	0.186	14.28	3.37	0.33	0.17	<0.01	0.22
1555368 Drill Core	0.03	0.184	14.04	3.37	0.30	0.18	<0.01	0.22
1555369 Drill Core	0.03	0.143	12.43	3.78	0.42	0.19	<0.01	0.18
1555370 Drill Core	0.04	0.110	12.03	4.20	0.45	0.17	<0.01	0.24
1555371 Drill Core	0.03	0.147	12.74	3.90	0.40	0.22	<0.01	0.43
1555372 Drill Core	0.03	0.177	13.52	3.55	0.28	0.08	<0.01	0.49
1555373 Drill Core	0.04	0.159	12.51	3.76	0.28	0.05	<0.01	1.15
1555374 Drill Core	0.09	0.006	3.64	6.90	0.61	3.77	<0.01	0.12
1555375 Rock Pulp	0.03	0.021	5.53	5.67	1.60	0.77	<0.01	<0.05
1555376 Drill Core	0.08	0.006	3.72	6.67	0.15	1.26	<0.01	0.06
1555377 Drill Core	0.06	0.007	3.79	6.25	0.12	0.14	<0.01	<0.05
1555378 Drill Core	0.02	0.169	11.41	1.90	0.04	0.03	<0.01	0.38

CERTIFICATE OF ANALYSIS

WHI13000558.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555379	Drill Core	1.64	113	49	30	<5	<0.001	0.029	<0.02	<0.01	<2	0.055	0.006	0.16	7.24	<0.02	<0.01	<0.001	<0.01	<0.01	10.85
1555380	Drill Core	1.02	124	167	88	<5	<0.001	0.095	<0.02	<0.01	<2	0.137	0.013	0.13	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	8.35
1555381	Drill Core	2.28	416	34	23	<5	<0.001	0.019	<0.02	<0.01	<2	0.038	0.006	0.17	6.29	<0.02	<0.01	<0.001	<0.01	<0.01	12.30
1555382	Drill Core	1.37	65	204	102	<5	<0.001	0.133	<0.02	0.01	2	0.171	0.016	0.14	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	5.05
1555383	Drill Core	0.51	47	9	9	<5	<0.001	0.010	<0.02	<0.01	<2	0.023	0.004	0.18	6.08	<0.02	<0.01	<0.001	<0.01	<0.01	14.29
1555384	Drill Core	4.16	75	284	142	<5	<0.001	0.179	<0.02	0.02	3	0.191	0.018	0.13	10.55	<0.02	<0.01	<0.001	<0.01	<0.01	3.23
1555385	Drill Core	1.27	71	173	90	<5	<0.001	0.180	<0.02	0.03	4	0.123	0.010	0.21	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	10.04
1555386	Drill Core	4.02	91	297	164	<5	<0.001	0.205	<0.02	<0.01	<2	0.155	0.016	0.15	10.50	<0.02	<0.01	<0.001	<0.01	<0.01	2.88
1555387	Drill Core	3.14	35	146	91	<5	<0.001	0.185	<0.02	<0.01	<2	0.100	0.009	0.12	6.32	<0.02	<0.01	<0.001	<0.01	<0.01	12.48
1555388	Drill Core	3.88	17	228	147	<5	<0.001	0.252	<0.02	<0.01	2	0.156	0.010	0.10	6.77	<0.02	<0.01	<0.001	<0.01	<0.01	13.31
1555389A	Drill Core	4.26	89	410	268	<5	<0.001	0.352	<0.02	<0.01	3	0.240	0.014	0.12	8.41	<0.02	<0.01	<0.001	<0.01	<0.01	10.56
1555389B	Drill Core		80	491	271	<5	<0.001	0.357	<0.02	<0.01	2	0.246	0.014	0.12	8.61	<0.02	<0.01	<0.001	<0.01	<0.01	10.75
1555390	Drill Core	4.66	65	305	157	<5	<0.001	0.374	<0.02	<0.01	<2	0.138	0.011	0.13	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	12.44
1555391	Rock	1.10	3	<3	<2	<5	<0.001	0.002	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01	20.04
1555392	Drill Core	4.06	244	411	186	<5	<0.001	0.490	<0.02	<0.01	<2	0.215	0.017	0.12	10.38	<0.02	<0.01	<0.001	<0.01	<0.01	10.68
1555393	Drill Core	1.91	32	239	127	<5	<0.001	0.382	<0.02	<0.01	2	0.161	0.013	0.13	8.87	<0.02	<0.01	<0.001	<0.01	<0.01	11.75
1555394	Drill Core	1.72	188	471	237	<5	<0.001	0.397	<0.02	<0.01	2	0.185	0.018	0.13	12.02	<0.02	<0.01	<0.001	<0.01	<0.01	2.98
1555395	Drill Core	4.02	20	14	10	<5	<0.001	0.018	<0.02	<0.01	<2	0.015	0.003	0.13	8.37	<0.02	0.01	<0.001	<0.01	<0.01	13.43
1555396	Drill Core	4.39	4	<3	4	<5	<0.001	0.009	<0.02	<0.01	<2	0.010	0.003	0.14	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	13.22
1555397	Drill Core	3.63	5	15	12	<5	<0.001	0.022	<0.02	<0.01	<2	0.008	0.003	0.13	8.07	<0.02	0.04	<0.001	<0.01	<0.01	7.56
1555398	Drill Core	4.35	4	9	14	<5	<0.001	0.012	<0.02	<0.01	<2	0.006	0.002	0.12	6.02	<0.02	0.01	<0.001	<0.01	<0.01	12.71
1555399	Drill Core	2.92	3	6	11	<5	<0.001	0.011	<0.02	<0.01	<2	0.007	0.003	0.14	7.18	<0.02	0.04	<0.001	<0.01	<0.01	6.76
1555400	Rock Pulp	0.06	47	441	626	<5	<0.001	0.293	<0.02	0.01	<2	0.432	0.020	0.14	10.73	<0.02	<0.01	<0.001	<0.01	<0.01	2.40
1555401	Drill Core	3.53	129	420	249	<5	<0.001	0.355	<0.02	<0.01	<2	0.163	0.016	0.13	11.06	<0.02	<0.01	<0.001	<0.01	<0.01	6.21
1555402	Drill Core	3.79	286	543	329	<5	<0.001	0.418	<0.02	<0.01	<2	0.169	0.016	0.11	10.50	<0.02	<0.01	<0.001	<0.01	<0.01	5.85
1555403	Drill Core	3.37	93	171	100	<5	<0.001	0.349	<0.02	<0.01	<2	0.134	0.014	0.14	10.73	<0.02	<0.01	<0.001	<0.01	<0.01	6.82
1555404	Drill Core	3.06	202	359	169	<5	<0.001	0.549	<0.02	<0.01	<2	0.222	0.020	0.13	11.67	<0.02	<0.01	<0.001	<0.01	<0.01	6.23
1555405	Drill Core	2.65	39	355	145	<5	<0.001	0.606	<0.02	<0.01	3	0.181	0.016	0.15	10.64	0.02	<0.01	<0.001	<0.01	<0.01	5.49
1555406	Drill Core	4.77	82	637	284	<5	<0.001	0.432	<0.02	<0.01	<2	0.173	0.013	0.13	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	9.74
1555407	Drill Core	1.34	161	831	216	<5	<0.001	0.529	<0.02	<0.01	<2	0.079	0.010	0.12	6.85	<0.02	0.03	<0.001	<0.01	<0.01	6.40

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000558.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	P	Cr	Mg	Al	Na	K	W	S
Unit	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555379 Drill Core	0.03	0.035	9.35	5.63	0.05	0.01	<0.01	0.12
1555380 Drill Core	0.03	0.087	10.67	4.19	0.04	0.23	<0.01	0.28
1555381 Drill Core	0.03	0.024	8.81	4.90	0.07	0.02	<0.01	<0.05
1555382 Drill Core	0.02	0.113	13.02	2.97	0.04	0.04	<0.01	0.43
1555383 Drill Core	0.03	0.012	6.44	5.95	0.09	0.03	<0.01	<0.05
1555384 Drill Core	0.02	0.128	15.20	1.92	0.04	0.05	<0.01	0.40
1555385 Drill Core	0.02	0.086	11.62	2.50	0.09	0.03	<0.01	0.54
1555386 Drill Core	0.01	0.114	15.19	2.16	0.05	0.06	<0.01	0.49
1555387 Drill Core	0.02	0.085	8.79	3.58	0.11	0.02	<0.01	0.51
1555388 Drill Core	0.02	0.065	7.96	3.90	0.11	0.01	<0.01	0.83
1555389A Drill Core	0.02	0.069	9.21	3.46	0.13	0.03	<0.01	1.40
1555389B Drill Core	0.03	0.068	9.38	3.53	0.13	0.03	<0.01	1.45
1555390 Drill Core	0.03	0.067	8.21	3.88	0.10	0.02	<0.01	0.91
1555391 Rock	0.02	0.001	11.58	0.06	0.01	0.02	<0.01	<0.05
1555392 Drill Core	0.04	0.059	7.58	4.59	0.10	0.10	<0.01	2.21
1555393 Drill Core	0.03	0.063	7.90	4.35	0.11	0.05	<0.01	1.39
1555394 Drill Core	0.02	0.129	14.34	2.02	0.05	0.20	<0.01	1.30
1555395 Drill Core	0.09	0.007	3.88	7.14	0.07	0.30	<0.01	0.37
1555396 Drill Core	0.09	0.004	3.58	7.27	0.09	0.27	<0.01	0.32
1555397 Drill Core	0.07	0.008	4.08	6.92	0.29	3.46	<0.01	<0.05
1555398 Drill Core	0.07	0.008	3.96	7.43	0.15	1.08	<0.01	<0.05
1555399 Drill Core	0.06	0.011	4.97	7.08	0.55	3.46	<0.01	<0.05
1555400 Rock Pulp	0.03	0.191	14.45	2.55	0.05	0.15	<0.01	1.44
1555401 Drill Core	0.03	0.092	10.68	3.90	0.12	0.17	<0.01	1.59
1555402 Drill Core	0.02	0.110	11.22	2.92	0.08	0.17	<0.01	1.51
1555403 Drill Core	0.05	0.064	9.34	4.65	0.36	0.46	<0.01	1.12
1555404 Drill Core	0.04	0.083	10.29	3.56	0.12	0.04	<0.01	2.12
1555405 Drill Core	0.05	0.089	10.68	3.84	0.20	0.07	<0.01	1.29
1555406 Drill Core	0.03	0.056	6.90	5.00	0.43	1.01	<0.01	0.96
1555407 Drill Core	0.06	0.015	4.15	6.79	1.73	2.68	<0.01	1.27

CERTIFICATE OF ANALYSIS

WHI13000558.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555408	Drill Core	2.76	383	2493	597	<5	<0.001	0.849	<0.02	<0.01	4	0.141	0.010	0.19	9.81	0.03	0.02	<0.001	<0.01	<0.01	8.62
1555409	Drill Core	5.88	12	<3	30	<5	<0.001	0.011	<0.02	<0.01	<2	0.005	<0.001	0.06	4.13	<0.02	0.02	<0.001	<0.01	<0.01	2.80
1555410	Drill Core	2.86	13	206	295	<5	<0.001	0.118	<0.02	<0.01	<2	0.257	0.013	0.12	9.59	<0.02	<0.01	<0.001	<0.01	<0.01	2.36
1555411	Drill Core	3.42	37	169	237	<5	<0.001	0.127	<0.02	<0.01	<2	0.238	0.012	0.13	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	3.22
1555412	Drill Core	4.67	18	192	247	<5	<0.001	0.131	<0.02	<0.01	<2	0.248	0.012	0.13	9.36	<0.02	<0.01	<0.001	<0.01	<0.01	2.68
1555413	Drill Core	3.59	13	159	222	<5	<0.001	0.081	<0.02	<0.01	<2	0.228	0.012	0.12	9.11	<0.02	<0.01	<0.001	<0.01	<0.01	3.02
1555414	Drill Core	3.34	13	214	290	<5	<0.001	0.075	<0.02	<0.01	<2	0.289	0.013	0.12	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	2.93
1555415	Drill Core	3.15	8	278	356	<5	<0.001	0.056	<0.02	<0.01	<2	0.308	0.013	0.13	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	3.28
1555416	Drill Core	4.19	24	252	322	<5	<0.001	0.046	<0.02	<0.01	<2	0.258	0.011	0.13	8.56	<0.02	<0.01	<0.001	<0.01	<0.01	6.10
1555417	Drill Core	3.96	7	165	193	<5	<0.001	0.024	<0.02	<0.01	<2	0.180	0.008	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	6.78
1555418	Drill Core	2.57	39	91	88	<5	<0.001	0.010	<0.02	<0.01	<2	0.099	0.007	0.14	7.93	<0.02	<0.01	<0.001	<0.01	<0.01	6.92
1555419A	Drill Core	2.08	23	98	81	<5	<0.001	0.022	<0.02	<0.01	<2	0.094	0.007	0.15	8.74	<0.02	<0.01	<0.001	<0.01	<0.01	7.21
1555419B	Drill Core		15	95	83	<5	<0.001	0.022	<0.02	<0.01	<2	0.095	0.007	0.15	8.76	<0.02	<0.01	<0.001	<0.01	<0.01	7.25
1555420	Drill Core	1.46	12	77	90	<5	<0.001	0.075	<0.02	<0.01	<2	0.032	0.001	0.10	5.37	<0.02	0.03	<0.001	<0.01	<0.01	3.90
1555421	Rock	0.88	7	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.48	<0.02	<0.01	<0.001	<0.01	<0.01	21.06
1555422	Drill Core	6.98	7	<3	<2	<5	<0.001	0.002	<0.02	<0.01	<2	0.002	<0.001	0.05	3.03	<0.02	0.02	<0.001	<0.01	<0.01	1.90
1555423	Drill Core	2.59	20	135	176	<5	<0.001	0.062	<0.02	<0.01	<2	0.216	0.012	0.15	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	3.00
1555424	Drill Core	1.93	10	192	266	<5	<0.001	0.091	<0.02	<0.01	<2	0.267	0.013	0.14	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	3.29
1555425	Rock Pulp	0.06	61	441	618	<5	<0.001	0.301	<0.02	0.01	<2	0.449	0.021	0.14	11.09	<0.02	<0.01	<0.001	<0.01	<0.01	2.49
1555426	Drill Core	2.82	29	255	327	<5	<0.001	0.118	<0.02	<0.01	<2	0.276	0.012	0.14	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	3.39

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000558.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1555408	Drill Core	0.08	0.057	6.30	5.24	0.51	1.20	<0.01
1555409	Drill Core	0.12	0.007	2.05	7.36	3.63	2.45	<0.01
1555410	Drill Core	0.02	0.251	16.93	2.13	0.04	0.10	<0.01
1555411	Drill Core	0.03	0.218	15.90	2.56	0.05	0.13	<0.01
1555412	Drill Core	0.02	0.218	15.98	2.50	0.11	0.14	<0.01
1555413	Drill Core	0.02	0.216	15.98	2.60	0.11	0.17	<0.01
1555414	Drill Core	0.03	0.217	16.00	2.73	0.06	0.20	<0.01
1555415	Drill Core	0.02	0.221	15.44	2.65	0.07	0.15	<0.01
1555416	Drill Core	0.04	0.181	13.36	3.54	0.06	0.15	<0.01
1555417	Drill Core	0.04	0.165	12.34	3.81	0.08	0.15	<0.01
1555418	Drill Core	0.03	0.115	11.63	4.18	0.24	0.11	<0.01
1555419A	Drill Core	0.03	0.108	10.87	4.57	0.26	0.09	<0.01
1555419B	Drill Core	0.03	0.104	10.93	4.59	0.26	0.09	<0.01
1555420	Drill Core	0.07	0.005	2.01	7.34	1.62	4.54	<0.01
1555421	Rock	0.01	<0.001	12.06	0.07	<0.01	0.03	<0.01
1555422	Drill Core	0.04	0.003	1.35	5.57	4.21	1.55	<0.01
1555423	Drill Core	0.02	0.263	16.35	2.58	0.04	0.10	<0.01
1555424	Drill Core	0.02	0.227	16.04	2.60	0.04	0.09	<0.01
1555425	Rock Pulp	0.03	0.197	15.09	2.64	0.05	0.17	<0.01
1555426	Drill Core	0.02	0.209	15.81	2.62	0.06	0.12	<0.01

QUALITY CONTROL REPORT

WHI13000558.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt		Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb		ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3		2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
Pulp Duplicates																					
1555367	Drill Core	3.65	42	124	172	<5	<0.001	0.067	<0.02	0.01	<2	0.203	0.012	0.15	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	3.84
REP 1555367	QC		43	118	171	<5															
1555371	Drill Core	1.96	23	185	287	<5	<0.001	0.094	<0.02	<0.01	<2	0.238	0.012	0.13	9.23	<0.02	<0.01	<0.001	<0.01	<0.01	5.68
REP 1555371	QC		22	189	283	<5															
1555378	Drill Core	0.57	40	290	158	<5	<0.001	0.128	<0.02	<0.01	<2	0.184	0.016	0.09	8.92	0.03	<0.01	<0.001	<0.01	<0.01	7.79
REP 1555378	QC					<0.001	0.127	<0.02	<0.01	<2	0.184	0.016	0.09	8.77	0.02	<0.01	<0.001	<0.01	<0.01	7.70	
1555405	Drill Core	2.65	39	355	145	<5	<0.001	0.606	<0.02	<0.01	3	0.181	0.016	0.15	10.64	0.02	<0.01	<0.001	<0.01	<0.01	5.49
REP 1555405	QC		47	347	143	<5															
1555411	Drill Core	3.42	37	169	237	<5	<0.001	0.127	<0.02	<0.01	<2	0.238	0.012	0.13	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	3.22
REP 1555411	QC					<0.001	0.128	<0.02	<0.01	<2	0.237	0.012	0.14	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	3.24	
1555426	Drill Core	2.82	29	255	327	<5	<0.001	0.118	<0.02	<0.01	<2	0.276	0.012	0.14	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	3.39
REP 1555426	QC		26	242	313	<5	<0.001	0.115	<0.02	<0.01	<2	0.269	0.011	0.14	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	3.37
REP 1555377	QC					<0.001	0.010	<0.02	<0.01	<2	0.025	0.005	0.15	7.10	<0.02	<0.01	<0.001	<0.01	<0.01	15.35	
Core Reject Duplicates																					
1555364	Drill Core	4.30	31	224	301	<5	<0.001	0.125	<0.02	<0.01	<2	0.247	0.013	0.13	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	4.89
DUP 1555364	QC		39	211	288	<5	<0.001	0.124	<0.02	<0.01	<2	0.246	0.013	0.13	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	4.87
1555401	Drill Core	3.53	129	420	249	<5	<0.001	0.355	<0.02	<0.01	<2	0.163	0.016	0.13	11.06	<0.02	<0.01	<0.001	<0.01	<0.01	6.21
DUP 1555401	QC		127	413	250	<5	<0.001	0.349	<0.02	<0.01	<2	0.162	0.016	0.13	10.90	<0.02	<0.01	<0.001	<0.01	<0.01	6.15
Reference Materials																					
STD AMIS256	Standard		344	4854	2414	7															
STD AMIS256	Standard		354	4973	2488	<5															
STD AMIS256	Standard		326	4887	2444	<5															
STD CDN-ME-14	Standard					0.001	1.245	0.49	3.14	43	0.002	0.017	0.09	17.74	<0.02	<0.01	0.009	<0.01	0.01	0.74	
STD CDN-ME-9	Standard					<0.001	0.666	<0.02	0.01	3	0.923	0.016	0.12	13.67	<0.02	0.03	<0.001	<0.01	<0.01	4.17	
STD CDN-ME-14	Standard					0.002	1.242	0.49	3.13	45	0.002	0.017	0.09	18.06	<0.02	<0.01	0.009	<0.01	0.01	0.76	
STD CDN-ME-9	Standard					<0.001	0.665	<0.02	0.01	4	0.914	0.016	0.12	13.86	<0.02	0.03	<0.001	<0.01	<0.01	4.22	
STD CDN-ME-14	Standard					0.001	1.240	0.49	3.12	44	0.002	0.018	0.09	17.70	<0.02	<0.01	0.009	<0.01	0.01	0.70	
STD CDN-ME-9	Standard					<0.001	0.669	<0.02	0.01	4	0.944	0.017	0.12	14.11	<0.02	0.03	<0.001	<0.01	<0.01	4.22	

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000558.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte		P	Cr	Mg	Al	Na	K	W	S
Unit		%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1555367	Drill Core	0.03	0.186	14.28	3.37	0.33	0.17	<0.01	0.22
REP 1555367	QC								
1555371	Drill Core	0.03	0.147	12.74	3.90	0.40	0.22	<0.01	0.43
REP 1555371	QC								
1555378	Drill Core	0.02	0.169	11.41	1.90	0.04	0.03	<0.01	0.38
REP 1555378	QC	0.02	0.164	11.23	1.89	0.04	0.04	<0.01	0.37
1555405	Drill Core	0.05	0.089	10.68	3.84	0.20	0.07	<0.01	1.29
REP 1555405	QC								
1555411	Drill Core	0.03	0.218	15.90	2.56	0.05	0.13	<0.01	0.21
REP 1555411	QC	0.03	0.222	15.89	2.58	0.06	0.13	<0.01	0.21
1555426	Drill Core	0.02	0.209	15.81	2.62	0.06	0.12	<0.01	0.29
REP 1555426	QC	0.02	0.212	15.66	2.60	0.06	0.12	<0.01	0.27
REP 1555377	QC	0.06	0.006	3.70	6.20	0.11	0.14	<0.01	<0.05
Core Reject Duplicates									
1555364	Drill Core	0.03	0.234	14.02	3.00	0.23	0.12	<0.01	0.65
DUP 1555364	QC	0.03	0.229	13.95	2.96	0.23	0.12	<0.01	0.65
1555401	Drill Core	0.03	0.092	10.68	3.90	0.12	0.17	<0.01	1.59
DUP 1555401	QC	0.03	0.086	10.56	3.85	0.11	0.17	<0.01	1.56
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.003	1.28	4.37	0.53	1.66	<0.01	16.48
STD CDN-ME-9	Standard	0.06	0.028	3.97	6.59	1.83	0.63	<0.01	2.93
STD CDN-ME-14	Standard	0.02	0.002	1.28	4.42	0.53	1.70	<0.01	16.75
STD CDN-ME-9	Standard	0.06	0.027	4.01	6.63	1.85	0.65	<0.01	3.04
STD CDN-ME-14	Standard	0.02	0.003	1.22	4.13	0.52	1.63	<0.01	16.49
STD CDN-ME-9	Standard	0.06	0.029	4.01	6.77	1.81	0.63	<0.01	2.97

QUALITY CONTROL REPORT

WHI13000558.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-ME-14	Standard						0.001	1.261	0.51	3.18	46	0.002	0.017	0.09	18.21	<0.02	<0.01	0.009	<0.01	<0.01	0.76
STD CDN-ME-9	Standard						<0.001	0.661	<0.02	0.01	2	0.901	0.016	0.12	13.79	<0.02	0.03	<0.001	<0.01	<0.01	4.20
STD CDN-PGMS-23	Standard		531	447	2078	<5															
STD CDN-PGMS-23	Standard		526	448	2090	<5															
STD CDN-PGMS-23	Standard		530	448	2041	<5															
STD CDN-PGMS-23	Standard		540	509	2071	<5															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		3	<3	<2	<5															
BLK	Blank		2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		6	<3	<2	<5															
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
Prep Wash																					
G1-WHI	Prep Blank		4	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.19	<0.02	0.06	<0.001	<0.01	<0.01	1.99
G1-WHI	Prep Blank		3	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.17	<0.02	0.06	<0.001	<0.01	<0.01	2.04

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000558.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-ME-14	Standard	0.02	0.002	1.28	4.39	0.53	1.68	<0.01	16.96
STD CDN-ME-9	Standard	0.06	0.028	4.02	6.55	1.78	0.62	<0.01	3.06
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.07	0.002	0.54	4.34	2.55	3.07	<0.01	<0.05
G1-WHI	Prep Blank	0.07	0.002	0.63	4.62	2.55	3.10	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 25, 2013
Report Date: January 15, 2014
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI13000567.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 101

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	93	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	4	Split samples by riffle splitter			WHI
3B	101	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	101	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462838	Drill Core	0.97	13	795	394	<5	<0.001	0.643	<0.02	<0.01	2	0.233	0.015	0.12	11.22	0.12	0.01	<0.001	<0.01	<0.01	8.06
1462839A	Drill Core	2.51	4	7	5	<5	<0.001	0.006	<0.02	<0.01	<2	0.006	<0.001	0.04	2.64	<0.02	0.02	<0.001	<0.01	<0.01	6.39
1462839B	Drill Core		5	7	7	<5	<0.001	0.007	<0.02	<0.01	<2	0.006	<0.001	0.04	2.50	<0.02	0.02	<0.001	<0.01	<0.01	6.27
1462840	Drill Core	2.96	24	166	205	<5	<0.001	0.079	<0.02	<0.01	<2	0.252	0.013	0.13	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	1.78
1462841	Rock	0.83	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01	20.69
1462842	Drill Core	1.02	29	205	295	<5	<0.001	0.099	<0.02	<0.01	<2	0.276	0.014	0.12	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	1.45
1462843	Drill Core	2.86	17	125	178	<5	<0.001	0.076	<0.02	<0.01	<2	0.246	0.014	0.13	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	1.55
1462844	Drill Core	2.86	29	197	313	<5	<0.001	0.107	<0.02	<0.01	<2	0.294	0.015	0.12	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	1.18
1462845	Drill Core	2.34	27	197	310	<5	<0.001	0.109	<0.02	<0.01	<2	0.297	0.015	0.12	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	1.20
1462846	Drill Core	3.06	31	246	383	<5	<0.001	0.159	<0.02	<0.01	<2	0.355	0.016	0.12	9.68	<0.02	<0.01	<0.001	<0.01	<0.01	1.16
1462847	Drill Core	3.69	26	187	271	<5	<0.001	0.098	<0.02	<0.01	<2	0.289	0.015	0.12	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	1.23
1462848	Drill Core	3.48	31	127	164	<5	<0.001	0.068	<0.02	<0.01	<2	0.214	0.013	0.12	8.57	<0.02	<0.01	<0.001	<0.01	<0.01	1.64
1462849	Drill Core	3.27	58	174	212	<5	<0.001	0.086	<0.02	<0.01	<2	0.236	0.013	0.11	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	2.29
1462850	Rock Pulp	0.05	55	469	654	<5	<0.001	0.294	<0.02	0.01	<2	0.424	0.020	0.14	11.09	<0.02	<0.01	<0.001	<0.01	<0.01	2.44
1462851	Drill Core	3.01	29	175	196	<5	<0.001	0.074	<0.02	<0.01	<2	0.226	0.014	0.11	9.14	<0.02	<0.01	<0.001	<0.01	<0.01	1.51
1462852	Drill Core	3.28	8	92	122	<5	<0.001	0.046	<0.02	<0.01	<2	0.162	0.010	0.13	7.53	<0.02	<0.01	<0.001	<0.01	<0.01	4.91
1462853	Drill Core	3.31	15	247	231	<5	<0.001	0.071	<0.02	<0.01	<2	0.271	0.015	0.12	9.26	<0.02	<0.01	<0.001	<0.01	<0.01	1.54
1462854	Drill Core	2.89	79	428	244	<5	<0.001	0.107	<0.02	<0.01	<2	0.312	0.016	0.14	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	1.86
1462855	Drill Core	1.97	21	449	225	<5	<0.001	0.129	<0.02	<0.01	<2	0.286	0.014	0.15	9.26	<0.02	<0.01	<0.001	<0.01	<0.01	3.55
1462856	Drill Core	1.88	34	479	250	<5	<0.001	0.086	<0.02	<0.01	<2	0.330	0.014	0.14	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	3.84
1462857	Drill Core	1.43	38	212	122	<5	<0.001	0.178	<0.02	<0.01	<2	0.204	0.014	0.13	9.72	<0.02	<0.01	<0.001	<0.01	<0.01	4.46
1462858	Drill Core	1.98	13	126	139	<5	<0.001	0.147	<0.02	<0.01	<2	0.172	0.014	0.13	10.47	<0.02	<0.01	<0.001	<0.01	<0.01	3.29
1462859	Drill Core	1.11	16	198	210	<5	<0.001	0.155	<0.02	<0.01	<2	0.186	0.014	0.13	9.92	<0.02	<0.01	<0.001	<0.01	<0.01	4.03
1462860	Drill Core	1.43	11	118	123	<5	<0.001	0.105	<0.02	<0.01	<2	0.170	0.013	0.14	9.78	<0.02	<0.01	<0.001	<0.01	<0.01	3.65
1462861	Drill Core	1.77	17	60	68	<5	<0.001	0.132	<0.02	<0.01	<2	0.167	0.014	0.12	9.73	<0.02	<0.01	<0.001	<0.01	<0.01	3.31
1462862	Drill Core	2.55	11	174	212	<5	<0.001	0.154	<0.02	<0.01	<2	0.244	0.017	0.12	10.81	<0.02	<0.01	<0.001	<0.01	<0.01	2.66
1462863	Drill Core	1.91	7	23	21	<5	<0.001	0.128	<0.02	<0.01	<2	0.144	0.014	0.13	11.35	<0.02	<0.01	<0.001	<0.01	<0.01	3.25
1462864	Drill Core	2.67	13	27	16	<5	<0.001	0.121	<0.02	<0.01	<2	0.135	0.014	0.13	9.88	<0.02	<0.01	<0.001	<0.01	<0.01	4.56
1462865	Drill Core	0.98	11	33	22	<5	<0.001	0.252	<0.02	<0.01	<2	0.109	0.012	0.12	9.48	<0.02	<0.01	<0.001	<0.01	<0.01	6.58
1462866	Drill Core	2.56	10	70	44	<5	<0.001	0.268	<0.02	<0.01	<2	0.151	0.012	0.10	8.38	<0.02	0.01	<0.001	<0.01	<0.01	11.97

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 2 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462838	Drill Core	0.04	0.069	8.10	3.72	0.05	0.09	<0.01	0.37
1462839A	Drill Core	0.10	0.006	1.73	7.86	4.86	1.13	<0.01	<0.05
1462839B	Drill Core	0.10	0.005	1.71	7.85	4.86	1.11	<0.01	<0.05
1462840	Drill Core	0.02	0.307	18.57	1.77	0.02	0.12	<0.01	0.34
1462841	Rock	0.01	0.001	12.02	0.05	<0.01	0.03	<0.01	<0.05
1462842	Drill Core	0.01	0.332	18.71	1.50	0.02	0.09	<0.01	0.16
1462843	Drill Core	0.01	0.305	19.12	1.50	0.01	0.04	<0.01	0.17
1462844	Drill Core	0.02	0.270	18.63	1.46	0.02	0.04	<0.01	0.18
1462845	Drill Core	0.01	0.260	18.79	1.48	0.02	0.04	<0.01	0.17
1462846	Drill Core	0.01	0.249	18.59	1.45	0.01	0.06	<0.01	0.30
1462847	Drill Core	0.02	0.268	19.13	1.51	0.01	0.08	<0.01	0.15
1462848	Drill Core	0.01	0.230	18.96	1.55	0.01	0.07	<0.01	0.11
1462849	Drill Core	0.01	0.235	18.34	1.73	0.02	0.08	<0.01	0.24
1462850	Rock Pulp	0.03	0.196	15.04	2.54	0.04	0.16	<0.01	1.13
1462851	Drill Core	0.02	0.248	18.64	1.74	0.02	0.10	<0.01	0.17
1462852	Drill Core	0.02	0.187	15.56	2.48	0.02	0.07	<0.01	0.12
1462853	Drill Core	0.02	0.255	18.65	1.64	0.02	0.12	<0.01	0.21
1462854	Drill Core	0.02	0.225	17.84	1.58	0.02	0.05	<0.01	0.36
1462855	Drill Core	0.01	0.243	16.08	1.74	0.03	0.06	<0.01	0.18
1462856	Drill Core	0.02	0.212	15.82	1.33	0.03	0.10	<0.01	0.30
1462857	Drill Core	0.03	0.148	15.18	1.90	0.04	0.11	<0.01	0.37
1462858	Drill Core	0.04	0.129	15.76	2.07	0.04	0.10	<0.01	0.29
1462859	Drill Core	0.02	0.096	14.68	2.34	0.06	0.11	<0.01	0.41
1462860	Drill Core	0.03	0.182	15.42	2.61	0.08	0.16	<0.01	0.45
1462861	Drill Core	0.03	0.190	15.46	2.52	0.05	0.15	<0.01	0.74
1462862	Drill Core	0.03	0.190	15.64	2.41	0.08	0.25	<0.01	1.09
1462863	Drill Core	0.05	0.179	14.84	2.60	0.08	0.21	<0.01	0.85
1462864	Drill Core	0.03	0.157	13.22	3.19	0.08	0.16	<0.01	1.05
1462865	Drill Core	0.03	0.122	11.44	4.09	0.13	0.04	<0.01	0.79
1462866	Drill Core	0.03	0.039	5.42	4.93	0.23	0.94	<0.01	1.75

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462867	Drill Core	2.61	6	66	49	<5	<0.001	0.127	<0.02	<0.01	<2	0.082	0.005	0.10	6.12	<0.02	0.02	<0.001	<0.01	<0.01
1462868	Drill Core	3.67	3	3	5	<5	<0.001	0.003	<0.02	<0.01	<2	0.006	<0.001	0.02	1.92	<0.02	0.02	<0.001	<0.01	<0.01
1462869A	Drill Core	4.02	11	7	7	<5	<0.001	0.009	<0.02	0.01	<2	0.009	<0.001	0.08	4.81	<0.02	0.02	<0.001	<0.01	<0.01
1462869B	Drill Core		11	8	6	<5	<0.001	0.010	<0.02	0.01	<2	0.008	<0.001	0.08	5.10	<0.02	0.02	<0.001	<0.01	<0.01
1462870	Drill Core	2.63	10	109	66	<5	<0.001	0.048	<0.02	<0.01	<2	0.080	0.006	0.09	5.77	0.05	0.03	<0.001	<0.01	<0.01
1462871	Rock	0.84	<2	<3	<2	<5	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.49	<0.02	<0.01	<0.001	<0.01	<0.01
1462872	Drill Core	3.55	8	76	52	<5	<0.001	0.070	<0.02	<0.01	<2	0.072	0.007	0.10	7.38	0.02	0.02	<0.001	<0.01	<0.01
1462873	Drill Core	3.53	10	141	79	<5	<0.001	0.081	<0.02	<0.01	<2	0.092	0.008	0.12	6.80	<0.02	0.02	<0.001	<0.01	<0.01
1462874	Drill Core	3.72	17	159	120	<5	<0.001	0.063	<0.02	<0.01	<2	0.149	0.009	0.13	7.63	<0.02	<0.01	<0.001	<0.01	<0.01
1462875	Rock Pulp	0.06	51	937	495	<5	<0.001	0.714	<0.02	0.01	4	0.251	0.018	0.12	12.55	<0.02	<0.01	<0.001	<0.01	<0.01
1462876	Drill Core	3.86	12	130	82	<5	<0.001	0.063	<0.02	<0.01	<2	0.121	0.009	0.12	8.11	<0.02	<0.01	<0.001	<0.01	<0.01
1462877	Drill Core	2.69	11	111	81	<5	<0.001	0.059	<0.02	<0.01	<2	0.110	0.009	0.13	7.35	<0.02	<0.01	<0.001	<0.01	<0.01
1462878	Drill Core	1.32	136	81	135	<5	<0.001	0.303	<0.02	<0.01	<2	0.286	0.013	0.31	8.29	<0.02	<0.01	<0.001	<0.01	<0.01
1462879	Drill Core	3.62	86	380	316	<5	<0.001	1.485	<0.02	<0.01	4	1.250	0.065	0.09	23.68	<0.02	0.02	<0.001	<0.01	<0.01
1462880	Drill Core	2.43	76	1157	707	<5	<0.001	1.680	<0.02	<0.01	3	1.201	0.060	0.09	26.56	<0.02	0.01	<0.001	<0.01	<0.01
1462881	Drill Core	4.87	39	<3	3	<5	<0.001	0.004	<0.02	<0.01	6	0.003	<0.001	0.05	3.10	0.23	0.03	<0.001	0.04	<0.01
1462882	Drill Core	2.78	7	8	11	<5	<0.001	0.015	<0.02	<0.01	<2	0.009	<0.001	0.05	3.37	<0.02	0.04	<0.001	<0.01	<0.01
1462883	Drill Core	4.79	176	763	459	<5	<0.001	0.694	<0.02	<0.01	3	0.265	0.018	0.16	10.53	<0.02	<0.01	<0.001	<0.01	<0.01
1462884	Drill Core	3.60	130	1297	618	<5	<0.001	0.809	<0.02	<0.01	<2	0.336	0.023	0.18	12.27	<0.02	<0.01	<0.001	<0.01	<0.01
1462885	Drill Core	2.22	110	286	167	<5	<0.001	0.428	<0.02	<0.01	<2	0.199	0.015	0.12	9.14	<0.02	<0.01	<0.001	<0.01	<0.01
1462886	Drill Core	3.11	519	1116	468	5	<0.001	0.883	<0.02	<0.01	4	0.283	0.022	0.13	12.57	<0.02	<0.01	<0.001	<0.01	<0.01
1462887	Drill Core	2.12	207	1129	624	<5	<0.001	0.888	<0.02	<0.01	3	0.326	0.026	0.14	13.71	<0.02	<0.01	<0.001	<0.01	<0.01
1462888	Drill Core	2.88	46	504	269	<5	<0.001	0.517	<0.02	<0.01	2	0.233	0.016	0.11	9.69	<0.02	<0.01	<0.001	<0.01	<0.01
1462889	Drill Core	3.36	237	469	260	<5	<0.001	0.490	<0.02	<0.01	2	0.246	0.016	0.11	9.59	<0.02	<0.01	<0.001	<0.01	<0.01
1462890	Drill Core	2.21	30	506	267	<5	<0.001	0.393	<0.02	<0.01	<2	0.270	0.018	0.13	10.57	<0.02	<0.01	<0.001	<0.01	<0.01
1462891	Drill Core	3.35	159	646	327	17	<0.001	0.427	<0.02	0.01	<2	0.376	0.027	0.15	12.98	<0.02	<0.01	<0.001	<0.01	<0.01
1462892	Drill Core	3.07	132	529	283	<5	<0.001	0.388	<0.02	<0.01	<2	0.364	0.026	0.13	12.49	<0.02	<0.01	<0.001	<0.01	<0.01
1462893	Drill Core	3.18	102	622	342	<5	<0.001	0.424	<0.02	<0.01	<2	0.311	0.021	0.12	10.64	<0.02	<0.01	<0.001	<0.01	<0.01
1462894	Drill Core	4.19	43	414	205	<5	<0.001	0.365	<0.02	<0.01	<2	0.196	0.014	0.11	8.58	<0.02	<0.01	<0.001	<0.01	<0.01
1462895	Drill Core	4.18	23	492	262	<5	<0.001	0.490	<0.02	<0.01	<2	0.219	0.017	0.10	9.52	<0.02	<0.01	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462867	Drill Core	0.05	0.055	6.07	5.68	0.79	0.95	<0.01	0.33
1462868	Drill Core	0.07	0.007	0.89	6.75	5.24	0.79	<0.01	<0.05
1462869A	Drill Core	0.09	0.006	1.57	6.57	1.97	2.56	<0.01	<0.05
1462869B	Drill Core	0.09	0.007	1.62	7.26	2.04	1.65	<0.01	<0.05
1462870	Drill Core	0.02	0.081	6.78	4.25	0.70	0.43	<0.01	0.19
1462871	Rock	0.02	0.001	12.27	0.08	<0.01	0.03	<0.01	<0.05
1462872	Drill Core	0.14	0.090	7.46	5.14	0.03	0.60	<0.01	0.21
1462873	Drill Core	0.03	0.109	9.25	2.89	0.02	0.04	<0.01	0.31
1462874	Drill Core	0.03	0.137	11.44	3.58	0.11	0.04	<0.01	0.36
1462875	Rock Pulp	0.07	0.056	7.30	4.66	0.11	0.11	<0.01	2.07
1462876	Drill Core	0.03	0.138	11.88	3.74	0.11	0.05	<0.01	0.29
1462877	Drill Core	0.03	0.127	10.65	3.79	0.12	0.10	<0.01	0.13
1462878	Drill Core	0.02	0.018	4.12	4.44	0.08	0.02	<0.01	2.06
1462879	Drill Core	0.08	0.011	0.98	4.05	0.02	0.02	<0.01	7.43
1462880	Drill Core	0.05	0.009	0.77	3.39	0.17	0.06	<0.01	7.65
1462881	Drill Core	0.04	0.002	1.25	7.19	0.57	6.09	<0.01	0.23
1462882	Drill Core	0.05	0.004	1.52	8.12	0.30	3.42	<0.01	0.06
1462883	Drill Core	0.03	0.067	5.84	3.93	0.13	0.36	<0.01	1.65
1462884	Drill Core	0.03	0.076	7.69	3.87	0.15	0.04	<0.01	2.52
1462885	Drill Core	0.05	0.042	3.52	5.68	0.10	0.08	<0.01	1.56
1462886	Drill Core	0.04	0.066	5.91	4.48	0.13	0.10	<0.01	2.15
1462887	Drill Core	0.04	0.066	7.41	4.18	0.23	0.12	<0.01	2.48
1462888	Drill Core	0.03	0.072	7.02	3.91	0.11	0.21	<0.01	1.97
1462889	Drill Core	0.04	0.077	6.76	4.44	0.09	0.52	<0.01	1.96
1462890	Drill Core	0.03	0.055	8.75	4.53	0.10	0.22	<0.01	1.55
1462891	Drill Core	0.03	0.099	11.67	3.00	0.07	0.21	<0.01	2.46
1462892	Drill Core	0.03	0.089	12.02	3.07	0.06	0.19	<0.01	2.48
1462893	Drill Core	0.02	0.089	11.23	3.37	0.07	0.09	<0.01	2.03
1462894	Drill Core	0.02	0.088	8.77	3.20	0.13	0.01	<0.01	1.00
1462895	Drill Core	0.02	0.087	8.43	3.21	0.12	<0.01	<0.01	1.37

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462896	Drill Core	3.28	29	463	236	<5	<0.001	0.385	<0.02	<0.01	<2	0.171	0.011	0.10	7.38	<0.02	<0.01	<0.001	<0.01	<0.01
1462897	Drill Core	3.95	35	396	216	<5	<0.001	0.288	<0.02	<0.01	<2	0.180	0.014	0.10	8.45	<0.02	<0.01	<0.001	<0.01	<0.01
1462898	Drill Core	1.36	109	477	236	<5	<0.001	0.368	<0.02	<0.01	<2	0.272	0.018	0.13	9.33	<0.02	<0.01	<0.001	<0.01	<0.01
1462899A	Drill Core	5.61	110	429	251	<5	<0.001	0.296	<0.02	<0.01	<2	0.150	0.015	0.14	10.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462899B	Drill Core		148	459	261	<5	<0.001	0.292	<0.02	<0.01	<2	0.150	0.015	0.14	10.20	<0.02	<0.01	<0.001	<0.01	<0.01
1462900	Rock Pulp	0.06	60	468	645	<5	<0.001	0.296	<0.02	0.01	2	0.432	0.020	0.14	11.20	<0.02	<0.01	<0.001	<0.01	<0.01
1462901	Rock	0.83	<2	<3	<2	<5	<0.001	0.002	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.45	<0.02	<0.01	<0.001	<0.01	<0.01
1462902	Drill Core	4.11	147	477	258	<5	<0.001	0.302	<0.02	<0.01	<2	0.163	0.016	0.15	10.87	<0.02	<0.01	<0.001	<0.01	<0.01
1462903	Drill Core	4.29	119	493	260	<5	<0.001	0.301	<0.02	0.01	2	0.160	0.016	0.16	11.10	<0.02	<0.01	<0.001	<0.01	<0.01
1462904	Drill Core	2.17	158	580	305	<5	<0.001	0.309	<0.02	<0.01	<2	0.162	0.015	0.14	10.24	<0.02	<0.01	<0.001	<0.01	<0.01
1462905	Drill Core	4.03	134	482	254	<5	<0.001	0.313	<0.02	<0.01	<2	0.154	0.013	0.14	9.47	<0.02	<0.01	<0.001	<0.01	<0.01
1462906	Drill Core	4.90	136	568	324	<5	<0.001	0.287	<0.02	<0.01	<2	0.166	0.015	0.13	9.85	<0.02	<0.01	<0.001	<0.01	<0.01
1462907	Drill Core	3.67	447	1396	610	<5	<0.001	0.838	<0.02	0.01	6	0.246	0.019	0.17	12.37	<0.02	<0.01	<0.001	<0.01	<0.01
1462908	Drill Core	4.08	658	976	524	6	<0.001	1.009	<0.02	<0.01	11	0.179	0.014	0.15	10.71	<0.02	<0.01	<0.001	<0.01	<0.01
1462909	Drill Core	3.28	457	1477	820	11	<0.001	1.191	<0.02	0.01	9	0.242	0.019	0.13	12.08	<0.02	<0.01	<0.001	<0.01	<0.01
1462910	Drill Core	4.55	167	787	395	<5	<0.001	0.704	<0.02	0.01	5	0.229	0.018	0.14	12.37	<0.02	<0.01	<0.001	<0.01	<0.01
1462911	Drill Core	4.84	101	861	403	14	<0.001	0.679	<0.02	0.01	5	0.238	0.019	0.15	12.55	<0.02	<0.01	<0.001	<0.01	<0.01
1462912	Drill Core	3.98	143	812	444	15	<0.001	0.638	<0.02	0.01	4	0.265	0.020	0.15	12.71	<0.02	<0.01	<0.001	<0.01	<0.01
1462913	Drill Core	3.37	415	841	553	9	<0.001	0.896	<0.02	<0.01	5	0.303	0.022	0.14	12.04	<0.02	<0.01	<0.001	<0.01	<0.01
1462914	Drill Core	1.73	304	1316	721	12	<0.001	0.998	<0.02	<0.01	6	0.384	0.028	0.13	13.08	<0.02	<0.01	<0.001	<0.01	<0.01
1462915	Drill Core	6.76	243	921	475	5	<0.001	0.721	<0.02	0.01	5	0.223	0.019	0.14	12.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462916	Drill Core	4.90	411	912	511	7	<0.001	0.778	<0.02	<0.01	4	0.233	0.019	0.18	12.35	<0.02	<0.01	<0.001	<0.01	<0.01
1462917	Drill Core	4.25	312	795	471	<5	<0.001	0.613	<0.02	0.01	4	0.258	0.019	0.16	12.68	<0.02	<0.01	<0.001	<0.01	<0.01
1462918	Drill Core	3.84	60	731	411	13	<0.001	0.672	<0.02	<0.01	3	0.257	0.019	0.14	12.80	<0.02	<0.01	<0.001	<0.01	<0.01
1462919	Drill Core	4.37	109	715	328	11	<0.001	0.754	<0.02	<0.01	4	0.277	0.024	0.14	13.93	<0.02	<0.01	<0.001	<0.01	<0.01
1462920	Drill Core	6.23	54	459	201	6	<0.001	0.668	<0.02	0.01	3	0.235	0.019	0.15	12.38	<0.02	<0.01	<0.001	<0.01	<0.01
1462921	Drill Core	1.29	169	1112	742	7	<0.001	2.172	<0.02	0.02	9	1.457	0.075	0.20	24.03	<0.02	0.05	<0.001	<0.01	<0.01
1462922	Drill Core	0.55	68	1496	422	6	<0.001	0.565	<0.02	0.01	2	1.621	0.073	0.15	24.89	<0.02	0.01	<0.001	<0.01	<0.01
1462923	Drill Core	1.60	71	432	229	<5	<0.001	0.754	<0.02	<0.01	3	0.263	0.020	0.15	12.56	<0.02	<0.01	<0.001	<0.01	<0.01
1462924	Drill Core	0.45	306	475	227	8	<0.001	0.637	<0.02	0.01	3	1.120	0.066	0.12	24.70	<0.02	0.02	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 15, 2014

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462896	Drill Core	0.02	0.074	7.95	3.79	0.10	0.01	<0.01	1.00
1462897	Drill Core	0.02	0.080	9.93	3.08	0.10	0.01	<0.01	1.19
1462898	Drill Core	0.02	0.070	9.30	3.36	0.12	<0.01	<0.01	1.28
1462899A	Drill Core	0.02	0.113	13.26	3.15	0.09	0.12	<0.01	1.18
1462899B	Drill Core	0.02	0.111	13.16	3.13	0.08	0.12	<0.01	1.18
1462900	Rock Pulp	0.03	0.188	15.21	2.54	0.04	0.16	<0.01	1.19
1462901	Rock	0.02	0.002	11.65	0.07	<0.01	0.03	<0.01	<0.05
1462902	Drill Core	0.02	0.117	14.41	2.75	0.07	0.22	<0.01	1.13
1462903	Drill Core	0.02	0.120	13.79	2.90	0.07	0.30	<0.01	1.16
1462904	Drill Core	0.02	0.109	13.78	2.87	0.07	0.23	<0.01	1.20
1462905	Drill Core	0.02	0.089	12.05	2.82	0.08	0.12	<0.01	1.10
1462906	Drill Core	0.02	0.097	11.43	2.70	0.07	0.04	<0.01	1.53
1462907	Drill Core	0.04	0.068	7.89	3.65	0.11	0.03	<0.01	2.85
1462908	Drill Core	0.13	0.058	6.49	3.98	0.12	0.02	<0.01	2.75
1462909	Drill Core	0.03	0.068	6.59	3.83	0.13	0.08	<0.01	3.48
1462910	Drill Core	0.04	0.074	7.84	4.14	0.12	0.08	<0.01	2.78
1462911	Drill Core	0.04	0.110	8.10	3.94	0.13	0.09	<0.01	2.51
1462912	Drill Core	0.04	0.108	7.99	3.68	0.13	0.08	<0.01	3.07
1462913	Drill Core	0.03	0.066	6.55	3.71	0.13	0.07	<0.01	3.78
1462914	Drill Core	0.03	0.057	6.10	3.14	0.14	0.03	<0.01	4.40
1462915	Drill Core	0.04	0.054	9.75	3.46	0.09	0.05	<0.01	2.87
1462916	Drill Core	0.03	0.072	9.30	3.40	0.11	0.06	<0.01	2.42
1462917	Drill Core	0.03	0.070	9.41	3.33	0.11	0.03	<0.01	2.82
1462918	Drill Core	0.04	0.051	6.94	4.00	0.11	0.21	<0.01	3.49
1462919	Drill Core	0.04	0.067	7.92	3.73	0.11	0.19	<0.01	3.69
1462920	Drill Core	0.03	0.068	7.90	3.96	0.11	0.07	<0.01	2.68
1462921	Drill Core	0.01	0.011	1.90	3.29	0.05	0.01	<0.01	7.57
1462922	Drill Core	0.02	0.018	2.65	3.72	0.10	0.04	<0.01	8.95
1462923	Drill Core	0.04	0.060	7.71	4.55	0.14	0.16	<0.01	2.18
1462924	Drill Core	0.03	0.015	2.13	4.38	0.07	0.32	<0.01	8.02

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462925	Rock Pulp	0.05	238	1824	1393	11	<0.001	1.380	<0.02	0.01	3	3.064	0.154	0.07	44.22	<0.02	<0.01	<0.001	<0.01	<0.01	3.00
1462926	Drill Core	3.12	15	5	24	<5	<0.001	0.021	<0.02	<0.01	<2	0.007	0.002	0.16	9.22	<0.02	0.03	<0.001	<0.01	<0.01	8.15
1462927	Drill Core	4.31	8	15	25	<5	<0.001	0.019	<0.02	<0.01	<2	0.006	0.001	0.19	8.32	<0.02	0.01	<0.001	<0.01	<0.01	11.58
1462928	Drill Core	4.59	9	291	152	<5	<0.001	0.193	<0.02	<0.01	<2	0.112	0.007	0.16	5.58	<0.02	0.01	<0.001	<0.01	<0.01	25.80
1462929A	Drill Core	2.30	12	166	97	6	<0.001	0.182	<0.02	<0.01	<2	0.097	0.008	0.12	6.53	<0.02	<0.01	<0.001	<0.01	<0.01	19.33
1462929B	Drill Core		12	184	103	<5	<0.001	0.178	<0.02	<0.01	<2	0.096	0.008	0.12	6.52	<0.02	<0.01	<0.001	<0.01	<0.01	19.61
1462930	Drill Core	3.11	12	138	109	5	<0.001	0.142	<0.02	0.01	<2	0.075	0.004	0.13	6.30	<0.02	<0.01	<0.001	<0.01	<0.01	15.95
1462931	Rock	1.03	2	<3	3	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01	20.46
1462932	Drill Core	3.85	31	173	116	<5	<0.001	0.168	<0.02	<0.01	<2	0.072	0.004	0.12	6.38	<0.02	<0.01	<0.001	<0.01	<0.01	15.80
1462933	Drill Core	5.02	29	142	93	<5	<0.001	0.131	<0.02	<0.01	<2	0.055	0.003	0.10	4.63	<0.02	<0.01	<0.001	<0.01	<0.01	16.53
1462934	Drill Core	1.87	5	82	53	<5	<0.001	0.059	<0.02	<0.01	<2	0.028	0.002	0.09	5.85	<0.02	<0.01	<0.001	<0.01	<0.01	15.09

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000567.1

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	P	Cr	Mg	Al	Na	K	W
	Unit	%	%	%	%	%	%	%
	MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01
1462925	Rock Pulp	0.01	0.009	0.33	1.33	0.04	0.09	<0.01
1462926	Drill Core	0.06	0.009	3.44	6.59	0.17	2.05	<0.01
1462927	Drill Core	0.06	0.009	3.18	6.31	0.17	1.20	<0.01
1462928	Drill Core	0.04	0.003	0.95	4.26	0.03	<0.01	<0.01
1462929A	Drill Core	0.07	0.008	1.78	5.99	0.07	0.07	<0.01
1462929B	Drill Core	0.07	0.009	1.81	6.04	0.07	0.07	<0.01
1462930	Drill Core	0.14	0.013	3.38	6.84	0.07	<0.01	<0.01
1462931	Rock	0.02	<0.001	11.83	0.07	<0.01	0.02	<0.01
1462932	Drill Core	0.14	0.031	4.70	5.37	0.06	<0.01	<0.01
1462933	Drill Core	0.13	0.025	4.56	6.31	0.07	<0.01	<0.01
1462934	Drill Core	0.22	0.016	4.13	8.06	0.06	0.01	<0.01

QUALITY CONTROL REPORT

WHI13000567.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1462838	Drill Core	0.97	13	795	394	<5	<0.001	0.643	<0.02	<0.01	2	0.233	0.015	0.12	11.22	0.12	0.01	<0.001	<0.01	<0.01	8.06
REP 1462838	QC						<0.001	0.639	<0.02	<0.01	<2	0.233	0.014	0.12	11.22	0.12	0.01	<0.001	<0.01	<0.01	8.05
1462843	Drill Core	2.86	17	125	178	<5	<0.001	0.076	<0.02	<0.01	<2	0.246	0.014	0.13	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	1.55
REP 1462843	QC		19	126	192	<5	<0.001	0.099	<0.02	<0.01	<2	0.281	0.015	0.12	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	1.34
1462860	Drill Core	1.43	11	118	123	<5	<0.001	0.105	<0.02	<0.01	<2	0.170	0.013	0.14	9.78	<0.02	<0.01	<0.001	<0.01	<0.01	3.65
REP 1462860	QC						<0.001	0.103	<0.02	<0.01	<2	0.168	0.013	0.13	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	3.57
1462863	Drill Core	1.91	7	23	21	<5	<0.001	0.128	<0.02	<0.01	<2	0.144	0.014	0.13	11.35	<0.02	<0.01	<0.001	<0.01	<0.01	3.25
REP 1462863	QC		6	21	18	<5															
1462891	Drill Core	3.35	159	646	327	17	<0.001	0.427	<0.02	0.01	<2	0.376	0.027	0.15	12.98	<0.02	<0.01	<0.001	<0.01	<0.01	4.89
REP 1462891	QC		146	643	330	<5															
1462894	Drill Core	4.19	43	414	205	<5	<0.001	0.365	<0.02	<0.01	<2	0.196	0.014	0.11	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	12.13
REP 1462894	QC						<0.001	0.362	<0.02	<0.01	<2	0.195	0.014	0.11	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	12.09
1462897	Drill Core	3.95	35	396	216	<5	<0.001	0.288	<0.02	<0.01	<2	0.180	0.014	0.10	8.45	<0.02	<0.01	<0.001	<0.01	<0.01	10.68
REP 1462897	QC		33	383	216	<5															
1462928	Drill Core	4.59	9	291	152	<5	<0.001	0.193	<0.02	<0.01	<2	0.112	0.007	0.16	5.58	<0.02	0.01	<0.001	<0.01	<0.01	25.80
REP 1462928	QC						<0.001	0.195	<0.02	<0.01	2	0.113	0.007	0.16	5.63	<0.02	0.01	<0.001	<0.01	<0.01	26.32
1462930	Drill Core	3.11	12	138	109	5	<0.001	0.142	<0.02	0.01	<2	0.075	0.004	0.13	6.30	<0.02	<0.01	<0.001	<0.01	<0.01	15.95
REP 1462930	QC		44	146	112	<5															
Core Reject Duplicates																					
1462846	Drill Core	3.06	31	246	383	<5	<0.001	0.159	<0.02	<0.01	<2	0.355	0.016	0.12	9.68	<0.02	<0.01	<0.001	<0.01	<0.01	1.16
DUP 1462846	QC	<0.01	32	252	384	<5	<0.001	0.162	<0.02	<0.01	<2	0.360	0.016	0.12	9.84	<0.02	<0.01	<0.001	<0.01	<0.01	1.18
1462883	Drill Core	4.79	176	763	459	<5	<0.001	0.694	<0.02	<0.01	3	0.265	0.018	0.16	10.53	<0.02	<0.01	<0.001	<0.01	<0.01	12.45
DUP 1462883	QC		160	737	466	<5	<0.001	0.705	<0.02	<0.01	2	0.276	0.019	0.16	10.81	<0.02	<0.01	<0.001	<0.01	<0.01	12.74
1462920	Drill Core	6.23	54	459	201	6	<0.001	0.668	<0.02	0.01	3	0.235	0.019	0.15	12.38	<0.02	<0.01	<0.001	<0.01	<0.01	9.01
DUP 1462920	QC		52	442	193	<5	<0.001	0.702	<0.02	0.01	4	0.241	0.019	0.15	12.80	<0.02	<0.01	<0.001	<0.01	<0.01	9.05
Reference Materials																					
STD AMIS256	Standard		351	4963	2458	6															
STD AMIS256	Standard		326	5094	2556	6															

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000567.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte		P	Cr	Mg	Al	Na	K	W	S
Unit		%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1462838	Drill Core	0.04	0.069	8.10	3.72	0.05	0.09	<0.01	0.37
REP 1462838	QC	0.04	0.071	8.10	3.72	0.06	0.09	<0.01	0.37
1462843	Drill Core	0.01	0.305	19.12	1.50	0.01	0.04	<0.01	0.17
REP 1462843	QC	0.02	0.266	19.15	1.50	0.01	0.04	<0.01	0.23
1462860	Drill Core	0.03	0.182	15.42	2.61	0.08	0.16	<0.01	0.45
REP 1462860	QC	0.03	0.190	15.20	2.57	0.08	0.16	<0.01	0.45
1462863	Drill Core	0.05	0.179	14.84	2.60	0.08	0.21	<0.01	0.85
REP 1462863	QC								
1462891	Drill Core	0.03	0.099	11.67	3.00	0.07	0.21	<0.01	2.46
REP 1462891	QC								
1462894	Drill Core	0.02	0.088	8.77	3.20	0.13	0.01	<0.01	1.00
REP 1462894	QC	0.02	0.093	8.70	3.18	0.13	0.01	<0.01	0.98
1462897	Drill Core	0.02	0.080	9.93	3.08	0.10	0.01	<0.01	1.19
REP 1462897	QC								
1462928	Drill Core	0.04	0.003	0.95	4.26	0.03	<0.01	<0.01	0.48
REP 1462928	QC	0.04	0.004	0.96	4.36	0.03	<0.01	<0.01	0.50
1462930	Drill Core	0.14	0.013	3.38	6.84	0.07	<0.01	<0.01	0.88
REP 1462930	QC								
Core Reject Duplicates									
1462846	Drill Core	0.01	0.249	18.59	1.45	0.01	0.06	<0.01	0.30
DUP 1462846	QC	0.01	0.257	18.71	1.47	0.01	0.06	<0.01	0.31
1462883	Drill Core	0.03	0.067	5.84	3.93	0.13	0.36	<0.01	1.65
DUP 1462883	QC	0.04	0.064	5.86	3.98	0.14	0.37	<0.01	1.73
1462920	Drill Core	0.03	0.068	7.90	3.96	0.11	0.07	<0.01	2.68
DUP 1462920	QC	0.03	0.067	7.81	3.90	0.11	0.07	<0.01	2.76
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								

QUALITY CONTROL REPORT

WHI13000567.1

		WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD AMIS256	Standard		335	5036	2528	<5															
STD AMIS256	Standard		384	5028	2554	<5															
STD AMIS256	Standard		157	2651	1306	7															
STD CDN-ME-14	Standard						0.002	1.229	0.49	3.14	45	0.002	0.017	0.09	17.93	<0.02	<0.01	0.009	<0.01	0.01	0.76
STD CDN-ME-9	Standard						<0.001	0.652	<0.02	0.01	3	0.887	0.016	0.12	13.50	<0.02	0.03	<0.001	<0.01	<0.01	4.15
STD CDN-ME-14	Standard						0.002	1.263	0.51	3.19	46	0.002	0.017	0.09	18.04	<0.02	<0.01	0.009	<0.01	<0.01	0.76
STD CDN-ME-9	Standard						<0.001	0.665	<0.02	0.01	3	0.972	0.017	0.12	13.89	<0.02	0.03	<0.001	<0.01	<0.01	4.17
STD CDN-ME-14	Standard						0.001	1.202	0.49	3.02	44	0.002	0.017	0.08	17.13	<0.02	<0.01	0.009	<0.01	<0.01	0.70
STD CDN-ME-9	Standard						<0.001	0.645	<0.02	0.01	4	0.891	0.016	0.12	13.68	<0.02	0.03	<0.001	<0.01	<0.01	4.10
STD CDN-ME-14	Standard						0.001	1.224	0.49	3.10	44	0.002	0.017	0.09	17.81	<0.02	<0.01	0.009	<0.01	<0.01	0.74
STD CDN-ME-9	Standard						<0.001	0.666	<0.02	<0.01	4	0.989	0.017	0.11	13.86	<0.02	0.03	<0.001	<0.01	<0.01	4.10
STD CDN-ME-14	Standard						0.002	1.237	0.50	3.13	44	0.002	0.017	0.09	17.91	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.664	<0.02	0.01	2	0.911	0.016	0.12	13.63	<0.02	0.03	<0.001	<0.01	<0.01	4.21
STD CDN-PGMS-23	Standard		465	454	2032	<5															
STD CDN-PGMS-23	Standard		514	498	2130	<5															
STD CDN-PGMS-23	Standard		519	448	2084	<5															
STD CDN-PGMS-23	Standard		491	454	2063	<5															
STD CDN-PGMS-23	Standard		517	465	2104	<5															
STD CDN-PGMS-23	Standard		526	503	2160	<5															
STD CDN-PGMS-23	Standard		569	476	2097	<5															
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		3	<3	<2	<5															
BLK	Blank		<2	4	<2	<5															
BLK	Blank		<2	<3	<2	<5															

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000567.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.003	1.30	4.33	0.51	1.64	<0.01	15.67
STD CDN-ME-9	Standard	0.06	0.030	3.98	6.50	1.73	0.61	<0.01	2.58
STD CDN-ME-14	Standard	0.02	0.002	1.31	4.41	0.53	1.70	<0.01	16.22
STD CDN-ME-9	Standard	0.06	0.031	3.98	6.50	1.75	0.61	<0.01	2.76
STD CDN-ME-14	Standard	0.01	0.002	1.23	3.80	0.51	1.57	<0.01	15.34
STD CDN-ME-9	Standard	0.06	0.028	3.95	6.41	1.74	0.61	<0.01	2.71
STD CDN-ME-14	Standard	0.01	0.003	1.25	4.33	0.52	1.70	<0.01	15.93
STD CDN-ME-9	Standard	0.07	0.028	3.98	6.52	1.83	0.62	<0.01	2.70
STD CDN-ME-14	Standard	0.02	0.003	1.28	4.28	0.53	1.68	<0.01	15.99
STD CDN-ME-9	Standard	0.06	0.031	4.07	6.65	1.80	0.63	<0.01	2.64
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
STD AMIS256 Expected									
STD CDN-PGMS-23									
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								

QUALITY CONTROL REPORT

WHI13000567.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
BLK	Blank		<2	<3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank		<2	<3	2	<5															
Prep Wash																					
G1-WHI	Prep Blank		<2	5	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.12	<0.02	0.07	<0.001	<0.01	<0.01	2.17
G1-WHI	Prep Blank		<2	<3	2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.10	<0.02	0.07	<0.001	<0.01	<0.01	2.16

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 15, 2014

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000567.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
BLK	Blank								
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank								
Prep Wash									
G1-WHI	Prep Blank	0.07	0.001	0.52	6.09	2.64	3.06	<0.01	<0.05
G1-WHI	Prep Blank	0.07	<0.001	0.51	6.39	2.62	2.94	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 22, 2013
Report Date: January 14, 2014
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI13000566.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 89

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	84	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	2	Split samples by riffle splitter			WHI
3B	89	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	89	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462751	Rock	0.94	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.46	<0.02	<0.01	<0.001	<0.01	<0.01
1462752	Drill Core	3.91	869	575	306	<5	<0.001	0.428	<0.02	<0.01	<2	0.339	0.018	0.21	11.44	<0.02	<0.01	<0.001	<0.01	<0.01
1462753	Drill Core	4.50	167	486	282	<5	<0.001	0.302	<0.02	<0.01	<2	0.222	0.014	0.12	8.64	<0.02	<0.01	<0.001	<0.01	<0.01
1462754	Drill Core	3.79	151	525	284	7	<0.001	0.315	<0.02	<0.01	<2	0.248	0.016	0.12	9.02	<0.02	<0.01	<0.001	<0.01	<0.01
1462755	Drill Core	4.35	210	604	299	5	<0.001	0.393	<0.02	0.01	<2	0.270	0.020	0.15	11.75	<0.02	<0.01	<0.001	<0.01	<0.01
1462756	Drill Core	4.38	88	435	245	8	<0.001	0.342	<0.02	<0.01	<2	0.310	0.020	0.15	11.71	<0.02	<0.01	<0.001	<0.01	<0.01
1462757	Drill Core	4.30	96	531	395	18	<0.001	0.288	<0.02	<0.01	<2	0.313	0.021	0.15	12.84	<0.02	<0.01	<0.001	<0.01	<0.01
1462758	Drill Core	6.35	131	448	270	14	<0.001	0.251	<0.02	<0.01	<2	0.191	0.015	0.14	9.97	<0.02	<0.01	<0.001	<0.01	<0.01
1462759	Drill Core	1.80	103	381	213	<5	<0.001	0.297	<0.02	0.01	2	0.246	0.020	0.09	11.65	<0.02	<0.01	<0.001	<0.01	<0.01
1462760	Drill Core	7.34	6	3	24	<5	<0.001	0.018	<0.02	<0.01	<2	0.007	0.002	0.17	9.12	<0.02	0.02	<0.001	<0.01	<0.01
1462761	Drill Core	6.30	8	7	22	<5	<0.001	0.019	<0.02	<0.01	<2	0.006	0.002	0.15	8.86	<0.02	0.03	<0.001	<0.01	<0.01
1462762	Drill Core	6.88	13	15	31	<5	<0.001	0.031	<0.02	<0.01	<2	0.012	0.002	0.16	9.49	<0.02	0.03	<0.001	<0.01	<0.01
1462763	Drill Core	4.27	265	607	388	6	<0.001	0.291	<0.02	<0.01	3	0.310	0.032	0.13	12.09	<0.02	<0.01	<0.001	<0.01	<0.01
1462764	Drill Core	5.39	131	546	352	7	<0.001	0.319	<0.02	<0.01	<2	0.308	0.020	0.14	11.65	<0.02	<0.01	<0.001	<0.01	<0.01
1462765	Drill Core	6.78	147	489	356	13	<0.001	0.332	<0.02	<0.01	2	0.315	0.021	0.15	11.73	<0.02	<0.01	<0.001	<0.01	<0.01
1462766	Drill Core	6.30	138	483	379	11	<0.001	0.297	<0.02	<0.01	2	0.315	0.020	0.14	11.36	<0.02	<0.01	<0.001	<0.01	<0.01
1462767	Drill Core	5.26	124	484	357	8	<0.001	0.306	<0.02	<0.01	<2	0.304	0.020	0.15	11.64	<0.02	<0.01	<0.001	<0.01	<0.01
1462768	Drill Core	2.03	121	697	474	<5	<0.001	0.363	<0.02	<0.01	<2	0.382	0.023	0.12	12.79	<0.02	<0.01	<0.001	<0.01	<0.01
1462769	Drill Core	2.66	270	781	485	20	<0.001	0.470	<0.02	<0.01	2	0.363	0.023	0.14	12.58	<0.02	<0.01	<0.001	<0.01	<0.01
1462770	Drill Core	2.48	203	745	479	22	<0.001	0.483	<0.02	<0.01	3	0.381	0.023	0.15	12.62	<0.02	<0.01	<0.001	<0.01	<0.01
1462771	Drill Core	0.74	155	506	357	11	<0.001	0.308	<0.02	<0.01	<2	0.224	0.018	0.10	10.52	<0.02	<0.01	<0.001	<0.01	<0.01
1462772	Drill Core	2.26	51	737	683	15	<0.001	0.550	<0.02	<0.01	4	0.561	0.025	0.11	10.97	<0.02	<0.01	<0.001	<0.01	<0.01
1462773	Drill Core	3.39	90	817	710	6	<0.001	0.572	<0.02	<0.01	4	0.454	0.020	0.10	10.43	<0.02	<0.01	<0.001	<0.01	<0.01
1462774	Drill Core	3.43	190	681	337	<5	<0.001	0.450	<0.02	<0.01	2	0.226	0.015	0.11	8.72	<0.02	<0.01	<0.001	<0.01	<0.01
1462775	Rock Pulp	0.06	64	970	523	<5	<0.001	0.714	<0.02	0.01	3	0.250	0.019	0.12	12.54	<0.02	<0.01	<0.001	<0.01	<0.01
1462776	Drill Core	3.88	92	511	305	8	<0.001	0.371	<0.02	<0.01	3	0.155	0.013	0.12	9.62	<0.02	<0.01	<0.001	<0.01	<0.01
1462777	Drill Core	3.46	78	594	359	<5	<0.001	0.487	<0.02	<0.01	4	0.222	0.016	0.11	9.66	<0.02	<0.01	<0.001	<0.01	<0.01
1462778	Drill Core	1.69	33	432	271	<5	<0.001	0.356	<0.02	<0.01	<2	0.160	0.013	0.13	9.42	<0.02	0.01	<0.001	<0.01	<0.01
1462779A	Drill Core	1.95	26	481	315	<5	<0.001	0.484	<0.02	<0.01	<2	0.289	0.020	0.13	11.11	0.09	0.02	<0.001	<0.01	<0.01
1462779B	Drill Core		23	442	313	<5	<0.001	0.490	<0.02	<0.01	<2	0.286	0.020	0.13	11.36	0.09	0.02	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 14, 2014

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462751	Rock	0.02	<0.001	12.22	0.08	0.01	0.03	<0.01	<0.05
1462752	Drill Core	0.02	0.094	6.21	2.45	0.12	0.01	<0.01	2.17
1462753	Drill Core	0.02	0.109	9.50	2.89	0.14	0.02	<0.01	1.10
1462754	Drill Core	0.02	0.118	11.20	2.64	0.08	0.04	<0.01	1.38
1462755	Drill Core	0.02	0.141	13.83	2.76	0.06	0.09	<0.01	1.54
1462756	Drill Core	0.03	0.127	12.67	3.13	0.08	0.08	<0.01	1.58
1462757	Drill Core	0.02	0.137	14.93	2.20	0.06	0.11	<0.01	1.59
1462758	Drill Core	0.02	0.117	11.26	3.05	0.14	0.04	<0.01	0.66
1462759	Drill Core	0.02	0.172	12.69	2.31	0.08	0.11	<0.01	0.93
1462760	Drill Core	0.06	0.008	3.98	6.90	1.11	1.52	<0.01	<0.05
1462761	Drill Core	0.06	0.009	3.48	7.32	1.48	1.69	<0.01	<0.05
1462762	Drill Core	0.06	0.010	3.69	6.93	0.32	2.00	<0.01	<0.05
1462763	Drill Core	0.02	0.157	16.01	1.88	0.05	0.08	<0.01	1.16
1462764	Drill Core	0.01	0.150	16.51	1.76	0.03	0.05	<0.01	1.30
1462765	Drill Core	0.01	0.160	17.02	1.76	0.03	0.04	<0.01	1.31
1462766	Drill Core	0.02	0.152	17.14	1.75	0.02	0.04	<0.01	1.19
1462767	Drill Core	0.02	0.177	17.47	1.65	0.03	0.05	<0.01	1.22
1462768	Drill Core	0.02	0.159	15.61	2.11	0.03	0.05	<0.01	0.71
1462769	Drill Core	0.02	0.145	14.48	2.33	0.04	0.08	<0.01	1.28
1462770	Drill Core	0.02	0.123	13.62	2.74	0.04	0.11	<0.01	1.77
1462771	Drill Core	0.03	0.134	13.12	3.48	0.16	0.17	<0.01	1.47
1462772	Drill Core	0.04	0.096	8.45	3.42	0.09	0.03	<0.01	2.41
1462773	Drill Core	0.03	0.089	7.63	4.04	0.10	0.05	<0.01	2.39
1462774	Drill Core	0.03	0.085	7.49	3.81	0.11	<0.01	<0.01	1.72
1462775	Rock Pulp	0.07	0.055	7.35	4.64	0.11	0.10	<0.01	2.04
1462776	Drill Core	0.03	0.096	9.76	3.78	0.11	0.01	<0.01	1.62
1462777	Drill Core	0.03	0.086	7.85	3.96	0.11	0.01	<0.01	1.90
1462778	Drill Core	0.03	0.098	7.65	3.89	0.12	<0.01	<0.01	1.12
1462779A	Drill Core	0.03	0.083	9.47	3.97	0.04	0.02	<0.01	0.80
1462779B	Drill Core	0.03	0.086	9.23	3.96	0.04	0.02	<0.01	0.80

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1462780	Drill Core	3.41	577	625	535	<5	<0.001	0.371	<0.02	<0.01	3	0.383	0.020	0.12	10.26	<0.02	<0.01	<0.001	<0.01	<0.01	4.81
1462781	Rock	1.08	18057	<3	4	<5	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.47	<0.02	<0.01	<0.001	<0.01	<0.01	21.03
1462782	Drill Core	2.14	134	589	495	<5	<0.001	0.378	<0.02	<0.01	<2	0.423	0.023	0.12	11.69	<0.02	<0.01	<0.001	<0.01	<0.01	4.19
1462783	Drill Core	1.09	140	616	388	<5	<0.001	0.466	<0.02	<0.01	2	0.307	0.021	0.13	10.29	<0.02	<0.01	<0.001	<0.01	<0.01	5.38
1462784	Drill Core	2.16	116	540	271	<5	<0.001	0.406	<0.02	<0.01	<2	0.211	0.014	0.11	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	9.29
1462785	Drill Core	3.05	144	534	291	<5	<0.001	0.394	<0.02	0.01	<2	0.238	0.017	0.14	10.69	<0.02	<0.01	<0.001	<0.01	<0.01	5.63
1462786	Drill Core	3.37	251	523	263	<5	<0.001	0.540	<0.02	0.01	3	0.198	0.015	0.17	10.75	<0.02	<0.01	<0.001	<0.01	<0.01	6.70
1462787	Drill Core	3.08	209	856	431	<5	<0.001	1.161	<0.02	0.01	4	0.310	0.023	0.15	13.46	<0.02	<0.01	<0.001	<0.01	<0.01	5.35
1462788	Drill Core	5.36	26	152	154	<5	<0.001	0.086	<0.02	<0.01	<2	0.127	0.007	0.13	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	7.04
1462789	Drill Core	1.92	71	418	575	8	<0.001	0.258	<0.02	<0.01	<2	0.430	0.018	0.12	9.82	<0.02	<0.01	<0.001	<0.01	<0.01	1.36
1462790	Drill Core	2.80	34	253	415	<5	<0.001	0.163	<0.02	<0.01	<2	0.369	0.016	0.13	9.45	<0.02	<0.01	<0.001	<0.01	<0.01	1.11
1462791	Drill Core	2.85	27	289	465	5	<0.001	0.132	<0.02	<0.01	<2	0.419	0.017	0.11	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	0.83
1462792	Drill Core	3.64	25	284	428	<5	<0.001	0.163	<0.02	<0.01	<2	0.391	0.017	0.11	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	0.48
1462793	Drill Core	2.01	20	290	441	8	<0.001	0.097	<0.02	<0.01	<2	0.425	0.019	0.12	9.75	<0.02	<0.01	<0.001	<0.01	<0.01	0.13
1462794	Drill Core	2.02	16	203	305	6	<0.001	0.095	<0.02	<0.01	<2	0.313	0.016	0.12	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	0.09
1462795	Drill Core	2.75	19	204	295	<5	<0.001	0.103	<0.02	<0.01	<2	0.329	0.016	0.12	9.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.26
1462796	Drill Core	3.50	27	249	370	<5	<0.001	0.142	<0.02	<0.01	<2	0.387	0.017	0.11	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	0.09
1462797	Drill Core	2.09	30	267	399	7	<0.001	0.129	<0.02	<0.01	<2	0.373	0.017	0.12	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.08
1462798	Drill Core	4.13	32	286	413	<5	<0.001	0.177	<0.02	<0.01	<2	0.423	0.018	0.12	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	0.15
1462799	Drill Core	4.24	29	262	404	<5	<0.001	0.157	<0.02	<0.01	<2	0.404	0.018	0.12	9.65	<0.02	<0.01	<0.001	<0.01	<0.01	0.07
1462800	Rock Pulp	0.06	48	441	609	<5	<0.001	0.298	<0.02	0.01	<2	0.436	0.020	0.14	10.85	<0.02	<0.01	<0.001	<0.01	<0.01	2.44
1462801	Drill Core	2.81	22	171	271	<5	<0.001	0.078	<0.02	<0.01	<2	0.309	0.016	0.12	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	0.09
1462802	Drill Core	1.70	28	164	260	<5	<0.001	0.090	<0.02	<0.01	<2	0.330	0.016	0.12	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.05
1462803	Drill Core	1.55	17	174	279	<5	<0.001	0.103	<0.02	<0.01	<2	0.341	0.016	0.12	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	0.23
1462804	Drill Core	1.25	43	209	155	<5	<0.001	0.119	<0.02	<0.01	<2	0.117	0.016	0.14	10.49	<0.02	<0.01	<0.001	<0.01	<0.01	0.85
1462805	Drill Core	1.69	67	282	187	<5	<0.001	0.165	<0.02	<0.01	<2	0.138	0.018	0.15	11.44	<0.02	<0.01	<0.001	<0.01	<0.01	1.05
1462806	Drill Core	1.07	68	247	162	<5	<0.001	0.146	<0.02	<0.01	<2	0.122	0.017	0.15	10.18	<0.02	<0.01	<0.001	<0.01	<0.01	1.87
1462807	Drill Core	1.10	42	292	175	<5	<0.001	0.166	<0.02	0.02	<2	0.131	0.017	0.14	10.59	<0.02	<0.01	<0.001	<0.01	<0.01	1.76
1462808	Drill Core	1.58	145	464	231	<5	<0.001	0.328	<0.02	<0.01	3	0.220	0.020	0.15	11.87	<0.02	<0.01	<0.001	<0.01	<0.01	1.41
1462809A	Drill Core	1.99	170	496	256	<5	<0.001	0.353	<0.02	<0.01	2	0.237	0.021	0.16	12.09	<0.02	<0.01	<0.001	<0.01	<0.01	1.36

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 14, 2014

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1462780	Drill Core	0.02	0.144	12.18	2.46	0.04	0.02	<0.01	1.52
1462781	Rock	0.02	<0.001	12.16	0.05	<0.01	0.02	<0.01	<0.05
1462782	Drill Core	0.02	0.146	13.16	2.51	0.05	0.04	<0.01	1.03
1462783	Drill Core	0.04	0.174	12.36	3.29	0.11	0.05	<0.01	0.42
1462784	Drill Core	0.03	0.111	9.52	3.83	0.13	0.02	<0.01	0.28
1462785	Drill Core	0.03	0.114	10.36	3.91	0.14	0.10	<0.01	1.31
1462786	Drill Core	0.02	0.113	10.82	3.63	0.11	0.08	<0.01	1.37
1462787	Drill Core	0.02	0.102	10.53	3.13	0.08	0.08	<0.01	2.71
1462788	Drill Core	0.05	0.088	7.46	5.44	0.83	1.06	<0.01	0.35
1462789	Drill Core	0.02	0.276	18.70	1.48	0.02	0.07	<0.01	1.00
1462790	Drill Core	0.02	0.300	19.21	1.44	0.02	0.06	<0.01	0.77
1462791	Drill Core	0.02	0.302	19.38	1.23	<0.01	0.05	<0.01	0.66
1462792	Drill Core	0.01	0.287	19.98	1.18	<0.01	0.04	<0.01	0.68
1462793	Drill Core	0.01	0.316	20.52	1.15	<0.01	0.04	<0.01	0.66
1462794	Drill Core	0.01	0.309	20.39	1.11	<0.01	0.05	<0.01	0.59
1462795	Drill Core	0.01	0.302	20.69	1.13	<0.01	0.08	<0.01	0.55
1462796	Drill Core	0.01	0.310	20.91	1.05	<0.01	0.09	<0.01	0.69
1462797	Drill Core	0.01	0.316	20.32	1.01	<0.01	0.08	<0.01	0.70
1462798	Drill Core	0.02	0.318	20.99	1.04	<0.01	0.08	<0.01	0.78
1462799	Drill Core	<0.01	0.305	21.44	0.97	<0.01	0.09	<0.01	0.70
1462800	Rock Pulp	0.03	0.229	15.25	2.60	0.04	0.16	<0.01	1.27
1462801	Drill Core	<0.01	0.322	21.55	0.94	<0.01	0.06	<0.01	0.51
1462802	Drill Core	<0.01	0.315	21.68	0.95	<0.01	0.04	<0.01	0.51
1462803	Drill Core	0.01	0.315	20.80	1.07	0.01	0.07	<0.01	0.53
1462804	Drill Core	0.01	0.201	18.95	1.46	0.01	0.03	<0.01	0.19
1462805	Drill Core	0.01	0.209	18.50	1.41	0.02	0.03	<0.01	0.40
1462806	Drill Core	0.01	0.206	18.19	1.45	0.02	0.03	<0.01	0.26
1462807	Drill Core	0.01	0.197	17.82	1.52	0.01	0.03	<0.01	0.31
1462808	Drill Core	0.02	0.193	17.40	1.50	0.02	0.06	<0.01	1.13
1462809A	Drill Core	0.02	0.191	17.38	1.56	0.02	0.05	<0.01	1.14

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1462809B	Drill Core		194	489	247	<5	<0.001	0.356	<0.02	<0.01	3	0.234	0.021	0.16	11.99	<0.02	<0.01	<0.001	<0.01	<0.01
1462810	Drill Core	2.46	108	486	246	7	<0.001	0.378	<0.02	<0.01	2	0.254	0.022	0.15	12.45	<0.02	<0.01	<0.001	<0.01	<0.01
1462811	Rock	1.03	3	5	2	<5	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.43	<0.02	<0.01	<0.001	<0.01	<0.01
1462812	Drill Core	1.19	77	417	220	5	<0.001	0.277	<0.02	<0.01	<2	0.239	0.019	0.15	11.59	<0.02	<0.01	<0.001	<0.01	<0.01
1462813	Drill Core	1.22	48	509	248	<5	<0.001	0.221	<0.02	<0.01	<2	0.242	0.018	0.15	10.98	<0.02	<0.01	<0.001	<0.01	<0.01
1462814	Drill Core	1.91	72	437	199	5	<0.001	0.229	<0.02	<0.01	<2	0.210	0.018	0.15	11.29	<0.02	<0.01	<0.001	<0.01	<0.01
1462815	Drill Core	1.16	50	312	169	<5	<0.001	0.127	<0.02	<0.01	<2	0.174	0.016	0.14	9.67	<0.02	<0.01	<0.001	<0.01	<0.01
1462816	Drill Core	1.97	29	69	41	<5	<0.001	0.084	<0.02	<0.01	<2	0.046	0.005	0.12	5.91	<0.02	<0.01	<0.001	<0.01	<0.01
1462817	Drill Core	0.58	113	349	166	7	<0.001	0.275	<0.02	<0.01	<2	0.203	0.019	0.11	11.87	<0.02	<0.01	<0.001	<0.01	<0.01
1462818	Drill Core	3.09	75	239	128	<5	<0.001	0.239	<0.02	<0.01	<2	0.126	0.010	0.13	7.39	<0.02	<0.01	<0.001	<0.01	<0.01
1462819	Drill Core	4.34	111	321	157	<5	<0.001	0.266	<0.02	<0.01	<2	0.132	0.009	0.13	6.60	<0.02	<0.01	<0.001	<0.01	<0.01
1462820	Drill Core	4.23	158	341	188	6	<0.001	0.287	<0.02	<0.01	<2	0.156	0.010	0.15	9.98	<0.02	<0.01	<0.001	<0.01	<0.01
1462821	Drill Core	3.02	50	265	154	7	<0.001	0.099	<0.02	<0.01	<2	0.123	0.011	0.12	8.81	<0.02	<0.01	<0.001	<0.01	<0.01
1462822	Drill Core	3.88	24	302	158	<5	<0.001	0.199	<0.02	<0.01	<2	0.156	0.012	0.12	8.22	<0.02	<0.01	<0.001	<0.01	<0.01
1462823	Drill Core	2.04	20	248	120	<5	<0.001	0.215	<0.02	<0.01	<2	0.123	0.012	0.13	8.43	<0.02	<0.01	<0.001	<0.01	<0.01
1462824	Drill Core	2.88	20	196	100	<5	<0.001	0.164	<0.02	<0.01	<2	0.107	0.011	0.13	8.20	<0.02	<0.01	<0.001	<0.01	<0.01
1462825	Rock Pulp	0.06	50	945	501	8	<0.001	0.722	<0.02	0.01	4	0.259	0.019	0.12	12.79	<0.02	<0.01	<0.001	<0.01	<0.01
1462826	Drill Core	3.88	205	677	353	6	<0.001	0.429	<0.02	<0.01	2	0.284	0.018	0.13	10.14	<0.02	<0.01	<0.001	<0.01	<0.01
1462827	Drill Core	2.95	154	383	202	<5	<0.001	0.287	<0.02	<0.01	<2	0.186	0.017	0.13	11.88	<0.02	<0.01	<0.001	<0.01	<0.01
1462828	Drill Core	3.24	65	505	206	6	<0.001	0.195	<0.02	<0.01	<2	0.200	0.018	0.13	11.32	<0.02	<0.01	<0.001	<0.01	<0.01
1462829	Drill Core	3.74	29	461	315	<5	<0.001	0.246	<0.02	<0.01	<2	0.308	0.020	0.14	11.91	<0.02	<0.01	<0.001	<0.01	<0.01
1462830	Drill Core	3.66	39	379	240	<5	<0.001	0.400	<0.02	<0.01	<2	0.277	0.017	0.16	10.32	<0.02	<0.01	<0.001	<0.01	<0.01
1462831	Drill Core	3.08	30	468	304	10	<0.001	0.329	<0.02	<0.01	<2	0.271	0.017	0.15	9.87	<0.02	<0.01	<0.001	<0.01	<0.01
1462832	Drill Core	2.38	75	565	503	<5	<0.001	0.248	<0.02	<0.01	<2	0.346	0.019	0.14	10.10	0.03	<0.01	<0.001	<0.01	<0.01
1462833	Drill Core	2.07	13	311	167	<5	<0.001	0.290	<0.02	<0.01	<2	0.233	0.019	0.15	9.79	0.08	0.01	<0.001	<0.01	<0.01
1462834	Drill Core	1.90	33	384	197	6	<0.001	0.272	<0.02	<0.01	<2	0.216	0.022	0.12	9.56	0.08	0.01	<0.001	<0.01	<0.01
1462835	Drill Core	0.94	46	438	275	9	<0.001	0.300	<0.02	<0.01	<2	0.179	0.014	0.10	8.88	0.10	0.02	<0.001	<0.01	<0.01
1462836	Drill Core	0.87	24	456	248	9	<0.001	0.516	<0.02	<0.01	3	0.186	0.017	0.14	10.53	0.09	0.02	<0.001	<0.01	<0.01
1462837	Drill Core	1.13	16	608	361	<5	<0.001	0.504	<0.02	<0.01	2	0.251	0.024	0.14	10.00	0.11	0.02	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 14, 2014

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000566.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W
		%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01
1462809B	Drill Core	0.02	0.188	17.23	1.55	0.02	0.05	<0.01
1462810	Drill Core	0.02	0.185	17.26	1.52	0.02	0.10	<0.01
1462811	Rock	0.01	0.002	12.25	0.06	<0.01	0.02	<0.01
1462812	Drill Core	0.01	0.187	17.46	1.61	0.02	0.07	<0.01
1462813	Drill Core	0.01	0.172	16.45	1.68	0.03	0.03	<0.01
1462814	Drill Core	0.02	0.181	16.77	1.81	0.03	0.04	<0.01
1462815	Drill Core	0.02	0.165	14.26	2.36	0.09	0.04	<0.01
1462816	Drill Core	0.03	0.066	7.34	5.44	0.06	<0.01	<0.01
1462817	Drill Core	0.02	0.119	13.96	2.31	0.11	0.04	<0.01
1462818	Drill Core	0.02	0.091	10.62	2.58	0.11	0.02	<0.01
1462819	Drill Core	0.02	0.063	8.83	3.11	0.11	<0.01	<0.01
1462820	Drill Core	0.02	0.030	8.58	2.96	0.08	<0.01	<0.01
1462821	Drill Core	0.02	0.116	13.44	2.46	0.06	0.10	<0.01
1462822	Drill Core	0.02	0.127	12.24	2.64	0.10	0.05	<0.01
1462823	Drill Core	0.02	0.079	10.87	4.07	0.13	0.02	<0.01
1462824	Drill Core	0.02	0.092	10.20	4.05	0.12	0.02	<0.01
1462825	Rock Pulp	0.07	0.051	7.42	4.72	0.11	0.25	<0.01
1462826	Drill Core	0.02	0.089	10.60	2.88	0.12	0.05	<0.01
1462827	Drill Core	0.02	0.114	15.46	1.99	0.07	0.07	<0.01
1462828	Drill Core	<0.01	0.154	15.98	1.75	0.04	0.05	<0.01
1462829	Drill Core	0.02	0.152	15.39	1.67	0.03	0.02	<0.01
1462830	Drill Core	0.03	0.106	11.35	3.30	0.08	0.02	<0.01
1462831	Drill Core	0.01	0.108	11.54	2.96	0.05	0.03	<0.01
1462832	Drill Core	0.02	0.139	12.32	1.86	0.02	0.02	<0.01
1462833	Drill Core	0.03	0.089	10.09	3.11	0.02	0.02	<0.01
1462834	Drill Core	0.02	0.116	11.28	2.54	0.11	0.22	<0.01
1462835	Drill Core	0.01	0.087	9.43	1.71	0.01	0.02	<0.01
1462836	Drill Core	0.03	0.080	8.53	3.08	0.01	0.03	<0.01
1462837	Drill Core	0.03	0.092	7.78	3.17	0.02	0.21	<0.01

QUALITY CONTROL REPORT

WHI13000566.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1462763	Drill Core	4.27	265	607	388	6	<0.001	0.291	<0.02	<0.01	3	0.310	0.032	0.13	12.09	<0.02	<0.01	<0.001	<0.01	<0.01	1.87
REP 1462763	QC		255	592	375	12															
1462770	Drill Core	2.48	203	745	479	22	<0.001	0.483	<0.02	<0.01	3	0.381	0.023	0.15	12.62	<0.02	<0.01	<0.001	<0.01	<0.01	3.04
REP 1462770	QC						<0.001	0.487	<0.02	<0.01	<2	0.385	0.023	0.15	12.62	<0.02	<0.01	<0.001	<0.01	<0.01	3.09
1462787	Drill Core	3.08	209	856	431	<5	<0.001	1.161	<0.02	0.01	4	0.310	0.023	0.15	13.46	<0.02	<0.01	<0.001	<0.01	<0.01	5.35
REP 1462787	QC		229	905	420	<5															
1462797	Drill Core	2.09	30	267	399	7	<0.001	0.129	<0.02	<0.01	<2	0.373	0.017	0.12	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.08
REP 1462797	QC		25	248	365	<5	<0.001	0.134	<0.02	<0.01	<2	0.409	0.018	0.12	9.55	<0.02	<0.01	<0.001	<0.01	<0.01	0.08
1462831	Drill Core	3.08	30	468	304	10	<0.001	0.329	<0.02	<0.01	<2	0.271	0.017	0.15	9.87	<0.02	<0.01	<0.001	<0.01	<0.01	6.11
REP 1462831	QC		28	461	308	<5															
1462837	Drill Core	1.13	16	608	361	<5	<0.001	0.504	<0.02	<0.01	2	0.251	0.024	0.14	10.00	0.11	0.02	<0.001	<0.01	<0.01	8.61
REP 1462837	QC						<0.001	0.506	<0.02	<0.01	3	0.252	0.024	0.14	10.04	0.11	0.02	<0.001	<0.01	<0.01	8.60
Core Reject Duplicates																					
1462765	Drill Core	6.78	147	489	356	13	<0.001	0.332	<0.02	<0.01	2	0.315	0.021	0.15	11.73	<0.02	<0.01	<0.001	<0.01	<0.01	1.50
DUP 1462765	QC		143	515	374	13	<0.001	0.327	<0.02	<0.01	3	0.307	0.021	0.15	11.73	<0.02	<0.01	<0.001	<0.01	<0.01	1.54
1462802	Drill Core	1.70	28	164	260	<5	<0.001	0.090	<0.02	<0.01	<2	0.330	0.016	0.12	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.05
DUP 1462802	QC		24	169	267	<5	<0.001	0.088	<0.02	<0.01	<2	0.316	0.016	0.11	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	0.05
Reference Materials																					
STD AMIS256	Standard		330	4934	2475	43															
STD AMIS256	Standard		353	5077	2563	13															
STD AMIS256	Standard		384	5028	2554	<5															
STD AMIS256	Standard		325	5015	2412	48															
STD CDN-ME-14	Standard						0.002	1.233	0.49	3.12	45	0.002	0.017	0.09	17.89	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.657	<0.02	0.01	3	0.909	0.016	0.12	13.63	<0.02	0.03	<0.001	<0.01	<0.01	4.16
STD CDN-ME-14	Standard						0.001	1.247	0.49	3.18	45	0.002	0.017	0.09	17.91	<0.02	<0.01	0.009	<0.01	0.01	0.76
STD CDN-ME-9	Standard						<0.001	0.679	<0.02	0.01	3	0.922	0.016	0.12	13.61	<0.02	0.03	<0.001	<0.01	<0.01	4.41
STD CDN-ME-14	Standard						0.002	1.247	0.49	3.10	44	0.002	0.017	0.09	18.04	<0.02	<0.01	0.009	<0.01	<0.01	0.71
STD CDN-ME-9	Standard						<0.001	0.679	<0.02	0.01	4	0.960	0.017	0.12	14.01	<0.02	0.03	<0.001	<0.01	<0.01	4.18

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**

342 Water Street

Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 14, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000566.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1462763	Drill Core	0.02	0.157	16.01	1.88	0.05	0.08	<0.01	1.16
REP 1462763	QC								
1462770	Drill Core	0.02	0.123	13.62	2.74	0.04	0.11	<0.01	1.77
REP 1462770	QC	0.02	0.123	13.83	2.78	0.04	0.11	<0.01	1.81
1462787	Drill Core	0.02	0.102	10.53	3.13	0.08	0.08	<0.01	2.71
REP 1462787	QC								
1462797	Drill Core	0.01	0.316	20.32	1.01	<0.01	0.08	<0.01	0.70
REP 1462797	QC	0.01	0.309	21.00	1.03	<0.01	0.08	<0.01	0.68
1462831	Drill Core	0.01	0.108	11.54	2.96	0.05	0.03	<0.01	1.22
REP 1462831	QC								
1462837	Drill Core	0.03	0.092	7.78	3.17	0.02	0.21	<0.01	1.09
REP 1462837	QC	0.03	0.092	7.73	3.16	0.02	0.21	<0.01	1.06
Core Reject Duplicates									
1462765	Drill Core	0.01	0.160	17.02	1.76	0.03	0.04	<0.01	1.31
DUP 1462765	QC	0.01	0.165	17.04	1.74	0.03	0.04	<0.01	1.30
1462802	Drill Core	<0.01	0.315	21.68	0.95	<0.01	0.04	<0.01	0.51
DUP 1462802	QC	<0.01	0.324	20.81	0.94	<0.01	0.04	<0.01	0.53
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.004	1.28	4.28	0.52	1.65	<0.01	15.91
STD CDN-ME-9	Standard	0.06	0.029	4.01	6.50	1.76	0.62	<0.01	2.60
STD CDN-ME-14	Standard	0.02	0.003	1.29	4.43	0.51	1.61	0.02	15.39
STD CDN-ME-9	Standard	0.06	0.029	4.13	6.57	1.86	0.61	<0.01	2.43
STD CDN-ME-14	Standard	0.01	0.002	1.30	3.96	0.53	1.67	<0.01	15.96
STD CDN-ME-9	Standard	0.06	0.029	4.07	6.57	1.82	0.63	<0.01	2.62

QUALITY CONTROL REPORT

WHI13000566.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-PGMS-23	Standard		514	498	2130	<5															
STD CDN-PGMS-23	Standard		490	498	2234	12															
STD CDN-PGMS-23	Standard		513	470	2078	<5															
STD CDN-PGMS-23	Standard		517	465	2104	<5															
STD CDN-PGMS-23	Standard		525	456	2040	<5															
STD CDN-PGMS-23	Standard		509	438	2009	<5															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
STD CDN-PGMS-23			496	456	2032																
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	3	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	3	<2	<5															
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank		<2	<3	<2	<5															
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	2	<5	<0.001	0.002	<0.02	<0.01	<2	0.001	<0.001	0.07	2.27	<0.02	0.07	<0.001	<0.01	<0.01	2.34
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	2.23	<0.02	0.07	<0.001	<0.01	<0.01	2.15

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 14, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000566.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
STD CDN-PGMS-23									
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	0.002	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank								
Prep Wash									
G1-WHI	Prep Blank	0.07	0.001	0.58	5.97	2.73	2.97	<0.01	0.05
G1-WHI	Prep Blank	0.07	0.002	0.57	5.79	2.62	2.99	<0.01	<0.05

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Submitted By: Neil Froc
Receiving Lab: Canada-Whitehorse
Received: November 05, 2013
Report Date: January 09, 2014
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI13000548.1

CLIENT JOB INFORMATION

Project: WELLGREEN
Shipment ID:
P.O. Number
Number of Samples: 91

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Prophecy Platinum Corp.
342 Water Street
Vancouver BC V6B 1B6
CANADA

CC: Kelly Bateman
Erik Scheel
Cam MacKay-Stotesbury

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	85	Crush, split and pulverize 250 g rock to 200 mesh			WHI
RIFL	3	Split samples by riffle splitter			WHI
3B	91	Lead collection fire-assay fusion - ICP-ES finish	30	Completed	VAN
7TD2	91	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN

ADDITIONAL COMMENTS

3B Rh results reported for informational purposes only. Data is semi qualitative.



CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555262	Drill Core	7.30	17	154	209	<5	<0.001	0.095	<0.02	<0.01	<2	0.258	0.015	0.14	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	2.26
1555263	Drill Core	3.31	28	155	222	<5	<0.001	0.129	<0.02	<0.01	<2	0.257	0.017	0.10	9.66	<0.02	<0.01	<0.001	<0.01	<0.01	0.04
1555264	Drill Core	1.96	19	141	195	<5	<0.001	0.104	<0.02	<0.01	<2	0.230	0.015	0.10	8.95	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1555265	Drill Core	5.24	24	178	271	<5	<0.001	0.115	<0.02	<0.01	<2	0.296	0.017	0.11	9.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1555266	Drill Core	4.92	30	182	280	<5	<0.001	0.093	<0.02	<0.01	<2	0.319	0.016	0.10	9.43	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1555267	Drill Core	7.73	11	80	119	<5	<0.001	0.045	<0.02	<0.01	<2	0.142	0.008	0.13	6.95	<0.02	<0.01	<0.001	<0.01	<0.01	11.42
1555268	Drill Core	6.05	15	118	149	<5	<0.001	0.055	<0.02	<0.01	<2	0.204	0.012	0.15	8.48	<0.02	<0.01	<0.001	<0.01	<0.01	4.37
1555269A	Drill Core	3.82	19	159	185	<5	<0.001	0.102	<0.02	<0.01	<2	0.286	0.017	0.11	9.61	<0.02	<0.01	<0.001	<0.01	<0.01	0.06
1555269B	Drill Core		21	158	188	<5	<0.001	0.108	<0.02	<0.01	<2	0.307	0.017	0.11	10.04	<0.02	<0.01	<0.001	<0.01	<0.01	0.05
1555270	Drill Core	6.35	18	142	217	<5	<0.001	0.080	<0.02	<0.01	<2	0.314	0.015	0.16	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	0.21
1555271	Rock	0.99	573	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.49	<0.02	<0.01	<0.001	<0.01	<0.01	21.65
1555272	Drill Core	7.27	21	110	152	<5	<0.001	0.114	<0.02	<0.01	<2	0.310	0.016	0.11	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
1555273	Drill Core	5.32	25	164	227	<5	<0.001	0.121	<0.02	<0.01	<2	0.314	0.017	0.12	9.88	<0.02	<0.01	<0.001	<0.01	<0.01	0.02
1555274	Drill Core	3.16	25	183	246	<5	<0.001	0.124	<0.02	<0.01	<2	0.319	0.017	0.11	9.61	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1555275	Rock Pulp	0.05	48	437	597	<5	<0.001	0.310	<0.02	0.02	<2	0.444	0.022	0.14	11.52	<0.02	<0.01	<0.001	<0.01	<0.01	2.47
1555276	Drill Core	2.00	26	114	167	<5	<0.001	0.104	<0.02	<0.01	<2	0.263	0.016	0.11	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	0.05
1555277	Drill Core	5.86	39	186	281	<5	<0.001	0.134	<0.02	<0.01	<2	0.307	0.018	0.11	10.13	<0.02	<0.01	<0.001	<0.01	<0.01	0.09
1555278	Drill Core	5.10	11	122	172	<5	<0.001	0.082	<0.02	<0.01	<2	0.321	0.016	0.15	9.64	<0.02	<0.01	<0.001	<0.01	<0.01	0.81
1555279	Drill Core	7.33	8	114	159	<5	<0.001	0.058	<0.02	<0.01	<2	0.168	0.011	0.15	8.21	<0.02	<0.01	<0.001	<0.01	<0.01	6.77
1555280	Drill Core	6.16	10	109	160	<5	<0.001	0.064	<0.02	<0.01	<2	0.285	0.016	0.13	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	0.04
1555281	Drill Core	6.85	24	153	214	<5	<0.001	0.070	<0.02	<0.01	<2	0.240	0.015	0.13	9.06	<0.02	<0.01	<0.001	<0.01	<0.01	0.03
1555282	Drill Core	5.73	30	180	258	6	<0.001	0.073	<0.02	<0.01	<2	0.269	0.017	0.13	9.10	<0.02	<0.01	<0.001	<0.01	<0.01	0.04
1555283	Drill Core	3.33	38	206	303	<5	<0.001	0.096	<0.02	<0.01	<2	0.318	0.017	0.11	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	0.02
1555284	Drill Core	3.19	58	226	121	<5	<0.001	0.201	<0.02	<0.01	2	0.202	0.019	0.14	11.23	<0.02	<0.01	<0.001	<0.01	<0.01	1.81
1555285	Drill Core	2.52	68	305	152	<5	<0.001	0.193	<0.02	<0.01	<2	0.208	0.020	0.15	11.33	<0.02	<0.01	<0.001	<0.01	<0.01	1.68
1555286	Drill Core	3.07	85	314	157	<5	<0.001	0.206	<0.02	0.01	3	0.195	0.020	0.17	12.17	<0.02	<0.01	<0.001	<0.01	<0.01	1.44
1555287	Drill Core	2.88	79	413	246	<5	<0.001	0.225	<0.02	0.01	2	0.239	0.020	0.17	12.05	<0.02	<0.01	<0.001	<0.01	<0.01	1.50
1555288	Drill Core	3.16	63	390	222	<5	<0.001	0.268	<0.02	<0.01	<2	0.234	0.019	0.16	11.12	<0.02	<0.01	<0.001	<0.01	<0.01	3.00
1555289	Drill Core	4.29	70	295	157	<5	<0.001	0.194	<0.02	<0.01	<2	0.175	0.018	0.14	11.77	<0.02	<0.01	<0.001	<0.01	<0.01	1.88
1555290	Drill Core	3.99	57	201	114	<5	<0.001	0.216	<0.02	0.01	3	0.140	0.016	0.16	11.04	<0.02	<0.01	<0.001	<0.01	<0.01	3.10

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 2 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W
		%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01
1555262	Drill Core	0.05	0.273	18.97	1.66	<0.01	0.01	<0.01
1555263	Drill Core	0.01	0.310	21.55	0.81	<0.01	0.02	<0.01
1555264	Drill Core	0.01	0.269	20.69	0.81	<0.01	0.02	<0.01
1555265	Drill Core	<0.01	0.313	21.17	0.79	<0.01	0.01	<0.01
1555266	Drill Core	<0.01	0.315	21.16	0.76	<0.01	0.01	<0.01
1555267	Drill Core	0.13	0.163	11.70	4.32	<0.01	0.01	<0.01
1555268	Drill Core	0.07	0.238	17.58	2.44	<0.01	0.02	<0.01
1555269A	Drill Core	0.01	0.313	20.72	0.78	<0.01	0.02	<0.01
1555269B	Drill Core	0.01	0.316	21.85	0.83	<0.01	0.02	<0.01
1555270	Drill Core	0.01	0.288	21.16	1.07	<0.01	0.02	<0.01
1555271	Rock	0.01	0.001	12.65	0.06	<0.01	0.02	<0.01
1555272	Drill Core	<0.01	0.307	20.96	0.75	<0.01	<0.01	<0.01
1555273	Drill Core	0.01	0.330	22.04	0.83	<0.01	<0.01	<0.01
1555274	Drill Core	<0.01	0.310	21.14	0.71	<0.01	0.02	<0.01
1555275	Rock Pulp	0.03	0.207	15.51	2.70	0.05	0.17	<0.01
1555276	Drill Core	0.01	0.292	21.79	0.76	<0.01	0.01	<0.01
1555277	Drill Core	0.01	0.348	21.55	0.78	<0.01	<0.01	<0.01
1555278	Drill Core	0.02	0.295	20.43	1.44	<0.01	0.01	<0.01
1555279	Drill Core	0.02	0.235	15.11	2.27	<0.01	<0.01	<0.01
1555280	Drill Core	0.02	0.306	21.14	0.88	<0.01	<0.01	<0.01
1555281	Drill Core	0.01	0.308	21.41	0.77	<0.01	<0.01	<0.01
1555282	Drill Core	0.01	0.335	21.43	0.83	<0.01	<0.01	<0.01
1555283	Drill Core	0.01	0.361	21.33	0.71	<0.01	<0.01	<0.01
1555284	Drill Core	0.02	0.160	17.15	1.90	0.03	0.06	<0.01
1555285	Drill Core	0.02	0.164	17.39	1.93	0.03	0.05	<0.01
1555286	Drill Core	0.02	0.161	17.66	1.86	0.03	0.06	<0.01
1555287	Drill Core	0.01	0.167	16.86	1.73	0.03	0.09	<0.01
1555288	Drill Core	0.02	0.143	16.32	1.97	0.03	0.07	<0.01
1555289	Drill Core	0.02	0.145	17.78	1.95	0.03	0.07	<0.01
1555290	Drill Core	0.02	0.140	16.48	2.16	0.05	0.10	<0.01

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555291	Drill Core	3.72	83	280	146	<5	<0.001	0.202	<0.02	<0.01	2	0.153	0.017	0.15	10.98	<0.02	<0.01	<0.001	<0.01	<0.01	2.74
1555292	Drill Core	1.15	51	186	91	<5	<0.001	0.195	<0.02	<0.01	3	0.112	0.009	0.17	6.89	<0.02	<0.01	<0.001	<0.01	<0.01	11.80
1555293	Drill Core	0.66	102	242	108	<5	<0.001	0.129	<0.02	<0.01	<2	0.122	0.014	0.14	10.64	<0.02	<0.01	<0.001	<0.01	<0.01	1.98
1555294	Drill Core	0.65	160	425	218	<5	<0.001	0.299	<0.02	<0.01	2	0.134	0.012	0.17	7.85	<0.02	<0.01	<0.001	<0.01	<0.01	10.20
1555295	Drill Core	3.75	93	330	176	<5	<0.001	0.195	<0.02	<0.01	<2	0.165	0.017	0.12	10.91	<0.02	<0.01	<0.001	<0.01	<0.01	2.55
1555296	Drill Core	2.02	141	236	114	<5	<0.001	0.263	<0.02	<0.01	<2	0.105	0.011	0.16	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	10.67
1555297	Drill Core	3.46	31	121	67	<5	<0.001	0.099	<0.02	<0.01	<2	0.131	0.015	0.12	10.26	<0.02	<0.01	<0.001	<0.01	<0.01	2.61
1555298	Drill Core	3.52	125	288	150	<5	<0.001	0.254	<0.02	0.01	<2	0.198	0.018	0.14	10.80	<0.02	<0.01	<0.001	<0.01	<0.01	4.05
1555299A	Drill Core	2.17	28	17	18	<5	<0.001	0.018	<0.02	<0.01	<2	0.020	0.004	0.13	6.61	<0.02	<0.01	<0.001	<0.01	<0.01	15.15
1555299B	Drill Core		17	14	19	<5	<0.001	0.017	<0.02	<0.01	<2	0.019	0.004	0.13	6.55	<0.02	<0.01	<0.001	<0.01	<0.01	14.91
1555300	Rock Pulp	0.06	60	411	586	<5	<0.001	0.306	<0.02	0.01	<2	0.447	0.021	0.14	11.42	<0.02	<0.01	<0.001	<0.01	<0.01	2.45
1555301	Rock	0.86	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.45	<0.02	<0.01	<0.001	<0.01	<0.01	21.23
1555302	Drill Core	3.03	75	250	136	<5	<0.001	0.258	<0.02	<0.01	<2	0.141	0.014	0.13	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	6.25
1555303	Drill Core	3.34	105	384	217	<5	<0.001	0.352	<0.02	<0.01	3	0.222	0.020	0.13	11.11	<0.02	<0.01	<0.001	<0.01	<0.01	3.52
1555304	Drill Core	3.85	35	255	133	<5	<0.001	0.255	<0.02	<0.01	<2	0.134	0.010	0.13	6.48	<0.02	<0.01	<0.001	<0.01	<0.01	13.10
1555305	Drill Core	4.53	40	449	304	<5	<0.001	0.345	<0.02	<0.01	2	0.248	0.012	0.13	6.95	<0.02	<0.01	<0.001	<0.01	<0.01	14.04
1555306	Drill Core	2.64	107	479	338	13	<0.001	0.329	<0.02	<0.01	<2	0.332	0.020	0.17	11.36	<0.02	<0.01	<0.001	<0.01	<0.01	4.45
1555307	Drill Core	2.59	198	530	368	<5	<0.001	0.611	<0.02	<0.01	<2	0.354	0.021	0.14	12.39	<0.02	<0.01	<0.001	<0.01	<0.01	3.00
1555308	Drill Core	3.60	45	756	495	<5	<0.001	0.499	<0.02	<0.01	2	0.386	0.016	0.10	8.39	<0.02	<0.01	<0.001	<0.01	<0.01	14.86
1555309	Drill Core	2.13	63	660	485	<5	<0.001	0.491	<0.02	<0.01	<2	0.347	0.017	0.12	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	12.34
1555310	Drill Core	2.63	93	450	219	<5	<0.001	0.409	<0.02	<0.01	<2	0.226	0.019	0.11	12.35	<0.02	<0.01	<0.001	<0.01	<0.01	3.71
1555311	Drill Core	1.39	4	19	10	<5	<0.001	0.012	<0.02	<0.01	<2	0.008	0.003	0.14	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	16.61
1555312	Drill Core	2.73	179	490	238	<5	<0.001	0.375	<0.02	<0.01	<2	0.175	0.016	0.10	9.37	0.06	<0.01	<0.001	<0.01	<0.01	7.85
1555313	Drill Core	3.77	151	458	231	7	<0.001	0.314	<0.02	<0.01	<2	0.188	0.015	0.10	9.79	0.05	<0.01	<0.001	<0.01	<0.01	7.45
1555314	Drill Core	1.51	312	305	169	<5	<0.001	0.277	<0.02	<0.01	<2	0.122	0.009	0.12	6.64	0.04	<0.01	<0.001	<0.01	<0.01	11.76
1555315	Drill Core	3.53	149	273	150	<5	<0.001	0.161	<0.02	<0.01	<2	0.129	0.012	0.13	8.60	0.03	<0.01	<0.001	<0.01	<0.01	8.07
1555316	Drill Core	2.46	78	286	163	<5	<0.001	0.170	<0.02	<0.01	<2	0.130	0.014	0.17	9.89	<0.02	<0.01	<0.001	<0.01	<0.01	4.61
1555317	Drill Core	1.54	134	234	141	<5	<0.001	0.155	<0.02	<0.01	<2	0.158	0.015	0.15	9.14	0.07	<0.01	<0.001	<0.01	<0.01	6.76
1555318	Drill Core	5.35	47	164	115	<5	<0.001	0.093	<0.02	<0.01	<2	0.122	0.008	0.21	11.22	0.06	0.02	<0.001	<0.01	<0.01	9.50
1555319	Drill Core	0.14	172	686	413	<5	<0.001	0.441	<0.02	<0.01	<2	0.271	0.021	0.13	11.21	0.15	<0.01	<0.001	<0.01	<0.01	6.08

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555291	Drill Core	0.02	0.135	16.39	2.00	0.05	0.12	<0.01	0.96
1555292	Drill Core	0.02	0.114	9.58	3.18	0.09	0.02	<0.01	0.55
1555293	Drill Core	0.01	0.132	16.84	2.06	0.04	0.16	<0.01	0.62
1555294	Drill Core	0.02	0.105	11.80	2.25	0.10	0.19	<0.01	0.74
1555295	Drill Core	0.02	0.138	16.61	1.99	0.03	0.37	<0.01	0.62
1555296	Drill Core	0.03	0.104	11.61	3.04	0.08	0.25	<0.01	0.58
1555297	Drill Core	0.02	0.135	17.32	2.01	0.03	0.22	<0.01	0.33
1555298	Drill Core	0.02	0.140	15.38	2.27	0.05	0.04	<0.01	0.59
1555299A	Drill Core	0.03	0.036	5.90	7.14	0.04	0.01	<0.01	<0.05
1555299B	Drill Core	0.03	0.034	5.77	7.04	0.04	0.02	<0.01	<0.05
1555300	Rock Pulp	0.03	0.183	15.48	2.64	0.04	0.20	<0.01	1.49
1555301	Rock	0.02	<0.001	12.30	0.08	<0.01	0.09	<0.01	<0.05
1555302	Drill Core	0.02	0.124	13.52	2.35	0.08	0.04	<0.01	0.61
1555303	Drill Core	0.02	0.131	15.60	2.00	0.03	0.06	<0.01	1.06
1555304	Drill Core	0.02	0.083	9.45	3.12	0.12	0.01	<0.01	0.42
1555305	Drill Core	0.02	0.072	8.42	3.63	0.11	<0.01	<0.01	0.55
1555306	Drill Core	0.03	0.138	14.55	2.07	0.11	0.06	<0.01	1.09
1555307	Drill Core	0.02	0.136	15.58	1.90	0.05	0.07	<0.01	1.38
1555308	Drill Core	0.02	0.042	8.09	3.05	0.14	0.32	<0.01	1.58
1555309	Drill Core	0.03	0.083	9.57	2.80	0.14	0.31	<0.01	1.75
1555310	Drill Core	0.02	0.131	15.28	2.12	0.06	0.34	<0.01	1.82
1555311	Drill Core	0.09	0.011	3.41	6.84	0.03	0.20	<0.01	<0.05
1555312	Drill Core	0.02	0.132	12.44	2.77	0.09	0.26	<0.01	1.67
1555313	Drill Core	0.02	0.119	12.51	2.44	0.05	0.02	<0.01	1.63
1555314	Drill Core	0.03	0.029	11.48	3.42	0.07	0.01	<0.01	0.54
1555315	Drill Core	0.02	0.093	12.92	2.50	0.02	0.01	<0.01	0.56
1555316	Drill Core	0.02	0.122	15.84	1.83	0.05	0.02	<0.01	0.48
1555317	Drill Core	0.01	0.120	14.27	2.18	0.05	0.03	<0.01	0.59
1555318	Drill Core	0.09	0.037	9.96	5.46	<0.01	0.14	<0.01	0.72
1555319	Drill Core	0.01	0.100	12.03	1.78	0.03	0.15	<0.01	1.98

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01
1555320	Drill Core	2.50	275	938	519	<5	<0.001	0.374	<0.02	<0.01	<2	0.295	0.020	0.13	12.24	0.19	<0.01	<0.001	<0.01	<0.01
1555321	Drill Core	1.15	188	801	459	<5	<0.001	0.344	<0.02	<0.01	<2	0.294	0.019	0.13	11.12	0.24	<0.01	<0.001	<0.01	<0.01
1555322	Drill Core	2.29	58	672	328	<5	<0.001	0.365	<0.02	<0.01	<2	0.195	0.014	0.15	8.62	0.11	0.02	<0.001	<0.01	<0.01
1555323	Drill Core	1.54	112	474	333	<5	<0.001	0.367	<0.02	<0.01	<2	0.256	0.015	0.13	9.11	0.12	<0.01	<0.001	<0.01	<0.01
1555324	Drill Core	1.19	79	352	179	<5	<0.001	0.493	<0.02	<0.01	<2	0.151	0.018	0.13	11.71	<0.02	<0.01	<0.001	<0.01	<0.01
1555325	Rock Pulp	0.06	3	5	13	<5	<0.001	0.009	<0.02	<0.01	<2	0.007	0.002	0.11	4.47	<0.02	0.01	<0.001	<0.01	<0.01
1555326	Drill Core	1.42	7	14	16	<5	<0.001	0.036	<0.02	<0.01	<2	0.026	0.005	0.15	5.98	<0.02	0.04	<0.001	<0.01	<0.01
1555327	Drill Core	2.24	60	44	22	<5	<0.001	0.470	<0.02	<0.01	<2	0.133	0.018	0.14	10.97	<0.02	<0.01	<0.001	<0.01	<0.01
1555328	Drill Core	1.28	32	78	26	<5	<0.001	0.335	<0.02	<0.01	<2	0.117	0.015	0.16	10.95	0.02	<0.01	<0.001	<0.01	<0.01
1555329A	Drill Core	2.09	8	<3	<2	<5	<0.001	0.115	<0.02	<0.01	<2	0.006	0.003	0.11	4.12	<0.02	0.03	<0.001	<0.01	<0.01
1555329B	Drill Core		7	<3	<2	<5	<0.001	0.112	<0.02	<0.01	<2	0.005	0.002	0.11	4.09	<0.02	0.03	<0.001	<0.01	<0.01
1555330	Drill Core	2.26	8	87	135	<5	<0.001	0.047	<0.02	<0.01	<2	0.197	0.014	0.12	8.90	<0.02	<0.01	<0.001	<0.01	<0.01
1555331	Rock	0.79	<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.02	0.46	<0.02	<0.01	<0.001	<0.01	<0.01
1555332	Drill Core	1.75	10	118	172	<5	<0.001	0.077	<0.02	<0.01	<2	0.247	0.014	0.13	9.25	<0.02	<0.01	<0.001	<0.01	<0.01
1555333	Drill Core	2.30	15	180	273	<5	<0.001	0.126	<0.02	<0.01	<2	0.307	0.016	0.13	9.76	<0.02	<0.01	<0.001	<0.01	<0.01
1555334	Drill Core	3.02	25	197	299	<5	<0.001	0.148	<0.02	<0.01	<2	0.330	0.016	0.13	9.49	<0.02	<0.01	<0.001	<0.01	<0.01
1555335	Drill Core	2.98	23	222	351	<5	<0.001	0.176	<0.02	<0.01	<2	0.367	0.017	0.13	9.54	<0.02	<0.01	<0.001	<0.01	<0.01
1555336	Drill Core	2.72	31	183	300	<5	<0.001	0.158	<0.02	<0.01	<2	0.358	0.017	0.14	9.63	<0.02	<0.01	<0.001	<0.01	<0.01
1555337	Drill Core	2.87	28	150	229	7	<0.001	0.103	<0.02	<0.01	<2	0.265	0.014	0.14	9.26	<0.02	<0.01	<0.001	<0.01	<0.01
1555338	Drill Core	2.64	20	110	180	<5	<0.001	0.065	<0.02	<0.01	<2	0.241	0.014	0.14	9.14	<0.02	<0.01	<0.001	<0.01	<0.01
1555339	Drill Core	3.03	17	142	233	6	<0.001	0.068	<0.02	<0.01	<2	0.256	0.014	0.13	9.41	<0.02	<0.01	<0.001	<0.01	<0.01
1555340	Drill Core	2.74	23	152	220	<5	<0.001	0.105	<0.02	<0.01	<2	0.228	0.014	0.14	9.26	<0.02	<0.01	<0.001	<0.01	<0.01
1555341	Drill Core	4.04	11	240	308	<5	<0.001	0.083	<0.02	<0.01	<2	0.284	0.015	0.10	9.38	<0.02	<0.01	<0.001	<0.01	<0.01
1555342	Drill Core	4.53	58	320	288	7	<0.001	0.132	<0.02	<0.01	<2	0.235	0.013	0.12	8.06	<0.02	<0.01	<0.001	<0.01	<0.01
1555343	Drill Core	3.92	10	206	184	<5	<0.001	0.189	<0.02	<0.01	<2	0.137	0.007	0.11	8.20	<0.02	0.04	<0.001	<0.01	<0.01
1555344	Drill Core	3.93	10	171	139	<5	<0.001	0.160	<0.02	<0.01	<2	0.147	0.009	0.11	8.52	<0.02	<0.01	<0.001	<0.01	<0.01
1555345	Drill Core	2.76	25	192	212	<5	<0.001	0.148	<0.02	<0.01	<2	0.296	0.017	0.12	10.19	<0.02	<0.01	<0.001	<0.01	<0.01
1555346	Drill Core	2.90	33	204	277	<5	<0.001	0.085	<0.02	<0.01	<2	0.255	0.012	0.11	8.47	<0.02	<0.01	<0.001	<0.01	<0.01
1555347	Drill Core	3.81	67	251	317	<5	<0.001	0.123	<0.02	<0.01	<2	0.280	0.013	0.13	8.55	<0.02	0.01	<0.001	<0.01	<0.01
1555348	Drill Core	4.43	41	242	287	13	<0.001	0.070	<0.02	<0.01	<2	0.243	0.011	0.15	7.76	<0.02	0.02	<0.001	<0.01	<0.01

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN

Report Date: January 09, 2014

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555320	Drill Core	0.01	0.113	13.61	2.21	0.02	0.02	<0.01	1.58
1555321	Drill Core	0.01	0.115	13.00	1.91	0.02	0.18	<0.01	1.66
1555322	Drill Core	0.01	0.087	10.66	2.36	0.02	0.03	<0.01	0.99
1555323	Drill Core	0.02	0.091	11.68	2.20	0.03	0.13	<0.01	1.27
1555324	Drill Core	0.05	0.087	10.23	4.16	0.12	0.74	<0.01	1.05
1555325	Rock Pulp	0.04	0.020	5.76	5.82	1.62	0.79	<0.01	<0.05
1555326	Drill Core	0.07	0.011	4.15	7.45	0.28	4.71	<0.01	0.06
1555327	Drill Core	0.04	0.072	9.44	4.15	0.24	0.45	<0.01	1.66
1555328	Drill Core	0.04	0.086	10.17	4.06	0.24	0.31	<0.01	1.14
1555329A	Drill Core	0.10	0.007	1.64	7.01	3.30	0.79	<0.01	0.19
1555329B	Drill Core	0.10	0.006	1.59	6.91	3.25	1.12	<0.01	0.16
1555330	Drill Core	0.02	0.238	18.77	1.73	0.02	0.27	<0.01	0.31
1555331	Rock	0.01	0.001	12.39	0.04	<0.01	0.01	<0.01	<0.05
1555332	Drill Core	0.01	0.238	18.81	1.95	0.02	0.09	<0.01	0.49
1555333	Drill Core	0.02	0.262	18.76	1.90	0.06	0.37	<0.01	0.54
1555334	Drill Core	0.02	0.246	19.08	1.80	0.02	0.18	<0.01	0.46
1555335	Drill Core	0.02	0.227	18.57	1.93	0.03	0.13	<0.01	0.60
1555336	Drill Core	0.02	0.273	18.68	1.73	0.03	0.23	<0.01	0.48
1555337	Drill Core	0.02	0.272	18.65	1.83	0.03	0.13	<0.01	0.34
1555338	Drill Core	0.02	0.273	18.99	1.83	0.04	0.21	<0.01	0.26
1555339	Drill Core	0.02	0.246	18.29	1.90	0.03	0.20	<0.01	0.35
1555340	Drill Core	0.02	0.221	18.47	1.93	0.03	0.20	<0.01	0.49
1555341	Drill Core	0.02	0.216	17.22	1.85	0.05	0.41	<0.01	0.65
1555342	Drill Core	0.03	0.150	11.43	3.34	0.07	0.16	<0.01	0.77
1555343	Drill Core	0.02	0.017	6.62	3.06	0.11	<0.01	<0.01	0.28
1555344	Drill Core	0.02	0.039	8.18	2.45	0.11	0.04	<0.01	0.55
1555345	Drill Core	0.02	0.178	13.59	2.96	0.06	0.04	<0.01	1.91
1555346	Drill Core	0.01	0.198	13.17	2.30	0.05	0.07	<0.01	1.26
1555347	Drill Core	0.04	0.213	11.57	2.55	0.06	0.08	<0.01	1.00
1555348	Drill Core	0.03	0.189	10.83	2.67	0.07	0.08	<0.01	0.43

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method	WGHT	3B	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
	Unit	kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
	MDL	0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
1555349	Drill Core	3.66	32	26	39	<5	<0.001	0.013	<0.02	<0.01	<2	0.041	0.002	0.16	8.29	<0.02	0.02	<0.001	<0.01	<0.01	4.88

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI13000548.1

	Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		P	Cr	Mg	Al	Na	K	W	S
		%	%	%	%	%	%	%	%
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
1555349	Drill Core	0.26	0.041	9.03	7.60	0.16	1.03	<0.01	<0.05

QUALITY CONTROL REPORT

WHI13000548.1

	Method Analyte Unit MDL	WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		Wgt	Au	Pt		Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
Pulp Duplicates																					
1555270	Drill Core	6.35	18	142	217	<5	<0.001	0.080	<0.02	<0.01	<2	0.314	0.015	0.16	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	0.21
REP 1555270	QC		22	156	236	<5															
1555280	Drill Core	6.16	10	109	160	<5	<0.001	0.064	<0.02	<0.01	<2	0.285	0.016	0.13	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	0.04
REP 1555280	QC					<0.001	0.063	<0.02	<0.01	<2	0.297	0.016	0.13	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	
1555283	Drill Core	3.33	38	206	303	<5	<0.001	0.096	<0.02	<0.01	<2	0.318	0.017	0.11	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	0.02
REP 1555283	QC		38	205	294	<5															
1555293	Drill Core	0.66	102	242	108	<5	<0.001	0.129	<0.02	<0.01	<2	0.122	0.014	0.14	10.64	<0.02	<0.01	<0.001	<0.01	<0.01	1.98
REP 1555293	QC					<0.001	0.131	<0.02	<0.01	<2	0.127	0.015	0.14	10.85	<0.02	<0.01	<0.001	<0.01	<0.01	1.99	
1555304	Drill Core	3.85	35	255	133	<5	<0.001	0.255	<0.02	<0.01	<2	0.134	0.010	0.13	6.48	<0.02	<0.01	<0.001	<0.01	<0.01	13.10
REP 1555304	QC		33	242	130	<5															
1555339	Drill Core	3.03	17	142	233	6	<0.001	0.068	<0.02	<0.01	<2	0.256	0.014	0.13	9.41	<0.02	<0.01	<0.001	<0.01	<0.01	1.64
REP 1555339	QC		15	140	227	<5															
1555341	Drill Core	4.04	11	240	308	<5	<0.001	0.083	<0.02	<0.01	<2	0.284	0.015	0.10	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	2.56
REP 1555341	QC					<0.001	0.084	<0.02	<0.01	<2	0.286	0.015	0.10	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	2.54	
Core Reject Duplicates																					
1555292	Drill Core	1.15	51	186	91	<5	<0.001	0.195	<0.02	<0.01	3	0.112	0.009	0.17	6.89	<0.02	<0.01	<0.001	<0.01	<0.01	11.80
DUP 1555292	QC		48	185	87	<5	<0.001	0.196	<0.02	<0.01	3	0.113	0.009	0.17	6.92	<0.02	<0.01	<0.001	<0.01	<0.01	11.78
Reference Materials																					
STD AMIS256	Standard		390	5163	2595	5															
STD AMIS256	Standard		403	5121	2564	<5															
STD AMIS256	Standard		343	4965	2489	<5															
STD AMIS256	Standard		338	4527	2269	117															
STD AMIS256	Standard		342	5049	2511	38															
STD CDN-ME-14	Standard					0.002	1.227	0.49	3.15	44	0.002	0.017	0.09	17.92	<0.02	<0.01	0.010	<0.01	<0.01	0.75	
STD CDN-ME-14	Standard					0.001	1.273	0.50	3.18	48	0.001	0.018	0.09	18.50	<0.02	<0.01	0.010	<0.01	<0.01	0.76	
STD CDN-ME-9	Standard					<0.001	0.662	<0.02	<0.01	4	0.936	0.017	0.12	14.10	<0.02	0.03	<0.001	<0.01	<0.01	4.24	
STD CDN-ME-14	Standard					0.001	1.272	0.50	3.19	46	0.002	0.018	0.09	18.64	<0.02	<0.01	0.010	<0.01	<0.01	0.79	
STD CDN-ME-9	Standard					<0.001	0.662	<0.02	0.01	4	0.913	0.017	0.12	13.75	<0.02	0.03	<0.001	<0.01	<0.01	4.18	

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000548.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte		P	Cr	Mg	Al	Na	K	W	S
Unit		%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
Pulp Duplicates									
1555270	Drill Core	0.01	0.288	21.16	1.07	<0.01	0.02	<0.01	0.41
REP 1555270	QC								
1555280	Drill Core	0.02	0.306	21.14	0.88	<0.01	<0.01	<0.01	0.36
REP 1555280	QC	0.02	0.304	21.21	0.90	<0.01	<0.01	<0.01	0.37
1555283	Drill Core	0.01	0.361	21.33	0.71	<0.01	<0.01	<0.01	0.49
REP 1555283	QC								
1555293	Drill Core	0.01	0.132	16.84	2.06	0.04	0.16	<0.01	0.62
REP 1555293	QC	0.02	0.141	16.90	2.08	0.04	0.16	<0.01	0.66
1555304	Drill Core	0.02	0.083	9.45	3.12	0.12	0.01	<0.01	0.42
REP 1555304	QC								
1555339	Drill Core	0.02	0.246	18.29	1.90	0.03	0.20	<0.01	0.35
REP 1555339	QC								
1555341	Drill Core	0.02	0.216	17.22	1.85	0.05	0.41	<0.01	0.65
REP 1555341	QC	0.02	0.216	17.13	1.84	0.05	0.41	<0.01	0.66
Core Reject Duplicates									
1555292	Drill Core	0.02	0.114	9.58	3.18	0.09	0.02	<0.01	0.55
DUP 1555292	QC	0.02	0.116	9.62	3.18	0.09	0.02	<0.01	0.55
Reference Materials									
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD AMIS256	Standard								
STD CDN-ME-14	Standard	0.02	0.003	1.23	4.22	0.51	1.64	<0.01	16.19
STD CDN-ME-14	Standard	0.02	0.003	1.30	4.45	0.54	1.72	<0.01	16.58
STD CDN-ME-9	Standard	0.07	0.029	4.17	6.76	1.83	0.66	<0.01	2.96
STD CDN-ME-14	Standard	0.02	0.002	1.36	4.53	0.55	1.69	<0.01	17.19
STD CDN-ME-9	Standard	0.06	0.028	4.02	6.63	1.82	0.68	<0.01	3.06

QUALITY CONTROL REPORT

WHI13000548.1

		WGHT	3B	3B		3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Rh	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca
		kg	ppb	ppb	ppb	ppb	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	5	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01
STD CDN-ME-14	Standard						0.001	1.223	0.48	3.09	45	0.001	0.017	0.08	17.67	<0.02	<0.01	0.009	<0.01	<0.01	0.73
STD CDN-ME-9	Standard						<0.001	0.664	<0.02	<0.01	3	0.939	0.016	0.12	13.67	<0.02	0.03	<0.001	<0.01	<0.01	4.12
STD CDN-ME-14	Standard						<0.001	1.210	0.48	3.09	45	0.002	0.017	0.09	17.80	<0.02	<0.01	0.009	<0.01	<0.01	0.75
STD CDN-ME-9	Standard						<0.001	0.646	<0.02	0.01	4	0.934	0.017	0.12	13.81	<0.02	0.03	<0.001	<0.01	<0.01	4.14
STD CDN-ME-14	Standard						0.002	1.253	0.50	3.16	45	0.002	0.017	0.09	18.16	<0.02	<0.01	0.009	<0.01	0.01	0.77
STD CDN-ME-9	Standard						<0.001	0.649	<0.02	0.01	3	0.902	0.017	0.12	13.54	<0.02	0.03	<0.001	<0.01	<0.01	4.10
STD CDN-PGMS-23	Standard		514	485	2174	<5															
STD CDN-PGMS-23	Standard		537	455	2065	<5															
STD CDN-PGMS-23	Standard		487	467	2086	<5															
STD CDN-PGMS-23	Standard		585	488	2091	9															
STD CDN-PGMS-23	Standard		507	444	2057	<5															
STD AMIS256 Expected			340	4860	2500	41															
STD CDN-PGMS-23			496	456	2032																
STD CDN-ME-14 Expected								1.221	0.495	3.1	42.3	0.002	0.018	0.089	17.92	0.01		0.009		0.01	0.74
STD CDN-ME-9 Expected								0.654		0.0125		0.912	0.017	0.12	13.85		0.03				4.22
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		<2	<3	<2	<5															
BLK	Blank		3	<3	<2	<5															
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
BLK	Blank						<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
Prep Wash																					
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.06	<0.02	0.07	<0.001	<0.01	<0.01	2.06
G1-WHI	Prep Blank		<2	<3	<2	<5	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	2.33	<0.02	0.07	<0.001	<0.01	<0.01	2.24

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Prophecy Platinum Corp.**
342 Water Street
Vancouver BC V6B 1B6 CANADA

Project: WELLGREEN
Report Date: January 09, 2014

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI13000548.1

		7TD P %	7TD Cr %	7TD Mg %	7TD Al %	7TD Na %	7TD K %	7TD W %	7TD S %
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05
STD CDN-ME-14	Standard	0.02	0.002	1.28	4.28	0.53	1.69	<0.01	16.10
STD CDN-ME-9	Standard	0.07	0.028	3.95	6.56	1.86	0.62	<0.01	2.59
STD CDN-ME-14	Standard	0.02	0.003	1.27	4.35	0.53	1.68	<0.01	16.00
STD CDN-ME-9	Standard	0.06	0.029	4.07	6.57	1.83	0.64	<0.01	2.47
STD CDN-ME-14	Standard	0.01	0.004	1.30	4.46	0.54	1.64	<0.01	15.87
STD CDN-ME-9	Standard	0.07	0.028	3.92	6.40	1.83	0.64	<0.01	2.52
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD CDN-PGMS-23	Standard								
STD AMIS256 Expected									
STD CDN-PGMS-23									
STD CDN-ME-14 Expected		0.02	0.0015	1.29	4.175	0.52	1.5		16
STD CDN-ME-9 Expected		0.061	0.0285	4	6.66	1.82	0.63		2.547
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05
Prep Wash									
G1-WHI	Prep Blank	0.07	0.002	0.52	6.90	2.58	1.64	<0.01	<0.05
G1-WHI	Prep Blank	0.07	0.002	0.53	6.54	2.49	1.55	<0.01	<0.05