International Geosystems Corporation — Geolog System — Geofor...

S = Alpha S | 0 = Zero | 1 = One | 2 = Two | 7 = Seven | Ø = Alpha O | I or l = Alpha I | Z = Alpha Z

ENTER KEYS IN COL. 1 TO ACTIVATE ...

Identity Data

KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	DATE AND TIME (YR, MON, DAY, HR, MIN)	APT	GEOLOGGED BY	ED BY	COMPLETED (YR, MON, DAY)	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F
I	DEN	6805		WS87065									MT 01
I	PRJ (PROJECT NAME)										PROPERTY OR PROJECT & SUB PROJECT		

Survey Data

KEY	TURN'G PT. 000 = Collar	FROM	TO	F-S	O	AZM CLOCKWISE FROM TRUE N	V-ANG NEG IF DOWN	STATION	OFFSET NEG IF LEFT	NORTHING NEG IF SOUTH	EASTING NEG IF WEST	ELEVATION NEG IF SUB-SEA
S		00.00					-.60					

Upper Tier (U): FLAG | FROM | TO | RECOVERY | TMOD / Mix | ROCK-SOIL | TYPIFY-MAT TM1 TM2 | QALMAT QM1 | TEXTURES TX1 TX2 | GRAIN Fr Cr %C MP | FRACTURE COUNT 1 2 | T1 | STRUC1 ID | STRIKE AZM | DIP To Right | ALTERATION & MINERALIZATION DEFAULT SUFFIXES: PO PN CP SL GN XX AZ MC LI | YY | SUMMARY F1 F2

Lower Tier Geodata (L): RQD | FM MEM | ENV | RTQ | LC Colour | TM3 | QM2 | TX3 TX4 | Sa Rn Sm O/C | K Im k Jl | T2 | STRUC2 ID | AZM | DIP To Right | CA MG SD SI MT | Hw Amt | PR MO SL | Hw Amt | M1 M2

Assay Data (A): FROM | TO | RECOVERY | Sample Serial No.

F-Entry (F): FROM | TO

GRAPHIC

S
S
S

2.13

P 00.00 2.13 00 CASN
L

P 2.13 24.80 PDFSØLCX5ES HJ J= ?<< <(OMMS
L GN 2 <• ?
R SU A/ FL-NET TEXT; PØ>CY=5-7%; NOTE PATCHY AREAS <5CM W
R STRONGER MIN/ZN SEPARATED BY WEAKER SU YET OVERALL SU
R CONTENT UNIFORM;

I

D 9.75 11.55
L 6
R 1305m - CA-AK(?)-TR(CL) 3cm VEIN -30°+

N 16.15 16.25 XARCL 0 0 0
L SA 6
R ARGL=PORPHYRITIC, PHN 05mm TO SE A/ CL, CNTS 25X

D 8.00 14.00 J> ?<(
L
R NOTE-SINCE Om-PØ PATCY DISS STRONGER WHERE CX A/ NET TEX FL
R MORE COMMON; CP ONLY ON MICRO FRC; ROC-BLOCKY; WEAK CA A/ MM ON
R WEATHERED FRC; NOTE MOST FRC SLK

14.00

81-130

(REVISED 12/86 7500 - 3/87)

International Geosystems Corporation

Geolog System

Geoform

S = Alpha S   0 = Zero   1 = One   2 = Two   7 = Seven   Ø = Alpha O   I or l = Alpha I   Z = Alpha Z

Identity Data: I — DEN 6 8 0 5 — WS87065 — Units M/F: M — 02
I — PRJ

Survey Data / Upper Tier / Lower Tier Geodata / Assay Data / F-Entry

Graphic depth marks: 14.60, 19.51, 20.63, 22.3, 22.45, 24.42, 24.80

N 19.51 20.63 XANDSSI — D 0 0 — <=
L AG — 3
R CHERTY ANDS; FINE PHN <1% TO DK GREEN SE(?)-CL; TOP CNT 65°X; BTM CNT
R GROUND

D 17.98 24.80 — J+ ?<=
L 5
R NOTE → 22.30M-<3CM BAND CX HIGH WITH MINOR <1CM BLEB PO; ICR AU D/S?;
AU-CX-COARSER D/S;

N 22.30 22.45 CBXGABRCXFLSE1 — D*
L CA
R GABR?= LIGHT GREEN: TOP CNT ~4CM CHILLED(?) UFINE GRAINED WITH SHARP
CNT TO MED GRAINED; NOTE ICR CP: BTM CNT FRC-20°X

N 23.58 24.38 SANDS PPBD2 — 0 0 0
L 6A
R GABRO- 8CM BAND ON TOP CNT: TOP CNT 1CM 60°X QC VEINLET; BTM CNT
R 40°X FRC; IN FW OF ARGL- ~1CREC BLEBS-GABR(?)= HYBRID ANDS A/ PERD.?
R ANDS-VERY FINE PHN TO SE A/ CL?

N 24.42 24.80 CBX GI — <*
L GN
R NOTE → GABRO-TOP CNT TEN: BTM CNT FAIRLY SHARP; FINE GRAINED AU(
R TE)? LARGER GRAINED ES? TO SE; ICR CP OVER NORMAL PERD AND
R BLEB PO PRESENT

International Geosystems Corporation — Geolog System

S = Alpha S   0 = Zero   1 = One   2 = Two   7 = Seven   O = Alpha O   I or l = Alpha I   Z = Alpha Z

Identity Data

KEY	FLAG	FORMAT VERSION	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	UNITS M/F
I	D E N	6 8 0 5	WS87065	M 03
I	P R J			

Survey Data: KEY, TURN G PT. (000 = Collar), FROM, TO, F-S, O, AZM (CLOCKWISE FROM TRUE N), V-ANG (NEG IF DOWN), STATION, OFFSET (NEG IF LEFT), NORTHING (NEG IF SOUTH), EASTING (NEG IF WEST), ELEVATION (NEG IF SUB-SEA)

Upper Tier: FLAG, FROM, TO, RECOVERY, ROCK-SOIL, TYPIFY-MAT, QALMAT, TEXTURES, GRAIN, FRACTURE COUNT, STRUC1 ID, STRIKE AZM, DIP, PO PN CP … (ALTERATION & MINERALIZATION DEFAULT SUITE), SUMMARY F1 F2

Lower Tier Geodata: RQD, ENV, RTQ, L/C Colour, TM3, QM2, TX3, TX4, STRUC2 ID, AZM, DIP, CA MG SD SI KT, Hw Amt, PR, MO, SL, Hw Amt, M1, M2

Assay Data: FROM, TO, RECOVERY, Sample Serial No.

F-Entry: FROM, TO



29.65
29.80
29.87
30.85
31.75
32.42
33.25

Key	From	To	Entry
R			NOTES PDFS NET TEX PL A/ PΦ CP VERY WEAK; CA ULTS RARE OVERALL
			BLOCKY: GABR IN NARROW BANDS; MIN/ZN- UNIFORM PATCHES THROUGHOUT
			AU 3-5% PΦ; GABR= PERD ALT L/MY ARCL?
P	24.80	30.85	GBΦLCXOLSE7MX 5 … D+ ?D> … C8 M5
L			GNFS 4
N			TOP CNT TAKEN AT DEFINITE GABR BAND BUT PERHAPS TEN ZONE FROM
R			FIRST GABR BAND (22.80m) - 22.30 TO 24.80 - ALT PERD WITH ICR BANDS
R			GABR D/S; BTM CNT - TAKEN AT CHANCE TO FINER GRAINED D/S; ZONE
R			ICR SE ULTS - STILL FAIRLY WEAK; SU-PΦ>CP DIS>NET; NET RARE;
R			D/S - MORE UNIFORM GRANULAR TEX; BLEBS APPEAR RARE;
			SE ΦL - 50-60%
N	29.65	29.80	XLMST … O ? O
L			
R			LMST W SKAR AT CNTS;
N	29.87	30.85	GABR 4
L			
R			FINER GRAINED A/ LESSER AMTS ΦL NOW SE; BTM NO5M ZEN <5CM ARCL;
R			NEAR TOP CNT 3CM BAND CHERTY CALC SKAR; FINER GRAINED, BTM CNT
R			IRR;
P	30.85	33.25	SKARDI MX 4 … D> ?D¥ … FWM4
L			5A 5
R			BLEB PΦ <1CM COMMON
N	31.75	32.42	68¥
L			
R			TYPICAL GABBRO - FINE - MED, UNIFORM GRANULAR

81-130 (REVISED …)

International Geosystems Corporation — Geolog System — Geolog

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø ha O I or l = Alpha I Z = Alpha Z

Identity Data	KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	UNITS M/F
I		D E N	6 8 0 5		WSB7065	M T 0 4

CHECK 35 - 51.05

33.25 / 35.05 / 35.73 / 36.15 / 36.43 / 37.64 / 37.73 / 37.73 / 42.57

KEY	FROM	TO	Description / Codes
P	33.25	35.05	CABRCX⌀LSE5MX H DJ ?D¥ FWM4
L			4G1 5 D=
R			GABR-U FINE GRAINED; POSS SKAR BUT CALLED GABR ON ① - EN A/
R			OL TO SE②/ AU ⑧ DIS MT; P⌀ OFTEN BLEBBY; <5CM ZEN-CHERTY
R			ANDS; CNTS IRREGULAR; TOWARDS BTM ZEN <5CM CHERTY ARGL
P	35.05	35.73	SKARDICA FRKR H DJ DJ FWM4
L			4G 7
R			SKAR-SEE DEFINITE CHERTY ARGL BANDS HOWEVER ELSEWHERE ROC VERY
R			FINE GRAINED; MAY BE MIXED WITH V FINE GRAINED GABRO OR HYBRID
			CABR; FINE GRAINED CALC-SILICATE
D	36.15	36.43	XCABR
L			
R			IRREG CNTS
D	37.64	37.73	MSX DS ?<4
L			
P	37.73	42.57	SKARDICA HI DJ 7DJ VE FW 4
L			4G 5 <C D4
R			SKAR-VE EU-ANHEDRAL FINE-MED GRAINED IN A WHITE, LIMY V FINE GNED
R			CALC-SILICATE MATRIX RARE <5CM BAND LMST; P⌀<CP; P⌀-DISS A/ MINOR
R			BLEB <1CM AU 2-3mm; CP DIS A/ FINE CRACK, <1cm SH 11%

(REVISED 12/86 7500 - 3/87) 81-130

International Geosystems Corporation — Geolog System

S = Alpha S   0 = Zero   1 = One   2 = Two   7 = Seven   Ø = Alpha O   I or I = Alpha I   Z = Alpha Z

Identity Data — KEY | FLAG | FORMAT VERSION | H/T TYPE | ID of DRILLHOLE/TRAVERSE NAME AND NUMBER | SIZE OF CORE OR HOLE | DATE AND TIME (YR MON DAY HR MIN APT) | GEOLOGGED BY / ED BY | COMPLETED (YR MON DAY) | COMMENT / REMARK | GRID AZIMUTH | UNITS M/F

I — D E N | 6 B 0 5 | WS87065 | M T 05

I — P R J (PROJECT NAME / PROPERTY OR PROJECT ACCOUNT)

Survey Data — KEY | TURN G PT. 000 = Collar | FROM | TO | F-S | O | AZM CLOCKWISE FROM TRUE N | V-ANG NEG IF DOWN | STATION | OFFSET NEG IF LEFT | NORTHING NEG IF SOUTH | EASTING NEG IF WEST | ELEVATION NEG IF SUB-SEA

Upper Tier — U | FLAG | FROM | TO | RECOVERY | T_{MOD} | Mix | ROCK-SOIL | TYPIFY-MAT TM_1 TM_2 | QALMAT QM_1 | TEXTURES TX_1 TX_2 | GRAIN Fr Cr %C MP | FRACTURE COUNT 1 2 | T_1 | STRUC1 ID | STRIKE AZM | DIP To Right | ALTERATION & MINERALIZATION DEFAULT SLIDES: PΦ PN CP SL GN XX AE MC LI YY | SUMMARY F1 F2

Lower Tier Geodata — L | RQD | FM MEM | ENV | RTQ | LC Colour | TM_3 | QM_2 | TX_3 TX_4 | Sa Ru Su O/C | Is Iw Is Jl | T_2 | STRUC2 ID | AZM | DIP To Right | GA MG SD SI MT | Hw Amt | PR MO SL | Hw Amt | M1 M2

Assay Data — A | FROM | TO | RECOVERY | Sample Serial No.

F-Entry — F | FROM | TO

Key	From	To	Entry (cols 17–80)
D	40.04	41.08	X — D* ?D*
L			
R			SU DCR; CP > PΦ; NEAR BTM CNT ICR MIN/ZN PΦ>CP A/ BLEBBY
N	41.80	42.57	6B5 ΦLCXSES
L			GN
R			TOP CNT TRN: D/S GRADES INTO 6cm BAND PERD FOLOWED D/S ALT
			IRREGULAR, VAGUE CNT GABBRO A/ DI SKAR;
P	42.57	43.65	ARCL BD 02 D= D= FW
L			4A 5
R			TOP ~1m ALT CHERTY ANDS A/ ARCL (SILT) LENSES: FOLDED OR ALT FEATURE
R			=HORNFELSED; FLT-43.65m W̄ HALO OF BX ROC, NEAR BTM PHN <1mm CL AX
			=PORPHYRITIC TUFF
P	43.65	45.80	LMSTCA BD 1 B) D* FW 5
L			GA 5
R			LMST - AT TOP MOTTLED (V WEAK SKAR?) GRADING TO MASSIVE GRAY GREEN
R			LMST; UP TO 8CM BANDS AV 3-5CM WHERE BLEB PΦ STRONG; BTM TRN
R			V FINE GRAINED CALC-SILICATE TO TYPICAL DI SKAR;
P	45.80	47.65	SKARVECA 36 B+ <> VE FWMG
L			GA 5 D4
R			VE EU-SUBHEDRAL MED-DK GREEN XLS - 40-80% 2-15mm IN A WHITE
R			CALC V FINE GRAINED MATRIX: SECTION CHARACTERIZED BY UP TO 4CM
R			AV 1-2CM BLEBBY PΦ AND FINE CRACK CP; MINOR GARNET A/ <3CM LMST
R			BANDS: NOTE SU REPLACING SKAR MATRIX; PΦ BLEBS ALMOST BECOME
R			SEMI MASSIVE;

GRAPHIC

81-130

(REVISED 12/86 7500 - 3/87)

International Geosystems Corporation — Geolog System

S = Alpha S   0 = Zero   1 = One   2 = Two   7 = Seven   ... lpha O   I or i = Alpha I   Z = Alpha Z

Identity Data: I | D E N | 6 8 0 5 | WS87065 | UNITS M/F: M T 06
I | P R J | PROJECT NAME ... PROPERTY OR PROJECT & SUB-PROJECT

Survey Data | Upper Tier | Lower Tier | Geodata | Assay Data | F-Entry

Key	From	To	Entry
P	46.75	50.29	ANDS SI CA BD 2 FWN
L			AA <* <C
			ANDS - 60FT CHERTY AND LIMY BANDS; TO 49.65m - SILICIOUS - PRIMARY CHER-TY OR WEAK CALC-SILICATE - HORNFELS
D	49.65	50.29	BD ? <* FWHA
L			
R			SU - IRREG BANDS ICR BLEB PΦ A/ CRACK CP
P	50.29	51.05	SKARTRDI MX MS ?D+ FWM9
L			AU 6
R			SKAR - TR, MINOR DI(?) IN WHITE CALC-CALC-SILICATE; TR - DK GREEN - PR-ISMATIC; BTM CNT - WEAK FLT - 75°<; MS IN SKAR;
			CHECK ABOVE TO UBASIC
P	51.05	30.50	ANDSDICASEI CH 23 D* ?D* DI <C FWM5
L			GA 7 <C <C P5
R			ANDS - DK GRAY GREEN FINE+MED GRAINED DI AND ALT HB TO CL-SE? A/
R			POSS TBLET ΦL TO CL-SE ... CL-SE STRONGER WHERE SH; PERUASIVE CA WEAK
R			TO MOD; OCC BLEB BY QZ - CA; ...
R			... -SE ... OCC BLEB CA - CB - QZ IN IRREGULAR BANDS.
R			SU - FINE DISS A/ CRACK OFTEN BLEB PΦ IN NARROW BANDS WHERE SE-CL
R			BETTER DEVELOPED. FLTS AT 51.75m; FZ 52.25 - 52.42m - <5cm CY+CA;
R			FZ - 54.90 - 5CM CY+CA = MOD FLT;
D	58.48	59.74	XANDS PP 2 FW
L			GA 5 <C
R			ANDS - <3% FINE PHN TO GREEN BLK - ΦL? OR CL AND IRREG <1cm SIMILAR DK GREEN ALT. = PORPHYRITIC TUFF

Graphic log depth marks: 46.75, 50.29, 51.05 (50.29, 51.05)

(REVISED 12/86 7500 - 3/87)

81-130

International Geosystems Corporation — Geolog System

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O I or i = Alpha I Ƶ = Alpha Z

Identity Data: I — KEY: D E N — FORMAT VERSION: 6 8 0 5 — ID of DRILLHOLE/TRAVERSE NAME AND NUMBER: WS87065 — UNITS M/F: M T 07

I — P R J (PROJECT)

Survey Data: S — KEY, TURN'G PT. (000 = Collar), FROM, TO, F-S, O, AZM (CLOCKWISE FROM TRUE N), V-ANG (NEG IF DOWN), STATION, OFFSET (NEG IF LEFT), NORTHING (NEG IF SOUTH), EASTING (NEG IF WEST), ELEVATION (NEG IF SUB-SEA)

Upper Tier: U — FLAG, FROM, TO, RECOVERY, T MOD, Mix, ROCK-SOIL, TYPIFY-MAT (TM1, TM2), QALMAT QM1, TEXTURES (TX1, TX2), GRAIN, FRACTURE COUNT (1, 2), T1, STRUC1 ID, STRIKE AZM, DIP, ALTERATION & MINERALIZATION DEFAULT SUFFIXES: PO, PN, CP, SL, GN, XX, AC, HE, LI, YY, SUMMARY F1, F2

Lower Tier / Geodata: L — RQD, ENV, RTQ, LC Colour, TM3, QM2, TX3, TX4, T2, STRUC2 ID, AZM, DIP, CA, MG, SD, ST, MT, Hw Amt, PR, MO, SL, Hw Amt, M1, M2

Assay Data: A — FROM, TO, RECOVERY, Sample Serial No.

F-Entry: F — FROM, TO

GRAPHIC

Depth mark	Key	From	To	Entries
61.57 / 64.01	D	61.57	64.01	KR; FZ; CY; <4
	L			8; <4
	R			FRC ZONE = FRC LEACHED SUP W CY A/ LI COATED; NO APPARENT FAULT
62.79 / 63.09	P	62.79	63.09	X; CY; <7
	L			X; <7
	R			PORPHYRITIC V F GRAINED TUFF ALT PHN
	R			64.01 - 67.15 LAPILLI-? -MED GRAINED CLASTS IN FINER GRAINED MATRIX
				A/ IN PLACES STRONG PROPYLITIC ALTERED - CACL TRACES EP.; BED? - CLAST
				PORPHYRITIC TUFF - 20CM WIDE A/ 45°
68.15 / 69.98	D	68.15	69.98	FR; FZ; -25; CY; <C
	L			8; <*
	R			
68.60 / 69.98	N	68.60	69.98	X AND S CA; MX; E; D-; D-
	L			GN; 8; <*; <*
	R			QZ VEIN - 12 CM TOP CNT A/ QZ VEIN AT 69.08 m - 12 cm; ROC - XL TUFF
	R			NOTE ABSENCE OF SU. NEXT TO BTM CNT ROC BCE A/ BX.; BTM CNT FRC - 25°
	R			TUFF - WEAK - STRONG CALC
	R			69.98 - 70.85 m - DK COLORED COARSE ASH TUFF; STILL BLEB PO - SU = ~2%

International Geosystems Corporation — Geolog System — Geofor[illegible]

S = Alpha S | 0 = Zero | 1 = One | 2 = Two | 7 = Seven | Ø [illegible]ha O | I or i = Alpha I | Z = Alpha Z

ENTER KEYS IN COL. 1 TO ACTIVATE ENT[illegible]

Identity Data

KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	DATE AND TIME (YR MON DAY HR MIN APT)	GEOLOGGED BY / ED BY	COMPLETED (YR MON DAY)	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F
I	DEN	6 B 0 5		WS87065						.	M T 0 8
I	PRJ	PROJECT NAME							PROPERTY OR PROJECT SUB-PROJECT		

Survey Data

KEY	TURN'G PT 000 = Collar	FROM	TO	F-S	O	AZM CLOCKWISE FROM TRUE N	V-ANG NEG IF DOWN	STATION	OFFSET NEG IF LEFT	NORTHING NEG IF SOUTH	EASTING NEG IF WEST	ELEVATION NEG IF SUB-SEA
S												

	KEY	FLAG	FROM	TO														
Upper Tier	U	FLAG	FROM	TO	RECOVERY	T_{MOD} Mix	ROCK-SOIL	TYPIFY-MAT TM1 TM2	QALMAT QM1	TEXTURES TX1 TX2	GRAIN Fr Cr %C MP	FRACTURE COUNT 1 2	T1 STRUC1 ID	STRIKE AZM	DIP To Right	ALTERATION & MINERALIZATION DEPOSIT SUITE: PO PN CP SG GN XX AZ MC LI	YY	SUMMARY F1 F2
Lower Tier Geodata	L				RQD	FM MEM	ENV RTQ	LC Colour TM1	QM2	TX3 TX4	Sa Rn Sm O/C	Is Im Ic SI	T2 STRUC2 ID	AZM	DIP To Right	CA MG SD SI MT Hw Amt PR MO St Hw Amt		M1 M2
Assay Data	A		FROM	TO	RECOVERY	Sample Serial No.												
F-Entry	F		FROM	TO														

GRAPHIC (depth marks): 70.85, 72.28, 83.65, 84.85, 85.7, 86.25, 87.18, 87.45, 96.5

Key	From	To	Entry
N	70.85	72.28	7ANDS PP F 0 0 0 <C
L			5
R			PP FINE ASH TUFF; PHU-CX TO CL-SE(?); CL-SE VEINLETS
R			72.28-73.50 DK GREEN EVEN TEX FINE-FINE COARSE ASH TUFF
D	73.50	80.25	X SE3 87 ? D4
L			
R			ICR SU-ROCK-TUFF-COARSE ASH A/ SMALL LAPILLI: APPEARS COARSER
R			THAN PREV; ICR-SE-CL VEINLETS AND CRACKPØZCP.
D	80.25	83.65	D+ ? D>
L			
R			ROC-AS-ABOVE-POSS ICR CLcx AU A/ HB; ICR SU-COARSE DISS 2 BLEB
R			3-5%; ROCK FINER GRAINED A/ DCR SU W CP>PØ NEAR BTM CNT;
N	83.65	84.85	X PP F D▪ D▪ FWM1
L			46 7
R			PP FINE ASH TUFF; PHN-PX-AX TO CL; SU CENTERED ON CL-SE; 6cm CA
R			VEIN ON BTH CNT
D	84.85	87.18	X KR D+ ?D>
L			7
R			ICR SU AT TOP SECTION; D(S 87.5m FINER ANDS DCR SU; 85.7m-FLT-~5cm
R			86.25-FLT-~5cm CRUSHED A/ BROKEN; FRC-CL-SE LOW< X COMMON A/
R			ICR D/S
N	87.18	87.45	MS4 SV -00 M4 ? <) FWME
L			
R			TOP CNT-20°X FRC-SE; BTM CNT-1cm GOUGE A/ CRUSHED RX; HW CNT 11X;
R			~60% ANDS IN SU MATRIX

International Geosystems Corporation

Geolog System

Geotor

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O I or i = Alpha I Z = Alpha Z

Identity Data
Survey Data
Upper Tier
Lower Tier
Geodata
Assay Data
F-Entry

KE	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	DATE AND TIME YR MON DAY HR MIN	APT	GEOLOGGED BY ED BY	COMPLETED YR MON DAY	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F
I	D E N	6 B 0 5		W S 8 7 0 6 5								H T 0 9
I	P R J			P R O J E C T N A M E						P R O P E R T Y O R P R O J E C T & S U B P R O J E C T		

KE	TURN'G PT. 000 = Collar	FROM	TO	F-S	O	AZM CLOCKWISE FROM TRUE N	V-ANG NEG IF DOWN	STATION	OFFSET	NEG IF LEFT	NORTHING	NEG IF SOUTH	EASTING	NEG IF WEST	ELEVATION	NEG IF SUB-SEA
S																

	FLAG	FROM	TO	RECOVERY	T_{MOD}	ROCK-SOIL	TYPIFY-MAT	QALMAT	TEXTURES	GRAIN	FRACTURE COUNT 1	2	STRUC 1 ID	STRIKE AZM	DIP	DIP To Right	ALTERATION & MINERALIZATION DEFAULT SUITES					SUMMARY	
U																							
L				ROD		ENV RTQ	LC Colour																
A		FROM	TO	RECOVERY	Sample Serial No.																		
F		FROM	TO																				

GRAPHIC

90.5 — 90.50 — 90.9 — 91.25 — 92.10 — 92.7 — 93.3 — 93.7 — 94.0 — 94.4 — 94.40

	FROM	TO	
D	87.15	87.85	KR STRONG FINE CRACK CP; CP>PØ;
D	87.85	90.50	KR
R			ANDS-U F GRAINED A/S LIGHTLY COARSER ASH TUFF = COARSE ASH A/ LAPILLI; NOTE DCR SUC P>PØ IN FINER ASH; BTM CNT TEN;
P	90.50	94.40	ANDSDICL MX H FWM3
R			4AFL 3 HED GRAY HED SAND TUFF MASSIVE-WEAK KR; CP- VERY FINE DISS, FINE CRACK A/ OCC. KICM BLEB; 90 9-91.25M=UP TO SUM BLEBS A/S SEMI. MASSI-
R			VE BANDS-A/ TOTAL N 10 CM. BTM CNT TAKEN WHERE BLEB SU BECOMES COMMON; CP-CRACK 1. DISS. HALO AROUND - SEMI-MASS. VE BAND PØ HICH
R			GRAY COLOR- WEAK HORNFELSED;
N	92.10	94.40	MS5 KR FWM7
L			KR-ICE DIS; SU-AT TOP CP FINE FRC 7 PØ·D/ S BLEB 2CM FCR TO 5CM IREC BLEB BAND A/ TRN TO MX PØ AT 92.7M; NOTE CRACK CP CUTS
P			PØ A/ HALO AROUND PØ BLEBS. 92.7 TO 93.5M = SLIP FLT-BX AT BTH CNT FOLLOWS X-W MS ON ONE SIDE OF FAULT. AT 93.50 60° 3CM KICM BX CLAST CUT MS A/ FLT II X; FLT II CA VEINING SU AS CLASTS IN CA
N	93.50	93.70	X BXRB FZ BI <+
L			AT TOP CRACKL BX GRADING TO BX 9 U <5MM CLASTS AT BTM CNT; LOOKS POST SU BX

International Geosystems Corporation — Geolog System

S = Alpha S   0 = Zero   1 = One   2 = Two   7 = Seven   Ø = Alpha O   I or I = Alpha I   Z = Alpha Z

KEY	FLAG	FORMAT VERSION	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	UNITS M/F
I	DEN	6805	WS87065	MT I O

Identity Data / Survey Data / Upper Tier / Lower Tier Geodata / Assay Data / F-Entry

KEY	FROM	TO	ROCK-SOIL	TEXTURES	STRUC / FRACTURE	SUMMARY
N	93.70	94.0	X	BXSH	D* ?D* <*	FWM4
N	94.0	94.40	HS5	BXRB	BN -25 M2 ?<+	FWM7
P	94.40	96.10	ANDS (5A)	KRBXE (7)	DO ODO <+	FWN
P	96.10	97.95	ANDS (AB)	SI3KRBXE (7)	UC LC -25 <= ?<> -25 <* PI <(	FWM6
N	96.10	96.45	HS7		M6 ?<= <*	

N 93.70–94.0:
L 9
R FAULT - SH A/ BR: CLASTS 1-4CM: CY(MM)-STRONG; WEAK SU; BTM CNT
R 5-10°∡ - SAME ONE || CORE U/S 93.50m?

N 94.0–94.40:
L 9
R SEMI MS RB 12 CM BAND AT TOP; MIDDLING HIGHLY BROKEN BLEB PØ A/
R 10CM BTM SECTION MS; SHARP BTM CNT - 25∡;

P 94.40–96.10:
R KR-FRC CA FILLED - CRACKS TO 1CM VEINS; BTM 50CM BX-CA FILLING
R GRADING TO SH AT BTM CNT-SHARP-25°∡; ROC-FINE ASH TUFF;
IN PLACES FRC LEACHED;

P 96.10–97.95:
R BR A/ KR w/ SU FILLING FINE FRC A/ IN PLACES MATRIX FILLING TO
R BECOME SEMI MASSIVE; FZ - 97.1-97.4m - WEAK CY ALONG FRC-GROUND WATER
ALONG STRONG FRC; BTM 25CM-CA VEIN w/ 10% MIN/ZN ANDS

N 96.10–96.45:
R HS w/ 30% SI ANDS CONTAINING VEINLET SU; FAIR CA <1 CM VEINLETS
BTM CNT TRN;

Graphic log (margin): 94.4, 96.10, 96.45, 97.1, 97.95

International Geosystems Corporation — Geolog System — Geolog

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O I or i = Alpha I Z = Alpha Z

ENTER * * S IN COL. 1 TO ACTIVATE ENTRY

	KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	DATE AND TIME YR MON DAY HR MIN	APT	GEOLOGGED BY / ED BY	COMPLETED YR MON DAY	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F
Identity Data	I	DEN	6 B 0 5		WS87065								MTI
	I	PRJ	PROJECT NAME								PROPERTY OR PROJECT & SUB-PROJECT		

Survey Data	KEY	TURN G PT. 000 = Collar	FROM	TO	F-S	O	AZM CLOCKWISE FROM TRUE N	V-ANG NEG IF DOWN	STATION	OFFSET NEG IF LEFT	NORTHING NEG IF SOUTH	EASTING NEG IF WEST	ELEVATION NEG IF SUB-SEA
	S												

Upper Tier: U | FLAG | FROM | TO | RECOVERY | T_{MOD} | % Mix | ROCK-SOIL | TYPIFY-MAT TM1 TM2 | QALMAT QM1 | TEXTURES TX1 TX2 | GRAIN Fr Cr %C MP | FRACTURE COUNT 1 2 | T1 | STRUC1 ID | STRIKE AZM | DIP To Right | PO PN CP SL CN AZ MC LI (ALTERATION & MINERALIZATION DEFAULT SUFFIX) | XX | YY | SUMMARY F1 F2

Lower Tier Geodata: L | | | | RQD | FM MEM | ENV | RTQ | LC Colour | TM3 | QM2 | TX3 TX4 | Sa Rn Sn O/C | Is Im | T2 | STRUC2 ID | AZM | DIP To Right | CA MG SD SI MT | Hw Amt | PR | MO | SL | Hw Amt | M1 | M2

Assay Data: A | | FROM | TO | RECOVERY | Sample Serial No.

F-Entry: F | | FROM | TO



Key	From	To	Entry
P	97.95	100.20	ANDSCLDI FRKRJL D* <>
L			4GFL 7 <<
R			ANDS - COARSE ASH XL TUFF W FAIR SMALL LAPILLI; DK COLORED - HIGH
			CL ex DI A/ HB; MINOR NARROW BANDS FINE ASH TUFF; SU - FAIRLY
			STRONG DISS A/ CRACK CP>PO; PO DISS A/N FINE BLEBBY; SU CP>PO
			AT TOP; CP WEAKENS D/S W SU, IN PATCHES; CNT TRN, RARE WHITE
			FIBROUS <5MM TE ULT; SU RELATED TO HIGH CL?
P	100.2	102.10	KRPP D* D*
L			8
R			ROC - FINE ASH A/ PP TUFF; WEAK DIS SU; ICR SU - CP MAINLY NEAR BTM
			CNT; PHN - CL
P	102.10	104.0	SUSM SI3
L			AB 4 LC -12° P3
R			TOP CNT LOST; 103.0m - FZ - 10cm - AV. 30°X;
N	102.10	103.50	X BX #4 ?<+ HWM8
L			<< P2
R			ROC - FINE ASH TUFF; SU - 10% FINE BLEB A/ FINE FRC PO, FINE FRC
R			CP; D/S 102.35m BLEBS ICR SIZE A/ COALESCE TO PSEUDO BX MATRIX
R			FILLING A/ MX SU BANDS; BX CLASTS - FINE ASH TUFF W VERY FINE
R			DIS SU A/ FINE FRC CP; ~40% TUFF CLASTS - HARD - SILICIFIED;
R			SU~50% A/ CLASTS - 50%; BTM CNT TRN DCR SU.

S = Alpha S 0 = Zero 1 = One 2 = Two 7 = Seven Ø = Alpha O I or i = Alpha I Z = Alpha Z

ENTER KEYS IN COL. 1 TO ACTIVATE ENTRY

Identity Data

KEY	FLAG	FORMAT VERSION	H/T TYPE	ID of DRILLHOLE/TRAVERSE NAME AND NUMBER	SIZE OF CORE OR HOLE	DATE AND TIME (YR, MON, DAY, HR, MIN)	APT	GEOLOGGED BY / ED BY	COMPLETED (YR, MON, DAY)	COMMENT / REMARK	GRID AZIMUTH	UNITS M/F
I	D E N	6 8 0 5		WS87065							.	M T 1 2
I	P R J	PROJECT NAME								PROPERTY OR PROJECT SUB-PROJECT		

Survey Data: KEY | TURNG PT. 000=Collar | FROM | TO | F-S | O | AZM CLOCKWISE FROM TRUE N | V-ANG NEG IF DOWN | STATION | OFFSET NEG IF LEFT | NORTHING NEG IF SOUTH | EASTING NEG IF WEST | ELEVATION NEG IF SUB-SEA

Upper Tier: U | FLAG | FROM | TO | RECOVERY | T MOD | MIX | ROCK-SOIL | TYPIFY-MAT TM1 TM2 | QALMAT QM1 | TEXTURES TX1 TX2 | GRAIN F1 Cr %C MP | FRACTURE COUNT 1 2 | T1 | STRUC1 ID | STRIKE AZM | DIP To Right | ALTERATION & MINERALIZATION DEFAULT SUITES: PO PN CP SU GN XX AE HE LI YY | SUMMARY F1 F2

Lower Tier Geodata: L | ROD | FM MEM | ENV | RTQ | LC Colour | TM3 | QM2 | TX3 TX4 | S4 Rn SH O/C | ... | T2 | STRUC2 ID | AZM | DIP To Right | CA MG SD SI MT | Hw Amt | PR | MO | SL | Hw Amt | M1 | M2

Assay Data: A | FROM | TO | RECOVERY | Sample Serial No.

F-Entry: F | FROM | TO



Key	From	To	Entry
R			HX - ZONES - SILICA ANDS - NOTED AS ALT BUT MAY BE PRIMARY - FW QZIT
R			INTERBEDDED W NON SILIC TUFF
N	103.50	104.00	SE1 BX KR … #2 ? <> … FWM5
L			<> P1
R			COMMENTS - AS ABOVE ONLY DCR SU D/S - ~15%: ICE FRC CA: ICR CRACK.
R			CP TOWARDS BTM; NOTE FINE SHEETED FRC W SU FILLING %;
P	104.00	110.16	QZIT SI BDKRC 1BD -65 0 0 0 FWN
L			5N LM 9 <4 <E
R			ROC - BAND A/ LAM U FINE ASH TUFF; FINE CRACKLE QZ A/ CA FILLINC
			FRCC 1mm; OCC <1CM LINY BAUDS;
K END	110.10	110.10	

104.0

110.1