

WELLGREEN DIAMOND DRILL RECORD

COLLAR 3380.13 E
15246.76 N

DIRECTION 234.20° DEPTH 186 m SIZE NQ
ANGLE -41° ELEVATION 1301.2 m SECTION 3300a E

HOLE WU88-485
PAGE 1 OF 3

SAMPLE NUMBER	FROM (m)	TO (m)	CORE WIDTH (m)	N-S HORIZ WIDTH (m)	REC. (%)	Cu (%)	Ni (%)	Pt (oz/ton)	Pd (oz/ton)	Rock TYPE	ZONE	CERT. OF ANALYSIS	ASSAY	GEOCH	COMMENTS
R14119	16.16	22.80	6.64		83	0.05	0.06	0.002	0.002	GABR	EAST	V88-00987.0		✓	Co, Cr, Au
R14120	22.80	27.50	4.70		95	0.07	0.10	0.004	0.003	"					
R14121	27.50	32.50	5.00		97	0.05	0.09	0.003	0.003	"					
R14122	32.50	33.80	1.30		96	0.27	0.44	0.003	0.005	QZIT					
R14123	33.80	38.95	5.15		100	1.64	1.60	0.028	0.017	SUSM		V88-00987.4	✓		Co, Au
R14124	38.95	45.30	6.35		98	0.02	0.01	<0.001	<0.001	QZIT		V88-00987.0	✓		Co, Cr, Au
R14125	45.30	50.85	5.55		100	0.83	0.28	0.032	0.020	GABR		V88-00987.4	✓		Co, Au
R14126	50.85	53.30	2.45		97.5	0.44	0.19	0.014	0.007	PGGB					
R14127	53.30	57.00	3.70		91.9	1.56	0.89	0.045	0.028	SUSM					
R14128	57.00	61.69	4.69		100.0	1.47	1.45	0.065	0.034	"					
R14129	61.69	66.20	4.51		93.2	0.84	0.27	0.030	0.017	GABR					
R14130	66.20	70.00	3.80		97.8	0.62	0.28	0.021	0.010	PGGB					
R14131	70.00	74.10	4.10		98.4	0.46	0.24	0.018	0.009	"					
R14132	74.10	78.33	4.23		97.9	0.40	0.39	0.023	0.012	CLPX		V88-00987.0	✓		Co, Cr, Au
R14133	78.33	82.66	4.33		99.1	0.42	0.35	0.023	0.013	"					
R14134	82.66	88.75	6.09		99.2	0.35	0.18	0.013	0.007	GEOL					
R14135	88.75	92.05	3.30		100	0.31	0.17	0.014	0.007	"					
R14136	92.05	96.81	4.76		99.1	0.32	0.32	0.018	0.009	"					
R14137	96.81	98.65	1.84		98.0	0.28	0.15	0.014	0.009	CLPX					
R14138	98.65	103.10	4.45		96.5	0.30	0.16	0.016	0.009	"					
R14139	103.10	108.00	4.90		95.0	0.26	0.13	0.017	0.009	"					
R14140	108.00	112.00	4.00		68.8	0.29	0.14	0.015	0.009	"					
R14141	112.00	116.53	4.53		91.0	0.37	0.13	0.017	0.011	"					
R14142	116.53	121.30	4.77		100.0	1.09	0.23	0.046	0.020	GABR		V88-00987.4	✓		Co, Au
R14143	121.30	126.90	5.60		99.8	1.14	0.25	0.045	0.022	"					
R14144	126.90	131.87	4.97		99.2	0.69	0.25	0.030	0.014	"					
R14145	131.87	137.95	6.08		88.3	0.99	0.34	0.038	0.020	"					
R14146	137.95	140.53	2.58		100.0	1.01	0.27	0.038	0.021	"					
R14147	140.53	145.40	4.87		100.0	0.70	0.24	0.029	0.016	CLPX					
R14148	145.40	150.40	5.00		99.3	0.70	0.32	0.032	0.018	GABR					
R14149	150.40	155.00	4.60		98.6	0.70	0.28	0.026	0.012	"					
R14150	155.00	160.00	5.00		99.1	0.93	0.20	0.023	0.010	"					
R16624	160.00	163.05	3.05		100.0	0.74	0.67	0.017	0.008	"					

COLLAR 3380.13 E DIRECTION 234.20 ° DEPTH 186 m SIZE NQ
15246.76 N ANGLE -41 ° ELEVATION 1301.2 m SECTION 3300a E

PAGE 2 OF 3

SUMMARY

WELL GREEN DIAMOND DRILL RECORD

COLLAR _____ E _____ DIRECTION _____ ° DEPTH _____ m SIZE _____
 _____ N _____ ANGLE _____ ° ELEVATION _____ m SECTION _____

HOLE WU 88-485
 PAGE 3 OF 3

SAMPLE NUMBER	FROM (m)	TO (m)	CORE WIDTH (m)	Σ PGE AU (%)	REC. (%)	PL	Pd	Rh	Os	Ir	Ru	Au	CERT. OF ANALYSIS	ASSAY	GEOCH	COMMENTS
	52.8	53.3	0.50	432	PPb	180	120	12	8	15	11	86	GSC			GBPG
				0.013	oz/ton	0.005	0.003	40.001	40.001	40.001	40.001	0.002				
	53.3	53.8	0.50	5530	PPb	1760	1000	350	440	960	740	280				SUSM
				0.161	oz/ton	0.051	0.029	0.010	0.013	0.028	0.021	0.008				
	53.8	54.37	0.57	1226	PPb	380	350	66	64	130	96	140				SUSM
				0.036	oz/ton	0.011	0.010	0.002	0.002	0.004	0.003	0.004				
	54.37	54.97	0.60	3847	PPb	1600	680	227	230	420	380	310				SUSM
				0.112	oz/ton	0.047	0.020	0.007	0.007	0.012	0.011	0.009				
	54.97	55.47	0.50	2942	PPb	1300	690	162	160	270	210	150				SUSM
				0.086	oz/ton	0.038	0.020	0.005	0.005	0.008	0.006	0.004				
	55.47	55.97	0.50	4940	PPb	1960	1200	340	306	600	440	94				SUSM
				0.144	oz/ton	0.057	0.035	0.010	0.009	0.017	0.013	0.003				
	55.97	56.47	0.50	3134	PPb	1700	850	103	81	150	110	140				SUSM
				0.091	oz/ton	0.050	0.025	0.003	0.002	0.004	0.003	0.004				
	56.47	56.93	0.46	3779	PPb	1700	1700	59	53	91	66	110				SUSM
				0.110	oz/ton	0.050	0.050	0.002	0.002	0.003	0.002	0.003				
	56.93	57.50	0.57	2014	PPb	1100	730	20	18	31	15	100				SUSM
				0.059	oz/ton	0.032	0.021	40.001	40.001	0.001	40.001	0.003				
	57.50	58.00	0.50	3806	PPb	2800	710	79	36	66	28	87				SUSM
				0.111	oz/ton	0.082	0.021	0.002	0.001	0.002	40.001	0.003				
	58.00	58.52	0.52	4446	PPb	2300	1140	76	130	240	160	400				SUSM
				0.130	oz/ton	0.067	0.033	0.002	0.004	0.007	0.005	0.012				
	58.52	59.00	0.48	3793	PPb	1840	1200	89	74	150	100	340				SUSM
				0.111	oz/ton	0.054	0.035	0.003	0.002	0.005	0.003	0.010				
	59.00	59.50	0.50	3842	PPb	2300	900	95	66	130	71	280				SUSM
				0.112	oz/ton	0.067	0.026	0.003	0.002	0.003	0.002	0.008				
	59.50	60.05	0.55	4243	PPb	2200	1400	108	95	180	110	150				SUSM
				0.124	oz/ton	0.064	0.041	0.003	0.003	0.005	0.003	0.004				
	60.05	60.55	0.50	3685	PPb	1900	1030	98	87	160	130	280				SUSM
				0.107	oz/ton	0.055	0.030	0.003	0.003	0.005	0.004	0.008				
	60.55	61.05	0.50	2832	PPb	1400	950	31	25	38	48	340				SUSM
				0.026	oz/ton	0.041	0.028	0.001	40.001	0.001	0.001	0.010				