

## SAMPLE DATA SHEET

**CANADIAN EMPIRE EXPLORATIONS LTD.**

## YUKON OLYMPIC PROPERTY

**Yukon Territory  
Canada**

DRILL HOLE NO. 02 Y01

002

**Logged By:**

B. Thurston

**Date:**

Nov 18/02

[illegible]

Page 1 of 1

**Whole Core for Nitro Purge:**  
**1/4 Core for Nitro Purge:**

From \_\_\_\_\_ To \_\_\_\_\_  
 From \_\_\_\_\_ To \_\_\_\_\_  
 From \_\_\_\_\_ To \_\_\_\_\_  
 From \_\_\_\_\_ To \_\_\_\_\_

## GEOCHEMICAL ANALYSIS CERTIFICATE

Canadian Empire Exploration Ltd. File # A205265

1205 - 675 W. Hastings St, Vancouver BC V6B 1N2

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
SI	<1	2	<3	1	.3	<1	<1	<2	.05	3	<8	<2	<2	3	<.5	<3	<3	<1	.13	.001	<1	1	<.01	4	<.01	<3	.02	.70	<.01	<2	<.2
013451	26	100	41	950	4.2	91	8	162	1.30	24	<8	<2	4	372	7.3	4	<3	1194	13.90	.830	34	82	.32	70	.01	23	1.50	.01	.62	<2	<.2
013452	3	187	11	59	<.3	24	2	733	.19	15	<8	<2	2	110	.5	8	<3	15	20.91	.171	2	2	9.65	125	<.01	<3	.03	.02	.01	<2	<.2
013453	<1	2	<3	24	.3	2	<1	664	.08	2	<8	<2	<2	86	<.5	3	<3	15	18.42	.073	2	2	9.70	153	<.01	<3	.03	.02	.01	<2	.3
013454	1	3	<3	1	.4	6	<1	320	.12	<2	<8	<2	<2	27	<.5	<3	<3	1	7.10	.005	<1	4	3.87	108	<.01	<3	.01	.01	<.01	<2	<.2
013455	26	10	12	100	.4	22	2	253	.24	12	<8	<2	2	99	<.5	4	<3	48	18.60	.053	1	3	9.45	96	.01	<3	.09	.01	.05	<2	.7
013456	3	4	7	45	.3	16	2	186	.29	7	<8	<2	<2	124	<.5	4	<3	3	18.49	.009	1	6	9.02	68	<.01	<3	.06	.01	.03	<2	.2
013457	6	2	10	51	<.3	5	1	120	.20	7	<8	<2	<2	124	<.5	4	<3	2	19.29	.006	<1	4	8.97	269	<.01	<3	.05	.02	.03	<2	<.2
013458	1	<1	14	32	<.3	3	1	134	.07	4	<8	<2	<2	118	<.5	5	<3	3	19.41	.005	<1	1	9.72	48	<.01	<3	.01	.02	<.01	<2	<.2
013459	<1	2	3	17	<.3	16	11	7113	3.00	14	<8	<2	2	38	<.5	<3	<3	8	9.37	.046	10	11	4.53	140	<.01	5	.75	.01	.28	<2	.6
013460	<1	31	7	8	<.3	4	5	4673	2.10	9	<8	<2	4	44	<.5	<3	<3	17	6.82	.053	3	11	3.12	170	<.01	<3	.11	.01	.11	<2	3.0
013461	<1	12	<3	30	<.3	14	6	8392	9.40	3	<8	<2	6	4	.8	<3	<3	8	.13	.019	29	9	.89	107	<.01	5	.62	.01	.32	<2	.3
013462	<1	13	14	39	<.3	9	6	170	1.63	9	<8	<2	10	5	<.5	<3	<3	7	.07	.017	32	10	.20	186	.01	5	.81	.01	.49	<2	.8
013463	<1	13	5	14	<.3	9	5	138	2.23	6	<8	<2	12	5	<.5	<3	<3	7	.06	.016	29	11	.17	170	.01	5	.71	.01	.42	2	.6
013464	<1	36	<3	17	<.3	9	6	61	1.28	7	<8	<2	12	5	<.5	<3	<3	5	.04	.019	34	7	.18	115	<.01	4	.75	.01	.34	<2	.4
013465	<1	4	5	19	<.3	10	5	252	1.66	5	<8	<2	12	12	<.5	<3	<3	6	.27	.020	39	10	.24	170	.02	8	.92	.01	.51	<2	.5
013466	<1	22	11	30	<.3	10	5	523	5.88	5	<8	<2	10	6	<.5	<3	<3	7	.08	.020	32	9	.33	131	.02	5	.73	.01	.40	<2	.3
013467	<1	45	12	26	<.3	9	10	101	1.29	8	<8	<2	11	7	<.5	<3	<3	5	.11	.019	27	6	.15	113	<.01	4	.67	.01	.36	<2	.5
013468	<1	37	33	83	<.3	12	13	18	.58	14	<8	<2	13	5	<.5	<3	<3	3	.03	.018	30	6	.10	111	<.01	5	.54	.01	.37	<2	.3
RE 013468	<1	38	32	86	<.3	13	14	22	.60	13	<8	<2	13	6	<.5	<3	<3	5	.04	.018	30	7	.11	119	<.01	5	.57	<.01	.39	<2	.4
RRE 013468	<1	41	34	86	<.3	14	14	24	.61	15	<8	<2	14	6	<.5	<3	<3	5	.04	.019	32	7	.11	124	<.01	6	.60	.01	.40	<2	.2
013469	<1	78	341	185	<.3	8	19	239	.67	14	<8	<2	7	7	.5	<3	<3	3	.27	.013	19	8	.16	74	<.01	4	.44	<.01	.29	<2	.2
013470	<1	169	35	394	<.3	10	11	120	.61	7	<8	<2	8	4	.9	<3	<3	6	.11	.015	23	8	.12	92	.01	5	.55	.01	.37	<2	1.4
013471	<1	22	36	39	<.3	7	8	171	.61	13	<8	<2	10	5	<.5	<3	<3	3	.19	.013	30	9	.15	68	<.01	4	.46	.01	.30	<2	.5
013472	<1	7	19	38	<.3	8	15	585	1.64	11	<8	<2	6	6	<.5	<3	<3	5	.24	.010	23	10	.28	54	<.01	3	.68	.01	.26	<2	<.2
013473	<1	22	23	36	.3	14	13	117	1.32	9	<8	<2	12	6	<.5	<3	<3	6	.10	.015	34	8	.31	67	<.01	5	.90	.01	.39	<2	.4
013474	<1	8	21	40	<.3	13	20	194	1.62	24	<8	<2	9	7	<.5	<3	<3	5	.23	.015	19	12	.49	40	<.01	4	.89	.01	.25	<2	.7
013475	<1	6	11	43	<.3	15	14	128	2.84	11	<8	<2	9	6	<.5	<3	<3	8	.08	.014	26	14	.81	46	<.01	5	1.53	.01	.28	<2	.2
013476	<1	23	27	34	<.3	12	11	347	1.56	10	<8	<2	7	9	<.5	<3	<3	7	.41	.016	27	15	.55	53	<.01	5	.96	.01	.33	<2	.3
STANDARD DS4/AU-R	6	125	34	158	<.3	35	12	790	3.21	23	<8	<2	2	28	5.6	5	6	75	.55	.093	17	170	.57	145	.09	<3	1.76	.03	.15	3	453.0

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO<sub>3</sub>-H<sub>2</sub>O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U &amp; B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS &gt; 1%, AG &gt; 30 PPM &amp; AU &gt; 1000 PPB

- SAMPLE TYPE: CORE R150 60C AU\* IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (10 gm)

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: NOV 29 2002 DATE REPORT MAILED: Dec 11/02 SIGNED BY: C. L. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS