



BCGS MAP, WELL No., ELEV, Location Accuracy, UTM, Date, Well Type

Owners Name & Address, Legal Description & Address

Descriptive Location IBEX VALLEY FIRE HALL

1. TYPE OF WORK, 2. WORK METHOD, 3. WATER WELL USE, 4. DRILLING ADDITIVES, 5. MEASUREMENTS

9. CASING Materials table with columns for Hole Diameter, Diameter, Thickness, Weight

6. WELL LOG DESCRIPTION table with columns for FROM, TO, SWL

Pitless unit, 10. SCREEN information

Shoe(s), Open hole, Grout information

10. SCREEN Type, Material information

RISER, SCREEN & BLANKS table with columns for Length, Diam. I.D., Slot Size

Fittings, top/bottom, Gravel Pack

11. DEVELOPED BY information

12. TEST information including Rate, Temp, SWL, Water Level


Table for DRAWDOWN and RECOVERY in ft

13. RECOMMENDED PUMP TYPE, SETTING, RATE

14. WATER TYPE information

15. WATER ANALYSIS information

7. CONSULTANT information



SITE I D No, Lab Date

16. FINAL WELL COMPLETION DATA including Well Depth, Well Yield, Static Water Level

17. DRILLER information including Signature

18. CONTRACTOR information including Address, Member, BCGWA


HYDROGEOLOGIC LOG

BOREHOLE NO.

1950-B

PURPOSE OF HOLE: Water Supply Well
 DRILLING METHOD: Dual Air Rotary
 START DRILLING: December 9, 2005
 SCREEN INSTALLED: N/A
 CONTRACTOR: Double "D" Drilling

GROUND ELEV. (m-geod): N/A
 TOP OF CASING (m-geod): N/A
 CASING STICK UP (m): 1.40 m
 DEPTH TO STATIC (m): 9.0 m below grd.
 DEPTH TO SCREEN TOP (m): N/A
 UTM Coordinates from GPS: Zone 7, 6741780 N, 483641 E



Z:\0201\Drawings\S.Klondike-Haines Junction Hwy1260008 Ibex Valley Fire Hall Water Well\1260008 Figure 1 Well 1950_B.dwg, 4/11/2006 8:43:19 AM, Adobe PDF, jbuyck

	PROJECT IBEX VALLEY FIRE HALL WHITEHORSE, YUKON			
CLIENT 	TITLE WELL LOG 1950-B			
DATE JAN. 2006	DWN. JSB	CHKD. KSJ	FILE NO. 1260008	DRWG. FIGURE A1



BRITISH COLUMBIA

BC Environment

Water Management Branch, Groundwater Section

WATER WELL RECORD

Date 06/11/09

BCGS MAP, WELL No., ELEV, Location Accuracy, UTM, Date 19, Well Type

Owners Name & Address: ATT: KATHERINE T

Descriptive Location: IBEX FIREHALL

1. TYPE OF WORK, 2. WORK METHOD, 3. WATER, 9. CASING Materials

Table with columns: Hole Diameter, Diameter, from, units (ft, ins)

4. DRILLING ADDITIVES: NONE

5. MEASUREMENTS from 1. ground level, 2. top of casing

6. WELL LOG DESCRIPTION table with columns: FROM ft, TO ft, SWL ft

Pitless unit, 1. Welded, 2. Cemented, 3. Threaded

Shoe(s), Open hole, from 215 to 405 ft, Diameter 6 ins

10. SCREEN: 1. Nominal, 2. Pipe Size, Type, Material

RISEH, SCREEN & BLANKS table with columns: Length, Diam. I.D., Slot Size, from, to, units

Fittings, top, bottom, Gravel Pack

11. DEVELOPED BY: 1. Surging, 2. Jetting, 3. Air, 4. Bailing, 5. Pumping

12. TEST 1. Pump, 2. Bail, 3. Air, Rate 3 gpm, Temp, SWL before test

Table for DRAWDOWN and RECOVERY in ft with columns: mins, WL


13. RECOMMENDED PUMP TYPE, SETTING, RATE

14. WATER TYPE: 1. Fresh, 2. Salty, 3. Clear, 4. Cloudy, colour, smell, gas

15. WATER ANALYSIS: 1. Hardness, 2. Iron, 3. Chloride, 4. pH, Field Date, Lab Date

7. CONSULTANT, Address

8. WELL LOCATION SKETCH



SITE I.D. No, Lab Date

16. FINAL WELL COMPLETION DATA: Well Depth 405 ft, Well Yield 3 gpm, Static Water Level, Back filled, Well Head Completion 6" HXNED, LOCKABLE PLATE

17. DRILLER: SIGNATURE, SURNAME, FIRST NAME

18. CONTRACTOR: DOUBLE D DRILLING CO., Address: BOX 766 TERRACE B.C. V8G-4R1