

Well ID:
To be assigned by Dept. Of Environment

VV < 4

Metric Imperial

INSTRUCTIONS FOR COMPLETING THE FORM

1. Additional information is provided at the bottom of this form on page 2.
2. Question can be directed to Water Resources at 867 667-3171.
3. All well construction measurements shall be reported to 0.1 m or 0.3 ft.
4. Please print clearly in blue or black ink.
5. Completion and submission of this form is the responsibility of the drilling contractor.
6. Please specify metric or imperial units for all measurements.

WELL LOCATION AND OWNER'S INFORMATION

A1 Well Name: Optional (i.e. City Well No. 2)

A2 Drilled For: [REDACTED] First Name Last Name Company / Department / Organization

A3 Street Address of Well Location: Mary Lake

A4 Town / Village / Area / Lot #: 5 Columbine Place

A5 UTM Coordinates (using handheld GPS): NAD 8 | 3 Zone

Easting Northing

A6 Elevation of Top of Casing: m / ft ASL

A7 Accuracy of GPS: +/- m / ft

Sketch of Well Location
In sketch, indicate distances from property line, septic field, fuel tank(s) and building. Please include North arrow.

105 D10
8V
503944
6716549
+ 100-300m

A8 Purpose of Wells

- Domestic Test Well Irrigation Environmental (Quality)
 Commercial Municipal Observation - Water Level Other (please identify use)
 Industrial Agricultural Public/Recreational

LOG OF OVERBURDEN AND BEDROCK MATERIALS (All depths are below ground surface, circle appropriate units, use descriptors provided)

Depth (m / ft)	B4 General Colour	B5 Most Common Material	B6 Secondary Materials		B7 General Description
			trace gravel	some silt	
0 - 14	brown	Dark / fine / cobbles			
14 - 22	brown	fine SAND	and gravel		
22 - 28	brown	clay	and SAND		dry
28 - 37	brown	SAND			
37 - 51	brown	SAND +			
51 - 56	brown	SAND			
56 - 62	Grey	Gravel		trace SAND	
62 - 64	Grey	Rougher			
64 - 69	Grey	fine Gravel		trace SAND	
69 - 88	Grey/brown	Coarse Gravel			
88 - 100	Grey/brown	"		trace SAND	Saturated

B8 Permafrost Encountered: NO YES If yes, indicated depth (m / ft): from: to:

WELL CONSTRUCTION (Continues on Page 2)

Date Well Completed 2015 09 22
Y Y Y Y M M D D

Example: 2005 01 31

C1 Drilling Method Air Rotary (Conventional) Dug Other (please specify)
 Reverse Air Rotary Cable Tool
 Mud Rotary Auger (Hollow / Solid Stem)

C2 Well Type: In what geological material is the water producing zone located?
 OVERBURDEN BEDROCK

Casing (depth below ground surface, please circle appropriate units)

C3 Outside Diameter 105 (cm / in)
 C4 Casing Material Steel Plastic Other
 C5 Casing Wall Thickness 1.9 (cm / in)
 C6 Casing Depth to: 100 (m / ft)

C7 Other Comments Regarding Casing:

Surface / Environmental Seal (depth below ground surface, please circle appropriate units)

C8 Seal Material Type: Bentonite C9 Diameter of Seal: 10 (cm / in) C10 Seal Depth from: 15 (m / ft) C11 Seal Depth to: 10 (m / ft) C12 Volume Placed: 250 (m³/ft³) 1.65

Gravel Pack (depth below ground surface, please circle appropriate units)

C13 Gravel Pack: YES If yes, indicated depth (m / ft): from: to: Indicate diameter of material: (mm / inches) Material type: (i.e. silica)

Well Screen Information (depth below ground surface, please circle appropriate units)

C14 Outside Diameter: 4.5 (cm / in) C15 Screen Material: Stainless Steel C16 Screen Type: Slotted C17 Depth from: 100.5 (m / ft) C18 Depth to: 25 (m / ft) Slot Size / Perforation Dia: 25 Thou. / mm / inches

WELL DEVELOPMENT AND STATUS

D1 Well Developed by: Water Jetting D2 Well Head Completion: Well House D3 Well Head Stick-up: 9.4 (m / ft) D4 Static Water Level: 22.2 (m / ft) D5 Well Yield Estimate: 24 (Lps / gpm) D6 Final Well Status: Water Supply (in use) D7 Well Abandonment Status: YES D8 Method Used to Estimate Well Yield: Air Lifting

PUMPING TEST RECORD AND GROUNDWATER QUALITY

(All depths below ground, circle appropriate units)

E1 Pumping Test Information

Pumping Test Start Date: Y Y Y Y M M D D

Static Water Level (SWL): (m / ft)

Pump Intake Set at: (m / ft)

Duration of pumping: hrs min

Final Water Level (FWL) at end of Pumping Test: (m / ft)

RECOMMENDATIONS

Recomm. Pump Depth: (m / ft) Recomm. Pumping Rate: (Lps / gpm) If flowing, provide rate: (Lps / gpm)

F1 Well Water Level Drawdown/Recovery DATA

Table with columns for Drawdown (Time, Water Level) and Recovery (Time, Water Level) at various depths from 0 to 60 meters.

G1 GROUNDWATER QUALITY

Field Data Date Measurements Taken: Y Y Y Y M M D D

Electrical Conductivity: uS pH: Temperature: °C

Groundwater Type: Salty Sulphur / Egg Odour Organic Taste / Odour Metallic Taste Other:

Turbidity/Sand Content: Clear Slightly turbid/cloudy Moderately turbid/cloudy Turbid/cloudy Trace sand present No sand present

Well Disinfection: Was the well disinfected upon completion of the pump installation? Briefly describe method of well disinfection.

Bacteria Testing: Was a sample taken? Date Sample Taken: Y Y Y Y M M D D

Chemical Analysis of Water: Was a sample taken? Date Sample Taken: Y Y Y Y M M D D

WELL CONTRACTOR

H1 Name of Contractor / Drilling Company: CATHWAY WATER H2 Name of Driller(s): GRANT BOOTH H3 Address of Driller: WHITEHORSE ST

CONSULTANT (if applicable)

I1 Company Name: I2 Company Address: I3 Report Reference: I4 Report Date:

ADDITIONAL INSTRUCTIONS

Upon completing this form, please mail or fax it to: Water Resources Section (V-310), Department of Environment, Government of Yukon Box 2703, Whitehorse, Yukon, Canada Y1A 2C6

Personal information contained on this form is collected under the authority of the Access to Information and Protection of Privacy (ATIP/PA) Act, Section 29 (c) and will be used to compile a public database of well and ground water information.