





**LORAX**  
ENVIRONMENTAL

MW14-03B / BH3 / CFD-0442

(Page 2 of 2)



Drilling Started : Sep 08, 2014  
 Install Completed : Sep 12, 2014  
 Drilling Method : Diamond / HQ  
 Drilling Company : CYR Drilling Ltd.  
 Supervised By : RC / CB

Northing Coord. : 6,973,196.66  
 Easting Coord. : 582,388.30  
 Ground Surface : 1095.16 m amsl  
 Logged By : Kaminak  
 Checked By : LF

Coffee Creek Gold  
 Project #: A362-4

Depth (m)	Elev. (m amsl)	DESCRIPTION	RQD (%)	Fracture = Fr Fault = Ft	Packer Test Interval (mbgs)	K (m/s)	Depth (m)	Well: MW14-03B Elev.: 1096.13 m amsl (TOC)
	1095.16	Water Level: 962.39 m amsl 13-Oct-14 @ 15:41						
80	1015	<b>GNEISS</b> Mafic gneiss with weak patchy carbonate alteration, fracture controlled limonite and interstitial limonite alteration parallel to foliation					80	
		<b>ANDESITE</b> Fine grained, dark mafic dyke, fractures and carbonate veinlets with +- limonite and alteration halo						
100	995	<b>GNEISS</b> Mafic gneiss with minor thin bands of white marble, fracture controlled limonite alteration and selective interstitial limonite replacement		N/A	N/A	N/A	100	
		<b>MEATACARBONATE</b> Alternating bands of mafic gneiss and marble, fracture controlled limonite and selective interstitial limonite replacement of marble / gneiss						
120	975	<b>BIOTITE FELDSPAR SCHIST</b> Fine grained, with weak patchy carbonate alteration, white marble bands also present, weak fracture controlled limonite					120	
		Zone strongly oxidised with weak, patchy carbonate alteration, fracture controlled limonite, local stockwork of limonite fractures 126.1 to 130.5 m						
		Patchy, weak fracture controlled oxidation / limonite alteration, weak fracture controlled clay alteration 130.5 to 137.5 m						
		Weak zone. Moderate oxidation / limonite alteration and patchy hematite alteration 137.5 to 152.0 m						
140	955						140	
		EOH @ 152 m						
		*Comment from supervising hydrogeologist, all other descriptions provided by Kaminak						
160		N/A: Hole not logged for structure or packer tested					160	

