

PROJECT: 952-1523I

# RECORD OF BOREHOLE: BH95G-24

SHEET 1 OF 1

LOCATION: 6815257N, 415038E, PIT AREA (SOU.CEN.)

DRILLING DATE: Aug. 11, 1995

DATUM: NAD 83

INCLINATION: -90 AZIMUTH:

DRILL RIG: Boyles Brothers - Rotary

DRILLING CONTRACTOR: D.J. Drilling



DEPTH SCALE METRES	DRILLING RECORD	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (m/min)	FLUSH % RETURN	FR-FRACTURE		F-FAULT		SM-SMOOTH		FL-FLEXURED		NOTES TEST RESULTS			
							CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN			DISCONTINUITY DATA	ROCK STR. (MPa)	WEATH-ERING INDEX (W)
							SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY					
							VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED					
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3m	TYPE AND SURFACE DESCRIPTION		W1	W2	W3	W4									
TOTAL CORE %	SOLID CORE %			DP W.P.L. CORE AXIS	DESCRIPTION													
0		Ground Surface	1385.33															
1		Compact to very dense, moist brown-grey SAND, some silt to silty SAND, some gravel, occasional cobbles and boulders.	0.00	1											Aug. 25 1995			
2			2												Bentonite Seal			
3			3															
4		Dense to very dense, moist, grey, silty SAND to SAND, some silt, some gravel, occasional cobbles and boulders. (TILL-LIKE)	1380.30															
5			5.03	4											Sand Pack			
6		Brown, gravelly SAND to sandy GRAVEL, trace to some silt.	1378.47															
7			6.86	5											32mm dia. PVC Screen			
8		Bedrock - weathered to slightly weathered, weak to moderately strong black-white SCHIST.	1376.80															
9			8.53	6														
10		End of Borehole	1375.58															
9.75																		

DATA FORM: R-100

SEPT. 95

DEPTH SCALE: 1 to 100

CLIENT: Cominco

Golder Associates

LOGGED: L.P.  
DATE: Aug. 11, 1995  
CHECKED: C.J.C.