

ISPG CORE AND SAMPLE REPOSITORY

NOTE: ADDITIONAL GEOCHEMICAL DATA EXISTS FOR THIS WELL BUT IS
CONFIDENTIAL UNTIL 29/1/92.

AT THIS TIME THE DATA WILL BE INCORPORATED INTO THE WELL FILE.

IF THIS DATE HAS PASSED AND THE MATERIAL DOES NOT APPEAR TO BE HERE IN
THE FILE, PLEASE ASK ONE OF THE STAFF FOR IT SO THAT IS MAY BE
INCORPORATED.

THANK YOU.

BLACKIE M-59

ISPG CORE AND SAMPLE REPOSITORY

NOTE: ADDITIONAL GEOCHEMICAL DATA EXISTS FOR THIS WELL BUT IS
CONFIDENTIAL UNTIL April 12/92.

AT THIS TIME THE DATA WILL BE INCORPORATED INTO THE WELL FILE.

IF THIS DATE HAS PASSED AND THE MATERIAL DOES NOT APPEAR TO BE HERE IN
THE FILE, PLEASE ASK ONE OF THE STAFF FOR IT SO THAT IS MAY BE
INCORPORATED.

THANK YOU.

Confidential
to April 12/92

Scanned
filed

GEOCHEMISTRY REPORT

WELL: Blackie M-59

LOCATION: Yukon Territory

INTERVAL: 4250' to 5200'

DATE SAMPLED: April 12, 1990

LAB #	WELL #	DEPTH (ft)	Cu ppm	Pb ppm	Zn ppm
R9001970	M59	4250	19	12	148
R9001971	M59	4310	21	4	154
R9001972	M59	4350	39	8	263
R9001973	M59	4400	39	12	265
R9001974	M59	4450	43	7	313
R9001975	M59	4500	15	17	147
R9001976	M59	4550	30	11	236
R9001977	M59	4600	35	7	240
R9001978	M59	4650	33	8	225
R9001979	M59	4700	29	6	209
R9001980	M59	4750	25	9	222
R9001981	M59	4800	28	6	224
R9001982	M59	4840	22	9	181
R9001983	M59	4900	25	12	180
R9001984	M59	4950	21	6	165
R9001985	M59	5000	17	6	135
R9001986	M59	5050	24	10	181
R9001987	M59	5100	27	7	193
R9001988	M59	5150	21	9	164
R9001989	M59	5200	22	12	176

NAME	DEPTH	S1	S2	TMAXADJ	PI	TOC	HI
NO.	1	5	8	9	3	2	6
1-	10.	0.51	1.64	430.	0.24	1.23	133.
2-	50.	0.53	3.09	436.	0.15	2.06	150.
3-	100.	0.42	2.07	436.	0.17	1.64	126.
4-	150.	0.42	1.81	435.	0.19	1.58	115.
5-	200.	0.39	1.46	434.	0.21	1.24	118.
6-	250.	0.39	1.91	434.	0.17	1.47	130.
7-	300.	0.51	2.32	434.	0.18	1.57	148.
8-	350.	0.46	2.36	433.	0.16	1.65	143.
9-	400.	0.28	2.01	433.	0.12	1.41	143.
10-	450.	0.40	2.16	434.	0.16	1.59	136.
11-	500.	0.56	2.34	434.	0.19	3.40	69.
12-	550.	0.49	2.71	438.	0.15	0.26	1042.
13-	600.	0.57	2.57	434.	0.18	1.82	141.
14-	650.	0.50	2.65	438.	0.16	1.63	163.
15-	700.	0.49	1.96	438.	0.20	1.64	120.
16-	750.	0.40	1.64	440.	0.20	1.45	113.
17-	800.	0.35	1.63	442.	0.18	1.21	135.
18-	850.	0.37	1.60	439.	0.19	1.18	136.
19-	910.	0.31	0.63	433.	0.33	0.71	89.
20-	950.	0.37	0.95	435.	0.28	0.92	103.
21-	1000.	0.38	1.15	434.	0.25	0.91	126.
22-	1050.	0.21	0.96	433.	0.18	0.95	101.
23-	1100.	0.24	1.05	433.	0.19	1.05	100.
24-	1150.	0.40	1.23	434.	0.25	0.95	129.
25-	1200.	0.59	1.66	432.	0.26	0.97	171.
26-	1250.	0.30	1.87	434.	0.14	1.11	168.
27-	1300.	0.27	0.89	434.	0.23	0.73	122.
28-	1350.	0.23	0.89	433.	0.21	0.84	106.
29-	1400.	0.33	1.98	434.	0.14	1.20	165.
30-	1450.	0.29	1.55	435.	0.16	1.03	150.
31-	1500.	0.28	1.36	435.	0.17	0.96	142.
32-	1550.	0.26	1.05	435.	0.20	0.92	114.
33-	1600.	0.67	1.89	434.	0.26	1.10	172.
34-	1650.	0.37	1.73	435.	0.18	1.13	153.
35-	1700.	0.37	1.76	434.	0.17	1.06	166.
36-	1800.	0.23	1.74	438.	0.12	1.08	161.
37-	1850.	0.31	2.06	435.	0.13	1.39	148.
38-	1900.	0.33	3.81	433.	0.08	1.50	254.
39-	1950.	0.30	1.59	436.	0.16	0.92	173.
40-	2000.	0.25	1.20	436.	0.17	0.70	171.
41-	2050.	0.56	1.46	435.	0.28	0.69	212.
42-	2100.	0.38	1.25	437.	0.23	0.70	179.
43-	2200.	0.21	1.15	435.	0.15	0.85	135.
44-	2250.	0.19	0.87	435.	0.18	0.74	118.
45-	2300.	0.22	0.65	436.	0.25	0.60	108.
46-	2350.	0.14	0.40	434.	0.26	0.40	100.
47-	2400.	0.12	0.20	*****	0.37	0.15	133.
48-	2450.	0.20	0.89	431.	0.18	0.58	153.
49-	2500.	0.28	1.13	433.	0.20	0.72	157.
50-	2550.	0.10	0.11	*****	0.48	0.06	183.
51-	2600.	0.21	0.26	429.	0.45	0.28	93.
52-	2650.	0.15	0.35	429.	0.30	0.42	83.
53-	2700.	0.23	1.00	436.	0.19	0.80	125.
54-	2750.	0.26	0.55	432.	0.32	0.50	110.
55-	2800.	0.21	0.47	433.	0.31	0.05	940.
56-	2850.	0.31	0.89	437.	0.26	0.75	119.
57-	2900.	0.29	0.87	436.	0.25	0.75	116.
58-	2950.	0.32	0.97	436.	0.25	0.67	145.
59-	3000.	0.47	1.27	435.	0.27	0.79	161.

CONFIDENTIAL
 UNTIL 29/11/92

Scanned & filed

60-	3050.	0.32	1.37	437.	0.19	0.79	173.
61-	3100.	0.34	1.13	437.	0.23	0.80	141.
62-	3150.	0.29	1.00	436.	0.22	0.71	141.
63-	3200.	0.39	1.53	438.	0.20	0.77	199.
64-	3250.	0.27	1.21	438.	0.18	0.73	166.
65-	3300.	0.55	1.91	438.	0.22	0.91	210.
66-	3350.	0.45	1.79	438.	0.20	0.24	746.
67-	3400.	0.41	1.95	440.	0.17	0.90	217.
68-	3450.	0.35	1.53	440.	0.19	0.92	166.
69-	3500.	0.29	1.28	440.	0.18	0.79	162.
70-	3550.	0.37	1.68	440.	0.18	0.83	202.
71-	3600.	0.37	1.29	440.	0.22	0.66	195.
72-	3650.	0.33	1.20	440.	0.22	0.72	167.
73-	3700.	0.37	1.25	442.	0.23	0.69	181.
74-	3750.	0.44	1.33	441.	0.25	0.76	175.
75-	3800.	0.45	1.58	441.	0.22	0.81	195.
76-	3850.	0.39	1.35	442.	0.22	0.78	173.
77-	3900.	0.42	1.28	442.	0.25	0.67	191.
78-	3950.	0.51	1.56	442.	0.25	0.82	190.
79-	4000.	0.31	0.83	440.	0.27	0.56	148.
80-	4050.	0.42	0.93	443.	0.31	0.60	155.
81-	4100.	0.50	1.02	442.	0.33	0.65	157.
82-	4150.	0.33	1.14	442.	0.22	0.73	156.
83-	4200.	0.38	1.04	441.	0.27	0.62	168.
84-	4250.	0.39	1.49	444.	0.21	0.76	196.
85-	4300.	0.57	1.83	443.	0.24	0.86	213.
86-	4350.	0.85	9.16	446.	0.08	2.33	393.
87-	4400.	1.24	11.04	445.	0.10	2.36	468.
88-	4450.	1.11	9.54	443.	0.10	0.92	1037.
89-	4500.	0.65	3.01	445.	0.18	0.30	1003.
90-	4600.	1.05	8.23	445.	0.11	2.05	401.
91-	4650.	0.84	5.61	445.	0.13	1.81	310.
92-	4700.	1.06	7.07	443.	0.13	0.93	760.
93-	4800.	0.48	2.29	443.	0.17	1.14	201.
94-	4900.	0.54	2.49	445.	0.18	1.09	228.
95-	4950.	0.63	2.62	445.	0.19	1.07	245.
96-	5000.	0.43	1.59	441.	0.22	0.94	169.
97-	5050.	0.47	1.40	445.	0.25	0.87	161.
98-	5100.	0.60	1.90	445.	0.24	0.95	200.
99-	5150.	0.66	2.80	445.	0.19	1.16	241.
100-	5200.	0.75	2.46	445.	0.23	0.97	254.
101-	5250.	0.82	0.82	443.	0.39	0.57	144.
102-	5300.	0.96	1.81	445.	0.35	0.86	210.

**** NUMBER OF VECTORS TESTED = 102

**** NUMBER OF VECTORS LISTED = 102